



Abbott Analytical



Consulting Scientists to the Disinfectant Industry

Certificate of Analysis

Sample(s) : One sample of GreenGold
Received from: Busy Cleaning Ltd, Charter Court, Phoenix Way, Swansea, SA7 9FS
Date received: 11 November 2009 **Date tested:** 12 November 2009
Certificate no: 09L.063B-KR.ENZ **Certificate date:** 16 November 2009
Sample ref: 9L/063 **Page:** 1 of 2
Analysis required: EN 1276, Chemical disinfectants and antiseptics - Quantitative suspension test for the evaluation of bactericidal activity of chemical disinfectants and antiseptics used in food, industrial, domestic and institutional areas - Test method and requirements (phase 2, step 1)

Product stored at: Room temperature
Active substance: Not declared
Test conditions: 'Dirty'
Interfering substance: 3.0g/l bovine albumin
Product test concentration: 10.0% v/v
Product diluent used during test: Sterile hard water 300mg/l CaCO₃
Contact time: 5 minutes
Test temperature: 20°C ± 0.5°C
Neutralising solution: 30g/l polysorbate 80, 3g/l lecithin, 1g/l histidine, 1g/l cysteine
Incubation temperature: 37°C ± 1°C
Identification of bacterial strain(s) used:

<i>Pseudomonas aeruginosa</i>	ATCC 15442
<i>Escherichia coli</i>	NCTC 10418
<i>Staphylococcus aureus</i>	NCTC 6571
<i>Enterococcus hirae</i>	ATCC 8043

D C Watson



Abbott Analytical



Consulting Scientists to the Disinfectant Industry

16 November 2009

Certificate No: 09L.063B-KR.ENZ

Page: 2 of 2

Test results:

Test Organism	<i>Pseudomonas aeruginosa</i>		<i>Escherichia coli</i>		<i>Staphylococcus aureus</i>		<i>Enterococcus hirae</i>	
Validation Suspension	10 ⁻¹	Vc1 366 Vc2 334	Vc1 304 Vc2 358	Vc1 636 Vc2 647	Vc1 512 Vc2 485			
		Nv0 3.50 x10 ³	Nv0 3.31 x10 ³	Nv0 6.42 x10 ³	Nv0 4.99 x10 ³			
Experimental Control	10 ⁰	Vc1 322 Vc2 304	Vc1 314 Vc2 356	Vc1 544 Vc2 572	Vc1 374 Vc2 412			
		A 3.13 x10 ²	A 3.35 x10 ²	A 5.58 x10 ²	A 3.93 x10 ²			
Neutraliser Control	10 ⁰	Vc1 338 Vc2 314	Vc1 328 Vc2 348	Vc1 539 Vc2 551	Vc1 414 Vc2 440			
		B 3.26 x10 ²	B 3.38 x10 ²	B 5.45 x10 ²	B 4.27 x10 ²			
Method Validation	10 ⁰	Vc1 326 Vc2 350	Vc1 326 Vc2 350	Vc1 520 Vc2 552	Vc1 422 Vc2 458			
		C 3.38 x10 ²	C 3.38 x10 ²	C 5.36 x10 ²	C 4.40 x10 ²			
Test Suspension	10 ⁻⁶	Vc1 312 Vc2 255	Vc1 246 Vc2 352	Vc1 480 Vc2 736	Vc1 296 Vc2 420			
	10 ⁻⁷	Vc1 28 Vc2 23	Vc1 35 Vc2 42	Vc1 78 Vc2 63	Vc1 43 Vc2 51			
		N 2.69 x10 ⁸	N 3.42 x10 ⁸	N 6.57 x10 ⁸	N 4.14 x10 ⁸			
Results	10 ⁻²	Vc 0	Vc 0	Vc 0	Vc 0			
		Na <1.00 x10 ²	Na <1.00 x10 ²	Na <1.00 x10 ²	Na <1.00 x10 ²			
		R >2.69 x10 ⁶	R >3.42 x10 ⁶	R >6.57 x10 ⁶	R >4.14 x10 ⁶			
Log ₁₀ Reduction	> 6.43		> 6.53		> 6.82		> 6.62	

Vc = Viable count

Nv = cfu/ml in the validation suspension

N = cfu/ml in the test suspension

Na = cfu/ml in the test mixture

R = Reduction in viability

Requirements & Conclusion:

To pass EN 1276 a log₁₀ reduction of at least 5 is required.

This batch of GreenGold, when diluted to 10.0% v/v, passes the requirements of EN 1276 for bactericidal activity in 5 minutes at 20°C under 'dirty' conditions against the reference organisms detailed.

D C Watson

D C Watson BSc, CBiol, MSB, MIFST, ACIEHO
PO Box 95, New Ferry, Wirral, CH62 6HA
Tel: 0151 637 3331 Mob: 07767 871275
email: abbottanalytical@hotmail.co.uk