MIERS

Technical Data Sheet



Product Description: Face Shield

The Face Shield is made up of principally four components:

- 175-micron Face Shield
- Flexible Polyurethane Foam
- Solvent free modified acrylic adhesive
- 25mm White elastic

This product is designed and intended only as a shield of the face to avoid liquid splashing or splattering. This is a single use product. Dispose of product after use.

One Size fits all. NON-STERILE. Size: 33cm x 23cm

TYPICAL VALUES – FACE SHIELD

	Nominal Thickness	Yield	Tensile Strength	Elongation to Break	Heat Shrinkage (150C / 30mins)	Coefficient of Friction	Haze	Total Luminous Trans
Units	Micron	m2/Kg	Kg/cm ²	%	%	Static	%	%
Method	ASTM		ASTM D-882	ASTM D-882	ASTM D-1204	ASTM D-1894	ASTM D-1003	ASTM D-1003
Values	175	4.1	2000	160	1.6	0.48	1.7	89

POLYURETHANE FOAM

Composition	Polyurethane Polymer
Chemical Description	Polyaddition product of polyester/polyether polyol, isocyanate and water which, controlled and modified by catalysts, stabilisers and other substances, which react to form solid cellular foam
Appearance	Open celled flexible foam

ELASTIC

Composition	35% Rubber and 65% Polyester / Polypropylene	
Stretch	100 – 140%	
Yarns	2/167 Polyester 250 D/T Polypropylene 36'S Rubber 1/167 Polyester	

LJA-SS-038-01

This data is to be used as information only and does not contain any guarantee as our products may be used for different purposes. Purchasers should conduct their own tests to determine the suitability of this material for their purposes.