




LED LINEAR TUBES



WATTS	BOOK ITEM #	DESCRIPTION	SPEC SHEET	CCT	LUMENS	TRAD. EQUIV.	CASE
-------	-------------	-------------	------------	-----	--------	--------------	------

LED COOLER LIGHTS • 120V



20	DL16783945	5' V-COOLER/20W/40K/CL/270° - DLC®	SPEC SHEET	4000K	2400	T8/T12	20
	DL16883946	5' V-COOLER/20W/50K/CL/270° - DLC®	SPEC SHEET	5000K	2400	T8/T12	20
22	DL16983948	6' V-COOLER/22W/40K/CL/270° - DLC®	SPEC SHEET	4000K	2640	T8/T12	20
	DL17083949	6' V-COOLER/22W/50K/CL/270° - DLC®	SPEC SHEET	5000K	2640	T8/T12	20

LED DIRECT REPLACEMENT - UL TYPE A

T5/T5HO/MINI BI PIN *MT = Metal End Caps*



25	DL17190449	46" 25WT5/40K/FR - DLC®	SPEC SHEET	4000K	3500	T5	25
	DL17290450	46" 25WT5/50K/FR - DLC®	SPEC SHEET	5000K	3500	T5	25
25.5	DL17391319	46" 25.5WT5/50K/FR/SAFETY COATED/V5 - DLC®	SPEC SHEET	5000K	3600	T5	25

T8/MED BI PIN *MT = Metal End Caps*



9	DL17491324	2' 9WT8/40K/FR/V5 - DLC®	SPEC SHEET	4000K	1475	T8	25
	DL17591325	2' 9WT8/50K/FR/V5 - DLC®	SPEC SHEET	5000K	1500	T8	25
10	DL17690728	3' 10WT8/40K/FR/V4 - DLC®	SPEC SHEET	4000K	1450	T8	25
	DL17790729	3' 10WT8/50K/FR/V4 - DLC®	SPEC SHEET	5000K	1450	T8	25
10.5	DL17891828	3' 10WT8/50K/FR/V5	SPEC SHEET	5000K	1450	T8	25
	DL17991030	4' 10.5WT8/35K/FR/SAFETY COATED/V5 - CEE/DLC®	SPEC SHEET	3500K	1708	T8	25
	DL18091032	4' 10.5WT8/50K/FR/SAFETY COATED/V5 - CEE/DLC®	SPEC SHEET	5000K	1806	T8	25
11	DL18191831	4' 11WT8/40K/FR/V2	SPEC SHEET	4000K	1800	T8	25
	DL18291045	4' 12WT8/50K/FR - DLC® MT	SPEC SHEET	5000K	1800	T8	25
13	DL18391460	4' 13WT8/35K/FR	SPEC SHEET	3500K	1800	T8	25
	DL18491461	4' 13WT8/40K/FR	SPEC SHEET	4000K	1800	T8	25
	DL18591462	4' 13WT8/50K/FR	SPEC SHEET	5000K	1800	T8	25
	DL18691289	4' 13WT8/35K/FR/V5 - CEE/DLC® MT	SPEC SHEET	3500K	1800	T8	25
	DL18791313	4' 13WT8/35K/FR/SAFETY COATED/V5 - CEE/DLC®	SPEC SHEET	3500K	1950	T8	25
	DL18891315	4' 13WT8/50K/FR/SAFETY COATED/V5 - CEE/DLC®	SPEC SHEET	5000K	2000	T8	25
	DL18991400	4' 13WT8/40K/FR/SAFETY COATED/V5 - CEE/DLC® MT	SPEC SHEET	4000K	2000	T8	25
15	DL19091047	4' 15WT8/40K/FR - DLC® MT	SPEC SHEET	4000K	2200	T8	25
	DL19191048	4' 15WT8/50K/FR - DLC® MT	SPEC SHEET	5000K	2200	T8	25
	DL19291305	4' 15WT8/35K/FR/V5 - CEE/DLC®	SPEC SHEET	3500K	2250	T8	25
	DL19391309	4' 15WT8/35K/FR/V5 - CEE/DLC® MT	SPEC SHEET	3500K	2250	T8	25
17	DL19491294	4' 17WT8/50K/FR/V5 - CEE/DLC® MT	SPEC SHEET	5000K	2400	T8	25

T8/SINGLE PIN



24	DL19591420	8' 24WT8/50K/FR/SAFETY COATED - DLC®	SPEC SHEET	5000K	3500	T8	8
42	DL19691423	8' 42WT8/50K/FR/SAFETY COATED - DLC®	SPEC SHEET	5000K	5800	T8	8

LED DIRECT REPLACEMENT OR DIRECT WIRE • 120-277V - UL TYPE A & B



14	DL19791466	4' 14WT8/35K/FR - DLC®	SPEC SHEET	3500K	1800	T8	25
	DL19891467	4' 14WT8/40K/FR - DLC®	SPEC SHEET	4000K	1800	T8	25
	DL19991468	4' 14WT8/50K/FR - DLC®	SPEC SHEET	5000K	1800	T8	25
	DL20090417	4' 14WT8/35K/FR/SAFETY COATED/V5 - CEE/DLC®	SPEC SHEET	3500K	2150	T8	25
	DL20190418	4' 14WT8/40K/FR/SAFETY COATED/V5 - CEE/DLC®	SPEC SHEET	4000K	2100	T8	25
	DL20290419	4' 14WT8/50K/FR/SAFETY COATED/V5 - CEE/DLC®	SPEC SHEET	5000K	2200	T8	25

LED DIRECT REPLACEMENT OR DIRECT WIRE • 120-277V - UL TYPE A & B (cont'd)

T8/U1 5/8"

DIMM = DIMMABLE / **ES®** = ENERGY STAR®
FOR EXACT PART NUMBERS PLEASE CONTACT FACTORY

LED LINEAR TUBES

WATTS	BOOK ITEM #	DESCRIPTION	SPEC SHEET	CCT	LUMENS	TRAD. EQUIV.	CASE
15	DL20390884	LED 15WT8/U 1 5/8" /50K/FR	SPEC SHEET	5000K	2200	T8/U1	24
T8/U6							
13	DL20490439	13WT8/U6/35K/FR - DLC®	SPEC SHEET	3500K	1950	T8/U6	12
	DL20590440	13WT8/U6/40K/FR - DLC®	SPEC SHEET	4000K	1900	T8/U6	12
	DL20690441	13WT8/U6/50K/FR - DLC®	SPEC SHEET	5000K	2000	T8/U6	12

LED DIRECT WIRE / SINGLE END CONNECTION - UL TYPE B

T5/T5HO/MINI BI PIN • 120-277V

13	DL20790428	46" 13WT5/T6/40K/FR - DLC®	SPEC SHEET	4000K	1650	T5	25
	DL20890429	46" 13WT5/T6/50K/FR - DLC®	SPEC SHEET	5000K	1700	T5	25
25	DL20990433	46" 25WT5/T6/35K/FR - DLC®	SPEC SHEET	3500K	3200	T5	25
	DL21090434	46" 25WT5/T6/40K/FR - DLC®	SPEC SHEET	4000K	3300	T5	25
	DL21190435	46" 25WT5/T6/50K/FR - DLC®	SPEC SHEET	5000K	3400	T5	25

T8/MED BI PIN • 120-277V

9	DL21291286	2' 9WT8/40K/FR/V5 - DLC®	SPEC SHEET	4000K	1200	T8	25
	DL21391287	2' 9WT8/50K/FR/V5 - DLC®	SPEC SHEET	5000K	1250	T8	25
12	DL21490735	3' 12WT8/30K/FR/V4 - DLC®	SPEC SHEET	3000K	1400	T8	25
	DL21590736	3' 12WT8/35K/FR/V4 - DLC®	SPEC SHEET	3500K	1400	T8	25
	DL21690737	3' 12WT8/40K/FR/V4 - DLC®	SPEC SHEET	4000K	1450	T8	25
	DL21790738	3' 12WT8/50K/FR/V4 - DLC®	SPEC SHEET	5000K	1450	T8	25
10.5	DL21891027	4' 10.5WT8/35K/FR - CEE/DLC®	SPEC SHEET	3500K	1650	T8	25
	DL21991028	4' 10.5WT8/40K/FR - CEE/DLC®	SPEC SHEET	4000K	1700	T8	25
	DL22091029	4' 10.5WT8/50K/FR - CEE/DLC®	SPEC SHEET	5000K	1700	T8	25
12	DL22190578	4' 12WT8/30K/FR/V4 - CEE/DLC®	SPEC SHEET	3000K	1700	T8	25
	DL22290593	4' 12WT8/35K/FR/V4 - CEE/DLC®	SPEC SHEET	3500K	1700	T8	25
	DL22390567	4' 12WT8/40K/FR/V4 - CEE/DLC®	SPEC SHEET	4000K	1800	T8	25
	DL22490568	4' 12WT8/50K/FR/V4 - CEE/DLC®	SPEC SHEET	5000K	1800	T8	25
14	DL22591190	4' 14WT8/35K/FR/V2 - CEE/DLC®	SPEC SHEET	3500K	1800	T8	25
	DL22691191	4' 14WT8/40K/FR/V2 - CEE/DLC®	SPEC SHEET	4000K	1800	T8	25
	DL22791192	4' 14WT8/50K/FR/V2 - CEE/DLC®	SPEC SHEET	5000K	1800	T8	25
14.5	DL22891301	4' 14.5WT8/50K/CL/SAFETY COATED/V5 - CEE/DLC®	SPEC SHEET	5000K	2100	T8	25
15	DL22991281	4' 15WT8/35K/FR/SAFETY COATED/V5 - CEE/DLC®	SPEC SHEET	3500K	1900	T8	25
	DL23091282	4' 15WT8/40K/FR/SAFETY COATED/V5 - CEE/DLC®	SPEC SHEET	4000K	2000	T8	25
	DL23191283	4' 15WT8/50K/FR/SAFETY COATED/V5 - CEE/DLC®	SPEC SHEET	5000K	2100	T8	25
	DL23291416	4' 15WT8/ BLUE /FROST/SAFETY COATED	SPEC SHEET	-	1800	T8	25
16	DL23391463	4' 16WT8/35K/FR	SPEC SHEET	3500K	1600	T8	25
	DL23491464	4' 16WT8/40K/FR	SPEC SHEET	4000K	1600	T8	25
	DL23591465	4' 16WT8/50K/FR	SPEC SHEET	5000K	1600	T8	25
17	DL23691193	4' 17WT8/35K/FR/V2 - CEE/DLC®	SPEC SHEET	3500K	2200	T8	25
	DL23791194	4' 17WT8/40K/FR/V2 - CEE/DLC®	SPEC SHEET	4000K	2200	T8	25
	DL23891195	4' 17WT8/50K/FR/V2 - CEE/DLC®	SPEC SHEET	5000K	2200	T8	25

T8/DIMMABLE • 120V

13.5	DL23990468	4' 13.5WT8/40K/FR/DIMMABLE/V5 - CEE/DLC®	SPEC SHEET	4000K	1800	T8	25
	DL24090469	4' 13.5WT8/50K/FR/DIMMABLE/V5 - CEE/DLC®	SPEC SHEET	5000K	1800	T8	25

ACCESSORY

5	DL24190405	5W/90MIN EMERGENCY DRIVER FOR SELECT T8 DIRECT WIRE LAMPS 120/277V - T20C	SPEC SHEET				25
---	------------	--	----------------------------	--	--	--	----

LED DIRECT WIRE / DOUBLE END CONNECTION • 120-277V - UL TYPE B

T5/T5HO/MINI BI PIN

9	DL24290425	2' 9WT5/T6/50K/FR/DUAL POWER	SPEC SHEET	5000K	1200	T5	25
---	------------	------------------------------	----------------------------	-------	------	----	----

T8/MED BI PIN

	DL24391472	4' 10.5WT8/40K/FR/DUAL POWER - DLC®	SPEC SHEET	4000K	1738	T8	25
	DL24491473	4' 10.5WT8/50K/FR/DUAL POWER - DLC®	SPEC SHEET	5000K	1767	T8	25
11.5	DL24591274	4' 11.5WT8/35K/FR/DUAL POWER/SAFETY COATED/V5 - DLC®	SPEC SHEET	3500K	1650	T8	25
	DL24691275	4' 11.5WT8/40K/FR/DUAL POWER/SAFETY COATED/V5 - CEE/DLC®	SPEC SHEET	4000K	1750	T8	25
14	DL24791138	4' 14WT8/35K/FR/DUAL POWER - CEE/DLC®	SPEC SHEET	3500K	1800	T8	25

DIMM = DIMMABLE / ES® = ENERGY STAR®
FOR EXACT PART NUMBERS PLEASE CONTACT FACTORY



LED LINEAR TUBES

WATTS	BOOK ITEM #	DESCRIPTION	SPEC SHEET	CCT	LUMENS	TRAD. EQUIV.	CASE
	DL24891139	4' 14WT8/40K/FR/DUAL POWER - CEE/DLC®	SPEC SHEET	4000K	1800	T8	25
LED DIRECT WIRE / DOUBLE END CONNECTION • 120-277V - UL TYPE B (cont'd)							
	DL24991140	4' 14WT8/50K/FR/DUAL POWER - CEE/DLC®	SPEC SHEET	5000K	1800	T8	25
	DL25091487	4' 14WT8/40K/FR/DUAL POWER/SAFETY COATED/V6 - DLC®	SPEC SHEET	4000K	1800	T8	25
	DL25191488	4' 14WT8/50K/FR/DUAL POWER/SAFETY COATED/V6 - DLC®	SPEC SHEET	5000K	1800	T8	25
16.5	DL25291328	4' 16.5WT8/40K/FR/DUAL POWER/SAFETY COATED/V5 - CEE/DLC®	SPEC SHEET	4000K	2300	T8	25
	DL25391329	4' 16.5WT8/50K/FR/DUAL POWER/SAFETY COATED/V5 - CEE/DLC®	SPEC SHEET	5000K	2400	T8	25
17	DL25491141	4' 17WT8/35K/FR/DUAL POWER - CEE/DLC®	SPEC SHEET	3500K	2200	T8	25
	DL25591142	4' 17WT8/40K/FR/DUAL POWER - CEE/DLC®	SPEC SHEET	4000K	2200	T8	25
	DL25691143	4' 17WT8/50K/FR/DUAL POWER - CEE/DLC®	SPEC SHEET	5000K	2200	T8	25
18.5	DL25791492	4' 18.5WT8/35K/FR/DUAL POWER/V6 - DLC®	SPEC SHEET	3500K	2450	T8	25
	DL25891493	4' 18.5WT8/40K/FR/DUAL POWER/V6 - DLC®	SPEC SHEET	4000K	2600	T8	25
	DL25991447	4' 18.5WT8/50K/FR/DUAL POWER/V6 - DLC®	SPEC SHEET	5000K	2600	T8	25
T8/SINGLE PIN							
	DL26090744	8' 34WT8/40K/FR/SINGLE PIN - DLC®	SPEC SHEET	4000K	4400	T8	10
	DL26190745	8' 34WT8/50K/FR/SINGLE PIN - DLC®	SPEC SHEET	5000K	4400	T8	10
43	DL26290740	8' 43WT8/40K/FR/SINGLE PIN - DLC®	SPEC SHEET	4000K	5500	T8	10
	DL26390741	8' 43WT8/50K/FR/SINGLE PIN - DLC®	SPEC SHEET	5000K	5500	T8	10
T8/RDC							
	DL26490816	8' 43WT8/50K/FR/HO -	SPEC SHEET	5000K	5500	T8	10
LED DIRECT WIRE SIGN LAMPS • 120-277V - UL TYPE B							
	DL26584999	LED SIGN 30" 11WT8/65K/CL/HO/120-277V	SPEC SHEET	6500K	1500	T8	10
	DL26685001	LED SIGN 42" 15WT8/65K/CL/HO/120-277V	SPEC SHEET	6500K	2100	T8	10
	DL26785003	LED SIGN 48" 18WT8/65K/CL/HO/120-277V	SPEC SHEET	6500K	2500	T8	10
	DL26885005	LED SIGN 60" 24WT8/65K/CL/HO/120-277V	SPEC SHEET	6500K	3350	T8	10
	DL26985007	LED SIGN 64" 26WT8/65K/CL/HO/120-277V	SPEC SHEET	6500K	3650	T8	10
	DL27085009	LED SIGN 72" 30WT8/65K/CL/HO/120-277V	SPEC SHEET	6500K	4200	T8	10
	DL27185011	LED SIGN 84" 32WT8/65K/CL/HO/120-277V	SPEC SHEET	6500K	4500	T8	10
	DL27285013	LED SIGN 96" 36WT8/65K/CL/HO/120-277V	SPEC SHEET	6500K	5000	T8	10
	DL27385015	LED SIGN 108" 42WT8/65K/CL/HO/120-277V	SPEC SHEET	6500K	5800	T8	10
	DL27485017	LED SIGN 117" 45WT8/65K/CL/HO/120-277V	SPEC SHEET	6500K	6300	T8	10



DIMM = DIMMABLE / ES® = ENERGY STAR®
 FOR EXACT PART NUMBERS PLEASE CONTACT FACTORY