

## Health and Safety Information Bitumen Rubber Sealing Strip

### 1. IDENTIFICATION OF THE ARTICLE AND COMPANY

Product: Bitumen Rubber Sealing Strip  
UK Supplier: Adawall Ltd  
Registered No 11056982  
Garner Street Business Park, Garner Street, Etruria, Stoke-On-Trent, ST4 7BH  
08452 238 801  
[www.adawall.co.uk](http://www.adawall.co.uk)

### 2. COMPOSITION / CHEMICAL IDENTIFICATION

- Chemical characterisation Bitumen 8052-42-4
- Inert filler, polymers
- Hazardous components
- Hazardous impurities

### 3. HAZARDS IDENTIFICATION

Health Risk of skin burns when handling hot product.

Fire & Explosion Hazard Fire hazard when overheating product.

Environment

### 4. FIRST AID MEASURES

- Product inhaled - Not concerned.
- Product in eye - Flush with water.
- Product on skin - Cool product on skin immediately with plenty of running water.
- Product ingested - Drink water or milk.
- Advice to Doctor Leave adhering product to cover the skin
- Burn – it loosens later by itself.
- When need, it can be detached with medicinal paraffin or cooking oil.

## 5. FIRE FIGHTING MEASURES

Extinguishing media

- Recommended Water, dry powder, foam, sand or foam.
- Special protective equipment Self-contained breathing apparatus and full protective clothing.
- Contain or control large volumes of fire runoff water in accordance with pollution control regulations.

## 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions Eliminate fire risk by keeping ignition sources out of the area.
- Environment protection Avoid pollution of sewers and water.
- Cleaning means Removal with inert absorbent or sand.

## 7. HANDLING AND STORAGE

Handling

- Personal protection Avoid prolonged and repeated contact with skin and clothing.
- Storage
- Recommended conditions Storage temperature –5 to +40°C. Store in closed container, preferably as delivered.
- Storage stability is at least 12 months.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering control measures None necessary.

- Personal Protection
- Respiratory None under normal conditions.
- Protection
- Eye Safety goggles recommended.
- Skin Impermeable gloves recommended.
- Others Not necessary.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

- Physical State Solid.
- Colour Black
- Odour Very faint
- PH value
- Boiling Point (Softening) > 100°C
- Flash point
- Crystallisation (freezing) point
- Auto ignition temperature
- Explosion range
- Vapour pressure
- Density (20°C) 1.46 kg/m<sup>3</sup>.
- Solubility in water Insoluble.

## 10. STABILITY AND REACTIVITY

Stability Stable product under normal conditions.

Hazardous reactions

Hazardous decomposition

## 11. TOXICOLOGICAL INFORMATION

## 12. ECOLOGICAL - TOXICOLOGICAL INFORMATION

## 13. DISPOSAL CONSIDERATIONS

Used product As per existing regulations.

Used packaging As per existing regulations.

## 14. TRANSPORT INFORMATION

Current UK transportation

Not classified under Chemicals (Hazard regulations Information and Packaging for Supply)

Regulations 1994 or by Carriage of Dangerous goods by Road and Rail (Classification, Packaging and Labelling) Regulations 1994.

## 15. REGULATORY INFORMATION

- Applicable UK legislation: Health & Safety at Work etc. Act 1974.
- Control of Substances Hazardous to Health (COSHH) Regulations 1994.
- Labelling: No labelling required for articles under Chemicals (Hazard Information and Packaging for Supply) Regulations 1994.
- Risk Assessment The information contained in this Safety Data Sheet does not constitute a risk assessment of work activity or the workplace, as required by the Management of Health & Safety at Work Regulations 1992.
- No labelling required according to EU regulations.

## 16. OTHER INFORMATION

The above mentioned information and instructions are subject to our present knowledge and do not give a guarantee on properties. The consignee of our products has to obey existing laws and regulations on his own responsibility.