

Hamilton® Linea-Duo CFX®

Simple and elegant with a minimalist straight frame design

The Linea CFX® range comes in five different designs to suit either contemporary or classic interiors. Linea CFX® has a separate back frame and our patented four point face plate clipping system, allowing the option of matching or contrasting elements.

- Minimal depth and a modern lock
- Seven stunning front plate finishes and six frame and insert finishes give a limitless choice of combinations
- Two-part frame and plate for 'mix and match'
- Concealed fixing
- Grid Fix and Eurofix options also available (see separate GRID-IT and EuroFix sections)



LD 2X40 PB-BS



LD R21 BC-SS W



LD T22 PB-AB



LD SPN BC-BS W




LD C11 BC-SS W



LD R21 BK-N B

Hamilton Linea-Duo CFX® Concealed Fixing



Hamilton® *fashion, finish, function and flexibility*

Hamilton Linea-Duo CFX®

Select your choice of accessory finish from this Colourway Chart


Select the accessory required from the following pages overleaf

1. Select the required electrical accessory from the following pages. e.g. LD R21 = Linea-Duo CFX 1 gang 10AX 2 way Rocker Switch.
2. Using the Colour Chart above;
 - a. Select the required Frame Finish e.g. Bright Chrome = BC- --- -.
 - b. Select the required Front Plate Finish e.g. Satin Steel = --- -SS.
 - c. Select the required Insert Surround Colour e.g. White = --- - - - - W.

Therefore a Linea-Duo CFX 1 gang 10AX 2 way Rocker Switch as illustrated below = LD R21 BC-SS W.

Frame and Insert Finish	Front Plate Finish						
	Polished Brass	Satin Brass	Antique Brass	Bright Steel	Satin Steel	Black Nickel	Piano Black
Bright Chrome Bright Chrome Frame, Matching Insert with White Surround							
	BC-PB W			BC-BS W	BC-SS W		
Bright Chrome Frame, Matching Insert with Black Surround							
	BC-PB B			BC-BS B	BC-SS B	BC-BK B	BC-N B
Polished Brass Polished Brass Frame, Matching Insert with White Surround							
	PB-PB W	PB-SB W	PB-AB W	PB-BS W	PB-SS W		
Polished Brass Frame, Matching Insert with Black Surround							
	PB-PB B	PB-SB B	PB-AB B	PB-BS B	PB-SS B		
Satin Brass Satin Brass Frame, Matching Insert with White Surround							
		SB-SB W			SB-SS W		
Satin Brass Frame, Matching Insert with Black Surround							
		SB-SB B			SB-SS B		
Antique Brass Antique Brass Frame, Matching Insert with Black Surround							
		AB-SB B	AB-AB B				
Satin Nickel Satin Nickel Frame, Matching Insert with White Surround							
				SN-BS W	SN-SS W		
Satin Nickel Frame, Matching Insert with Black Surround							
				SN-BS B	SN-SS B		
Black Nickel Black Nickel Frame, Matching Insert with Black Surround							
	BK-PB B			BK-BS B		BK-BK B	

Illustration of Product Code configuration to order a Linea-Duo CFX LD R21 BC-SS W



Linea-Duo CFX R21 is a UK Registered Design Certificate No. 3021173.
 Linea-Duo CFX SS2 is a UK Registered Design Certificate No. 3021174.
 Linea-Duo CFX R21 is a Chinese Registered Design Certificate No. 542090.
 Linea-Duo CFX SS2 is a Chinese Registered Design Certificate No. 569781.

Linea-Duo CFX R21 is an Indian Registered Design Certificate No. 465.
 Linea-Duo CFX SS2 is an Indian Registered Design Certificate No. 464.






Hamilton® Linea-Duo CFX®

Concealed Fixing Rocker Switches



LD R24 BC-SS W



			1 gang 10AX 2 way Rocker Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R21 Product Code	2 gang 10AX 2 way Rocker Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R22 Product Code	3 gang 10AX 2 way Rocker Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R23 Product Code	4 gang 10AX 2 way Rocker Nominal Plate Size: 145 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R24 Product Code	6 gang 10AX 2 way Rocker Nominal Plate Size: 145 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R26 Product Code	
Frame and Insert Finish	Plate Finish	Insert Surround Colour						
Bright Chrome 	Bright Steel	White	LD R21 BC-BS W	LD R22 BC-BS W	LD R23 BC-BS W	LD R24 BC-BS W	LD R26 BC-BS W	
	Bright Steel	Black	LD R21 BC-BS B	LD R22 BC-BS B	LD R23 BC-BS B	LD R24 BC-BS B	LD R26 BC-BS B	
	Satin Steel	White	LD R21 BC-SS W	LD R22 BC-SS W	LD R23 BC-SS W	LD R24 BC-SS W	LD R26 BC-SS W	
	Satin Steel	Black	LD R21 BC-SS B	LD R22 BC-SS B	LD R23 BC-SS B	LD R24 BC-SS B	LD R26 BC-SS B	
	Polished Brass	White	LD R21 BC-PB W	LD R22 BC-PB W	LD R23 BC-PB W	LD R24 BC-PB W	LD R26 BC-PB W	
	Polished Brass	Black	LD R21 BC-PB B	LD R22 BC-PB B	LD R23 BC-PB B	LD R24 BC-PB B	LD R26 BC-PB B	
	Black Nickel	Black	LD R21 BC-BK B	LD R22 BC-BK B	LD R23 BC-BK B	LD R24 BC-BK B	LD R26 BC-BK B	
	Piano Black	Black	LD R21 BC-N B	LD R22 BC-N B	LD R23 BC-N B	LD R24 BC-N B	LD R26 BC-N B	
Polished Brass 	Polished Brass	White	LD R21 PB-PB W	LD R22 PB-PB W	LD R23 PB-PB W	LD R24 PB-PB W	LD R26 PB-PB W	
	Polished Brass	Black	LD R21 PB-PB B	LD R22 PB-PB B	LD R23 PB-PB B	LD R24 PB-PB B	LD R26 PB-PB B	
	Satin Brass	White	LD R21 PB-SB W	LD R22 PB-SB W	LD R23 PB-SB W	LD R24 PB-SB W	LD R26 PB-SB W	
	Satin Brass	Black	LD R21 PB-SB B	LD R22 PB-SB B	LD R23 PB-SB B	LD R24 PB-SB B	LD R26 PB-SB B	
	Antique Brass	White	LD R21 PB-AB W	LD R22 PB-AB W	LD R23 PB-AB W	LD R24 PB-AB W	LD R26 PB-AB W	
	Antique Brass	Black	LD R21 PB-AB B	LD R22 PB-AB B	LD R23 PB-AB B	LD R24 PB-AB B	LD R26 PB-AB B	
	Bright Steel	White	LD R21 PB-BS W	LD R22 PB-BS W	LD R23 PB-BS W	LD R24 PB-BS W	LD R26 PB-BS W	
	Bright Steel	Black	LD R21 PB-BS B	LD R22 PB-BS B	LD R23 PB-BS B	LD R24 PB-BS B	LD R26 PB-BS B	
	Satin Steel	White	LD R21 PB-SS W	LD R22 PB-SS W	LD R23 PB-SS W	LD R24 PB-SS W	LD R26 PB-SS W	
	Satin Steel	Black	LD R21 PB-SS B	LD R22 PB-SS B	LD R23 PB-SS B	LD R24 PB-SS B	LD R26 PB-SS B	
	Satin Brass 	Satin Brass	White	LD R21 SB-SB W	LD R22 SB-SB W	LD R23 SB-SB W	LD R24 SB-SB W	LD R26 SB-SB W
		Satin Brass	Black	LD R21 SB-SB B	LD R22 SB-SB B	LD R23 SB-SB B	LD R24 SB-SB B	LD R26 SB-SB B
Satin Steel		White	LD R21 SB-SS W	LD R22 SB-SS W	LD R23 SB-SS W	LD R24 SB-SS W	LD R26 SB-SS W	
Satin Steel		Black	LD R21 SB-SS B	LD R22 SB-SS B	LD R23 SB-SS B	LD R24 SB-SS B	LD R26 SB-SS B	
Antique Brass 	Antique Brass	Black	LD R21 AB-AB B	LD R22 AB-AB B	LD R23 AB-AB B	LD R24 AB-AB B	LD R26 AB-AB B	
	Satin Brass	Black	LD R21 AB-SB B	LD R22 AB-SB B	LD R23 AB-SB B	LD R24 AB-SB B	LD R26 AB-SB B	
Satin Nickel 	Bright Steel	White	LD R21 SN-BS W	LD R22 SN-BS W	LD R23 SN-BS W	LD R24 SN-BS W	LD R26 SN-BS W	
	Bright Steel	Black	LD R21 SN-BS B	LD R22 SN-BS B	LD R23 SN-BS B	LD R24 SN-BS B	LD R26 SN-BS B	
	Satin Steel	White	LD R21 SN-SS W	LD R22 SN-SS W	LD R23 SN-SS W	LD R24 SN-SS W	LD R26 SN-SS W	
	Satin Steel	Black	LD R21 SN-SS B	LD R22 SN-SS B	LD R23 SN-SS B	LD R24 SN-SS B	LD R26 SN-SS B	
Black Nickel 	Black Nickel	Black	LD R21 BK-BK B	LD R22 BK-BK B	LD R23 BK-BK B	LD R24 BK-BK B	LD R26 BK-BK B	
	Bright Steel	Black	LD R21 BK-BS B	LD R22 BK-BS B	LD R23 BK-BS B	LD R24 BK-BS B	LD R26 BK-BS B	
	Polished Brass	Black	LD R21 BK-PB B	LD R22 BK-PB B	LD R23 BK-PB B	LD R24 BK-PB B	LD R26 BK-PB B	

Concealed Fixing Rocker Switches



LD R21 BK-N B



1 gang 10AX Intermediate Rocker







Nominal Plate Size: 86 x 86 mm
 Min. Wall Box Depth: 25 mm
 Technical Insert Reference: **R31**
Product Code

2 gang 10AX Intermediate Rocker

Nominal Plate Size: 86 x 86 mm
 Min. Wall Box Depth: 25 mm
 Technical Insert Reference: **R32**
Product Code


1 gang 10AX Push To Make/ Break Retractive Rocker

Nominal Plate Size: 86 x 86 mm
 Min. Wall Box Depth: 25 mm
 Technical Insert Reference: **CFXRRT**
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour	LD R31 BC-BS W LD R31 BC-BS B LD R31 BC-SS W LD R31 BC-SS B LD R31 BC-PB W LD R31 BC-PB B LD R31 BC-BK B LD R31 BC-N B	LD R32 BC-BS W LD R32 BC-BS B LD R32 BC-SS W LD R32 BC-SS B LD R32 BC-PB W LD R32 BC-PB B LD R32 BC-BK B LD R32 BC-N B	LD RRT BC-BS W LD RRT BC-BS B LD RRT BC-SS W LD RRT BC-SS B LD RRT BC-PB W LD RRT BC-PB B LD RRT BC-BK B LD RRT BC-N B
	Bright Steel Bright Steel Satin Steel Satin Steel Polished Brass Polished Brass Black Nickel Piano Black	White Black White Black White Black Black Black			
	Polished Brass Polished Brass Satin Brass Satin Brass Antique Brass Antique Brass Bright Steel Bright Steel Satin Steel Satin Steel	White Black White Black White Black White Black White Black	LD R31 PB-PB W LD R31 PB-PB B LD R31 PB-SB W LD R31 PB-SB B LD R31 PB-AB W LD R31 PB-AB B LD R31 PB-BS W LD R31 PB-BS B LD R31 PB-SS W LD R31 PB-SS B	LD R32 PB-PB W LD R32 PB-PB B LD R32 PB-SB W LD R32 PB-SB B LD R32 PB-AB W LD R32 PB-AB B LD R32 PB-BS W LD R32 PB-BS B LD R32 PB-SS W LD R32 PB-SS B	LD RRT PB-PB W LD RRT PB-PB B LD RRT PB-SB W LD RRT PB-SB B LD RRT PB-AB W LD RRT PB-AB B LD RRT PB-BS W LD RRT PB-BS B LD RRT PB-SS W LD RRT PB-SS B
	Satin Brass Satin Brass Satin Steel Satin Steel	White Black White Black	LD R31 SB-SB W LD R31 SB-SB B LD R31 SB-SS W LD R31 SB-SS B	LD R32 SB-SB W LD R32 SB-SB B LD R32 SB-SS W LD R32 SB-SS B	LD RRT SB-SB W LD RRT SB-SB B LD RRT SB-SS W LD RRT SB-SS B
	Antique Brass Satin Brass	Black Black	LD R31 AB-AB B LD R31 AB-SB B	LD R32 AB-AB B LD R32 AB-SB B	LD RRT AB-AB B LD RRT AB-SB B
	Bright Steel Bright Steel Satin Steel Satin Steel	White Black White Black	LD R31 SN-BS W LD R31 SN-BS B LD R31 SN-SS W LD R31 SN-SS B	LD R32 SN-BS W LD R32 SN-BS B LD R32 SN-SS W LD R32 SN-SS B	LD RRT SN-BS W LD RRT SN-BS B LD RRT SN-SS W LD RRT SN-SS B
	Black Nickel Bright Steel Polished Brass	Black Black Black	LD R31 BK-BK B LD R31 BK-BS B LD R31 BK-PB B	LD R32 BK-BK B LD R32 BK-BS B LD R32 BK-PB B	LD RRT BK-BK B LD RRT BK-BS B LD RRT BK-PB B

Hamilton® Linea-Duo CFX®

Concealed Fixing Rocker Switches



LD TP PB-AB B









1 gang 10A Triple Pole Rocker

Nominal Plate Size:
86 x 86 mm

Min. Wall Box
Depth: 25 mm

Technical Insert
Reference: TP
Product Code

Frame Finish	Plate Finish	Insert Colour		
	Bright Steel	White	LD TP BC-BS W	
	Bright Steel	Black	LD TP BC-BS B	
	Satin Steel	White	LD TP BC-SS W	
	Satin Steel	Black	LD TP BC-SS B	
	Polished Brass	White	LD TP BC-PB W	
	Polished Brass	Black	LD TP BC-PB B	
	Black Nickel	Black	LD TP BC-BK B	
	Piano Black	Black	LD TP BC-N B	
		Polished Brass	White	LD TP PB-PB W
		Polished Brass	Black	LD TP PB-PB B
Satin Brass		White	LD TP PB-SB W	
Satin Brass		Black	LD TP PB-SB B	
Antique Brass		White	LD TP PB-AB W	
Antique Brass		Black	LD TP PB-AB B	
Bright Steel		White	LD TP PB-BS W	
Bright Steel		Black	LD TP PB-BS B	
Satin Steel		White	LD TP PB-SS W	
Satin Steel		Black	LD TP PB-SS B	
		Satin Brass	White	LD TP SB-SB W
		Satin Brass	Black	LD TP SB-SB B
		Satin Steel	White	LD TP SB-SS W
	Satin Steel	Black	LD TP SB-SS B	
	Antique Brass	Black	LD TP AB-AB B	
	Satin Brass	Black	LD TP AB-SB B	
	Bright Steel	White	LD TP SN-BS W	
	Bright Steel	Black	LD TP SN-BS B	
	Satin Steel	White	LD TP SN-SS W	
	Satin Steel	Black	LD TP SN-SS B	
	Black Nickel	Black	LD TP BK-BK B	
	Bright Steel	Black	LD TP BK-BS B	
	Polished Brass	Black	LD TP BK-PB B	

Concealed Fixing Rocker Switches



LD R222 PB-BS W



Frame and Insert Finish	Plate Finish	Insert Surround Colour	1 gang 20AX 2 way Rocker		2 gang 20AX 2 way Rocker		3 gang 20AX 2 way Rocker		4 gang 20AX 2 way Rocker		1 gang 20AX Intermediate Rocker		2 gang 20AX Intermediate Rocker	
			Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R212 Product Code	Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R222 Product Code	Nominal Plate Size: 145 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R232 Product Code	Nominal Plate Size: 145 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R242 Product Code	Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R312 Product Code	Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R322 Product Code						
	Bright Steel	White	LD R212 BC-BS W	LD R222 BC-BS W	LD R232 BC-BS W	LD R242 BC-BS W	LD R312 BC-BS W	LD R322 BC-BS W	LD R212 BC-BS B	LD R222 BC-BS B	LD R232 BC-BS B	LD R242 BC-BS B	LD R312 BC-BS B	LD R322 BC-BS B
	Bright Steel	Black	LD R212 BC-SS W	LD R222 BC-SS W	LD R232 BC-SS W	LD R242 BC-SS W	LD R312 BC-SS W	LD R322 BC-SS W	LD R212 BC-SS B	LD R222 BC-SS B	LD R232 BC-SS B	LD R242 BC-SS B	LD R312 BC-SS B	LD R322 BC-SS B
	Satin Steel	White	LD R212 BC-PB W	LD R222 BC-PB W	LD R232 BC-PB W	LD R242 BC-PB W	LD R312 BC-PB W	LD R322 BC-PB W	LD R212 BC-PB B	LD R222 BC-PB B	LD R232 BC-PB B	LD R242 BC-PB B	LD R312 BC-PB B	LD R322 BC-PB B
	Satin Steel	Black	LD R212 BC-PB W	LD R222 BC-PB W	LD R232 BC-PB W	LD R242 BC-PB W	LD R312 BC-PB W	LD R322 BC-PB W	LD R212 BC-PB B	LD R222 BC-PB B	LD R232 BC-PB B	LD R242 BC-PB B	LD R312 BC-PB B	LD R322 BC-PB B
	Polished Brass	White	LD R212 BC-PB W	LD R222 BC-PB W	LD R232 BC-PB W	LD R242 BC-PB W	LD R312 BC-PB W	LD R322 BC-PB W	LD R212 BC-PB B	LD R222 BC-PB B	LD R232 BC-PB B	LD R242 BC-PB B	LD R312 BC-PB B	LD R322 BC-PB B
	Polished Brass	Black	LD R212 BC-PB W	LD R222 BC-PB W	LD R232 BC-PB W	LD R242 BC-PB W	LD R312 BC-PB W	LD R322 BC-PB W	LD R212 BC-PB B	LD R222 BC-PB B	LD R232 BC-PB B	LD R242 BC-PB B	LD R312 BC-PB B	LD R322 BC-PB B
	Black Nickel	Black	LD R212 BC-BK B	LD R222 BC-BK B	LD R232 BC-BK B	LD R242 BC-BK B	LD R312 BC-BK B	LD R322 BC-BK B	LD R212 BC-BK B	LD R222 BC-BK B	LD R232 BC-BK B	LD R242 BC-BK B	LD R312 BC-BK B	LD R322 BC-BK B
	Piano Black	Black	LD R212 BC-N B	LD R222 BC-N B	LD R232 BC-N B	LD R242 BC-N B	LD R312 BC-N B	LD R322 BC-N B	LD R212 BC-N B	LD R222 BC-N B	LD R232 BC-N B	LD R242 BC-N B	LD R312 BC-N B	LD R322 BC-N B
	Polished Brass	White	LD R212 PB-PB W	LD R222 PB-PB W	LD R232 PB-PB W	LD R242 PB-PB W	LD R312 PB-PB W	LD R322 PB-PB W	LD R212 PB-PB B	LD R222 PB-PB B	LD R232 PB-PB B	LD R242 PB-PB B	LD R312 PB-PB B	LD R322 PB-PB B
	Polished Brass	Black	LD R212 PB-SB W	LD R222 PB-SB W	LD R232 PB-SB W	LD R242 PB-SB W	LD R312 PB-SB W	LD R322 PB-SB W	LD R212 PB-SB B	LD R222 PB-SB B	LD R232 PB-SB B	LD R242 PB-SB B	LD R312 PB-SB B	LD R322 PB-SB B
	Satin Brass	White	LD R212 PB-SB W	LD R222 PB-SB W	LD R232 PB-SB W	LD R242 PB-SB W	LD R312 PB-SB W	LD R322 PB-SB W	LD R212 PB-SB B	LD R222 PB-SB B	LD R232 PB-SB B	LD R242 PB-SB B	LD R312 PB-SB B	LD R322 PB-SB B
	Satin Brass	Black	LD R212 PB-AB W	LD R222 PB-AB W	LD R232 PB-AB W	LD R242 PB-AB W	LD R312 PB-AB W	LD R322 PB-AB W	LD R212 PB-AB B	LD R222 PB-AB B	LD R232 PB-AB B	LD R242 PB-AB B	LD R312 PB-AB B	LD R322 PB-AB B
	Antique Brass	White	LD R212 PB-AB W	LD R222 PB-AB W	LD R232 PB-AB W	LD R242 PB-AB W	LD R312 PB-AB W	LD R322 PB-AB W	LD R212 PB-AB B	LD R222 PB-AB B	LD R232 PB-AB B	LD R242 PB-AB B	LD R312 PB-AB B	LD R322 PB-AB B
	Antique Brass	Black	LD R212 PB-AB W	LD R222 PB-AB W	LD R232 PB-AB W	LD R242 PB-AB W	LD R312 PB-AB W	LD R322 PB-AB W	LD R212 PB-AB B	LD R222 PB-AB B	LD R232 PB-AB B	LD R242 PB-AB B	LD R312 PB-AB B	LD R322 PB-AB B
	Bright Steel	White	LD R212 PB-BS W	LD R222 PB-BS W	LD R232 PB-BS W	LD R242 PB-BS W	LD R312 PB-BS W	LD R322 PB-BS W	LD R212 PB-BS B	LD R222 PB-BS B	LD R232 PB-BS B	LD R242 PB-BS B	LD R312 PB-BS B	LD R322 PB-BS B
	Bright Steel	Black	LD R212 PB-BS W	LD R222 PB-BS W	LD R232 PB-BS W	LD R242 PB-BS W	LD R312 PB-BS W	LD R322 PB-BS W	LD R212 PB-BS B	LD R222 PB-BS B	LD R232 PB-BS B	LD R242 PB-BS B	LD R312 PB-BS B	LD R322 PB-BS B
	Satin Steel	White	LD R212 PB-SS W	LD R222 PB-SS W	LD R232 PB-SS W	LD R242 PB-SS W	LD R312 PB-SS W	LD R322 PB-SS W	LD R212 PB-SS B	LD R222 PB-SS B	LD R232 PB-SS B	LD R242 PB-SS B	LD R312 PB-SS B	LD R322 PB-SS B
	Satin Steel	Black	LD R212 PB-SS W	LD R222 PB-SS W	LD R232 PB-SS W	LD R242 PB-SS W	LD R312 PB-SS W	LD R322 PB-SS W	LD R212 PB-SS B	LD R222 PB-SS B	LD R232 PB-SS B	LD R242 PB-SS B	LD R312 PB-SS B	LD R322 PB-SS B
	Satin Brass	White	LD R212 SB-SB W	LD R222 SB-SB W	LD R232 SB-SB W	LD R242 SB-SB W	LD R312 SB-SB W	LD R322 SB-SB W	LD R212 SB-SB B	LD R222 SB-SB B	LD R232 SB-SB B	LD R242 SB-SB B	LD R312 SB-SB B	LD R322 SB-SB B
	Satin Brass	Black	LD R212 SB-SB W	LD R222 SB-SB W	LD R232 SB-SB W	LD R242 SB-SB W	LD R312 SB-SB W	LD R322 SB-SB W	LD R212 SB-SB B	LD R222 SB-SB B	LD R232 SB-SB B	LD R242 SB-SB B	LD R312 SB-SB B	LD R322 SB-SB B
	Satin Steel	White	LD R212 SB-SS W	LD R222 SB-SS W	LD R232 SB-SS W	LD R242 SB-SS W	LD R312 SB-SS W	LD R322 SB-SS W	LD R212 SB-SS B	LD R222 SB-SS B	LD R232 SB-SS B	LD R242 SB-SS B	LD R312 SB-SS B	LD R322 SB-SS B
	Satin Steel	Black	LD R212 SB-SS W	LD R222 SB-SS W	LD R232 SB-SS W	LD R242 SB-SS W	LD R312 SB-SS W	LD R322 SB-SS W	LD R212 SB-SS B	LD R222 SB-SS B	LD R232 SB-SS B	LD R242 SB-SS B	LD R312 SB-SS B	LD R322 SB-SS B
	Antique Brass	Black	LD R212 AB-AB B	LD R222 AB-AB B	LD R232 AB-AB B	LD R242 AB-AB B	LD R312 AB-AB B	LD R322 AB-AB B	LD R212 AB-SB B	LD R222 AB-SB B	LD R232 AB-SB B	LD R242 AB-SB B	LD R312 AB-SB B	LD R322 AB-SB B
	Satin Brass	Black	LD R212 AB-SB B	LD R222 AB-SB B	LD R232 AB-SB B	LD R242 AB-SB B	LD R312 AB-SB B	LD R322 AB-SB B						
	Bright Steel	White	LD R212 SN-BS W	LD R222 SN-BS W	LD R232 SN-BS W	LD R242 SN-BS W	LD R312 SN-BS W	LD R322 SN-BS W	LD R212 SN-BS B	LD R222 SN-BS B	LD R232 SN-BS B	LD R242 SN-BS B	LD R312 SN-BS B	LD R322 SN-BS B
	Bright Steel	Black	LD R212 SN-BS W	LD R222 SN-BS W	LD R232 SN-BS W	LD R242 SN-BS W	LD R312 SN-BS W	LD R322 SN-BS W	LD R212 SN-BS B	LD R222 SN-BS B	LD R232 SN-BS B	LD R242 SN-BS B	LD R312 SN-BS B	LD R322 SN-BS B
	Satin Steel	White	LD R212 SN-SS W	LD R222 SN-SS W	LD R232 SN-SS W	LD R242 SN-SS W	LD R312 SN-SS W	LD R322 SN-SS W	LD R212 SN-SS B	LD R222 SN-SS B	LD R232 SN-SS B	LD R242 SN-SS B	LD R312 SN-SS B	LD R322 SN-SS B
	Satin Steel	Black	LD R212 SN-SS W	LD R222 SN-SS W	LD R232 SN-SS W	LD R242 SN-SS W	LD R312 SN-SS W	LD R322 SN-SS W	LD R212 SN-SS B	LD R222 SN-SS B	LD R232 SN-SS B	LD R242 SN-SS B	LD R312 SN-SS B	LD R322 SN-SS B
	Black Nickel	Black	LD R212 BK-BK B	LD R222 BK-BK B	LD R232 BK-BK B	LD R242 BK-BK B	LD R312 BK-BK B	LD R322 BK-BK B	LD R212 BK-BS B	LD R222 BK-BS B	LD R232 BK-BS B	LD R242 BK-BS B	LD R312 BK-BS B	LD R322 BK-BS B
	Bright Steel	Black	LD R212 BK-BS B	LD R222 BK-BS B	LD R232 BK-BS B	LD R242 BK-BS B	LD R312 BK-BS B	LD R322 BK-BS B	LD R212 BK-PB B	LD R222 BK-PB B	LD R232 BK-PB B	LD R242 BK-PB B	LD R312 BK-PB B	LD R322 BK-PB B
	Polished Brass	Black	LD R212 BK-PB B	LD R222 BK-PB B	LD R232 BK-PB B	LD R242 BK-PB B	LD R312 BK-PB B	LD R322 BK-PB B						

Hamilton® Linea-Duo CFX®

Concealed Fixing Toggle Switches



LD T22 PB-AB



1 gang 20AX 2 way Toggle

Nominal Plate Size:
86 x 86 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **T21**
Product Code

2 gang 20AX 2 way Toggle

Nominal Plate Size:
86 x 86 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **T22**
Product Code

3 gang 20AX 2 way Toggle

Nominal Plate Size:
145 x 86 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **T23**
Product Code

4 gang 20AX 2 way Toggle

Nominal Plate Size:
145 x 86 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **T24**
Product Code

1 gang 20AX Intermediate Toggle

Nominal Plate Size:
86 x 86 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **T31**
Product Code

Frame and Insert Finish

Plate Finish

Bright Chrome



Bright Steel
Satin Steel
Polished Brass
Black Nickel
Piano Black

LD T21 BC-BS
LD T21 BC-SS
LD T21 BC-PB
LD T21 BC-BK
LD T21 BC-N

LD T22 BC-BS
LD T22 BC-SS
LD T22 BC-PB
LD T22 BC-BK
LD T22 BC-N

LD T23 BC-BS
LD T23 BC-SS
LD T23 BC-PB
LD T23 BC-BK
LD T23 BC-N

LD T24 BC-BS
LD T24 BC-SS
LD T24 BC-PB
LD T24 BC-BK
LD T24 BC-N

LD T31 BC-BS
LD T31 BC-SS
LD T31 BC-PB
LD T31 BC-BK
LD T31 BC-N

Polished Brass



Polished Brass
Satin Brass
Antique Brass
Bright Steel
Satin Steel

LD T21 PB-PB
LD T21 PB-SB
LD T21 PB-AB
LD T21 PB-BS
LD T21 PB-SS

LD T22 PB-PB
LD T22 PB-SB
LD T22 PB-AB
LD T22 PB-BS
LD T22 PB-SS

LD T23 PB-PB
LD T23 PB-SB
LD T23 PB-AB
LD T23 PB-BS
LD T23 PB-SS

LD T24 PB-PB
LD T24 PB-SB
LD T24 PB-AB
LD T24 PB-BS
LD T24 PB-SS

LD T31 PB-PB
LD T31 PB-SB
LD T31 PB-AB
LD T31 PB-BS
LD T31 PB-SS

Satin Brass



Satin Brass
Satin Steel

LD T21 SB-SB
LD T21 SB-SS

LD T22 SB-SB
LD T22 SB-SS

LD T23 SB-SB
LD T23 SB-SS

LD T24 SB-SB
LD T24 SB-SS

LD T31 SB-SB
LD T31 SB-SS

Antique Brass



Antique Brass
Satin Brass

LD T21 AB-AB
LD T21 AB-SB

LD T22 AB-AB
LD T22 AB-SB

LD T23 AB-AB
LD T23 AB-SB

LD T24 AB-AB
LD T24 AB-SB

LD T31 AB-AB
LD T31 AB-SB

Satin Nickel



Bright Steel
Satin Steel

LD T21 SN-BS
LD T21 SN-SS

LD T22 SN-BS
LD T22 SN-SS

LD T23 SN-BS
LD T23 SN-SS

LD T24 SN-BS
LD T24 SN-SS

LD T31 SN-BS
LD T31 SN-SS

Black Nickel



Black Nickel
Bright Steel
Polished Brass

LD T21 BK-BK
LD T21 BK-BS
LD T21 BK-PB

LD T22 BK-BK
LD T22 BK-BS
LD T22 BK-PB

LD T23 BK-BK
LD T23 BK-BS
LD T23 BK-PB

LD T24 BK-BK
LD T24 BK-BS
LD T24 BK-PB

LD T31 BK-BK
LD T31 BK-BS
LD T31 BK-PB

Hamilton® Linea-Duo CFX®

Concealed Fixing Key Switches

Concealed Fixing Hotel Card Switch with LED

LD RANGE



LD KEL BC-BC B



**1 gang
20AX 2 way
Key Switch**

Nominal Plate Size:
86 x 86 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **K21**
Product Code

**1 gang
20AX 2 way
Key Switch
"EMG LTG TEST"**

Nominal Plate Size:
86 x 86 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **KEL**
Product Code

Frame Finish	Plate Finish	Insert Colour	Product Code	Product Code
	Bright Steel	White	LD K21 BC-BS W	LD KEL BC-BS W
	Bright Steel	Black	LD K21 BC-BS B	LD KEL BC-BS B
	Satin Steel	White	LD K21 BC-SS W	LD KEL BC-SS W
	Satin Steel	Black	LD K21 BC-SS B	LD KEL BC-SS B
	Polished Brass	White	LD K21 BC-PB W	LD KEL BC-PB W
	Polished Brass	Black	LD K21 BC-PB B	LD KEL BC-PB B
	Black Nickel	Black	LD K21 BC-BK B	LD KEL BC-BK B
	Piano Black	Black	LD K21 BC-N B	LD KEL BC-N B
	Polished Brass	White	LD K21 PB-PB W	LD KEL PB-PB W
	Polished Brass	Black	LD K21 PB-PB B	LD KEL PB-PB B
	Satin Brass	White	LD K21 PB-SB W	LD KEL PB-SB W
	Satin Brass	Black	LD K21 PB-SB B	LD KEL PB-SB B
	Antique Brass	White	LD K21 PB-AB W	LD KEL PB-AB W
	Antique Brass	Black	LD K21 PB-AB B	LD KEL PB-AB B
	Bright Steel	White	LD K21 PB-BS W	LD KEL PB-BS W
	Bright Steel	Black	LD K21 PB-BS B	LD KEL PB-BS B
	Satin Steel	White	LD K21 PB-SS W	LD KEL PB-SS W
	Satin Steel	Black	LD K21 PB-SS B	LD KEL PB-SS B
	Satin Brass	White	LD K21 SB-SB W	LD KEL SB-SB W
	Satin Brass	Black	LD K21 SB-SB B	LD KEL SB-SB B
	Satin Steel	White	LD K21 SB-SS W	LD KEL SB-SS W
	Satin Steel	Black	LD K21 SB-SS B	LD KEL SB-SS B
	Antique Brass	Black	LD K21 AB-AB B	LD KEL AB-AB B
	Satin Brass	Black	LD K21 AB-SB B	LD KEL AB-SB B
	Bright Steel	White	LD K21 SN-BS W	LD KEL SN-BS W
	Bright Steel	Black	LD K21 SN-BS B	LD KEL SN-BS B
	Satin Steel	White	LD K21 SN-SS W	LD KEL SN-SS W
	Satin Steel	Black	LD K21 SN-SS B	LD KEL SN-SS B
	Black Nickel	Black	LD K21 BK-BK B	LD KEL BK-BK B
	Bright Steel	Black	LD K21 BK-BS B	LD KEL BK-BS B
	Polished Brass	Black	LD K21 BK-PB B	LD KEL BK-PB B



LD C11 BC-SS W

Adjustable Time Delay
10 seconds - 5 minutes.

Suitable for 44 mm and 54 mm
width Hotel Key Cards.



**1 gang
10A (6AX)
On/Off with
Blue LED
Locator**

Nominal Plate Size:
86 x 86 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **C11**
Product Code

**1 gang
12-24V AC/DC
+/-10% On/Off
with Blue LED
Locator (Suitable
for KNX BUS
System)**

Nominal Plate Size:
86 x 86 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **CKNX**
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour	Product Code	Product Code
	Bright Steel	White	LD C11 BC-BS W	LD CKNX BC-BS W
	Bright Steel	Black	LD C11 BC-BS B	LD CKNX BC-BS B
	Satin Steel	White	LD C11 BC-SS W	LD CKNX BC-SS W
	Satin Steel	Black	LD C11 BC-SS B	LD CKNX BC-SS B
	Polished Brass	White	LD C11 BC-PB W	LD CKNX BC-PB W
	Polished Brass	Black	LD C11 BC-PB B	LD CKNX BC-PB B
	Black Nickel	Black	LD C11 BC-BK B	LD CKNX BC-BK B
	Piano Black	Black	LD C11 BC-N B	LD CKNX BC-N B
	Polished Brass	White	LD C11 PB-PB W	LD CKNX PB-PB W
	Polished Brass	Black	LD C11 PB-PB B	LD CKNX PB-PB B
	Satin Brass	White	LD C11 PB-SB W	LD CKNX PB-SB W
	Satin Brass	Black	LD C11 PB-SB B	LD CKNX PB-SB B
	Antique Brass	White	LD C11 PB-AB W	LD CKNX PB-AB W
	Antique Brass	Black	LD C11 PB-AB B	LD CKNX PB-AB B
	Bright Steel	White	LD C11 PB-BS W	LD CKNX PB-BS W
	Bright Steel	Black	LD C11 PB-BS B	LD CKNX PB-BS B
	Satin Steel	White	LD C11 PB-SS W	LD CKNX PB-SS W
	Satin Steel	Black	LD C11 PB-SS B	LD CKNX PB-SS B
	Satin Brass	White	LD C11 SB-SB W	LD CKNX SB-SB W
	Satin Brass	Black	LD C11 SB-SB B	LD CKNX SB-SB B
	Satin Steel	White	LD C11 SB-SS W	LD CKNX SB-SS W
	Satin Steel	Black	LD C11 SB-SS B	LD CKNX SB-SS B
	Antique Brass	Black	LD C11 AB-AB B	LD CKNX AB-AB B
	Satin Brass	Black	LD C11 AB-SB B	LD CKNX AB-SB B
	Bright Steel	White	LD C11 SN-BS W	LD CKNX SN-BS W
	Bright Steel	Black	LD C11 SN-BS B	LD CKNX SN-BS B
	Satin Steel	White	LD C11 SN-SS W	LD CKNX SN-SS W
	Satin Steel	Black	LD C11 SN-SS B	LD CKNX SN-SS B
	Black Nickel	Black	LD C11 BK-BK B	LD CKNX BK-BK B
	Bright Steel	Black	LD C11 BK-BS B	LD CKNX BK-BS B
	Polished Brass	Black	LD C11 BK-PB B	LD CKNX BK-PB B

Hamilton® Linea-Duo CFX®

Concealed Fixing Power Sockets



LD SS1 PB-PB B



1 gang 13A Double Pole Switched Socket

Nominal Plate Size: 86 x 86 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **SS1**
Product Code



2 gang 13A Double Pole Switched Socket

Nominal Plate Size: 145 x 86 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **SS2**
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour			
	Bright Steel	White	LD SS1 BC-BS W	LD SS2 BC-BS W	
	Bright Steel	Black	LD SS1 BC-BS B	LD SS2 BC-BS B	
	Satin Steel	White	LD SS1 BC-SS W	LD SS2 BC-SS W	
	Satin Steel	Black	LD SS1 BC-SS B	LD SS2 BC-SS B	
	Polished Brass	White	LD SS1 BC-PB W	LD SS2 BC-PB W	
	Polished Brass	Black	LD SS1 BC-PB B	LD SS2 BC-PB B	
	Black Nickel	Black	LD SS1 BC-BK B	LD SS2 BC-BK B	
	Piano Black	Black	LD SS1 BC-N B	LD SS2 BC-N B	
		Polished Brass	White	LD SS1 PB-PB W	LD SS2 PB-PB W
		Polished Brass	Black	LD SS1 PB-PB B	LD SS2 PB-PB B
Satin Brass		White	LD SS1 PB-SB W	LD SS2 PB-SB W	
Satin Brass		Black	LD SS1 PB-SB B	LD SS2 PB-SB B	
Antique Brass		White	LD SS1 PB-AB W	LD SS2 PB-AB W	
Antique Brass		Black	LD SS1 PB-AB B	LD SS2 PB-AB B	
Bright Steel		White	LD SS1 PB-BS W	LD SS2 PB-BS W	
Bright Steel		Black	LD SS1 PB-BS B	LD SS2 PB-BS B	
Satin Steel		White	LD SS1 PB-SS W	LD SS2 PB-SS W	
Satin Steel		Black	LD SS1 PB-SS B	LD SS2 PB-SS B	
	Satin Brass	White	LD SS1 SB-SB W	LD SS2 SB-SB W	
	Satin Brass	Black	LD SS1 SB-SB B	LD SS2 SB-SB B	
	Satin Steel	White	LD SS1 SB-SS W	LD SS2 SB-SS W	
	Satin Steel	Black	LD SS1 SB-SS B	LD SS2 SB-SS B	
	Antique Brass	Black	LD SS1 AB-AB B	LD SS2 AB-AB B	
	Satin Brass	Black	LD SS1 AB-SB B	LD SS2 AB-SB B	
	Bright Steel	White	LD SS1 SN-BS W	LD SS2 SN-BS W	
	Bright Steel	Black	LD SS1 SN-BS B	LD SS2 SN-BS B	
	Satin Steel	White	LD SS1 SN-SS W	LD SS2 SN-SS W	
	Satin Steel	Black	LD SS1 SN-SS B	LD SS2 SN-SS B	
	Black Nickel	Black	LD SS1 BK-BK B	LD SS2 BK-BK B	
	Bright Steel	Black	LD SS1 BK-BS B	LD SS2 BK-BS B	
	Polished Brass	Black	LD SS1 BK-PB B	LD SS2 BK-PB B	

Concealed Fixing USB Power Sockets



LD USB99 BC-BS W



2 gang 13A Unswitched Socket + 2 x USB Charging Points

Nominal Plate Size: 145 x 86 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **USB99**
Product Code







Frame Finish	Plate Finish	Insert Colour		
	Bright Steel	White	LD USB99 BC-BS W	
	Bright Steel	Black	LD USB99 BC-BS B	
	Satin Steel	White	LD USB99 BC-SS W	
	Satin Steel	Black	LD USB99 BC-SS B	
	Polished Brass	White	LD USB99 BC-PB W	
	Polished Brass	Black	LD USB99 BC-PB B	
	Black Nickel	Black	LD USB99 BC-BK B	
	Piano Black	Black	LD USB99 BC-N B	
		Polished Brass	White	LD USB99 PB-PB W
		Polished Brass	Black	LD USB99 PB-PB B
Satin Brass		White	LD USB99 PB-SB W	
Satin Brass		Black	LD USB99 PB-SB B	
Antique Brass		White	LD USB99 PB-AB W	
Antique Brass		Black	LD USB99 PB-AB B	
Bright Steel		White	LD USB99 PB-BS W	
Bright Steel		Black	LD USB99 PB-BS B	
Satin Steel		White	LD USB99 PB-SS W	
Satin Steel		Black	LD USB99 PB-SS B	
	Satin Brass	White	LD USB99 SB-SB W	
	Satin Brass	Black	LD USB99 SB-SB B	
	Satin Steel	White	LD USB99 SB-SS W	
	Satin Steel	Black	LD USB99 SB-SS B	
	Antique Brass	Black	LD USB99 AB-AB B	
	Satin Brass	Black	LD USB99 AB-SB B	
	Bright Steel	White	LD USB99 SN-BS W	
	Bright Steel	Black	LD USB99 SN-BS B	
	Satin Steel	White	LD USB99 SN-SS W	
	Satin Steel	Black	LD USB99 SN-SS B	
	Black Nickel	Black	LD USB99 BK-BK B	
	Bright Steel	Black	LD USB99 BK-BS B	
	Polished Brass	Black	LD USB99 BK-PB B	

Concealed Fixing Power Sockets



LD 5320 BC-SS W



Frame Finish	Plate Finish	Insert Colour	1 gang 2A Unswitched Socket Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: US2 Product Code	1 gang 5A Unswitched Socket Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: US5 Product Code	Shaver Dual Voltage Unswitched Socket Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 47 mm Technical Insert Reference: SHS Product Code	1 gang 16A German Unswitched Socket Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 47 mm Technical Insert Reference: 6126 Product Code	1 gang 15A American Unswitched Socket Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 5258 Product Code	2 gang 15A American Unswitched Socket Nominal Plate Size: 145 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 5320 Product Code
 Bright Chrome	Bright Steel	White	LD US2 BC-BS W	LD US5 BC-BS W	LD SHS BC-BS W	LD 6126 BC-BS W	LD 5258 BC-BS W	LD 5320 BC-BS W
	Bright Steel	Black	LD US2 BC-BS B	LD US5 BC-BS B	LD SHS BC-BS B	LD 6126 BC-BS B	LD 5258 BC-BS B	LD 5320 BC-BS B
	Satin Steel	White	LD US2 BC-SS W	LD US5 BC-SS W	LD SHS BC-SS W	LD 6126 BC-SS W	LD 5258 BC-SS W	LD 5320 BC-SS W
	Satin Steel	Black	LD US2 BC-SS B	LD US5 BC-SS B	LD SHS BC-SS B	LD 6126 BC-SS B	LD 5258 BC-SS B	LD 5320 BC-SS B
	Polished Brass	White	LD US2 BC-PB W	LD US5 BC-PB W	LD SHS BC-PB W	LD 6126 BC-PB W	LD 5258 BC-PB W	LD 5320 BC-PB W
	Polished Brass	Black	LD US2 BC-PB B	LD US5 BC-PB B	LD SHS BC-PB B	LD 6126 BC-PB B	LD 5258 BC-PB B	LD 5320 BC-PB B
	Black Nickel	Black	LD US2 BC-BK B	LD US5 BC-BK B	LD SHS BC-BK B	LD 6126 BC-BK B	LD 5258 BC-BK B	LD 5320 BC-BK B
	Piano Black	Black	LD US2 BC-N B	LD US5 BC-N B	LD SHS BC-N B	LD 6126 BC-N B	LD 5258 BC-N B	LD 5320 BC-N B
 Polished Brass	Polished Brass	White	LD US2 PB-PB W	LD US5 PB-PB W	LD SHS PB-PB W	LD 6126 PB-PB W	LD 5258 PB-PB W	LD 5320 PB-PB W
	Polished Brass	Black	LD US2 PB-PB B	LD US5 PB-PB B	LD SHS PB-PB B	LD 6126 PB-PB B	LD 5258 PB-PB B	LD 5320 PB-PB B
	Satin Brass	White	LD US2 PB-SB W	LD US5 PB-SB W	LD SHS PB-SB W	LD 6126 PB-SB W	LD 5258 PB-SB W	LD 5320 PB-SB W
	Satin Brass	Black	LD US2 PB-SB B	LD US5 PB-SB B	LD SHS PB-SB B	LD 6126 PB-SB B	LD 5258 PB-SB B	LD 5320 PB-SB B
	Antique Brass	White	LD US2 PB-AB W	LD US5 PB-AB W	LD SHS PB-AB W	LD 6126 PB-AB W	LD 5258 PB-AB W	LD 5320 PB-AB W
	Antique Brass	Black	LD US2 PB-AB B	LD US5 PB-AB B	LD SHS PB-AB B	LD 6126 PB-AB B	LD 5258 PB-AB B	LD 5320 PB-AB B
	Bright Steel	White	LD US2 PB-BS W	LD US5 PB-BS W	LD SHS PB-BS W	LD 6126 PB-BS W	LD 5258 PB-BS W	LD 5320 PB-BS W
	Bright Steel	Black	LD US2 PB-BS B	LD US5 PB-BS B	LD SHS PB-BS B	LD 6126 PB-BS B	LD 5258 PB-BS B	LD 5320 PB-BS B
	Satin Steel	White	LD US2 PB-SS W	LD US5 PB-SS W	LD SHS PB-SS W	LD 6126 PB-SS W	LD 5258 PB-SS W	LD 5320 PB-SS W
	Satin Steel	Black	LD US2 PB-SS B	LD US5 PB-SS B	LD SHS PB-SS B	LD 6126 PB-SS B	LD 5258 PB-SS B	LD 5320 PB-SS B
 Satin Brass	Satin Brass	White	LD US2 SB-SB W	LD US5 SB-SB W	LD SHS SB-SB W	LD 6126 SB-SB W	LD 5258 SB-SB W	LD 5320 SB-SB W
	Satin Brass	Black	LD US2 SB-SB B	LD US5 SB-SB B	LD SHS SB-SB B	LD 6126 SB-SB B	LD 5258 SB-SB B	LD 5320 SB-SB B
	Satin Steel	White	LD US2 SB-SS W	LD US5 SB-SS W	LD SHS SB-SS W	LD 6126 SB-SS W	LD 5258 SB-SS W	LD 5320 SB-SS W
	Satin Steel	Black	LD US2 SB-SS B	LD US5 SB-SS B	LD SHS SB-SS B	LD 6126 SB-SS B	LD 5258 SB-SS B	LD 5320 SB-SS B
 Antique Brass	Antique Brass	Black	LD US2 AB-AB B	LD US5 AB-AB B	LD SHS AB-AB B	LD 6126 AB-AB B	LD 5258 AB-AB B	LD 5320 AB-AB B
	Satin Brass	Black	LD US2 AB-SB B	LD US5 AB-SB B	LD SHS AB-SB B	LD 6126 AB-SB B	LD 5258 AB-SB B	LD 5320 AB-SB B
 Satin Nickel	Bright Steel	White	LD US2 SN-BS W	LD US5 SN-BS W	LD SHS SN-BS W	LD 6126 SN-BS W	LD 5258 SN-BS W	LD 5320 SN-BS W
	Bright Steel	Black	LD US2 SN-BS B	LD US5 SN-BS B	LD SHS SN-BS B	LD 6126 SN-BS B	LD 5258 SN-BS B	LD 5320 SN-BS B
	Satin Steel	White	LD US2 SN-SS W	LD US5 SN-SS W	LD SHS SN-SS W	LD 6126 SN-SS W	LD 5258 SN-SS W	LD 5320 SN-SS W
	Satin Steel	Black	LD US2 SN-SS B	LD US5 SN-SS B	LD SHS SN-SS B	LD 6126 SN-SS B	LD 5258 SN-SS B	LD 5320 SN-SS B
 Black Nickel	Black Nickel	Black	LD US2 BK-BK B	LD US5 BK-BK B	LD SHS BK-BK B	LD 6126 BK-BK B	LD 5258 BK-BK B	LD 5320 BK-BK B
	Bright Steel	Black	LD US2 BK-BS B	LD US5 BK-BS B	LD SHS BK-BS B	LD 6126 BK-BS B	LD 5258 BK-BS B	LD 5320 BK-BS B
	Polished Brass	Black	LD US2 BK-PB B	LD US5 BK-PB B	LD SHS BK-PB B	LD 6126 BK-PB B	LD 5258 BK-PB B	LD 5320 BK-PB B

Hamilton® Linea-Duo CFX®

Concealed Fixing Television Coaxial Sockets



LD TVSAT BC-BK B



**1 gang
Non Isolated
TV
1 In/1 Out**

Nominal Plate Size:
86 x 86 mm

Min. Wall Box
Depth: 25 mm

Technical Insert
Reference: TV

Product Code



**Isolated
TV/FM
Diplexer
1 In/2 Out**

Nominal Plate Size:
86 x 86 mm

Min. Wall Box
Depth: 25 mm

Technical Insert
Reference: TVFM

Product Code



**1 gang
Isolated
TV
1 In/1 Out**

Nominal Plate Size:
86 x 86 mm

Min. Wall Box
Depth: 25 mm

Technical Insert
Reference: TVI

Product Code



**2 gang
Non Isolated TV
+ Satellite
2 In/2 Out**

Nominal Plate Size:
86 x 86 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: TVSAT

Product Code



**1 gang
Non Isolated
Satellite**

Nominal Plate Size:
86 x 86 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: SATN

Product Code



**1 gang
Isolated
Satellite**

Nominal Plate Size:
86 x 86 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: SATI

Product Code

Frame Finish	Plate Finish	Insert Colour	Product Code	Product Code	Product Code	Product Code	Product Code	Product Code
Bright Chrome	Bright Steel	White	LD TV BC-BS W	LD TVFM BC-BS W	LD TVI BC-BS W	LD TVSAT BC-BS W	LD SATN BC-BS W	LD SATI BC-BS W
	Bright Steel	Black	LD TV BC-BS B	LD TVFM BC-BS B	LD TVI BC-BS B	LD TVSAT BC-BS B	LD SATN BC-BS B	LD SATI BC-BS B
	Satin Steel	White	LD TV BC-SS W	LD TVFM BC-SS W	LD TVI BC-SS W	LD TVSAT BC-SS W	LD SATN BC-SS W	LD SATI BC-SS W
	Satin Steel	Black	LD TV BC-SS B	LD TVFM BC-SS B	LD TVI BC-SS B	LD TVSAT BC-SS B	LD SATN BC-SS B	LD SATI BC-SS B
	Polished Brass	White	LD TV BC-PB W	LD TVFM BC-PB W	LD TVI BC-PB W	LD TVSAT BC-PB W	LD SATN BC-PB W	LD SATI BC-PB W
	Polished Brass	Black	LD TV BC-PB B	LD TVFM BC-PB B	LD TVI BC-PB B	LD TVSAT BC-PB B	LD SATN BC-PB B	LD SATI BC-PB B
	Black Nickel	Black	LD TV BC-BK B	LD TVFM BC-BK B	LD TVI BC-BK B	LD TVSAT BC-BK B	LD SATN BC-BK B	LD SATI BC-BK B
Polished Brass	Piano Black	Black	LD TV BC-N B	LD TVFM BC-N B	LD TVI BC-N B	LD TVSAT BC-N B	LD SATN BC-N B	LD SATI BC-N B
	Polished Brass	White	LD TV PB-PB W	LD TVFM PB-PB W	LD TVI PB-PB W	LD TVSAT PB-PB W	LD SATN PB-PB W	LD SATI PB-PB W
	Polished Brass	Black	LD TV PB-PB B	LD TVFM PB-PB B	LD TVI PB-PB B	LD TVSAT PB-PB B	LD SATN PB-PB B	LD SATI PB-PB B
	Satin Brass	White	LD TV PB-SB W	LD TVFM PB-SB W	LD TVI PB-SB W	LD TVSAT PB-SB W	LD SATN PB-SB W	LD SATI PB-SB W
	Satin Brass	Black	LD TV PB-SB B	LD TVFM PB-SB B	LD TVI PB-SB B	LD TVSAT PB-SB B	LD SATN PB-SB B	LD SATI PB-SB B
	Antique Brass	White	LD TV PB-AB W	LD TVFM PB-AB W	LD TVI PB-AB W	LD TVSAT PB-AB W	LD SATN PB-AB W	LD SATI PB-AB W
	Antique Brass	Black	LD TV PB-AB B	LD TVFM PB-AB B	LD TVI PB-AB B	LD TVSAT PB-AB B	LD SATN PB-AB B	LD SATI PB-AB B
Satin Brass	Bright Steel	White	LD TV PB-BS W	LD TVFM PB-BS W	LD TVI PB-BS W	LD TVSAT PB-BS W	LD SATN PB-BS W	LD SATI PB-BS W
	Bright Steel	Black	LD TV PB-BS B	LD TVFM PB-BS B	LD TVI PB-BS B	LD TVSAT PB-BS B	LD SATN PB-BS B	LD SATI PB-BS B
	Satin Steel	White	LD TV PB-SS W	LD TVFM PB-SS W	LD TVI PB-SS W	LD TVSAT PB-SS W	LD SATN PB-SS W	LD SATI PB-SS W
	Satin Steel	Black	LD TV PB-SS B	LD TVFM PB-SS B	LD TVI PB-SS B	LD TVSAT PB-SS B	LD SATN PB-SS B	LD SATI PB-SS B
	Satin Brass	White	LD TV SB-SB W	LD TVFM SB-SB W	LD TVI SB-SB W	LD TVSAT SB-SB W	LD SATN SB-SB W	LD SATI SB-SB W
	Satin Brass	Black	LD TV SB-SB B	LD TVFM SB-SB B	LD TVI SB-SB B	LD TVSAT SB-SB B	LD SATN SB-SB B	LD SATI SB-SB B
	Satin Steel	White	LD TV SB-SS W	LD TVFM SB-SS W	LD TVI SB-SS W	LD TVSAT SB-SS W	LD SATN SB-SS W	LD SATI SB-SS W
Antique Brass	Satin Steel	Black	LD TV SB-SS B	LD TVFM SB-SS B	LD TVI SB-SS B	LD TVSAT SB-SS B	LD SATN SB-SS B	LD SATI SB-SS B
	Antique Brass	Black	LD TV AB-AB B	LD TVFM AB-AB B	LD TVI AB-AB B	LD TVSAT AB-AB B	LD SATN AB-AB B	LD SATI AB-AB B
Satin Nickel	Satin Brass	Black	LD TV AB-SB B	LD TVFM AB-SB B	LD TVI AB-SB B	LD TVSAT AB-SB B	LD SATN AB-SB B	LD SATI AB-SB B
	Antique Brass	Black						
Black Nickel	Bright Steel	White	LD TV SN-BS W	LD TVFM SN-BS W	LD TVI SN-BS W	LD TVSAT SN-BS W	LD SATN SN-BS W	LD SATI SN-BS W
	Bright Steel	Black	LD TV SN-BS B	LD TVFM SN-BS B	LD TVI SN-BS B	LD TVSAT SN-BS B	LD SATN SN-BS B	LD SATI SN-BS B
	Satin Steel	White	LD TV SN-SS W	LD TVFM SN-SS W	LD TVI SN-SS W	LD TVSAT SN-SS W	LD SATN SN-SS W	LD SATI SN-SS W
	Satin Steel	Black	LD TV SN-SS B	LD TVFM SN-SS B	LD TVI SN-SS B	LD TVSAT SN-SS B	LD SATN SN-SS B	LD SATI SN-SS B
Black Nickel	Black Nickel	Black	LD TV BK-BK B	LD TVFM BK-BK B	LD TVI BK-BK B	LD TVSAT BK-BK B	LD SATN BK-BK B	LD SATI BK-BK B
	Bright Steel	Black	LD TV BK-BS B	LD TVFM BK-BS B	LD TVI BK-BS B	LD TVSAT BK-BS B	LD SATN BK-BS B	LD SATI BK-BS B
	Polished Brass	Black	LD TV BK-PB B	LD TVFM BK-PB B	LD TVI BK-PB B	LD TVSAT BK-PB B	LD SATN BK-PB B	LD SATI BK-PB B



LD DTRID BC-SS W



**Non Isolated
TV/FM/Satellite
Triplexer 1In/3 Out**

Nominal Plate Size:
86 x 86 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **DTRID**

Product Code



**1 gang
Non Isolated
TV (Female)**

Nominal Plate Size:
86 x 86 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **DTVF**

Product Code









**1 gang
Non Isolated
TV (Male)**

Nominal Plate Size:
86 x 86 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **DTVM**

Product Code

Frame Finish	Plate Finish	Insert Colour	Product Code	Product Code	Product Code
Bright Chrome 	Bright Steel	White	LD DTRID BC-BS W	LD DTVF BC-BS W	LD DTVM BC-BS W
	Bright Steel	Black	LD DTRID BC-BS B	LD DTVF BC-BS B	LD DTVM BC-BS B
	Satin Steel	White	LD DTRID BC-SS W	LD DTVF BC-SS W	LD DTVM BC-SS W
	Satin Steel	Black	LD DTRID BC-SS B	LD DTVF BC-SS B	LD DTVM BC-SS B
	Polished Brass	White	LD DTRID BC-PB W	LD DTVF BC-PB W	LD DTVM BC-PB W
	Polished Brass	Black	LD DTRID BC-PB B	LD DTVF BC-PB B	LD DTVM BC-PB B
	Black Nickel	Black	LD DTRID BC-BK B	LD DTVF BC-BK B	LD DTVM BC-BK B
Polished Brass 	Polished Brass	White	LD DTRID PB-PB W	LD DTVF PB-PB W	LD DTVM PB-PB W
	Polished Brass	Black	LD DTRID PB-PB B	LD DTVF PB-PB B	LD DTVM PB-PB B
	Satin Brass	White	LD DTRID PB-SB W	LD DTVF PB-SB W	LD DTVM PB-SB W
	Satin Brass	Black	LD DTRID PB-SB B	LD DTVF PB-SB B	LD DTVM PB-SB B
	Antique Brass	White	LD DTRID PB-AB W	LD DTVF PB-AB W	LD DTVM PB-AB W
	Antique Brass	Black	LD DTRID PB-AB B	LD DTVF PB-AB B	LD DTVM PB-AB B
	Bright Steel	White	LD DTRID PB-BS W	LD DTVF PB-BS W	LD DTVM PB-BS W
	Bright Steel	Black	LD DTRID PB-BS B	LD DTVF PB-BS B	LD DTVM PB-BS B
	Satin Steel	White	LD DTRID PB-SS W	LD DTVF PB-SS W	LD DTVM PB-SS W
	Satin Steel	Black	LD DTRID PB-SS B	LD DTVF PB-SS B	LD DTVM PB-SS B
	Satin Brass 	Satin Brass	White	LD DTRID SB-SB W	LD DTVF SB-SB W
Satin Brass		Black	LD DTRID SB-SB B	LD DTVF SB-SB B	LD DTVM SB-SB B
Satin Steel		White	LD DTRID SB-SS W	LD DTVF SB-SS W	LD DTVM SB-SS W
Satin Steel		Black	LD DTRID SB-SS B	LD DTVF SB-SS B	LD DTVM SB-SS B
Antique Brass 	Antique Brass	Black	LD DTRID AB-AB B	LD DTVF AB-AB B	LD DTVM AB-AB B
	Satin Brass	Black	LD DTRID AB-SB B	LD DTVF AB-SB B	LD DTVM AB-SB B
Satin Nickel 	Bright Steel	White	LD DTRID SN-BS W	LD DTVF SN-BS W	LD DTVM SN-BS W
	Bright Steel	Black	LD DTRID SN-BS B	LD DTVF SN-BS B	LD DTVM SN-BS B
	Satin Steel	White	LD DTRID SN-SS W	LD DTVF SN-SS W	LD DTVM SN-SS W
	Satin Steel	Black	LD DTRID SN-SS B	LD DTVF SN-SS B	LD DTVM SN-SS B
Black Nickel 	Black Nickel	Black	LD DTRID BK-BK B	LD DTVF BK-BK B	LD DTVM BK-BK B
	Bright Steel	Black	LD DTRID BK-BS B	LD DTVF BK-BS B	LD DTVM BK-BS B
	Polished Brass	Black	LD DTRID BK-PB B	LD DTVF BK-PB B	LD DTVM BK-PB B

Hamilton® Linea-Duo CFX®

Concealed Fixing Digital Television Sockets - Screened Non Isolated - DAB Compatible



LD DSAT BC-SS B



**1 gang
Non Isolated
Satellite**

Nominal Plate Size:
86 x 86 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **DSAT**

Product Code



**Non Isolated
TV/FM/Satellite 1/
Satellite 2 Quadplexer
2 In/4 Out**

Nominal Plate Size:
86 x 86 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **DENT**

Product Code



**Non Isolated
TV/FM/Satellite 1/
Satellite 2 Quadplexer
2 In/4 Out
+ TVF + TCS**

Nominal Plate Size:
145 x 86 mm

Min. Wall Box
Depth: 35 mm


Technical Insert
Reference: **DSAT+**

Product Code

Frame Finish	Plate Finish	Insert Colour	Product Code	Product Code	Product Code	
	Bright Steel	White	LD DSAT BC-BS W	LD DENT BC-BS W	LD DSAT+ BC-BS W	
	Bright Steel	Black	LD DSAT BC-BS B	LD DENT BC-BS B	LD DSAT+ BC-BS B	
	Satin Steel	White	LD DSAT BC-SS W	LD DENT BC-SS W	LD DSAT+ BC-SS W	
	Satin Steel	Black	LD DSAT BC-SS B	LD DENT BC-SS B	LD DSAT+ BC-SS B	
	Polished Brass	White	LD DSAT BC-PB W	LD DENT BC-PB W	LD DSAT+ BC-PB W	
	Polished Brass	Black	LD DSAT BC-PB B	LD DENT BC-PB B	LD DSAT+ BC-PB B	
	Black Nickel	Black	LD DSAT BC-BK B	LD DENT BC-BK B	LD DSAT+ BC-BK B	
	Piano Black	Black	LD DSAT BC-N B	LD DENT BC-N B	LD DSAT+ BC-N B	
	Polished Brass	White	LD DSAT PB-PB W	LD DENT PB-PB W	LD DSAT+ PB-PB W	
	Polished Brass	Black	LD DSAT PB-PB B	LD DENT PB-PB B	LD DSAT+ PB-PB B	
	Satin Brass	White	LD DSAT PB-SB W	LD DENT PB-SB W	LD DSAT+ PB-SB W	
	Satin Brass	Black	LD DSAT PB-SB B	LD DENT PB-SB B	LD DSAT+ PB-SB B	
	Antique Brass	White	LD DSAT PB-AB W	LD DENT PB-AB W	LD DSAT+ PB-AB W	
	Antique Brass	Black	LD DSAT PB-AB B	LD DENT PB-AB B	LD DSAT+ PB-AB B	
	Bright Steel	White	LD DSAT PB-BS W	LD DENT PB-BS W	LD DSAT+ PB-BS W	
	Bright Steel	Black	LD DSAT PB-BS B	LD DENT PB-BS B	LD DSAT+ PB-BS B	
	Satin Steel	White	LD DSAT PB-SS W	LD DENT PB-SS W	LD DSAT+ PB-SS W	
	Satin Steel	Black	LD DSAT PB-SS B	LD DENT PB-SS B	LD DSAT+ PB-SS B	
		Satin Brass	White	LD DSAT SB-SB W	LD DENT SB-SB W	LD DSAT+ SB-SB W
		Satin Brass	Black	LD DSAT SB-SB B	LD DENT SB-SB B	LD DSAT+ SB-SB B
Satin Steel		White	LD DSAT SB-SS W	LD DENT SB-SS W	LD DSAT+ SB-SS W	
Satin Steel		Black	LD DSAT SB-SS B	LD DENT SB-SS B	LD DSAT+ SB-SS B	
	Antique Brass	Black	LD DSAT AB-AB W	LD DENT AB-AB B	LD DSAT+ AB-AB B	
	Satin Brass	Black	LD DSAT AB-SB B	LD DENT AB-SB B	LD DSAT+ AB-SB B	
	Bright Steel	White	LD DSAT SN-BS W	LD DENT SN-BS W	LD DSAT+ SN-BS W	
	Bright Steel	Black	LD DSAT SN-BS B	LD DENT SN-BS B	LD DSAT+ SN-BS B	
	Satin Steel	White	LD DSAT SN-SS W	LD DENT SN-SS W	LD DSAT+ SN-SS W	
	Satin Steel	Black	LD DSAT SN-SS B	LD DENT SN-SS B	LD DSAT+ SN-SS B	
	Black Nickel	Black	LD DSAT BK-BK B	LD DENT BK-BK B	LD DSAT+ BK-BK B	
	Bright Steel	Black	LD DSAT BK-BS B	LD DENT BK-BS B	LD DSAT+ BK-BS B	
	Polished Brass	Black	LD DSATN BK-PB B	LD DENT BK-PB B	LD DSAT+ BK-PB B	

Concealed Fixing Telephone and Data Outlets

LD RANGE



LD 2J12 PB-BS B



1 gang Telephone Master

Nominal Plate Size: 86 x 86 mm

Min. Wall Box Depth: 25 mm

Technical Insert Reference: TCM

Product Code



1 gang Telephone Slave

Nominal Plate Size: 86 x 86 mm

Min. Wall Box Depth: 25 mm

Technical Insert Reference: TCS

Product Code



1 gang RJ12 Outlet Unshielded

Nominal Plate Size: 86 x 86 mm

Min. Wall Box Depth: 35 mm

Technical Insert Reference: J12

Product Code



2 gang RJ12 Outlet Unshielded

Nominal Plate Size: 86 x 86 mm

Min. Wall Box Depth: 35 mm

Technical Insert Reference: 2J12

Product Code



1 gang RJ45 CAT 5E Outlet Unshielded

Nominal Plate Size: 86 x 86 mm

Min. Wall Box Depth: 35 mm

Technical Insert Reference: J45

Product Code



2 gang RJ45 CAT 5E Outlet Unshielded

Nominal Plate Size: 86 x 86 mm

Min. Wall Box Depth: 35 mm

Technical Insert Reference: 2J45

Product Code

Frame Finish	Plate Finish	Insert Colour	Product Code	Product Code	Product Code	Product Code	Product Code	Product Code
	Bright Steel	White	LD TCM BC-BS W	LD TCS BC-BS W	LD J12 BC-BS W	LD 2J12 BC-BS W	LD J45 BC-BS W	LD 2J45 BC-BS W
	Bright Steel	Black	LD TCM BC-BS B	LD TCS BC-BS B	LD J12 BC-BS B	LD 2J12 BC-BS B	LD J45 BC-BS B	LD 2J45 BC-BS B
	Satin Steel	White	LD TCM BC-SS W	LD TCS BC-SS W	LD J12 BC-SS W	LD 2J12 BC-SS W	LD J45 BC-SS W	LD 2J45 BC-SS W
	Satin Steel	Black	LD TCM BC-SS B	LD TCS BC-SS B	LD J12 BC-SS B	LD 2J12 BC-SS B	LD J45 BC-SS B	LD 2J45 BC-SS B
	Polished Brass	White	LD TCM BC-PB W	LD TCS BC-PB W	LD J12 BC-PB W	LD 2J12 BC-PB W	LD J45 BC-PB W	LD 2J45 BC-PB W
	Polished Brass	Black	LD TCM BC-PB B	LD TCS BC-PB B	LD J12 BC-PB B	LD 2J12 BC-PB B	LD J45 BC-PB B	LD 2J45 BC-PB B
	Black Nickel	Black	LD TCM BC-BK B	LD TCS BC-BK B	LD J12 BC-BK B	LD 2J12 BC-BK B	LD J45 BC-BK B	LD 2J45 BC-BK B
	Piano Black	Black	LD TCM BC-N B	LD TCS BC-N B	LD J12 BC-N B	LD 2J12 BC-N B	LD J45 BC-N B	LD 2J45 BC-N B
	Polished Brass	White	LD TCM PB-PB W	LD TCS PB-PB W	LD J12 PB-PB W	LD 2J12 PB-PB W	LD J45 PB-PB W	LD 2J45 PB-PB W
	Polished Brass	Black	LD TCM PB-PB B	LD TCS PB-PB B	LD J12 PB-PB B	LD 2J12 PB-PB B	LD J45 PB-PB B	LD 2J45 PB-PB B
	Satin Brass	White	LD TCM PB-SB W	LD TCS PB-SB W	LD J12 PB-SB W	LD 2J12 PB-SB W	LD J45 PB-SB W	LD 2J45 PB-SB W
	Satin Brass	Black	LD TCM PB-SB B	LD TCS PB-SB B	LD J12 PB-SB B	LD 2J12 PB-SB B	LD J45 PB-SB B	LD 2J45 PB-SB B
	Antique Brass	White	LD TCM PB-AB W	LD TCS PB-AB W	LD J12 PB-AB W	LD 2J12 PB-AB W	LD J45 PB-AB W	LD 2J45 PB-AB W
	Antique Brass	Black	LD TCM PB-AB B	LD TCS PB-AB B	LD J12 PB-AB B	LD 2J12 PB-AB B	LD J45 PB-AB B	LD 2J45 PB-AB B
Bright Steel	White	LD TCM PB-BS W	LD TCS PB-BS W	LD J12 PB-BS W	LD 2J12 PB-BS W	LD J45 PB-BS W	LD 2J45 PB-BS W	
	Bright Steel	Black	LD TCM PB-BS B	LD TCS PB-BS B	LD J12 PB-BS B	LD 2J12 PB-BS B	LD J45 PB-BS B	LD 2J45 PB-BS B
	Satin Steel	White	LD TCM PB-SS W	LD TCS PB-SS W	LD J12 PB-SS W	LD 2J12 PB-SS W	LD J45 PB-SS W	LD 2J45 PB-SS W
	Satin Steel	Black	LD TCM PB-SS B	LD TCS PB-SS B	LD J12 PB-SS B	LD 2J12 PB-SS B	LD J45 PB-SS B	LD 2J45 PB-SS B
	Satin Brass	White	LD TCM SB-SB W	LD TCS SB-SB W	LD J12 SB-SB W	LD 2J12 SB-SB W	LD J45 SB-SB W	LD 2J45 SB-SB W
	Satin Brass	Black	LD TCM SB-SB B	LD TCS SB-SB B	LD J12 SB-SB B	LD 2J12 SB-SB B	LD J45 SB-SB B	LD 2J45 SB-SB B
	Satin Steel	White	LD TCM SB-SS W	LD TCS SB-SS W	LD J12 SB-SS W	LD 2J12 SB-SS W	LD J45 SB-SS W	LD 2J45 SB-SS W
	Satin Steel	Black	LD TCM SB-SS B	LD TCS SB-SS B	LD J12 SB-SS B	LD 2J12 SB-SS B	LD J45 SB-SS B	LD 2J45 SB-SS B
	Antique Brass	Black	LD TCM AB-AB B	LD TCS AB-AB B	LD J12 AB-AB B	LD 2J12 AB-AB B	LD J45 AB-AB B	LD 2J45 AB-AB B
	Satin Brass	Black	LD TCM AB-SB B	LD TCS AB-SB B	LD J12 AB-SB B	LD 2J12 AB-SB B	LD J45 AB-SB B	LD 2J45 AB-SB B
	Bright Steel	White	LD TCM SN-BS W	LD TCS SN-BS W	LD J12 SN-BS W	LD 2J12 SN-BS W	LD J45 SN-BS W	LD 2J45 SN-BS W
	Bright Steel	Black	LD TCM SN-BS B	LD TCS SN-BS B	LD J12 SN-BS B	LD 2J12 SN-BS B	LD J45 SN-BS B	LD 2J45 SN-BS B
	Satin Steel	White	LD TCM SN-SS W	LD TCS SN-SS W	LD J12 SN-SS W	LD 2J12 SN-SS W	LD J45 SN-SS W	LD 2J45 SN-SS W
	Satin Steel	Black	LD TCM SN-SS B	LD TCS SN-SS B	LD J12 SN-SS B	LD 2J12 SN-SS B	LD J45 SN-SS B	LD 2J45 SN-SS B
	Black Nickel	Black	LD TCM BK-BK B	LD TCS BK-BK B	LD J12 BK-BK B	LD 2J12 BK-BK B	LD J45 BK-BK B	LD 2J45 BK-BK B
	Bright Steel	Black	LD TCM BK-BS B	LD TCS BK-BS B	LD J12 BK-BS B	LD 2J12 BK-BS B	LD J45 BK-BS B	LD 2J45 BK-BS B
	Polished Brass	Black	LD TCM BK-PB B	LD TCS BK-PB B	LD J12 BK-PB B	LD 2J12 BK-PB B	LD J45 BK-PB B	LD 2J45 BK-PB B

Hamilton® Linea-Duo CFX®

Concealed Fixing Double Pole Switches



LD 45SS1 BC-N B



1 gang 20AX Double Pole Rocker + Neon

Nominal Plate Size: 86 x 86 mm

Min. Wall Box Depth: 35 mm

Technical Insert Reference: **DPN**
Product Code

45A Double Pole Red Rocker + Neon + 13A Switched Socket

Nominal Plate Size: 145 x 86 mm

Min. Wall Box Depth: 35 mm

Technical Insert Reference: **45SS1**
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour	Technical Insert Reference: DPN Product Code	Technical Insert Reference: 45SS1 Product Code
	Bright Steel	White	LD DPN BC-BS W	LD 45SS1 BC-BS W
	Bright Steel	Black	LD DPN BC-BS B	LD 45SS1 BC-BS B
	Satin Steel	White	LD DPN BC-SS W	LD 45SS1 BC-SS W
	Satin Steel	Black	LD DPN BC-SS B	LD 45SS1 BC-SS B
	Polished Brass	White	LD DPN BC-PB W	LD 45SS1 BC-PB W
	Polished Brass	Black	LD DPN BC-PB B	LD 45SS1 BC-PB B
	Black Nickel	Black	LD DPN BC-BK B	LD 45SS1 BC-BK B
	Piano Black	Black	LD DPN BC-N B	LD 45SS1 BC-N B
	Polished Brass	White	LD DPN PB-PB W	LD 45SS1 PB-PB W
	Polished Brass	Black	LD DPN PB-PB B	LD 45SS1 PB-PB B
	Satin Brass	White	LD DPN PB-SB W	LD 45SS1 PB-SB W
	Satin Brass	Black	LD DPN PB-SB B	LD 45SS1 PB-SB B
	Antique Brass	White	LD DPN PB-AB W	LD 45SS1 PB-AB W
	Antique Brass	Black	LD DPN PB-AB B	LD 45SS1 PB-AB B
	Bright Steel	White	LD DPN PB-BS W	LD 45SS1 PB-BS W
	Bright Steel	Black	LD DPN PB-BS B	LD 45SS1 PB-BS B
	Satin Steel	White	LD DPN PB-SS W	LD 45SS1 PB-SS W
	Satin Steel	Black	LD DPN PB-SS B	LD 45SS1 PB-SS B
	Satin Brass	White	LD DPN SB-SB W	LD 45SS1 SB-SB W
	Satin Brass	Black	LD DPN SB-SB B	LD 45SS1 SB-SB B
	Satin Steel	White	LD DPN SB-SS W	LD 45SS1 SB-SS W
	Satin Steel	Black	LD DPN SB-SS B	LD 45SS1 SB-SS B
	Antique Brass	Black	LD DPN AB-AB B	LD 45SS1 AB-AB B
	Satin Brass	Black	LD DPN AB-SB B	LD 45SS1 AB-SB B
	Bright Steel	White	LD DPN SN-BS W	LD 45SS1 SN-BS W
	Bright Steel	Black	LD DPN SN-BS B	LD 45SS1 SN-BS B
	Satin Steel	White	LD DPN SN-SS W	LD 45SS1 SN-SS W
	Satin Steel	Black	LD DPN SN-SS B	LD 45SS1 SN-SS B
	Black Nickel	Black	LD DPN BK-BK B	LD 45SS1 BK-BK B
	Bright Steel	Black	LD DPN BK-BS B	LD 45SS1 BK-BS B
	Polished Brass	Black	LD DPN BK-PB B	LD 45SS1 BK-PB B



LD 45N PB-AB B



1 gang 45A Double Pole Red Rocker + Neon

Nominal Plate Size: 86 x 86 mm

Min. Wall Box Depth: 35 mm

Technical Insert Reference: **45N**
Product Code

Frame Finish	Plate Finish	Insert Surround Colour	Technical Insert Reference: 45N Product Code
	Bright Steel	White	LD 45N BC-BS W
	Bright Steel	Black	LD 45N BC-BS B
	Satin Steel	White	LD 45N BC-SS W
	Satin Steel	Black	LD 45N BC-SS B
	Polished Brass	White	LD 45N BC-PB W
	Polished Brass	Black	LD 45N BC-PB B
	Black Nickel	Black	LD 45N BC-BK B
	Piano Black	Black	LD 45N BC-N B
	Polished Brass	White	LD 45N PB-PB W
	Polished Brass	Black	LD 45N PB-PB B
	Satin Brass	White	LD 45N PB-SB W
	Satin Brass	Black	LD 45N PB-SB B
	Antique Brass	White	LD 45N PB-AB W
	Antique Brass	Black	LD 45N PB-AB B
	Bright Steel	White	LD 45N PB-BS W
	Bright Steel	Black	LD 45N PB-BS B
	Satin Steel	White	LD 45N PB-SS W
	Satin Steel	Black	LD 45N PB-SS B
	Satin Brass	White	LD 45N SB-SB W
	Satin Brass	Black	LD 45N SB-SB B
	Satin Steel	White	LD 45N SB-SS W
	Satin Steel	Black	LD 45N SB-SS B
	Antique Brass	Black	LD 45N AB-AB B
	Satin Brass	Black	LD 45N AB-SB B
	Bright Steel	White	LD 45N SN-BS W
	Bright Steel	Black	LD 45N SN-BS B
	Satin Steel	White	LD 45N SN-SS W
	Satin Steel	Black	LD 45N SN-SS B
	Black Nickel	Black	LD 45N BK-BK B
	Bright Steel	Black	LD 45N BK-BS B
	Polished Brass	Black	LD 45N BK-PB B

Concealed Fixing Connection Units



LD SPN BC-SS W



1 gang 13A Double Pole Fused Spur + Neon

Nominal Plate Size: 86 x 86 mm
 Min. Wall Box Depth: 35 mm
 Technical Insert Reference: **SPN**
 Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour	
	Bright Steel	White	LD SPN BC-BS W
	Bright Steel	Black	LD SPN BC-BS B
	Satin Steel	White	LD SPN BC-SS W
	Satin Steel	Black	LD SPN BC-SS B
	Polished Brass	White	LD SPN BC-PB W
	Polished Brass	Black	LD SPN BC-PB B
	Black Nickel	Black	LD SPN BC-BK B
	Piano Black	Black	LD SPN BC-N B
	Polished Brass	White	LD SPN PB-PB W
	Polished Brass	Black	LD SPN PB-PB B
	Satin Brass	White	LD SPN PB-SB W
	Satin Brass	Black	LD SPN PB-SB B
	Antique Brass	White	LD SPN PB-AB W
	Antique Brass	Black	LD SPN PB-AB B
	Bright Steel	White	LD SPN PB-BS W
	Bright Steel	Black	LD SPN PB-BS B
	Satin Steel	White	LD SPN PB-SS W
	Satin Steel	Black	LD SPN PB-SS B
	Satin Brass	White	LD SPN SB-SB W
	Satin Brass	Black	LD SPN SB-SB B
	Satin Steel	White	LD SPN SB-SS W
	Satin Steel	Black	LD SPN SB-SS B
	Antique Brass	Black	LD SPN AB-AB B
	Satin Brass	Black	LD SPN AB-SB B
	Bright Steel	White	LD SPN SN-BS W
	Bright Steel	Black	LD SPN SN-BS B
	Satin Steel	White	LD SPN SN-SS W
	Satin Steel	Black	LD SPN SN-SS B
	Black Nickel	Black	LD SPN BK-BK B
	Bright Steel	Black	LD SPN BK-BS B
	Polished Brass	Black	LD SPN BK-PB B



LD FN BC-PB R



1 gang 13A Fuse with Red Neon Halo

Nominal Plate Size: 86 x 86 mm
 Min. Wall Box Depth: 35 mm
 Technical Insert Reference: **FN**
 Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour	
	Bright Steel	Red Halo	LD FN BC-BS R
	Satin Steel	Red Halo	LD FN BC-SS R
	Polished Brass	Red Halo	LD FN BC-PB R
	Black Nickel	Red Halo	LD FN BC-BK R
	Piano Black	Red Halo	LD FN BC-N R
	Polished Brass	Red Halo	LD FN PB-PB R
	Satin Brass	Red Halo	LD FN PB-SB R
	Antique Brass	Red Halo	LD FN PB-AB R
	Bright Steel	Red Halo	LD FN PB-BS R
	Satin Steel	Red Halo	LD FN PB-SS R
	Satin Brass	Red Halo	LD FN SB-SB R
	Satin Steel	Red Halo	LD FN SB-SS R
	Antique Brass	Red Halo	LD FN AB-AB R
	Satin Brass	Red Halo	LD FN AB-SB R
	Satin Nickel	Red Halo	LD FN SN-BS R
	Bright Steel	Red Halo	LD FN SN-SS R
	Satin Steel	Red Halo	LD FN SN-SS R
	Black Nickel	Red Halo	LD FN BK-BK R
	Bright Steel	Red Halo	LD FN BK-BS R
	Polished Brass	Red Halo	LD FN BK-PB R

Hamilton® Linea-Duo CFX®

Concealed Fixing Leading Edge Push On/Off Resistive Dimmers







Note: Tungsten filament GU10 lamps must be branded and with a fused base. Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.

Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



LD 2X40 PB-BS



Frame and Insert Finish	Plate Finish	1 gang 400W 2 way Dimmer Nominal Plate Size: 86 x 86 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1X40 Product Code	2 gang 400W 2 way (Max. 300 watts per gang) Dimmer Nominal Plate Size: 86 x 86 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 2X40 Product Code	3 gang 400W 2 way Dimmer Nominal Plate Size: 145 x 86 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 3X40 Product Code	4 gang 400W 2 way (Max. 300 watts per gang) Dimmer Nominal Plate Size: 145 x 86 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 4X40 Product Code	1 gang 600W 2 way Dimmer Nominal Plate Size: 86 x 86 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1X60 Product Code	1 gang 1000W 2 way Dimmer Nominal Plate Size: 145 x 86 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1X1K Product Code
Bright Chrome 	Bright Steel Satin Steel Polished Brass Black Nickel Piano Black	LD 1X40 BC-BS LD 1X40 BC-SS LD 1X40 BC-PB LD 1X40 BC-BK LD 1X40 BC-N	LD 2X40 BC-BS LD 2X40 BC-SS LD 2X40 BC-PB LD 2X40 BC-BK LD 2X40 BC-N	LD 3X40 BC-BS LD 3X40 BC-SS LD 3X40 BC-PB LD 3X40 BC-BK LD 3X40 BC-N	LD 4X40 BC-BS LD 4X40 BC-SS LD 4X40 BC-PB LD 4X40 BC-BK LD 4X40 BC-N	LD 1X60 BC-BS LD 1X60 BC-SS LD 1X60 BC-PB LD 1X60 BC-BK LD 1X60 BC-N	LD 1X1K BC-BS LD 1X1K BC-SS LD 1X1K BC-PB LD 1X1K BC-BK LD 1X1K BC-N
Polished Brass 	Polished Brass Satin Brass Antique Brass Bright Steel Satin Steel	LD 1X40 PB-PB LD 1X40 PB-SB LD 1X40 PB-AB LD 1X40 PB-BS LD 1X40 PB-SS	LD 2X40 PB-PB LD 2X40 PB-SB LD 2X40 PB-AB LD 2X40 PB-BS LD 2X40 PB-SS	LD 3X40 PB-PB LD 3X40 PB-SB LD 3X40 PB-AB LD 3X40 PB-BS LD 3X40 PB-SS	LD 4X40 PB-PB LD 4X40 PB-SB LD 4X40 PB-AB LD 4X40 PB-BS LD 4X40 PB-SS	LD 1X60 PB-PB LD 1X60 PB-SB LD 1X60 PB-AB LD 1X60 PB-BS LD 1X60 PB-SS	LD 1X1K PB-PB LD 1X1K PB-SB LD 1X1K PB-AB LD 1X1K PB-BS LD 1X1K PB-SS
Satin Brass 	Satin Brass Satin Steel	LD 1X40 SB-SB LD 1X40 SB-SS	LD 2X40 SB-SB LD 2X40 SB-SS	LD 3X40 SB-SB LD 3X40 SB-SS	LD 4X40 SB-SB LD 4X40 SB-SS	LD 1X60 SB-SB LD 1X60 SB-SS	LD 1X1K SB-SB LD 1X1K SB-SS
Antique Brass 	Antique Brass Satin Brass	LD 1X40 AB-AB LD 1X40 AB-SB	LD 2X40 AB-AB LD 2X40 AB-SB	LD 3X40 AB-AB LD 3X40 AB-SB	LD 4X40 AB-AB LD 4X40 AB-SB	LD 1X60 AB-AB LD 1X60 AB-SB	LD 1X1K AB-AB LD 1X1K AB-SB
Satin Nickel 	Bright Steel Satin Steel	LD 1X40 SN-BS LD 1X40 SN-SS	LD 2X40 SN-BS LD 2X40 SN-SS	LD 3X40 SN-BS LD 3X40 SN-SS	LD 4X40 SN-BS LD 4X40 SN-SS	LD 1X60 SN-BS LD 1X60 SN-SS	LD 1X1K SN-BS LD 1X1K SN-SS
Black Nickel 	Black Nickel Bright Steel Polished Brass	LD 1X40 BK-BK LD 1X40 BK-BS LD 1X40 BK-PB	LD 2X40 BK-BK LD 2X40 BK-BS LD 2X40 BK-PB	LD 3X40 BK-BK LD 3X40 BK-BS LD 3X40 BK-PB	LD 4X40 BK-BK LD 4X40 BK-BS LD 4X40 BK-PB	LD 1X60 BK-BK LD 1X60 BK-BS LD 1X60 BK-PB	LD 1X1K BK-BK LD 1X1K BK-BS LD 1X1K BK-PB

Hamilton® Linea-Duo CFX®

Concealed Fixing Leading Edge Push On/Off Inductive Dimmers

Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



LD 1X2V PB-PB



**1 gang 200VA
2 way Dimmer**

Nominal Plate Size:
86 x 86 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: 1X2V
Product Code



**1 gang 300VA
2 way Dimmer**

Nominal Plate Size:
86 x 86 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: 1X3V
Product Code

**Frame and
Insert Finish**

Plate Finish

Bright Chrome



Bright Steel
Satin Steel
Polished Brass
Black Nickel
Piano Black

LD 1X2V BC-BS
LD 1X2V BC-SS
LD 1X2V BC-PB
LD 1X2V BC-BK
LD 1X2V BC-N

LD 1X3V BC-BS
LD 1X3V BC-SS
LD 1X3V BC-PB
LD 1X3V BC-BK
LD 1X3V BC-N

Polished Brass



Polished Brass
Satin Brass
Antique Brass
Bright Steel
Satin Steel

LD 1X2V PB-PB
LD 1X2V PB-SB
LD 1X2V PB-AB
LD 1X2V PB-BS
LD 1X2V PB-SS

LD 1X3V PB-PB
LD 1X3V PB-SB
LD 1X3V PB-AB
LD 1X3V PB-BS
LD 1X3V PB-SS

Satin Brass



Satin Brass
Satin Steel

LD 1X2V SB-SB
LD 1X2V SB-SS

LD 1X3V SB-SB
LD 1X3V SB-SS

Antique Brass



Antique Brass
Satin Brass

LD 1X2V AB-AB
LD 1X2V AB-SB

LD 1X3V AB-AB
LD 1X3V AB-SB

Satin Nickel



Bright Steel
Satin Steel

LD 1X2V SN-BS
LD 1X2V SN-SS

LD 1X3V SN-BS
LD 1X3V SN-SS

Black Nickel



Black Nickel
Bright Steel
Polished Brass

LD 1X2V BK-BK
LD 1X2V BK-BS
LD 1X2V BK-PB

LD 1X3V BK-BK
LD 1X3V BK-BS
LD 1X3V BK-PB

Hamilton® Linea-Duo CFX®

Concealed Fixing Trailing Edge Push On/Off Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base. Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.

Note: When using mains voltage halogen load transformers - maximum rating is 210VA. Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



LD 3XTE AB-AB



**1 gang
250W/210VA
Trailing Edge
Multi-Way
Dimmer**

Nominal Plate Size:
86 x 86 mm
Minimum Wall Box
Size: 35 mm
Technical Insert
Reference: **1XTE**
Product Code



**2 gang
250W/210VA
Trailing Edge
Multi-Way
Dimmer**

Nominal Plate Size:
86 x 86 mm
Minimum Wall Box
Size: 35 mm
Technical Insert
Reference: **2XTE**
Product Code



**3 gang
250W/210VA
Trailing Edge
Multi-Way
Dimmer**

Nominal Plate Size:
145 x 86 mm
Minimum Wall Box
Size: 35 mm
Technical Insert
Reference: **3XTE**
Product Code



**4 gang
250W/210VA
Trailing Edge
Multi-Way
Dimmer**

Nominal Plate Size:
145 x 86 mm
Minimum Wall Box
Size: 35 mm
Technical Insert
Reference: **4XTE**
Product Code

Frame and Insert Finish

Plate Finish

Bright Chrome



Bright Steel
Satin Steel
Polished Brass
Black Nickel
Piano Black

LD 1XTE BC-BS
LD 1XTE BC-SS
LD 1XTE BC-PB
LD 1XTE BC-BK
LD 1XTE BC-N

LD 2XTE BC-BS
LD 2XTE BC-SS
LD 2XTE BC-PB
LD 2XTE BC-BK
LD 2XTE BC-N

LD 3XTE BC-BS
LD 3XTE BC-SS
LD 3XTE BC-PB
LD 3XTE BC-BK
LD 3XTE BC-N

LD 4XTE BC-BS
LD 4XTE BC-SS
LD 4XTE BC-PB
LD 4XTE BC-BK
LD 4XTE BC-N

Polished Brass



Polished Brass
Satin Brass
Antique Brass
Bright Steel
Satin Steel

LD 1XTE PB-PB
LD 1XTE PB-SB
LD 1XTE PB-AB
LD 1XTE PB-BS
LD 1XTE PB-SS

LD 2XTE PB-PB
LD 2XTE PB-SB
LD 2XTE PB-AB
LD 2XTE PB-BS
LD 2XTE PB-SS

LD 3XTE PB-PB
LD 3XTE PB-SB
LD 3XTE PB-AB
LD 3XTE PB-BS
LD 3XTE PB-SS

LD 4XTE PB-PB
LD 4XTE PB-SB
LD 4XTE PB-AB
LD 4XTE PB-BS
LD 4XTE PB-SS

Satin Brass



Satin Brass
Satin Steel

LD 1XTE SB-SB
LD 1XTE SB-SS

LD 2XTE SB-SB
LD 2XTE SB-SS

LD 3XTE SB-SB
LD 3XTE SB-SS

LD 4XTE SB-SB
LD 4XTE SB-SS

Antique Brass



Antique Brass
Satin Brass

LD 1XTE AB-AB
LD 1XTE AB-SB

LD 2XTE AB-AB
LD 2XTE AB-SB

LD 3XTE AB-AB
LD 3XTE AB-SB

LD 4XTE AB-AB
LD 4XTE AB-SB

Satin Nickel



Bright Steel
Satin Steel

LD 1XTE SN-BS
LD 1XTE SN-SS

LD 2XTE SN-BS
LD 2XTE SN-SS

LD 3XTE SN-BS
LD 3XTE SN-SS

LD 4XTE SN-BS
LD 4XTE SN-SS

Black Nickel



Black Nickel
Bright Steel
Polished Brass

LD 1XTE BK-BK
LD 1XTE BK-BS
LD 1XTE BK-PB

LD 2XTE BK-BK
LD 2XTE BK-BS
LD 2XTE BK-PB

LD 3XTE BK-BK
LD 3XTE BK-BS
LD 3XTE BK-PB

LD 4XTE BK-BK
LD 4XTE BK-BS
LD 4XTE BK-PB

Hamilton® Linea-Duo CFX®

Concealed Fixing Trailing Edge Touch Master Multi-Way Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base. Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.

Note: When using mains voltage halogen load transformers - maximum rating is 210VA. Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



1 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer

Nominal Plate Size: 86 x 86 mm
Minimum Wall Box Depth: 35 mm
Technical Insert Reference: **1XTM Product Code**



2 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer

Nominal Plate Size: 86 x 86 mm
Minimum Wall Box Depth: 35 mm
Technical Insert Reference: **2XTM Product Code**









3 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer

Nominal Plate Size: 145 x 86 mm
Minimum Wall Box Depth: 35 mm
Technical Insert Reference: **3XTM Product Code**



4 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer

Nominal Plate Size: 145 x 86 mm
Minimum Wall Box Depth: 35 mm
Technical Insert Reference: **4XTM Product Code**

Frame and Insert Finish	Plate Finish	Insert Surround Colour					
 Bright Chrome	Bright Steel	White	LD 1XTM BC-BS W	LD 2XTM BC-BS W	LD 3XTM BC-BS W	LD 4XTM BC-BS W	
	Bright Steel	Black	LD 1XTM BC-BS B	LD 2XTM BC-BS B	LD 3XTM BC-BS B	LD 4XTM BC-BS B	
	Satin Steel	White	LD 1XTM BC-SS W	LD 2XTM BC-SS W	LD 3XTM BC-SS W	LD 4XTM BC-SS W	
	Satin Steel	Black	LD 1XTM BC-SS B	LD 2XTM BC-SS B	LD 3XTM BC-SS B	LD 4XTM BC-SS B	
	Polished Brass	White	LD 1XTM BC-PB W	LD 2XTM BC-PB W	LD 3XTM BC-PB W	LD 4XTM BC-PB W	
	Polished Brass	Black	LD 1XTM BC-PB B	LD 2XTM BC-PB B	LD 3XTM BC-PB B	LD 4XTM BC-PB B	
	Black Nickel	Black	LD 1XTM BC-BK B	LD 2XTM BC-BK B	LD 3XTM BC-BK B	LD 4XTM BC-BK B	
	Piano Black	Black	LD 1XTM BC-N B	LD 2XTM BC-N B	LD 3XTM BC-N B	LD 4XTM BC-N B	
 Polished Brass	Polished Brass	White	LD 1XTM PB-PB W	LD 2XTM PB-PB W	LD 3XTM PB-PB W	LD 4XTM PB-PB W	
	Polished Brass	Black	LD 1XTM PB-PB B	LD 2XTM PB-PB B	LD 3XTM PB-PB B	LD 4XTM PB-PB B	
	Satin Brass	White	LD 1XTM PB-SB W	LD 2XTM PB-SB W	LD 3XTM PB-SB W	LD 4XTM PB-SB W	
	Satin Brass	Black	LD 1XTM PB-SB B	LD 2XTM PB-SB B	LD 3XTM PB-SB B	LD 4XTM PB-SB B	
	Antique Brass	White	LD 1XTM PB-AB W	LD 2XTM PB-AB W	LD 3XTM PB-AB W	LD 4XTM PB-AB W	
	Antique Brass	Black	LD 1XTM PB-AB B	LD 2XTM PB-AB B	LD 3XTM PB-AB B	LD 4XTM PB-AB B	
	Bright Steel	White	LD 1XTM PB-BS W	LD 2XTM PB-BS W	LD 3XTM PB-BS W	LD 4XTM PB-BS W	
	Bright Steel	Black	LD 1XTM PB-BS B	LD 2XTM PB-BS B	LD 3XTM PB-BS B	LD 4XTM PB-BS B	
	Satin Steel	White	LD 1XTM PB-SS W	LD 2XTM PB-SS W	LD 3XTM PB-SS W	LD 4XTM PB-SS W	
	Satin Steel	Black	LD 1XTM PB-SS B	LD 2XTM PB-SS B	LD 3XTM PB-SS B	LD 4XTM PB-SS B	
	 Satin Brass	Satin Brass	White	LD 1XTM SB-SB W	LD 2XTM SB-SB W	LD 3XTM SB-SB W	LD 4XTM SB-SB W
		Satin Brass	Black	LD 1XTM SB-SB B	LD 2XTM SB-SB B	LD 3XTM SB-SB B	LD 4XTM SB-SB B
Satin Steel		White	LD 1XTM SB-SS W	LD 2XTM SB-SS W	LD 3XTM SB-SS W	LD 4XTM SB-SS W	
Satin Steel		Black	LD 1XTM SB-SS B	LD 2XTM SB-SS B	LD 3XTM SB-SS B	LD 4XTM SB-SS B	
 Antique Brass	Antique Brass	Black	LD 1XTM AB-AB B	LD 2XTM AB-AB B	LD 3XTM AB-AB B	LD 4XTM AB-AB B	
	Satin Brass	Black	LD 1XTM AB-SB B	LD 2XTM AB-SB B	LD 3XTM AB-SB B	LD 4XTM AB-SB B	
 Satin Nickel	Bright Steel	White	LD 1XTM SN-BS W	LD 2XTM SN-BS W	LD 3XTM SN-BS W	LD 4XTM SN-BS W	
	Bright Steel	Black	LD 1XTM SN-BS B	LD 2XTM SN-BS B	LD 3XTM SN-BS B	LD 4XTM SN-BS B	
	Satin Steel	White	LD 1XTM SN-SS W	LD 2XTM SN-SS W	LD 3XTM SN-SS W	LD 4XTM SN-SS W	
	Satin Steel	Black	LD 1XTM SN-SS B	LD 2XTM SN-SS B	LD 3XTM SN-SS B	LD 4XTM SN-SS B	
 Black Nickel	Black Nickel	Black	LD 1XTM BK-BK B	LD 2XTM BK-BK B	LD 3XTM BK-BK B	LD 4XTM BK-BK B	
	Bright Steel	Black	LD 1XTM BK-BS B	LD 2XTM BK-BS B	LD 3XTM BK-BS B	LD 4XTM BK-BS B	
	Polished Brass	Black	LD 1XTM BK-PB B	LD 2XTM BK-PB B	LD 3XTM BK-PB B	LD 4XTM BK-PB B	

Hamilton® Linea-Duo CFX®

Concealed Fixing Touch Slave Controllers

Note: To only be used with Touch Master Dimmers. Note: Tungsten filament GU10 lamps must be branded and with a fused base.

Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%. Note: When using mains voltage halogen load transformers - maximum rating is 210VA.



LD 2XTS BC-SS W



1 gang Multi-Way Touch Slave Controller

Nominal Plate Size:
86 x 86 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: 1XTS
Product Code



2 gang Multi-Way Touch Slave Controller

Nominal Plate Size:
86 x 86 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: 2XTS
Product Code









3 gang Multi-Way Touch Slave Controller

Nominal Plate Size:
145 x 86 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: 3XTS
Product Code



4 gang Multi-Way Touch Slave Controller

Nominal Plate Size:
145 x 86 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: 4XTS
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour	1 gang Multi-Way Touch Slave Controller	2 gang Multi-Way Touch Slave Controller	3 gang Multi-Way Touch Slave Controller	4 gang Multi-Way Touch Slave Controller	
	Bright Steel	White	LD 1XTS BC-BS W	LD 2XTS BC-BS W	LD 3XTS BC-BS W	LD 4XTS BC-BS W	
	Bright Steel	Black	LD 1XTS BC-BS B	LD 2XTS BC-BS B	LD 3XTS BC-BS B	LD 4XTS BC-BS B	
	Satin Steel	White	LD 1XTS BC-SS W	LD 2XTS BC-SS W	LD 3XTS BC-SS W	LD 4XTS BC-SS W	
	Satin Steel	Black	LD 1XTS BC-SS B	LD 2XTS BC-SS B	LD 3XTS BC-SS B	LD 4XTS BC-SS B	
	Polished Brass	White	LD 1XTS BC-PB W	LD 2XTS BC-PB W	LD 3XTS BC-PB W	LD 4XTS BC-PB W	
	Polished Brass	Black	LD 1XTS BC-PB B	LD 2XTS BC-PB B	LD 3XTS BC-PB B	LD 4XTS BC-PB B	
	Black Nickel	Black	LD 1XTS BC-BK B	LD 2XTS BC-BK B	LD 3XTS BC-BK B	LD 4XTS BC-BK B	
	Piano Black	Black	LD 1XTS BC-N B	LD 2XTS BC-N B	LD 3XTS BC-N B	LD 4XTS BC-N B	
	Polished Brass	White	LD 1XTS PB-PB W	LD 2XTS PB-PB W	LD 3XTS PB-PB W	LD 4XTS PB-PB W	
	Polished Brass	Black	LD 1XTS PB-PB B	LD 2XTS PB-PB B	LD 3XTS PB-PB B	LD 4XTS PB-PB B	
	Satin Brass	White	LD 1XTS PB-SB W	LD 2XTS PB-SB W	LD 3XTS PB-SB W	LD 4XTS PB-SB W	
	Satin Brass	Black	LD 1XTS PB-SB B	LD 2XTS PB-SB B	LD 3XTS PB-SB B	LD 4XTS PB-SB B	
	Antique Brass	White	LD 1XTS PB-AB W	LD 2XTS PB-AB W	LD 3XTS PB-AB W	LD 4XTS PB-AB W	
	Antique Brass	Black	LD 1XTS PB-AB B	LD 2XTS PB-AB B	LD 3XTS PB-AB B	LD 4XTS PB-AB B	
	Bright Steel	White	LD 1XTS PB-BS W	LD 2XTS PB-BS W	LD 3XTS PB-BS W	LD 4XTS PB-BS W	
	Bright Steel	Black	LD 1XTS PB-BS B	LD 2XTS PB-BS B	LD 3XTS PB-BS B	LD 4XTS PB-BS B	
	Satin Steel	White	LD 1XTS PB-SS W	LD 2XTS PB-SS W	LD 3XTS PB-SS W	LD 4XTS PB-SS W	
	Satin Steel	Black	LD 1XTS PB-SS B	LD 2XTS PB-SS B	LD 3XTS PB-SS B	LD 4XTS PB-SS B	
		Satin Brass	White	LD 1XTS SB-SB W	LD 2XTS SB-SB W	LD 3XTS SB-SB W	LD 4XTS SB-SB W
		Satin Brass	Black	LD 1XTS SB-SB B	LD 2XTS SB-SB B	LD 3XTS SB-SB B	LD 4XTS SB-SB B
Satin Steel		White	LD 1XTS SB-SS W	LD 2XTS SB-SS W	LD 3XTS SB-SS W	LD 4XTS SB-SS W	
Satin Steel		Black	LD 1XTS SB-SS B	LD 2XTS SB-SS B	LD 3XTS SB-SS B	LD 4XTS SB-SS B	
	Antique Brass	Black	LD 1XTS AB-AB B	LD 2XTS AB-AB B	LD 3XTS AB-AB B	LD 4XTS AB-AB B	
	Satin Brass	Black	LD 1XTS AB-SB B	LD 2XTS AB-SB B	LD 3XTS AB-SB B	LD 4XTS AB-SB B	
	Bright Steel	White	LD 1XTS SN-BS W	LD 2XTS SN-BS W	LD 3XTS SN-BS W	LD 4XTS SN-BS W	
	Bright Steel	Black	LD 1XTS SN-BS B	LD 2XTS SN-BS B	LD 3XTS SN-BS B	LD 4XTS SN-BS B	
	Satin Steel	White	LD 1XTS SN-SS W	LD 2XTS SN-SS W	LD 3XTS SN-SS W	LD 4XTS SN-SS W	
	Satin Steel	Black	LD 1XTS SN-SS B	LD 2XTS SN-SS B	LD 3XTS SN-SS B	LD 4XTS SN-SS B	
	Black Nickel	Black	LD 1XTS BK-BK B	LD 2XTS BK-BK B	LD 3XTS BK-BK B	LD 4XTS BK-BK B	
	Bright Steel	Black	LD 1XTS BK-BS B	LD 2XTS BK-BS B	LD 3XTS BK-BS B	LD 4XTS BK-BS B	
	Polished Brass	Black	LD 1XTS BK-PB B	LD 2XTS BK-PB B	LD 3XTS BK-PB B	LD 4XTS BK-PB B	

Concealed Fixing EuroFix Plates complete with Fixing Grid

Minimum Wall Box Depth is dependent on the EuroFix insert fitted - please see the EuroFix section for our complete range of inserts.



LD EURO2 SB-SB



1 Module EuroFix Plate

Nominal Plate Size:
86 x 86 mm

Aperture:
25 x 50 mm

Technical Insert
Reference: **EURO1**

Product Code



2 Module EuroFix Plate

Nominal Plate Size:
86 x 86 mm

Aperture:
50 x 50 mm

Technical Insert
Reference: **EURO2**

Product Code



3 Module EuroFix Plate

Nominal Plate Size:
145 x 86 mm

Aperture:
75 x 50 mm

Technical Insert
Reference: **EURO3**

Product Code



4 Module EuroFix Plate

Nominal Plate Size:
145 x 86 mm

Aperture:
100 x 50 mm

Technical Insert
Reference: **EURO4**

Product Code

Frame Finish

Plate Finish

Bright Chrome



Bright Steel
Satin Steel
Polished Brass
Black Nickel
Piano Black

LD EURO1 BC-BS
LD EURO1 BC-SS
LD EURO1 BC-PB
LD EURO1 BC-BK
LD EURO1 BC-N

LD EURO2 BC-BS
LD EURO2 BC-SS
LD EURO2 BC-PB
LD EURO2 BC-BK
LD EURO2 BC-N

LD EURO3 BC-BS
LD EURO3 BC-SS
LD EURO3 BC-PB
LD EURO3 BC-BK
LD EURO3 BC-N

LD EURO4 BC-BS
LD EURO4 BC-SS
LD EURO4 BC-PB
LD EURO4 BC-BK
LD EURO4 BC-N

Polished Brass



Polished Brass
Satin Brass
Antique Brass
Bright Steel
Satin Steel

LD EURO1 PB-PB
LD EURO1 PB-SB
LD EURO1 PB-AB
LD EURO1 PB-BS
LD EURO1 PB-SS

LD EURO2 PB-PB
LD EURO2 PB-SB
LD EURO2 PB-AB
LD EURO2 PB-BS
LD EURO2 PB-SS

LD EURO3 PB-PB
LD EURO3 PB-SB
LD EURO3 PB-AB
LD EURO3 PB-BS
LD EURO3 PB-SS

LD EURO4 PB-PB
LD EURO4 PB-SB
LD EURO4 PB-AB
LD EURO4 PB-BS
LD EURO4 PB-SS

Satin Brass



Satin Brass
Satin Steel

LD EURO1 SB-SB
LD EURO1 SB-SS

LD EURO2 SB-SB
LD EURO2 SB-SS

LD EURO3 SB-SB
LD EURO3 SB-SS

LD EURO4 SB-SB
LD EURO4 SB-SS

Antique Brass



Antique Brass
Satin Brass

LD EURO1 AB-AB
LD EURO1 AB-SB

LD EURO2 AB-AB
LD EURO2 AB-SB

LD EURO3 AB-AB
LD EURO3 AB-SB

LD EURO4 AB-AB
LD EURO4 AB-SB

Satin Nickel



Bright Steel
Satin Steel

LD EURO1 SN-BS
LD EURO1 SN-SS

LD EURO2 SN-BS
LD EURO2 SN-SS

LD EURO3 SN-BS
LD EURO3 SN-SS

LD EURO4 SN-BS
LD EURO4 SN-SS

Black Nickel



Black Nickel
Bright Steel
Polished Brass

LD EURO1 BK-BK
LD EURO1 BK-BS
LD EURO1 BK-PB

LD EURO2 BK-BK
LD EURO2 BK-BS
LD EURO2 BK-PB

LD EURO3 BK-BK
LD EURO3 BK-BS
LD EURO3 BK-PB

LD EURO4 BK-BK
LD EURO4 BK-BS
LD EURO4 BK-PB

Concealed Fixing Blank Plates



Single Blank Plate

Nominal Plate Size:
86 x 86 mm
Technical Insert
Reference: **BPS**
Product Code



Double Blank Plate

Nominal Plate Size:
145 x 86 mm
Technical Insert
Reference: **BPD**
Product Code

Frame Finish	Plate Finish	Single Blank Plate Nominal Plate Size: 86 x 86 mm Technical Insert Reference: BPS Product Code	Double Blank Plate Nominal Plate Size: 145 x 86 mm Technical Insert Reference: BPD Product Code
Bright Chrome 	Bright Steel Satin Steel Polished Brass Black Nickel Piano Black	LD BPS BC-BS LD BPS BC-SS LD BPS BC-PB LD BPS BC-BK LD BPS BC-N	LD BPD BC-BS LD BPD BC-SS LD BPD BC-PB LD BPD BC-BK LD BPD BC-N
Polished Brass 	Polished Brass Satin Brass Antique Brass Bright Steel Satin Steel	LD BPS PB-PB LD BPS PB-SB LD BPS PB-AB LD BPS PB-BS LD BPS PB-SS	LD BPD PB-PB LD BPD PB-SB LD BPD PB-AB LD BPD PB-BS LD BPD PB-SS
Satin Brass 	Satin Brass Satin Steel	LD BPS SB-SB LD BPS SB-SS	LD BPD SB-SB LD BPD SB-SS
Antique Brass 	Antique Brass Satin Brass	LD BPS AB-AB LD BPS AB-SB	LD BPD AB-AB LD BPD AB-SB
Satin Nickel 	Bright Steel Satin Steel	LD BPS SN-BS LD BPS SN-SS	LD BPD SN-BS LD BPD SN-SS
Black Nickel 	Black Nickel Bright Steel Polished Brass	LD BPS BK-BK LD BPS BK-BS LD BPS BK-PB	LD BPD BK-BK LD BPD BK-BS LD BPD BK-PB

Concealed Fixing GRID-IT Grid Fix Plates complete with Fixing Grid

Minimum Wall Box Depth is dependent on the GRID-IT insert fitted - please see the GRID-IT section for our complete range of inserts.



LD 2GP PB-AB



1 gang Aperture Grid Fix Plate

Nominal Plate Size: 86 x 86 mm

Technical Insert Reference: **1GP**
Product Code



2 gang Aperture Grid Fix Plate

Nominal Plate Size: 86 x 86 mm

Technical Insert Reference: **2GP**
Product Code



3 gang Aperture Grid Fix Plate

Nominal Plate Size: 145 x 86 mm







Technical Insert Reference: **3GP**
Product Code



4 gang Aperture Grid Fix Plate

Nominal Plate Size: 145 x 86 mm

Technical Insert Reference: **4GP**
Product Code

Frame Finish	Plate Finish	1 gang Aperture Grid Fix Plate	2 gang Aperture Grid Fix Plate	3 gang Aperture Grid Fix Plate	4 gang Aperture Grid Fix Plate
Bright Chrome 	Bright Steel Satin Steel Polished Brass Black Nickel Piano Black	LD 1GP BC-BS LD 1GP BC-SS LD 1GP BC-PB LD 1GP BC-BK LD 1GP BC-N	LD 2GP BC-BS LD 2GP BC-SS LD 2GP BC-PB LD 2GP BC-BK LD 2GP BC-N	LD 3GP BC-BS LD 3GP BC-SS LD 3GP BC-PB LD 3GP BC-BK LD 3GP BC-N	LD 4GP BC-BS LD 4GP BC-SS LD 4GP BC-PB LD 4GP BC-BK LD 4GP BC-N
Polished Brass 	Polished Brass Satin Brass Antique Brass Bright Steel Satin Steel	LD 1GP PB-PB LD 1GP PB-SB LD 1GP PB-AB LD 1GP PB-BS LD 1GP PB-SS	LD 2GP PB-PB LD 2GP PB-SB LD 2GP PB-AB LD 2GP PB-BS LD 2GP PB-SS	LD 3GP PB-PB LD 3GP PB-SB LD 3GP PB-AB LD 3GP PB-BS LD 3GP PB-SS	LD 4GP PB-PB LD 4GP PB-SB LD 4GP PB-AB LD 4GP PB-BS LD 4GP PB-SS
Satin Brass 	Satin Brass Satin Steel	LD 1GP SB-SB LD 1GP SB-SS	LD 2GP SB-SB LD 2GP SB-SS	LD 3GP SB-SB LD 3GP SB-SS	LD 4GP SB-SB LD 4GP SB-SS
Antique Brass 	Antique Brass Satin Brass	LD 1GP AB-AB LD 1GP AB-SB	LD 2GP AB-AB LD 2GP AB-SB	LD 3GP AB-AB LD 3GP AB-SB	LD 4GP AB-AB LD 4GP AB-SB
Satin Nickel 	Bright Steel Satin Steel	LD 1GP SN-BS LD 1GP SN-SS	LD 2GP SN-BS LD 2GP SN-SS	LD 3GP SN-BS LD 3GP SN-SS	LD 4GP SN-BS LD 4GP SN-SS
Black Nickel 	Black Nickel Bright Steel Polished Brass	LD 1GP BK-BK LD 1GP BK-BS LD 1GP BK-PB	LD 2GP BK-BK LD 2GP BK-BS LD 2GP BK-PB	LD 3GP BK-BK LD 3GP BK-BS LD 3GP BK-PB	LD 4GP BK-BK LD 4GP BK-BS LD 4GP BK-PB