



Independent Heat Recovery
Ventilation Specialists



Ancillaries

ANCILLARIES

Not only are you spoilt for choice for heat recovery units and ducting, we also provide you with access to a wide range of air valves, external grilles, control options to complete your system.



Air Valves

Although white powder-coated metal diffusers are supplied as standard to suit 125mm and 150mm diameter ducting, other types of air control valves are available on request including stainless steel.


We also offer the AIRY diffusers which have the lowest sound levels on the market. They are available in five different shapes and a wide range of colours to give you even more choice.

External Penetrations


Stale air can either be exhausted through the roof, walls or soffit. As a general rule, PVC-u Universal roof terminals or plastic fixed louvre grilles for the walls are supplied as standard. Specials including tile-based roof tile vents or metal grilles are available on request and can be colour matched to any RAL reference.

Control Options

It's important to consider how you might want to control your heat recovery ventilation system. Integral humidistats are recommended but if you would like your system to react to excess moisture you may like to consider a manual speed controller. We also offer a range of remote controls, touch screens, automatic PIR and CO₂ sensors and summer bypass options. Don't forget to discuss these options with our design team.



FORWARD YOUR PLANS TO:
plans@admsystems.co.uk



Independent Heat Recovery
Ventilation Specialists

ADM Systems | Fairfax House | 7 Wool Gate | Cottingley Business Park | Bingley | BD16 1PE
t: 01756 701051 | e: enquiries@admsystems.co.uk | w: www.admsystems.co.uk

Air Distribution Management Limited | Registered in England and Wales | Company Registration No. 3745814 | VAT No. GB 721 7788 15