

Abbott Analytical



Consulting Scientists to the Disinfectant Industry

Certificate of Analysis

Sample(s): One sample of GreenGold Concentrate

Received from: Busy Cleaning Ltd, Charter Court, Phoenix Way, Swansea, SA7 9FS

Date received: 19 August 2010 Date tested: 15 September 2010

Certificate no: 10H.090Lp-KR.CLE Certificate date: 17 September 2010

Sample ref: 10H/090 **Page:** 1 of 2

Analysis required: EN 13623, Chemical disinfectants and antiseptics -

Quantitative suspension test for the evaluation of bactericidal activity against *Legionella pneumophila* of chemical disinfectants for aqueous systems - Test method

and requirements (phase 2, step 1)

Product stored at:
Room temperature

Active substance: Not declared

Test conditions: N/A

Interfering substance: 0.0005% yeast extract

Product test concentration: 20% v/v

Product diluent used during test: Sterile hard water 300mg/l CaCO3

Contact time: 60 minutes

Test temperature: $30^{\circ}\text{C} \pm 0.5^{\circ}\text{C}$

Neutralising solution: 30g/l polysorbate 80, 3g/l lecithin,

1g/l histidine, 1g/l cysteine

Incubation temperature: 37 °C \pm 1 °C

Identification of bacterial Legionella pneumophila NCTC 12821

strain(s) used:



Abbott Analytical



Consulting Scientists to the Disinfectant Industry

17 September 2010 Certificate No: 10H.090Lp-KR.CLE Page: 2 of 2

Test results:

| Test | | Legionella | | | | |
|--|-------|-------------|------|-----|------|------------------|
| Organism | | pneumophila | | | | |
| Validation | | Vc1 | . 30 | 8 (| Vc2 | 244 |
| Suspension | | | | | | |
| (Nv _o) | | ÿ = | 27 | 76 | | |
| Experimenta | 1 | Vc1 | . 27 | 12 | Vc2 | 206 |
| Control | | | | | | |
| (A) | | ÿ = | 23 | 39 | ≥ 0. | 5Nv _o |
| Neutraliser | • | Vc1 | . 23 | 34 | Vc2 | 252 |
| Control | | ÿ = | | 12 | | ENT |
| (B) | | x = | 24 | 13 | ≥ 0. | 5NV _o |
| Method | | Vc1 | . 21 | . 8 | Vc2 | 242 |
| Validation | | | | | | |
| (C) | | × = | 23 | 30 | ≥ 0. | 5Nv _o |
| Test | 10 -6 | Vc1 | . 25 | 8 | Vc2 | 216 |
| Suspension | _ | | | | | |
| | 10 -7 | Vc1 | . 28 | 3 | Vc2 | 32 |
| (N) | | ₩ = | 2. | 43 | x 10 |) 8 |
| | | lg | N | = | 8.39 | |
| $(\mathbf{N}_{\circ} = 0.1\mathbf{N})$ | | | | | 7.39 | |
| Results | 10 0 | Vc1 | . <1 | . 4 | Vc2 | <14 |
| (Na) | | 10¤ | | < | 140 | |
| - | | lg | Na | < | 2.15 | |
| (R) | | | | | 5.24 | |
| Pass: lg R | PASS | | | | | |

Vc = plate count per ml $\ddot{x} = \text{average of Vc1 and Vc2}$ $\ddot{w} = \text{weighted mean of } \ddot{x}$ $R = \text{reduction (lg } R = \text{lg } N_{\circ} - \text{lg Na)}$

Conclusion:

This batch of GreenGold Concentrate, when diluted to 20% v/v, passes the requirements of EN 13623 for bactericidal activity against Legionella pneumophila in 60 minutes at 30°C.