


EVENT FLAGS



BASIC concave bottom edge angled bottom edge drop drop





EVENT FLAGS

Its sophisticated design, highest flexibility and easy handling make the Beachflag to one of the most commonly used marketing tools for events. Various shapes and heights up to 5.80 m allow eyecatching and expressive company and product presentations.



BEACHFLAG BASIC

Beachflag Basic is a stable and well-proven system with an excellent cost/performance ratio. Single-sided Beachflag Basic can be used until wind speeds up to almost 50 km/h (wind force 6). Double-sided Beachflag Basic can be used until wind force 4 (28 km/h).

Your ground fitting selection directly effects the amount of wind that your Beachflag can withstand.

	Size	Flying shape	Height in cm	Ad space in cm	Double- sided finish	Elements
	XL		520	85 x 450		3 aluminium and 2 fibreglass segments
	L		410	80 x 340		2 aluminium and 2 fibreglass segments
	М		310	60 x 260		2 aluminium and 2 fibreglass segments
g -	_S	 	250	55 x 200	possible	2 aluminium and 2 fibreglass segments
	XS		180	50 x 150	possible	1 aluminium and 2 fibreglass segments
Л	XXS	I I TTPP	125	40 x 95	possible	1 aluminium and 1 fibreglass segment
	Size	Drop	Height in cm	Ad space in cm	Double- sided finish	Elements
	XL		430	120 x 360		3 aluminium and 2 fibreglass segments
	L		335	110 x 265		2 aluminium and 2 fibreglass segments
	М	1/000-	255	95 x 205		2 aluminium and 2 fibreglass segments
g =	_S		220	75 x 170	possible	2 aluminium and 2 fibreglass segments
	XS	1//////////////////////////////////////	160	55 x 130		1 aluminium and 2 fibreglass segments
П	XXS		110	40 x 80		1 aluminium and 1 fibreglass segment

BEACHFLAG SELECT

This new generation of our well-proven Beachflag system has been developed for outdoor use in areas with strong winds especially for double-sided versions with positive graphics on both sides. The single-sided and double-sided Beachflag Select can be used until wind speeds up to 75 km/h (wind force 8). Your ground fitting selection directly effects the amount of wind that your Beachflag can withstand.

	Size	Flying shape	Height in cm	Ad space	Double- sided finish	Elements
	XL		540	85 x 450		4 fibreglass segments
	XL.		540	85 X 450	possible	4 libregiass segments
g =	L 		395	80 x 340	possible	3 fibreglass segments
1	М		310	60 x 260	possible	3 fibreglass segments
	Size	Drop	Height in cm	Ad space in cm	Double- sided finish	Elements
	XL		440	120 x 360	possible	4 fibreglass segments
6-	L 		320	110 x 265	possible	3 fibreglass segments
R	М		255	95 x 205	possible	3 fibreglass segments
	Size	Razor	Height in cm	Ad space in cm	Double- sided finish	Elements
	XL		485	120 x 405	possible	3 fibreglass segments 2 aluminium segments
6-	L		340	110 x 285	possible	2 fibreglass segments 2 aluminium segments
R	М		255	95 x 205	possible	2 fibreglass segments 2 aluminium segments



BEACHFLAG PREMIUM

Beachflag Premium – giants of the Beachflag series. Designed for a new range of modern and trendy shapes, it has an advertising space up to size XXL. All shapes can be assembled in minutes, despite their enormous size. It is developed both for in- and outdoor use.

Your ground fitting selection directly effects the amount of wind that your Beachflag can withstand.

	Size	Moon	Heig in cr	, I		Oouble- ided finish	Elements
	XL		580	115	х510 р	oossible	7 fibreglass segments 1 steel segment
į.	-L		450	110	х380 р	oossible	6 fibreglass segments 1 steel segment
	Size	Surfer	Heig in cr			ouble- ided finish	Elements
	XL	M	580	125	х510 р	oossible	8 fibreglass segments 1 steel segment
	L 		435	115	х365 р	oossible	6 fibreglass segments 1 steel segment
1	М	$\bigvee\bigvee$	350	95	х280 р	oossible	6 fibreglass segments 1 steel segment
	Size	Crystal	Heig in cr			Oouble- ided finish	Elements
	Size L	Crystal	-	m in c	m s		Elements 8 fibreglass segments, 1 steel segment, 1 aluminium segment
-		Crystal	in ci	m in c	x 440 p	ided finish	8 fibreglass segments, 1 steel segment,
1	L	Crystal	in ci	in c 150	x 440 p	ided finish possible	8 fibreglass segments, 1 steel segment, 1 aluminium segment 6 fibreglass segments, 1 steel segment,
1	L M	Crystal	335	in c 150	x 440 p	oossible oossible	8 fibreglass segments, 1 steel segment, 1 aluminium segment 6 fibreglass segments, 1 steel segment, 1 aluminium segment 6 fibreglass segments, 1 steel segment,
į	L M	Crystal	335	m in c 150 150 105 75 104 Ad	x x 440	oossible oossible	8 fibreglass segments, 1 steel segment, 1 aluminium segment 6 fibreglass segments, 1 steel segment, 1 aluminium segment 6 fibreglass segments, 1 steel segment,
ń	L M		335 240	m in c 150 150 105 75 ght Ad in c	x 440 p x 285 p x 200 p space c m s	oossible oossible	8 fibreglass segments, 1 steel segment, 1 aluminium segment 6 fibreglass segments, 1 steel segment, 1 aluminium segment 6 fibreglass segments, 1 steel segment, 1 aluminium segment
Í	M Size		335 240 Heigin ci	m in c 150 105 75 10th Ad in c 150	x 440 p x 285 p x 200 p space c m s x 440 p	oossible oossible oossible oossible oossible	8 fibreglass segments, 1 steel segment, 1 aluminium segment 6 fibreglass segments, 1 steel segment, 1 aluminium segment 6 fibreglass segments, 1 steel segment, 1 aluminium segment Elements 8 fibreglass segments, 1 steel segment,



There are several ground fittings with suspension developed for outdoor use. The suspension enables Beachflag Premium to move with the wind, enhancing the stability of the system (please consider the information of use).

GROUND FITTINGS, ACCESSORIES, BRACKETS

Ground fittings	Ground fittings		Car	Can be used up to wind force										
			х	cxs	Х	(S	!	S	N	Л	ı	L	Х	(L
			single- sided	double- sided										double- sided
Water filling Base P3 with sv	vivel · incl. stakes													
Sac B	and case													
	· water filling 9 l	Beachflag Basic Beachflag Select	6	6	6	6	6	5	7	4	6	4		
		Beachflag Premium					4	4		Indoor				
		-												
Water filling Base P3 with sv	vivel and suspension · incl. stakes													
	and case													
	· water filling 9 l	Beachflag Basic	6	6	6	6	6	5	6 7	4	6	4		
		Beachflag Select Beachflag Premium	-	+			4	4	Indoor		О	4		
Crossbar Base Ø 83 cm/1.5 kg	-	Beachflag Basic	6	5	4	4	4	Indoor	Indoor					
	powder-coated steelsilver gray	Beachflag Basic with weight bag 10 l	6	6	6	6	6	5	6					
	· collapsible	Beachflag Select							Indoor					
	· increased stability with	Beachflag Select with weight bag 10 I		-		-	Indoor	Indoor	7	4				
	weight bag, 101	Beachflag Premium Beachflag Premium with weight bag 10 l	-	+		-	Indoor 4	Indoor 4	Indoor	Indoor				
Crossbar Base Ø 100 cm/3.1	-	Beachflag Basic	6	6	6	6	5 6	Indoor 6	6		4 6		5	
	chrome-plated steelcollapsible	Beachflag Basic with weight bag 10 l Beachflag Select	0	0	0	0	0	0		Indoor		Indoor		
	increased stability with	Beachflag Select with weight bag 10 l							7	6	6	4	5	
	weight bag, 101	Beachflag Premium						Indoor		Indoor				
		Beachflag Premium with weight bag 10 l					4	4	indoor	Indoor	indoor	indoor		
Crossbar Base Ø 100 cm/17.0	kg with swivel													
	· powder-coated steel	Beachflag Basic	6	6	6	6	6	6	6		6		6	
	silver grayincreased stability with	Beachflag Basic with weight bag 50 l	6	6	6	6	6	6	6		6		6	
1	weight bag, 501	Beachflag Select							8	6	8	6	6	4
		Beachflag Select with weight bag 50 I					-	-	8	8	8	8	8	8
		Beachflag Premium Beachflag Premium with weight bag 50 I		-		-	5 8	5 8	8	8	Indoor 8	Indoor 8	Indoor 8	Indoo
Crossbar Base Ø 100 cm/17.0	kg with swivel and suspen-	Beachflag Basic Beachflag Basic with weight bag 50 l	6	6	6	6	6	6	6		6		6	
sion	nowder coated steel	Beachflag Select	- 0	- 0	0	- 0	-	0	8	7	8	7	7	
	powder-coated steelsilver gray	Beachflag Select with weight bag 50 l							8	7	8	7	7	
	· increased stability with	Beachflag Premium Dart Beachflag Premium Dart with weight bag 50 I				-	6	6	5	5				
	weight bag, 501	Beachflag Premium Crystal					6	6	5	5				
		Beachflag Premium Crystal with weight bag 50 l					6	6	5	5				
		Beachflag Premium Moon with weight had 50 l		_		-	-	-			5	5		
		Beachflag Premium Moon with weight bag 50 l Beachflag Premium Surfer	-			-	_		6	6	5	3		
		Beachflag Premium Surfer with weight bag 50 l							6	6	5			
Page Blate 10 :: 20 -::: /2 21-:-														
Base Plate 18 x 30 cm/2.3 kg	· powder-coated steel													
	· silver grav													
y and a second	 increased stability with weight bag, 101 	Beachflag Basic	5	Indoor	4	Indoor	Indoor							
	39/	Beachflag Basic with weight bag 10 l	5	Indoor			Indoor							
Page Plate 20 v 20 /4 21														
Base Plate 30 x 30 cm/4.3 kg	· powder-coated steel													
	· silver gray													
	 increased stability with weight bag, 101 	Beachflag Basic Beachflag Basic with weight bag 10 l	6	6	5	4	4	Indoor Indoor						
		Beachflag Premium		+		-		Indoor						
		Reachflag Paris		6	c	6	6	4	6		5			
Base Plate 40 x 40 cm/9.0 kg	nounder control -+1	Beachflag Basic Beachflag Basic with weight bag 10 l	6	6	6	6	6	6	6		6	\vdash	5	
	powder-coated steelsilver gray	Beachflag Select							6	Indoor	5	Indoor		
3	· increased stability with	Beachflag Select with weight bag 10 l				<u> </u>	<u> </u>		7	5	6	4	5	le d
	weight bag, 101	Beachflag Premium Beachflag Premium with weight bag 10 l	-				4	4				Indoor Indoor		
Base Plate 40 x 40 cm/10.2 kg	g with screw base and swivel													
Base Plate 40 x 40 cm/10.2 kg	· powder-coated steel													
Base Plate 40 x 40 cm/10.2 kg		Beachflag Basic	6	6	6	6	6	4	6		5			
Base Plate 40 x 40 cm/10.2 kg	powder-coated steel silver gray	Beachflag Basic with weight bag 10 l	6	6	6	6	6	4 6	6		6		5	
Base Plate 40 x 40 cm/10.2 kg	powder-coated steelsilver grayincreased stability with	•							6	Indoor 5		Indoor 4	5	

Ground fittings		Beachflag	Car	Can be used up to wind force												
				XS double-		(S	single-	S double-		VI	L single- double-		XL - single- do			
			sided	sided	sided	sided	sided	sided	sided	sided	sided	sided	sided	sided		
	powder-coated steelsilver grayincreased stability with	Beachflag Basic Beachflag Basic with weight bag 10 I Beachflag Basic with weight bag 50 I Beachflag Select Beachflan Select with weight bag 10 I	6 6 6	6 6	6 6	6 6	6 6	6 6 6	6 6 6 8 8	6	6 6 8	5	6 6 6 6	Ind		
	weight bag	Beachflag Select with weight bag 10 I Beachflag Select with weight bag 50 I Beachflag Premium Dart Beachflag Premium Dart with weight bag 10 I Beachflag Premium Crystal Beachflag Premium Crystal with weight bag 10 I Beachflag Premium Moon Beachflag Premium Moon with weight bag 10 I Beachflag Premium Moon with weight bag 10 I Beachflag Premium Surfer Beachflag Premium Surfer					5 5 5 5	5 5 5 5 5	8 4 4 4 4	7 8 4 4 4 4 Indoor 4 8	Indoor Indoor Indoor Indoor 4	6 8 Indoor Indoor Indoor Indoor 4 Indoor 4 8	Indoor	r Ind		
Base Plate 55 x 55 cm/19.7 kg	with swivel and	Beachflag Basic	6	6	6	6	6	6	6		6		6			
suspension	powder-coated steel silver gray increased stability with weight bag	Beachflag Basic with weight bag 10 I Beachflag Basic with weight bag 50 I Beachflag Select Beachflag Select with weight bag 10 I Beachflag Select with weight bag 50 I Beachflag Select with weight bag 50 I Beachflag Premium Dart Beachflag Premium Dart with weight bag 10 I Beachflag Premium Dart with weight bag 50 I Beachflag Premium Crystal Beachflag Premium Crystal with weight bag 50 I Beachflag Premium Crystal with weight bag 50 I Beachflag Premium Moon Beachflag Premium Moon Beachflag Premium Moon with weight bag 10 I Beachflag Premium Surfer with weight bag 50 I Beachflag Premium Surfer with weight bag 10 I Beachflag Premium Surfer with weight bag 50 I	6 6	6 6	6 6	6 6	6 6 7 8 5 7 8	6 6 7 8 5 7 8	6 8 8 8 4 6 8 4 6 8	7 7 7 8 4 6 8 4 6 8 4 6 8	6 6 8 8 8 8 8 4 7 8 Indoor 6 8	7 7 7 8	6 6 7 7 8			
		beaching Fremium Junet with weight bag 501							0	0	0					
Screw-in-ground mount with	swivel - PVC - Ø 16.6 mm - 0.7 kg	Beachflag Basic Beachflag Select	6	6	6	6	6	6	6	6	6	6	6 6	I		
	applicable only with extra weight, min.100 kg powder-coated steel silver gray, 4.0 kg	Beachflag Basic Beachflag Select	6	6	6	6	6	6	6 8	8	6 8	8	6 8			
Tube Base Economy with swi	vel															
	- applicable only with extra weight, min.100 kg - powder-coated steel - silver gray, 3.5 kg	Beachflag Basic Beachflag Select	6	6	6	6	6	6	6 8	8	6 8	8	6 8	I		
Concrete Base Ø 45 cm/20 kg	· plastic-coated · height 7.0 cm	Beachflag Basic Beachflag Select Beachflag Premium	6	6	6	6	6	6	6 8 Indoor	5 Indoor	6 6 Indoor	4 Indoor	6 6 Indoor	In		
	with swivel - plastic-coated - height 7.0 cm	Beachflag Basic	6	6	6	6	6	6	6		6		6			
		Beachflag Select Beachflag Premium					4	4	8	5 Indoor	6 Indoor	4 Indoor	6 Indoor	lr Ir		
Ground Spike 60 cm/Ø 12 mm	· steel · galvanised · 1.0 kg	Beachflag Basic	6	6	6	6	6	6	6		6		6			
		Beachflag Select							8	8	8	8	8			
	n with swivel · steel · galvanised · 1.0 kg	Beachflag Basic Beachflag Select	6	6	6	6	6	6	6 8	8	6 8	8	6 8			
Ground Spike 70 cm/Ø 17 mm		Jeanning Select							J	J	J	J	J			
Ground Spike /OCM/9 17mm	· steel · galvanised · 1.5 kg	Beachflag Basic Beachflag Select	6	6	6	6	6	6	6	8	6	8	6	I		

Accessories Weight Bag, 10 l for water filling, capacity 101 Ø outer 53 cm Ø inner 11 cm recommended for Crossbar Bases and Base Plates Weight Bag, 50 l for water filling, capacity 50 75 x 75 x 12 cm recommended for Crossbar Bases and Base Plates Sand- and Snow Extension yellow chromated lenath 80 cm Ground Spike 60 cm/Ø 12 mm, Ground Spike 60 cm/Ø 12 mm with swivel

Stakes

- powder-coated steel
- length 16 cm
- recommended for Crossbar Bases and **Base Plates**



Ground Spike Stabiliser

- steel
- zinc-plated Ø 15 cm
- recommended for Ground Spike 60 cm/Ø 12 mm, Ground Spike 60 cm/Ø 12 mm with swivel



Carry Bags for 2 Base Plates

fabric



Carry Bags for system components

fabric



Brackets





Wall-Mount, 30°

- powder-coated steel
- 0.5 kg
- suitable for Beachflag Basic size M, S, XS, XXS



Bracket – vertical, for tent poles


- suitable for Beachflag Basic
 - Size Shape
 - S all flying shapes, drop shape XS
 - concave or angled bottom edge, drop shape
 - concave bottom edge, drop shape
- profile made of Aluminium, with plug-in sleeve, inner Ø 20 mm
- clamp for tent pole, made of glass fibre reinforced plastic (high-strength, weather proof, frost proof), fitting for hexagonal profiles (Ø 40 mm)

To enable the Beachflag moving freely in the wind, attach the bracket at maximum height, directly under the bottom edge of the valance.



Bracket 30° - for tent poles


- suitable for Beachflag Basic (sizes S, XS, XXS)
- profile made of Aluminium, with plug-in sleeve, inner Ø 20 mm
- clamp for tent pole, made of glass fibre reinforced plastic (high-strength, weather proof, frost proof), fitting for hexagonal profiles (Ø 40 mm)




that you stand out in a crowd. Present your message practically


anywhere in a creative, fun way.

BASIC & SELECT TEMPLATES



PREMIUM TEMPLATES







Tel: 029 2048 3111 info@genesismarketing.co.uk B4 South Point Foreshore Road Cardiff CF10 4SP