Material Safety Data Sheet

Ionex Type Ag-900



I. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Use/Size: Manufacturer/Supplier: Address:

Phone Number: Revision Date: MSDS Date: IONEX TYPE Ag-900 Adsorbent Molecular Products Inc., a subsidiary of Molecular Products Group 6837 Winchester Circle, Suite A Boulder, CO 80301 (303) 666-4400 (Monday – Friday 7:00 am to 5:00 pm MT) April 1, 2009 June 25, 2002

This MSDS has been compiled in accordance with -EC Directive 91/155/EC -OSHA's Hazcom Standard (29 CFR 1910.1200)

2. COMPOSITION/INFORMATION ON THE COMPONENTS

Component Name Silver, Ionic	CAS#/Codes 20667-12-3 243-957-1	Concentration < 19%	R Phrases R-None	Classification None
Sodium Oxide	3 3-59-3 2 5-208-9	< 2%	R-None	None
Silicon Oxide	7631-86-9 231-945-4	< 50%	R-None	None
Aluminum Oxide	344-28- 2 5-69 -6	< 30%	R-None	None
Quartz	4808-60-7 238-878-4	< 5%	R49	Т

R49: May cause cancer by inhalation.

3. HAZARD IDENTIFICATION

EU Main Hazards Not classified as hazardous.

Routes of Entry

- Eye contact - Skin contact - Inhalation.

Carcinogenic Status Considered carcinogenic by NTP, IARC, and OSHA.

Target Organs - Eye - Skin - Respiratory Tract - Liver

Health Effects - Eyes Contact may cause conjunctival irritation.

Health Effects - Skin Material may cause irritation.

Health Effects - Ingestion May cause irritation to gastrointestinal tract. A large dose may cause liver damage.

Health Effects - Inhalation

Exposure to dusts at high concentrations may cause irritation of nose throat and respiratory tract and may cause liver damage.

4. FIRST AID MEASURES

Eyes

Immediately flood the eye with plenty of water for at least 15 minutes, holding the eye open. Obtain medical attention if soreness or redness persists.

Skin

Wash skin thoroughly with soap and water. Continue washing for at least 15 minutes. Seek medical attention if symptoms occur or redness persists.

Ingestion

Have victim drink 1-3 glasses of water to dilute stomach contents. Never administer anything by mouth if a victim is losing consciousness, is unconscious or is convulsing. Obtain medical attention immediately.

Inhalation

If there is difficulty in breathing, give oxygen. Seek medical attention if symptoms persist.

Advice to Physicians

Treat Symptomatically.

5. FIRE FIGHTING MEASURES

Extinguishing Media

Use foam, dry chemical or carbon dioxide.

Unusual Fire and Explosion Hazards

This product may give rise to hazardous fumes in a fire. When exposed to water, silver zeolites can become hot and heat to the boiling point of water. Flooding with water will reduce the temperature to safe limits.

Protective Equipment for Fire-Fighting

Wear full protective clothing and self-contained breathing apparatus.

6.ACCIDENTAL RELEASE MEASURES

This product may be collected by carefully scooping into a pan, paper towel or other absorbent material. Clean up spills in a manner that does not disperse dust into the air. Use non-sparking tools and equipment. Transfer into suitable containers for recovery or disposal. Wear appropriate protective clothing.

7. HANDLING AND STORAGE

Keep container tightly closed when not in use. Avoid buildup of static charge in handling equipment. Do not get in eyes, on skin or on clothing. Avoid breathing dust. Storage area should be: - cool - dry - well ventilated - away from incompatible materials (see section 10 for materials to avoid).

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Standards

Exposure limits are listed below, if they exist.

Silver lonic (as soluble silver compounds)

ACGIH TLV: 0.01 mg/m³. OSHA Permissible Exposure Limits (PELs): 0.01 mg/m³ UK TWA: 0.01 mg/m³

Sodium Oxide

Not Established

Silicon Oxide (as particles not otherwise specified)

ACGIH TLV: 3 mg/m³ (respirable), 10 mg/m³ (inhalable) OSHA Permissible Exposure Limits (PELs) 5 mg/m³ (respirable), 15 mg/m³ (total) UK TWA: 2.4 mg/m³ (respirable), 6 mg/m³ (inhalable).

Aluminum Oxide

ACGIH TLV: 10 mg/m³ OSHA Permissible Exposure Limits (PELs) 5 mg/m³ (respirable), 15 mg/m³ (total) UK TWA: 4 mg/m³

Quartz (silica-crystalline)

ACGIH TLV: 0.05 mg/m³ (respirable): OSHA Permissible Exposure Limits (PEL): 30 mg/m³ /%SiO2 + 5 (total) UK TWA: 0.3 mg/m³

Engineering Control Measures

Good general room ventilation is expected to be adequate to control airborne levels. If conditions are dusty, use local exhaust ventilation.

Respiratory Protection

NIOSH Approved dust respirator if conditions are dusty.

Hand Protection

Rubber gloves.

Eye Protection

Chemical goggles or safety glasses with side shields.

Body Protection

Normal work wear.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Color Odor pH Specific Gravity Boiling Range / Point (°C) Flash Point (PMCC) (°C) Explosion Limits (%) Vapor Pressure Density Solubility in Water Vapor Density (Air = 1) Melting Point (deg C) Granules or Extrudate White to Gray Odorless No data 0.85-1.00 No data Not flammable Not flammable Not Applicable 0.94 g/ml Insoluble Not Applicable Not Applicable

10. STABILITY AND REACTIVITY

Stability

Stable under normal conditions.

Conditions to Avoid

- Heat - High temperatures. - contact with water or moisture as heat can be generated.

Materials to Avoid

- Water and Moisture - Strong Reducing Agents.

Hazardous Polymerization

Will not occur.

Hazardous Decomposition Products

- Acrid smoke and irritating fumes - oxides of aluminum - oxides of silicon - oxides of sodium - oxides of silver.

II.TOXICOLOGICAL INFORMATION

Acute Toxicity

Low order of acute toxicity predicted.

Chronic Toxicity/Carcinogenicity

There is sufficient evidence in humans for the carcinogenicity of inhaled crystalline silica in the form of quartz or cristobalite from occupational sources.

Genotoxicity

This product is not expected to cause any mutagenic effects. Silicon was not mutagenic to Salmonella typhimurium or Escherichia Coli.

Reproductive/Developmental Toxicity

This product is not expected to cause reproductive or developmental health effects.

12. ECOLOGICAL INFORMATION

Mobility

No relevant studies identified.

Persistence/Degradability No relevant studies identified.

Bio-accumulation No relevant studies identified.

Ecotoxicity No relevant studies identified.

13. DISPOSAL

Dispose of in accordance with all applicable local and national regulations.

14.TRANSPORT INFORMATION

DOT CFR 172.101 Data	Not Regulated
UN Proper Shipping Name	Not Regulated
UN Class	None
UN Number	None
UN Packaging Group	None
Classification for AIR Transportation (IATA)	Consult current IATA Regulations prior to shipping by air.

15. REGULATORY INFORMATION

EU Label Information

Classification and labelling was performed according to EU directives 67/548/EEC and 99/45/EC including amendments.

EU Hazard Symbol and Indication of Danger

T:Toxic.

R phrases

R49: May cause cancer by inhalation.

S phrases

S22: Do not breathe dust.

US REGULATIONS (Federal, State) and INTERNATIONAL CHEMICAL REGISTRATION LAWS

TSCA Listing

All ingredients have been verified for inclusion on the EPA Toxic Substance Control Act Chemical Substance Inventory.

EINECS Listing

All ingredients in this product are listed on the European Inventory of Existing Commercial Chemical Substances (EINECS) or are exempt from listing.

DSL/NDSL (Canadian) Listing

All ingredients have been verified for inclusion on either the Domestic Substance List (DSL) or the Non-Domestic Substance List (NDSL).

WHMIS Classification

D.2.A

This product was classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations and the MSDS contains all the information required by these regulations.

California Proposition 65

This product contains materials which the State of California has found to cause cancer, birth defects or other reproductive harm. – Quartz (14808-60-7)

SARA Title III Sect. 302 (EHS)

This product does not contain any chemicals subject to SARA Title III Section 302.

SARA Title III Sect. 304

This product does not contain any chemicals subject to SARA Title III Section 304.

SARA Title III Sect. 311/312 Categorization

This product meets the following SARA Title III Section 311/312 categorizations: Acute Hazard, Chronic Hazard.

SARA Title III Sect. 313

This product contains the following chemicals that are listed in Section 313 at or above de minimis concentrations. – Silver Oxide (20667-12-3) – Aluminum Oxide (1344-28-1)

16. OTHER INFORMATION

NFPA Ratings

NFPA Code for Flammability - 0 NFPA Code for Health - 1 NFPA Code for Reactivity - 0 NFPA Code for Special Hazards - 0

HMIS Ratings

HMIS Code for Flammability - 0 HMIS Code for Health - 1 HMIS Code for Reactivity - 0 HMIS Code for Personal Protection - See Section 8

Abbreviations

N/A: Denotes no applicable information found or available CAS#: Chemical Abstracts Service Number ACGIH: American Conference of Governmental Industrial Hygienists OSHA: Occupational Safety and Health Administration TLV: Threshold Limit Value PEL: Permissible Exposure Limit STEL: Short Term Exposure Limit NTP: National Toxicology Program IARC: International Agency for Research on Cancer R: Risk S: Safety Lethal Concentration 50% LC50: LD50: Lethal Dose 50% BOD: Biological Oxygen Demand KoC: Soil Organic Carbon Partition Coefficient

The information in this safety data sheet is based on the best knowledge and legislation available at the time. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular application. As the specific conditions of use are outside the control of the supplier, the user is responsible for ensuring that the product is used in a safe way and in compliance with the relevant requirements of legislation.

Molecular Products Inc.





