


# Spill Control Products

## Helping industry stay compliant

- Spill Control
- Spill Containment
- Spill Clean Up
- Liquid Monitoring







# WELCOME TO DARCY



Welcome to your latest brochure from Darcy inside which you will find a comprehensive range of oil, chemical and general spill prevention, control, storage and clean up products.

Established in 1935, Darcy Spillcare is a leading provider of practical pollution control products and services ensuring that medium and large sized companies in the UK are compliant with current and future Environmental legislation.

## SPILLCARE PRODUCTS

4 - 51

|                        |         |                      |         |
|------------------------|---------|----------------------|---------|
| Oil absorbents         | 06 - 09 | Absorbent dispensers | 21      |
| Rail Matting           | 10      | Spill kits           | 22 - 30 |
| Antistatic             | 11 - 12 | Spill Site Equipment | 31 - 32 |
| Maintenance absorbents | 13 - 14 | Spill containment    | 33 - 44 |
| Chemical absorbents    | 15 - 17 | Liquid storage       | 45 - 47 |
| Loose absorbents       | 18 - 20 | Drain mats           | 48 - 51 |

## LIQUID MONITORING & CONTROL

52 - 53

|                        |    |                       |    |
|------------------------|----|-----------------------|----|
| Bund dewatering        | 53 | Drain closure systems | 53 |
| Interceptor monitoring | 53 |                       |    |

## INDUSTRIAL MARINE

54 - 62

|                   |         |                    |    |
|-------------------|---------|--------------------|----|
| Containment booms | 56 - 57 | Skimmers           | 60 |
| Debris booms      | 58      | Pumps              | 61 |
| Storage Tanks     | 58 - 59 | Filtration systems | 62 |

## ENVIRONMENTAL SERVICES

63 - 67

|          |         |                    |    |
|----------|---------|--------------------|----|
| Training | 64 - 65 | Hire               | 67 |
| Services | 66      | Emergency Response | 67 |

NO ORDER TOO BIG OR TOO SMALL


QUANTITY DISCOUNTS AVAILABLE

24 Hour Emergency  
Spill Response  
01732 441019

Freephone  
**0800 0370 899**  
Outside the UK  
**+44 1732 441015**  
Fax  
**01732 764700**  
Email  
**sales@darcy.co.uk**  
Website  
**www.darcy.co.uk**

### PAYMENT OPTIONS

- Credit Account
- Cheque
- Credit/Debit Card



### CUSTOMER SATISFACTION

- 30 day money back guarantee
- Price match promise
- Extensive range in stock
- Next day delivery

Specifications correct at time of going to print and are subject to change without notice. E&OE.

New

### NEW PRODUCT HIGHLIGHTS

New products are highlighted throughout the brochure with the new icon.

#### EXTREME ABSORBENTS



See pages 6, 13, 15

#### ULTRA ABSORBENTS



See pages 7, 14, 16

#### ANTI STATIC ABSORBENTS




See page 11

#### ANTI STATIC KITS



See page 12

#### DRUM STORAGE RAMPS



See page 35

#### DRUM STORAGE COVERS



See page 35

#### ENVIROPAD



See page 39

#### SPILL BARRIER



See page 40

#### FILTRATION SYSTEMS



See page 62







# ABSORBENT COMPATABILITY

This is an extract from our full data - for specific compatibility information, please contact us.

| OIL                   |   | MAINTENANCE            | CHEMICAL                          |
|-----------------------|---|------------------------|-----------------------------------|
| Acetone               | Isoamyl Acetate                         | Same as oil plus:      | Same as oil and maintenance plus: |
| Ammonia (Anhydrous)   | Isobutyl Alcohol                        | Acetaldehyde           | Acetic Acid                       |
| Ammonium Fluoride     | Isooctane                               | Acetyl Chloride        | Acrylic Acid                      |
| Ammonium Hydroxide    | Isopropyl Alcohol                       | Allyl Alcohol          | Aminobenzoic Acid                 |
| Aviation Fuel         | Kerosene*                               | Amyl Alcohol           | Benzoic Acid                      |
| Benzaldehyde          | Ketones                                 | Aniline                | Boric Acid                        |
| Benzene*              | Linseed Oil                             | Benzyl Alcohol         | Chromic Acid (50%)                |
| Brake Fluid           | Lubricating Oil                         | Bromine Inorganic*     | Citric Acid                       |
| Butyl Acetate         | Methylamine                             | Calcium Hydroxide      | Hydrochloric Acid                 |
| Butyl Alcohol         | Methyl Alcohol                          | Carbon Disulfide       | Hydrofluoric Acid                 |
| Butyl Cellosolve      | Methyl Cellusolve                       | Chlorobenzene          | Linoleic Acid                     |
| Carbon Tetrachloride  | Methylene Bromide                       | Diocetyl Phthalate     | Phosphoric Acid                   |
| Cellosolve Acetate    | Methyl Chloride                         | Ethylene Glycol        | Propionic Acid                    |
| Cellosolve Solvent    | Methyl Ethyl Ketone                     | Formaldehyde           | Sulfuric Acid*                    |
| Chloroform*           | Methyl Isobutyl Ketone                  | Glycerol               |                                   |
| Chloronaphthalene     | Methyl Methacrylate                     | Hydrazine              |                                   |
| Cresol                | Mineral Oil                             | Hydrogen Peroxide      |                                   |
| Cyclohexane           | Mineral Spirits                         | Phenol (Carbolic Acid) |                                   |
| Dibutyl Phthalate     | Monoethanolamine                        | Potassium Hydroxide    |                                   |
| Diethylamine          | Morpholine                              | Resorcinol             |                                   |
| Diethyl Ether (Ether) | Motor Oil                               | Silver Nitrate         |                                   |
| Dimethyl Ether        | Naptha                                  | Sodium Bicarbonate     |                                   |
| Dimethyl Formamide    | Napthalene                              | Sodium Chloride        |                                   |
| Dimethyl Sulfoxide    | Nitromethane                            | Sodium Hydroxide       |                                   |
| Ethyl Acetate         | Octane                                  | Sodium Hypochlorite    |                                   |
| Ethyl Alcohol         | Paraffin                                | Sodium Nitrate         |                                   |
| Ethyl Benzene         | Perchloroethylene (Tetrachlorethylene)* | Water                  |                                   |
| Ethyl Chloride*       | Propyl Alcohol                          |                        |                                   |
| Ethyl Propionate      | Propylene Glycol                        |                        |                                   |
| Ethylene Dichloride   | Silicone Oil                            |                        |                                   |
| Freon                 | Styrene                                 |                        |                                   |
| Fuel Oil              | Toluene*                                |                        |                                   |
| Furfural              | Transformer Oil                         |                        |                                   |
| Gasoline              | Trichlorethylene*                       |                        |                                   |
| Gearbox Oil           | Triethylene Glycol                      |                        |                                   |
| Hexane                | Turpentine*                             |                        |                                   |
| Hydroquinone          | Vinyl Chloride (Chlorethen)             |                        |                                   |
| Hydrogen Cyanide      | Xylene*                                 |                        |                                   |

\*These fluids will react with polypropylene causing it to degrade



Drizit ® absorbents allow you to tackle any spill, small or large, in a quick and efficient manner.

For almost 50 Years Darcy have produced high quality, effective Absorbent Products specifically designed to clean up and dispose of oil, chemical and general liquid spills. We offer a full range to help you meet environmental compliance and ISO 14001 accreditation.

### BENEFITS

- Highly absorbent - Reduced product, labour and disposal costs
- High material strength - A strong, superior product
- High retention - No drips as you clear the spill, eliminating additional cleaning
- Fast absorbing action - Reduced clean up time
- Recycled filler material - Conserves non-renewable resources and reduces your carbon footprint
- Can be incinerated - Reduced disposal costs
- Colour coded absorbents - Ensure you use the correct absorbent for the spilt material in question

### ABSORBENCY RATINGS

The absorbency (litres of liquid absorbed per kg) is greatly influenced by the liquid viscosity and drainage time. We quote minimum absorbencies based on laboratory tests carried out using SAE10W40 in line the British Standard Test Method BS7959-1:2004 (30 second drainage time, at 20°C) and maximum absorbencies with no drainage.

#### ABSORBENTS 5 - 21

OIL ABSORBENTS 6 - 9

RAIL MATTING 10

ANTI STATIC ABSORBENTS 11 - 12

MAINTENANCE ABSORBENTS 13 - 14

CHEMICAL ABSORBENTS 15 - 17

LOOSE ABSORBENTS 18 - 19

BIOCAT 20

DISPENSING STATIONS 21





# OIL ABSORBENTS

## DRIZIT® OIL ABSORBENT PADS AND ROLLS 100% POLYPROPYLENE

The Drizit® range of oil absorbent meltblown pads from Darcy are manufactured from highly absorbent meltblown polypropylene. The high loft and open sided nature of the material provides for rapid capillary action and excellent absorbent capacity and retention. Bring hydrophobic they repel water and will float making for easy retrieval.

- Benefits**
- High strength even when fully saturated
  - High loft meltblown polypropylene
  - Rapid and excellent absorption capacity and fluid retention
  - For hydrocarbon based spills
  - Hydrophobic, positively repels water
  - Light blue material turns dark when saturated

| CODE         | PRODUCT      | SIZE (CM) | ABSORBENCY (L) | QUANTITY | WEIGHT (KG) |
|--------------|--------------|-----------|----------------|----------|-------------|
| PDB17MB050BG | Pad          | 40 x 52   | 38 – 50        | 50       | 2.0         |
| PDB17MB200BG | Pad          | 40 x 52   | 150 – 200      | 200      | 7.5         |
| PDB24MB100BG | Pad          | 40 x 52   | 104 - 139      | 100      | 5.2         |
| PDB35MB100BG | Pad          | 40 x 52   | 150 – 200      | 100      | 7.5         |
| MRB17MB001BG | Mini roll    | 50 x 42m  | 75 – 100       | 1        | 3.9         |
| LRB35MB001BG | Roll         | 100 x 21m | 150 – 200      | 1        | 7.7         |
| LRB17MB001BG | Roll         | 100 x 42m | 150 - 200      | 1        | 7.5         |
| DPB17MB025BG | Drum top pad | 56 (dia)  | 22 - 30        | 25       | 1.2         |



## DRIZIT® EXTREME OIL ABSORBENT PADS AND ROLLS 100% POLYPROPYLENE

Our Drizit® Extreme oil absorbent pads are manufactured from a base of highly absorbent meltblown polypropylene. The meltblown fibres are then ultrasonically bonded and laminated with a spunbond layer on one side to provide enhanced tensile strength and tear resistance.

- Benefits**
- Manufactured from meltblown polypropylene
  - Ultrasonically bonded to reduce linting
  - Laminated spunbond layer on one side to improve tensile strength
  - Excellent absorbency and fluid retention
  - Absorbency tested to BS7959-1:2004
  - Can be incinerated, keeping disposal costs down

| CODE         | PRODUCT   | SIZE (CM) | ABSORBENCY (L) | QUANTITY | WEIGHT (KG) |
|--------------|-----------|-----------|----------------|----------|-------------|
| PDW24SL100BG | Pad       | 40 x 50   | 88 – 117       | 100      | 5.0         |
| PDW30SL100BG | Pad       | 40 x 50   | 97 - 125       | 100      | 6.3         |
| MRW24SL001BG | Mini roll | 50 x 40m  | 88 - 117       | 1        | 5.0         |
| MRW30SL001BG | Mini roll | 50 x 40m  | 97 - 125       | 1        | 6.3         |
| LRW24SL001BG | Roll      | 100 x 40m | 178 - 223      | 1        | 9.9         |
| LRW30SL001BG | Roll      | 100 x 40m | 194 - 250      | 1        | 12.3        |



## DRIZIT® ULTRA OIL ABSORBENT PADS AND ROLLS 100% POLYPROPYLENE

Our Drizit® Ultra oil absorbent pads are manufactured from a base of highly absorbent meltblown polypropylene. The meltblown fibres are then ultrasonically bonded and laminated with a spunbond layer on both sides to provide durability, enhanced tensile strength and abrasion resistance.

- Benefits**
- Manufactured from meltblown polypropylene
  - Ultrasonically bonded to reduce linting
  - Laminated spunbond layer on both sides for enhanced tensile strength and abrasion resistance
  - Excellent absorbency and fluid retention
  - Absorbency tested to BS7959-1:2004

| CODE         | PRODUCT    | SIZE (CM) | ABSORBENCY (L) | QUANTITY | WEIGHT (KG) |
|--------------|------------|-----------|----------------|----------|-------------|
| PDW38DL100BG | Pad        | 40 x 50   | 115 - 151      | 100      | 7.9         |
| MRW38DL001BG | Mini roll  | 50 x 40m  | 115 - 151      | 1        | 7.9         |
| LRW38DL001BG | Roll       | 100 x 40m | 231 - 302      | 1        | 15.7        |
| SRW39DL001BX | Split roll | 33 x 15m  | 29 - 38        | 1        | 2.4         |



## DRIZIT® OIL ABSORBENT SOCKS 100% POLYPROPYLENE OUTER AND FILLER

Highly absorbent all polypropylene filler and outer. Strong outer skin will not tear. Will not allow liquids to spread. Good filled weight provides stability.

- Use**
- Place around machinery to prevent spills from spreading.
  - To contain, control and absorb spills
  - Provide temporary bunding around drums and IBC's.
  - An essential part of a spill response plan.

- Benefits**
- Absorb oil only, no waste on water or in rain
  - Will not allow liquid to spread
  - Strong permeable outer skin will not tear

| CODE        | PRODUCT | SIZE (CM) | ABSORBENCY (L) | QUANTITY | WEIGHT (KG) |
|-------------|---------|-----------|----------------|----------|-------------|
| 0130/125/10 | Socks   | 7.5 x 125 | 35 – 40        | 10       | 3.1         |
| 0130/125/20 | Socks   | 7.5 x 125 | 70 – 80        | 20       | 6.1         |
| 0130/125/40 | Socks   | 7.5 x 125 | 140 – 160      | 40       | 12.2        |
| 0130/300/5  | Socks   | 7.5 x 300 | 42 – 48        | 5        | 4.0         |
| 0130/600/4  | Socks   | 7.5 x 600 | 68 – 76        | 4        | 6.1         |



## DRIZIT® OIL ABSORBENT CUSHIONS 100% POLYPROPYLENE OUTER AND FILLER

High capacity absorbents for large quantities of spilt liquids. All polypropylene tough, durable outer tear and UV resistant cover. Absorbs oils and repels water.

- Use**
- On major spills on land and water • Under machinery
  - In sumps and bilges • During maintenance works

| CODE    | PRODUCT       | SIZE (CM)    | ABSORBENCY (L) | QUANTITY | WEIGHT (KG) |
|---------|---------------|--------------|----------------|----------|-------------|
| 0110    | Cushions      | 55 x 35 x 10 | 135 – 150      | 10       | 7.7         |
| 0111/20 | Mini cushions | 33 x 21 x 6  | 85 - 94        | 20       | 5.4         |



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

### 30 DAY MONEY BACK GUARANTEE

If you are not 100% satisfied with your products just let us know within 30 days. That's our promise guaranteed. Terms and conditions apply.



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

### 24/7 EMERGENCY SPILL RESPONSE

Nationwide rapid response to spills. For emergency product supply, advice and spill clean up. Call 24/7 on 01732 441019 (UK only)



## DRIZIT® OIL ABSORBENT BOOM

100% POLYPROPYLENE OUTER AND FILLER

The Drizit® oil absorbent boom will not sink even when saturated. Traditional tie joins can be used to make up any length and will not allow booms to drift apart. UV stabilised. Will not deteriorate when outside for long periods. Weight ensures that Drizit® Booms will not lift in bad weather conditions.

### Use

- To contain or control any spill
- Place around at-risk outlets to contain spill at source
- Place around industrial water coolant inlets as a preventative measure against contamination



| CODE   | PRODUCT | SIZE (CM) | ABSORBENCY (L) | QUANTITY | WEIGHT (KG) |
|--------|---------|-----------|----------------|----------|-------------|
| 0105/3 | Booms   | 12.5 x 3m | 120 – 130      | 4        | 12.7        |
| 0105/4 | Booms   | 12.5 x 4m | 160 – 179      | 4        | 16.8        |

## DRIZIT® ACTIVE OIL ABSORBENT BOOM

100% POLYPROPYLENE OUTER AND FILLER

The Drizit® oil absorbent boom will not sink even when saturated. Traditional tie joins can be used to make up any length and will not allow booms to drift apart. UV stabilised. Will not deteriorate when outside for long periods. Weight ensures that Drizit® Booms will not lift in bad weather conditions.

### Use

- To contain or control any spill
- Place around at-risk outlets to contain spill at source
- Place around industrial water coolant inlets as a preventative measure against contamination



| CODE     | PRODUCT | SIZE (CM) | ABSORBENCY (L) | QUANTITY | WEIGHT (KG) |
|----------|---------|-----------|----------------|----------|-------------|
| 0112/1.5 | Booms   | 20 x 1.5m | 157 – 172      | 4        | 12.8        |
| 0112/3   | Booms   | 20 x 3m   | 157 – 172      | 2        | 12.8        |
| 0112/4   | Booms   | 20 x 4m   | 210 – 230      | 2        | 16.9        |

## DRIZIT® EXTREME OIL ABSORBENT NETTED BOOM

A lightweight highly absorbent boom with very open mesh for fast absorbing action. UV stabilised netting and a ring and carbine hook system to join booms together quickly.

### Use

- On seas where heavy oils need containing and absorbing
- To contain or control any spill
- Place around at-risk outlets to contain spill at source
- Place around industrial water coolant inlets as a preventative measure against contamination



| CODE       | PRODUCT     | SIZE (CM) | ABSORBENCY (L) | QUANTITY | WEIGHT (KG) |
|------------|-------------|-----------|----------------|----------|-------------|
| 0112/NET/3 | Netted boom | 20 x 3m   | 314 – 344      | 4        | 20.4        |
| 0105/NET/3 | Netted boom | 12.5 x 3m | 120 – 130      | 4        | 10.3        |

## DRIZIT® ULTRA HEAVY DUTY OIL ABSORBENT BOOM

An absorbent boom for the toughest situations. The UV stabilised 100% polypropylene outer net has tensile strength in excess of 200N but allows for liquids immiscible with water including hydrocarbons, solvents and mineral oils to be absorbed.

### Benefits

- 6mm UV stabilised polypropylene rope integral to seam with 100cm tails for fixing
- Ring and carbine hook system for joining with speed
- Spare disposal bag in pack
- Water repellency meets requirements of BS7959-2:2000



| CODE      | PRODUCT         | SIZE (CM) | ABSORBENCY (L) | QUANTITY | WEIGHT (KG) |
|-----------|-----------------|-----------|----------------|----------|-------------|
| 0112/3/HD | Heavy duty boom | 20 x 3m   | 157 - 172      | 2        | 12.7        |

## DRIZIT® OIL ABSORBENT SKIRTED BOOM

All the advantages of the excellent Drizit® oil absorbent boom with the added stopping power of a weighted polythene skirt.

### Benefits

- Where normal booms will not work in increased flows
- Boom diameter 15cm, skirt 20cm



| CODE     | PRODUCT      | SIZE (CM) | ABSORBENCY (L) | QUANTITY | WEIGHT (KG) |
|----------|--------------|-----------|----------------|----------|-------------|
| 0112/3/S | Skirted boom | 15 x 3m   | 70 - 92        | 2        | 15.1        |

## DRIZIT® OIL ABSORBENT SWEEPS

The Drizit® oil absorbent sweep is excellent at absorbing oil spills from water and removing any residue and sheen from the surface after the bulk of the oil spill has been removed with the use of a skimmer and other oil absorbent systems. 100% meltblown polypropylene. Reinforced edge with rope along the whole length.

### Benefits

- Across a stream or river to remove any oil residue from spills
- Pull over static water to remove rainbow effect
- For the final polish of any oil on water spill



| CODE    | PRODUCT | SIZE (CM) | ABSORBENCY (L) | QUANTITY | WEIGHT (KG) |
|---------|---------|-----------|----------------|----------|-------------|
| 0150/15 | Sweeps  | 93 x 15m  | 85 – 110       | 2        | 6.3         |
| 0150/30 | Sweeps  | 93 x 30m  | 85 - 110       | 1        | 6.3         |



Pollution Prevention Guidelines: PPG22 Section 6.4 - Dealing with spills

Make sure your site has stocks of pollution control equipment, suitable for your stored materials, readily available and where possible stored near possible spill sites. These could be stored as spill kits.

Sorbents are usually available as loose granules, sheets or rolls, pillows or booms. They can be used to soak up a spill and stop it spreading.



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

### 30 DAY MONEY BACK GUARANTEE

If you are not 100% satisfied with your products just let us know within 30 days. That's our promise guaranteed. Terms and conditions apply.



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

### 24/7 EMERGENCY SPILL RESPONSE

Nationwide rapid response to spills. For emergency product supply, advice and spill clean up. Call 24/7 on 01732 441019 (UK only)





# RAIL MATTING

## TRACKMATS

Keep sleepers and ballast free from oils, lubricants and effluent. Improve safety and cleanliness.

Trackmats are:

- A high tensile strength melt blown polypropylene absorbent
- Laminated with a permeable reinforcing layer both sides, to prevent splitting on sharp ballast and damage from foot traffic
- Fitted with polythene eyelets for fast and easy fixing to rail holding clips on all types of sleepers (with supplied ropes)
- Wide enough to completely cover the “four foot”, web to web, ensuring total coverage

### Benefits

- Prevent soiling of clean ballast to assist drainage
- Prevent oil contamination of sleepers and third rail
- Reduce risk of track movement
- Prevent polluted tracks contaminating local rivers, streams, watercourses and groundwater
- Provides a clean non slip surface
- Can be changed quickly and easily
- Help prevent injury to personnel due to slipping on oily ballast or sleepers
- Enables track maintenance to be carried out in a clean environment

### Station installations

Control of water discharge pollution from passenger trains. Improve environmental, health and safety and station aesthetics

### Fuelling & maintenance depots

Contain oil spillages and drips that occur whilst undertaking maintenance on carriages.




## TRACK GRIP

For improved safety and cleanliness. Use trackgrip alongside trackmats for the ultimate in environmental protection and track safety.

### Benefits

- Slip resistant
- Good chemical and oil resistance
- Flame resistant
- Electrical / Sound insulating



| CODE | SIZE (CM) | QUANTITY | WEIGHT (KG) |
|------|-----------|----------|-------------|
| 0490 | 122 x 10m | 1        | 65          |
| 0491 | 91 x 10m  | 1        | 46          |



# OIL ANTI STATIC ABSORBENTS

## DRIZIT® OIL ANTI STATIC PADS AND ROLLS

100% POLYPROPYLENE

Our Drizit® Anti Static range of absorbent pads from Darcy are available in two formats. For maximum absorbent capacity and retention with rapid capillary action select our Drizit® range. For reduced lint and added strength select our Drizit® Active range where the meltblown fibres are ultrasonically bonded creating a dimpled surface.

### Benefits

- Use where flammable vapours are present • Safely dissipate static electricity

### Drizit®

| CODE         | PRODUCT | SIZE (CM) | ABSORBENCY (L) | QUANTITY | WEIGHT (KG) |
|--------------|---------|-----------|----------------|----------|-------------|
| PDA17MB200BG | Pad     | 40 x 50   | 138 - 185      | 200      | 7.2         |
| LRA17MB001BG | Roll    | 100 x 42m | 145 - 194      | 1        | 7.6         |
| MRA17MB001BG | Roll    | 50 x 42m  | 73 - 97        | 1        | 3.9         |

### Drizit® Active

| CODE         | PRODUCT   | SIZE (CM) | ABSORBENCY (L) | QUANTITY | WEIGHT (KG) |
|--------------|-----------|-----------|----------------|----------|-------------|
| PDA24MD100BG | Pad       | 40 x 50   | 83 - 111       | 100      | 5.0         |
| LRA24MD001BG | Roll      | 100 x 45m | 187 - 249      | 1        | 10.8        |
| MRA24MD001BG | Mini roll | 50 x 45m  | 93 - 124       | 1        | 5.4         |



New

## DRIZIT® OIL ANTI STATIC SOCKS

100% POLYPROPYLENE OUTER AND FILLER

Our Drizit® Anti Static socks are ideal for absorbing large capacity flammable liquids where the risk of a static charge causing a fire or explosion exists. They are ideal for creating a barrier around machinery or used to divert or pool flammable liquids to be absorbed with pads and cushions.

### Benefits

- Absorb oil only, no waste on water or in rain • Will not allow liquid to spread
- Strong permeable outer skin will not tear

| CODE          | PRODUCT | SIZE (CM) | ABSORBENCY (L) | QUANTITY | WEIGHT (KG) |
|---------------|---------|-----------|----------------|----------|-------------|
| 0130/125/10/A | Socks   | 7.5 x 125 | 35 - 40        | 10       | 3.1         |
| 0130/125/20/A | Socks   | 7.5 x 125 | 70 - 80        | 20       | 6.1         |
| 0130/125/40/A | Socks   | 7.5 x 125 | 140 - 160      | 40       | 12.2        |



New

## DRIZIT® OIL ANTI STATIC CUSHIONS

100% POLYPROPYLENE OUTER AND FILLER

Our Drizit® Anti Static cushions are ideal for absorbing higher volumes of flammable liquids with a durable, tear resistant cover.

### Use

- On major spills on land and water • Under machinery • During maintenance works

| CODE        | PRODUCT       | SIZE (CM)    | ABSORBENCY (L) | QUANTITY | WEIGHT (KG) |
|-------------|---------------|--------------|----------------|----------|-------------|
| 0110/PILL/A | Cushions      | 55 x 35 x 10 | 135 - 150      | 10       | 7.4         |
| 0110/CUSH/A | Mini Cushions | 45 x 45 x 10 | 96 - 107       | 10       | 5.4         |



New



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

### 30 DAY MONEY BACK GUARANTEE

If you are not 100% satisfied with your products just let us know within 30 days. That's our promise guaranteed. Terms and conditions apply.



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

### 24/7 EMERGENCY SPILL RESPONSE

Nationwide rapid response to spills. For emergency product supply, advice and spill clean up. Call 24/7 on 01732 441019 (UK only)





# OIL ANTI STATIC SPILL KITS

## DRIZIT® ANTI STATIC OIL SPILL KITS

Our range of Anti Static emergency spill response kits contain our Drizit Anti Static pads and rolls tested to the British Standard BS 7506 Part 2 Static Dissipation Test. These spill kits are stored in containers with static dissipative wheels (where applicable). As well as making the products portable, this ensures ultimate safety when transporting the kit to the hazardous spill.

The Drizit Anti Static range of spill kits are hydrophobic and are designed for use in absorbing highly flammable liquids where the risk of a static charge casing a fire or explosion exists.

### DRIZIT® OIL ANTI STATIC SPILL KIT 50

Size: 54 x 48 x 14cm

Kit supplied in a robust UV stabilised waterproof PVC bag.

#### Contents

- 25 pads • 4 socks (125 x 7.5 cm) • 1 cushion
- 2 disposal bags & ties

| CODE         | TYPE            | ABSORBENCY (L) | WEIGHT (KG) |
|--------------|-----------------|----------------|-------------|
| 0170/AS/SK50 | Oil Anti Static | 46             | 3.75        |



New

### DRIZIT® OIL ANTI STATIC SPILL KIT 240

Size: 78 x 48 x 78cm

Kit supplied in a high quality high density UV stabilised polyethylene container with two wheels for easy movement. Fully opening lids allow for ease of access to contents.

#### Contents

- 120 pads • 10 socks (125 x 7.5 cm) • 10 cushions
- 10 disposal bags & ties

| CODE          | TYPE            | ABSORBENCY (L) | WEIGHT (KG) |
|---------------|-----------------|----------------|-------------|
| 0170/AS/SK240 | Oil Anti Static | 264            | 30.7        |



New

### DRIZIT® OIL ANTI STATIC SPILL KIT 660

Size: 97 x 82 x 132cm

Kit supplied in a high quality high density UV stabilised polyethylene container with four wheels for easy movement. Fully opening lids allow for ease of access to contents.

#### Contents

- 200 pads • 50 socks (125 x 7.5 cm) • 10 pillows
- 8 oil booms • 30 disposal bags & ties

| CODE          | TYPE            | ABSORBENCY (L) | WEIGHT (KG) |
|---------------|-----------------|----------------|-------------|
| 0170/AS/SK660 | Oil Anti Static | 750            | 98.4        |



New



# MAINTENANCE ABSORBENTS

## DRIZIT® ACTIVE MAINTENANCE ABSORBENT PADS & ROLLS

100% POLYPROPYLENE

Our Drizit® Active maintenance absorbent pads and rolls are manufactured from a base of 100% meltblown polypropylene. The meltblown fibres are then ultrasonically bonded creating a dimpled surface, to reduce linting and improve tensile strength.

#### Benefits

- 100% meltblown polypropylene
- Excellent absorbency and fluid retention
- Absorbency tested to BS7959-1:2004
- Grey colour hides dirt.

| CODE         | PRODUCT      | SIZE (CM) | ABSORBENCY (L) | QUANTITY | WEIGHT (KG) |
|--------------|--------------|-----------|----------------|----------|-------------|
| PDG17MD050BG | Pad          | 40 x 52   | 16 - 33        | 50       | 2.0         |
| PDG17MD200BG | Pad          | 40 x 52   | 66 - 131       | 200      | 7.5         |
| PDG24MD100BG | Pad          | 40 x 52   | 55 - 110       | 100      | 5.2         |
| PDG35MD100BG | Pad          | 40 x 52   | 66 - 131       | 100      | 7.5         |
| MRG17MD001BG | Mini roll    | 50 x 42m  | 33 - 66        | 1        | 3.9         |
| LRB17MD001BG | Roll         | 100 x 42m | 66 - 131       | 1        | 7.5         |
| DPG17MD025BG | Drum top pad | 56 (dia)  | 12 - 24        | 25       | 1.2         |



New and Improved

## DRIZIT® EXTREME MAINTENANCE ABSORBENT PADS & ROLLS

100% POLYPROPYLENE

Our Drizit® Extreme maintenance pads and rolls are manufactured from a base of polypropylene. The meltblown fibres are then ultrasonically bonded and laminated with a spunbond layer on one side to provide enhanced tensile strength and tear resistance.

#### Benefits

- Excellent absorbency and fluid retention
- Absorbency tested to BS7959-1:2004
- Can be incinerated, keeping disposal costs down
- Have high strength, even when saturated

| CODE         | PRODUCT   | SIZE (CM) | ABSORBENCY (L) | QUANTITY | WEIGHT (KG) |
|--------------|-----------|-----------|----------------|----------|-------------|
| PDG24SL100BG | Pad       | 40 x 50   | 43 - 86        | 100      | 5.0         |
| PDG30SL100BG | Pad       | 40 x 50   | 54 - 108       | 100      | 6.3         |
| MRG24SL001BG | Mini roll | 50 x 40m  | 43 - 86        | 1        | 5.0         |
| MRG30SL001BG | Mini roll | 50 x 40m  | 54 - 108       | 1        | 6.3         |
| LRG24SL001BG | Roll      | 100 x 40m | 86 - 173       | 1        | 9.9         |
| LRG30SL001BG | Roll      | 100 x 40m | 108 - 216      | 1        | 12.3        |



New



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

#### 30 DAY MONEY BACK GUARANTEE

If you are not 100% satisfied with your products just let us know within 30 days. That's our promise guaranteed. Terms and conditions apply.



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

#### 24/7 EMERGENCY SPILL RESPONSE

Nationwide rapid response to spills. For emergency product supply, advice and spill clean up. Call 24/7 on 01732 441019 (UK only)



## DRIZIT® ULTRA MAINTENANCE ABSORBENT PADS AND ROLLS

100% POLYPROPYLENE

Our Drizit® Ultra maintenance absorbent pads and rolls are manufactured from a base of highly absorbent meltblown polypropylene. The meltblown fibres are then ultrasonically bonded and laminated with a spunbond layer on both sides to provide durability, enhanced tensile strength and abrasion resistance.

### Benefits

- Absorbency tested to BS7959-1:2004
- Can be incinerated, keeping disposal costs down
- Perforated for ease of use



New

## FLOOR MATS

Easy to lay and easy to cut to size. Does not ruck. Dark colour hides dirt oil and grease. Available with or without poly backing.

### Benefits

- Use in areas of high traffic • Under machinery • In walkways
- During maintenance in production areas • Vehicle repair bays



| CODE         | PRODUCT               | SIZE (CM) | ABSORBENCY (L) | QUANTITY | WEIGHT (KG) |
|--------------|-----------------------|-----------|----------------|----------|-------------|
| 0367/0.45    | Floor mat             | 46 x 91m  | 126            | 2        | 22          |
| 0367/0.91    | Floor mat             | 91 x 91m  | 126            | 1        | 22          |
| 0367/0.91/PB | Poly backed floor mat | 91 x 30m  | 42             | 1        | 10          |

## DRIZIT® MAINTENANCE SOCKS

100% POLYPROPYLENE OUTER AND FILLER

Our Drizit® maintenance absorbent socks are manufactured from 100% polypropylene. This high capacity absorbent is ideal for diverting or “pooling” spills of water or oil based spills along with coolants, mild chemicals and general industrial liquids.

### Benefits

- To place around machinery to prevent spills from spreading
- To provide temporary bunding around drums and IBC's



| CODE        | PRODUCT | SIZE (CM) | ABSORBENCY (L) | QUANTITY | WEIGHT (KG) |
|-------------|---------|-----------|----------------|----------|-------------|
| 0330/125/10 | Socks   | 7.5 x 125 | 25 – 36        | 10       | 3.3         |
| 0330/125/20 | Socks   | 7.5 x 125 | 50 - 72        | 20       | 6.5         |
| 0330/125/40 | Socks   | 7.5 x 125 | 100 - 144      | 40       | 13.1        |

## DRIZIT® MAINTENANCE CUSHIONS

100% POLYPROPYLENE OUTER AND FILLER

Our Drizit® maintenance absorbent cushions and mini cushions have a durable, tear resistant cover and are suitable for large quantity spills due to their high capacity absorbency and retention of liquids.

### Use

- On major spills • Under machinery • During maintenance works



| CODE    | PRODUCT       | SIZE (CM)    | ABSORBENCY (L) | QUANTITY | WEIGHT (KG) |
|---------|---------------|--------------|----------------|----------|-------------|
| 0310    | Cushions      | 55 x 35 x 10 | 70 - 100       | 10       | 7.6         |
| 0311/20 | Mini Cushions | 33 x 21 x 6  | 50 - 90        | 10       | 5.5         |



## DRIZIT® ACTIVE CHEMICAL ABSORBENT PADS AND ROLLS

100% POLYPROPYLENE

Our Drizit® Active chemical absorbent pads are manufactured from a base of highly absorbent meltblown polypropylene. The meltblown fibres are then ultrasonically bonded creating a dimpled surface. This bonding creates a reduced linting product with improved tensile strength. Being hydrophilic they will rapidly absorb chemical liquid spills.

### Benefits

- Excellent absorbency and fluid retention
- Absorbency tested to BS7959-1:2004
- Can be incinerated, keeping disposal costs down
- Highly visible due to their distinctive colour
- Have high strength, even when saturated

| CODE         | PRODUCT      | SIZE (CM) | ABSORBENCY (L) | QUANTITY | WEIGHT (KG) |
|--------------|--------------|-----------|----------------|----------|-------------|
| PDY17MD050BG | Pad          | 40 x 52   | 16 - 33        | 50       | 2.0         |
| PDY17MD200BG | Pad          | 40 x 52   | 66 - 131       | 200      | 7.5         |
| MRY17MD001BG | Mini roll    | 50 x 42m  | 33 - 66        | 1        | 3.9         |
| LRY17MD001BG | Roll         | 100 x 42m | 66 - 131       | 1        | 7.5         |
| DPY17MD025BG | Drum top pad | 56 (dia)  | 12 - 24        | 25       | 1.2         |



New and Improved

## DRIZIT® EXTREME CHEMICAL ABSORBENT PADS AND ROLLS

100% POLYPROPYLENE

Our Drizit® Extreme chemical absorbent pads are manufactured from a base of highly absorbent meltblown polypropylene. The meltblown fibres are then ultrasonically bonded and laminated with a spunbond layer on one side to provide enhanced tensile strength and tear resistance.

### Benefits

- Manufactured from meltblown polypropylene
- Ultrasonically bonded to reduce linting
- Laminated spunbond layer on one side to improve tensile strength and tear resistance
- Excellent absorbency and fluid retention
- Absorbency tested to BS7959-1:2004

| CODE         | PRODUCT   | SIZE (CM) | ABSORBENCY (L) | QUANTITY | WEIGHT (KG) |
|--------------|-----------|-----------|----------------|----------|-------------|
| PDY24SL100BG | Pad       | 40 x 50   | 43 - 86        | 100      | 5.0         |
| MRY24SL001BG | Mini roll | 50 x 40m  | 43 - 86        | 1        | 5.0         |
| LRY24SL001BG | Roll      | 100 x 40m | 86 - 173       | 1        | 9.9         |



New



Pollution Prevention Guidelines: PPG22 Section 6.4 - Dealing with spills

Make sure your site has stocks of pollution control equipment, suitable for your stored materials, readily available and where possible stored near possible spill sites. These could be stored as spill kits.

Sorbents are usually available as loose granules, sheets or rolls, pillows or booms. They can be used to soak up a spill and stop it spreading.



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

### 30 DAY MONEY BACK GUARANTEE

If you are not 100% satisfied with your products just let us know within 30 days. That's our promise guaranteed. Terms and conditions apply.



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

### 24/7 EMERGENCY SPILL RESPONSE

Nationwide rapid response to spills. For emergency product supply, advice and spill clean up. Call 24/7 on 01732 441019 (UK only)



## DRIZIT® ULTRA CHEMICAL ABSORBENT PADS AND ROLLS

100% POLYPROPYLENE

Our Drizit® Ultra chemical absorbent pads are manufactured from a base of highly absorbent meltblown polypropylene. The meltblown fibres are then ultrasonically bonded and laminated with a spunbond layer on both sides to provide durability, enhanced tensile strength and abrasion resistance.

### Benefits

- Ultrasonically bonded to reduce linting
- Excellent absorbency and fluid retention
- Absorbency tested to BS7959-1:2004
- Highly visible due to their distinctive colour
- Have high strength, even when saturated



| CODE         | PRODUCT    | SIZE (CM) | ABSORBENCY (L) | QUANTITY | WEIGHT (KG) |
|--------------|------------|-----------|----------------|----------|-------------|
| PDY38DL100BG | Pad        | 40 x 50   | 69 - 138       | 100      | 7.9         |
| MRY38DL001BG | Mini roll  | 50 x 40m  | 69 - 138       | 1        | 7.9         |
| LRY38DL001BG | Roll       | 100 x 40m | 138 - 276      | 1        | 15.7        |
| SRY39DL001BX | Split roll | 33 x 15m  | 18 - 35        | 1        | 2.4         |

## DRIZIT® CHEMICAL ABSORBENT SOCKS

100% POLYPROPYLENE OUTER AND FILLER

Our Drizit® chemical absorbent socks are manufactured from 100% polypropylene outer and filler. This high capacity absorbent is ideal for diverting or “pooling” spills of hazardous chemical liquids.

### Benefits

- Will not allow liquid to spread
- Strong permeable outer skin will not tear



| CODE        | PRODUCT | SIZE (CM) | ABSORBENCY (L) | QUANTITY | WEIGHT (KG) |
|-------------|---------|-----------|----------------|----------|-------------|
| 0230/125/10 | Socks   | 7.5 x 125 | 25 – 36        | 10       | 3.3         |
| 0230/125/20 | Socks   | 7.5 x 125 | 50 - 72        | 20       | 6.5         |
| 0230/125/40 | Socks   | 7.5 x 125 | 100 - 140      | 40       | 12.8        |
| 0230/300/5  | Socks   | 7.5 x 300 | 30 - 42        | 5        | 4.1         |
| 0230/600/4  | Socks   | 7.5 x 600 | 48 - 60        | 4        | 6.6         |

## DRIZIT® CHEMICAL ABSORBENT CUSHIONS

100% POLYPROPYLENE OUTER AND FILLER

Our chemical absorbent cushions have a tough, durable, tear resistant cover and are suitable for absorbing hazardous chemicals.

### Use

- On major spills on land and water
- Under machinery
- In sumps and bilges
- During maintenance works



| CODE    | PRODUCT       | SIZE (CM)    | ABSORBENCY (L) | QUANTITY | WEIGHT (KG) |
|---------|---------------|--------------|----------------|----------|-------------|
| 0210    | Cushions      | 55 x 35 x 10 | 70 - 100       | 10       | 7.4         |
| 0211/20 | Mini cushions | 33 x 21 x 6  | 50 - 90        | 20       | 5.4         |

## MERCURY INDICATOR POWDER


Mercury indicator powder is a simple way to check if surfaces are contaminated with mercury. The indicator powder reacts with mercury vapour turning darker if mercury is detected. Use to sprinkle onto surfaces suspected of being contaminated with mercury, such as floors, work surfaces, cupboard tops in labs, dental surgeries, buildings for reclamation etc.

Sprinkle the powder onto the surface and leave for 24 hours. If mercury is detected the powder will change colour. The area can then be decontaminated using our Mercury Spill Kit. If no mercury is present the powder can be cleaned away with a damp paper towel.

### Contents

- 85g pack of mercury indicating powder (30 uses)
- Full instructions and a guide to interpreting the results

| CODE     | PRODUCT                  | SIZE (CM)    | WEIGHT (KG) |
|----------|--------------------------|--------------|-------------|
| 0276/MIP | Mercury Indicator Powder | 11 x 3 (dia) | 0.85        |



## CHEMICAL NEUTRALISERS

Chemical neutralisation is vital to ensure a safe environment when dealing with hazardous spills. We have 2 types of neutralisers, each of which come in powder form and changes colour indicating when the spill is rendered harmless.

### Use

- Hospitals
- Laboratories
- Dairy and food industry
- Military
- Supermarket distribution centres

### ACID NEUTRALISER

| CODE         | SIZE (KG) | QUANTITY | WEIGHT (KG) |
|--------------|-----------|----------|-------------|
| 001/ACN/1    | 1         | 1        | 1           |
| 001/ACN/4    | 4         | 4        | 16          |
| 001/ACN/22.7 | 22.7      | 1        | 22.7        |



### ALKALI NEUTRALISER

| CODE         | SIZE (KG) | QUANTITY | WEIGHT (KG) |
|--------------|-----------|----------|-------------|
| 001/ALN/0.9  | 0.9       | 1        | 0.9         |
| 001/ALN/3.7  | 3.7       | 4        | 14.8        |
| 001/ALN/22.7 | 22.7      | 1        | 22.7        |



Works in, near or liable to affect watercourses: PPG5 Section 9 – Emergencies

If it is unavoidable that oil and chemicals have to be used within close proximity of a stream, river or any other watercourse, then it is recommended that a suitable spill kit or absorbent materials are held in the vicinity and that an appropriate temporary bund is put in place.



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

### 30 DAY MONEY BACK GUARANTEE

If you are not 100% satisfied with your products just let us know within 30 days. That's our promise guaranteed. Terms and conditions apply.



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

### 24/7 EMERGENCY SPILL RESPONSE

Nationwide rapid response to spills. For emergency product supply, advice and spill clean up. Call 24/7 on 01732 441019 (UK only)





# LOOSE ABSORBENTS

## DRIZIT® OIL ABSORBENT CLAY GRANULES

This absorbent granule is ideal for all industrial situations and performs particularly well on oils and greases.

### Benefits

- Made from recycled minerals processed in the UK
- Medium bulk density and not dusty
- Good resistance to traffic
- Non-combustible and non-toxic
- Ideal for rough surfaces and outdoor use

| CODE        | PRODUCT           | VOLUME (L) | ABSORBENCY (L) | QUANTITY | WEIGHT (KG) |
|-------------|-------------------|------------|----------------|----------|-------------|
| 0399        | Granules – bag    | 15         | 8 – 13         | 1        | 13          |
| 0399/PLT    | Granules – pallet | 15         | 730 – 1180     | 91       | 1200        |
| 0399/16     | Granules – bag    | 20         | 10 – 17        | 1        | 16          |
| 0399/16/PLT | Granules - pallet | 20         | 700 – 1120     | 70       | 1135        |



## SPILLKLEEN PLUS

A non-flammable absorbent clay/cellulose mix granule. Removes almost all traces of oil from a contaminated surface. Also suitable for spills of paint, ink, dyes and non-aggressive liquids.

### Benefits

- A non-combustible granule that is three times more absorbent than clay granules.
- Environmentally acceptable by-product material which fulfils government guidelines on recycling.

| CODE    | PRODUCT         | VOLUME (L) | ABSORBENCY (L) | WEIGHT (KG) |
|---------|-----------------|------------|----------------|-------------|
| 0397/SK | Spillkleen Plus | 30         | 10 - 15        | 9           |



## SAFESOAK

Safesoak granules are a non-flammable treated sawdust

### Benefits

- A cost effective granule that is up to three times more absorbent than clay granules
- Environmentally acceptable by-product material which fulfils government guidelines on recycling.

| CODE    | PRODUCT  | VOLUME (L) | ABSORBENCY (L) | WEIGHT (KG) |
|---------|----------|------------|----------------|-------------|
| 0397/SS | Safesoak | 30         | 12-19          | 7           |



## ZORB OIL ABSORBENT

### Benefits

- Up to six times more absorbent than granules
- Excellent oil retention for safe disposal - unique structure of raw material retains oil even in extreme conditions.
- Absorbs fuel oils, engine oils, paint, cutting oils, paraffin, anti-freeze, glycerines, herbicides
- Non abrasive – will not mark or harm floors
- Naturally produced and harvested renewable resource
- Suitable for use on land or water

| CODE     | PRODUCT    | VOLUME (L) | ABSORBENCY (L) | WEIGHT (KG) |
|----------|------------|------------|----------------|-------------|
| 0398/TUB | Zorb – tub | 20         | 25 – 30        | 7.6         |
| 0398/BAG | Zorb - bag | 20         | 25 – 30        | 6.0         |



## DRIZIT® OIL ABSORBENT WOODLOOSE

Woodloose is a lightweight oil and fuel absorbent for use on water. It is completely biodegradable, safe to use and a highly efficient oil absorbent. Woodloose will absorb up to 18 times its own weight in oil-based products, even when wet.

### Use

- Refuelling depots
- Bird sanctuaries
- Pools
- Rivers or lakes

Woodloose can be spread over a spill surface and unlike most absorbents, will absorb trace water and eliminate sheen. Woodloose is particularly well suited as a filtration medium for removing hydrocarbons from storm water collection systems, sump pits and interceptor systems.

| CODE | PRODUCT   | VOLUME (L) | ABSORBENCY (L) | WEIGHT (KG) |
|------|-----------|------------|----------------|-------------|
| 0101 | Woodloose | 100        | 125 – 150      | 8.4         |



## DRIZIT® OIL ABSORBENT POM POMS

Pom poms are hanks of polypropylene fibres that attract and hold heavy oils, as used in the Exxon Valdez oil spill. Pom poms repel water making them very effective at removing oils from water.

### Use

- On beaches and coastlines
- On heavy emulsified oil coming ashore
- Fuel bunds and moats in refineries, power stations and tank farms
- Ideal on bunker fuel and emulsified crude

| CODE    | PRODUCT  | ABSORBENCY (L) | WEIGHT (KG) | QUANTITY |
|---------|----------|----------------|-------------|----------|
| 0430/20 | Pom poms | 44             | 3.5         | 20       |
| 0430/50 | Pom poms | 110            | 8.6         | 50       |



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

### 30 DAY MONEY BACK GUARANTEE

If you are not 100% satisfied with your products just let us know within 30 days. That's our promise guaranteed. Terms and conditions apply.



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

### 24/7 EMERGENCY SPILL RESPONSE

Nationwide rapid response to spills. For emergency product supply, advice and spill clean up. Call 24/7 on 01732 441019 (UK only)



## BIOCAT™ RECYCLABLE HYDROCARBON ABSORBENT

A cost effective true super absorbent, which reduces the amount and hazardous nature of hydrocarbon waste. This remarkable hydrocarbon absorbent offers significant technical and commercial benefits to spill responders. BioCat™ immediately absorbs hydrocarbons on contact, resulting in significantly reduced downtime by leaving hard surfaces completely dry and residue free.

BioCat™ is safe to use, reduces fire risk, and has a high OEL (Occupational Exposure Limit). BioCat™ is up to 10 times more effective than conventional absorbents and will not significantly increase the volume of waste absorbed.

### Benefits

- Absorbs and bio remediates hydrocarbons
- Absorbs between 6-10 times its own weight for small scale spills
- Naturally derived product from a totally renewable source
- Completely safe to use
- Leaves surface dry and residue free
- Produces negligible leachate
- Does not release under compaction
- Multiple safe disposal options
- Reduces fire risk
- High Occupational Exposure Limit



| CODE            | PRODUCT               | PACK SIZE (CM) | VOLUME (L) | WEIGHT (KG) | ABSORBENCY (L) | QTY          |
|-----------------|-----------------------|----------------|------------|-------------|----------------|--------------|
| 001/RC/MINI     | Mini Recycling Centre | N/A            | 20         | 1.8         | N/A            | Single unit  |
| 001/RC/240L     | Recycling Centre      | N/A            | 240        | 19.8        | N/A            | Single unit  |
| 001/Bio/20L     | Biocat™ tubs          | 31 x 34 dia    | 20         | 9.5         | 25 – 50        | Single unit  |
| 001/Bio/20L/PLT | Biocat™ pallet        | 31 x 34 dia    | 20         | 491         | 1,250 – 2,500  | Pallet of 50 |

### How it works



1. Shovel recycled Biocat™ from the clear shutter at the base of the unit, then re-close it.



2. Completely cover the spill with Biocat™ and leave for approx. 1 minute.



3. Brush Biocat™ back and forth until there is no residue left, so reducing slip hazards.



4. Shovel up used Biocat™ and sieve it, allowing it to be recycled and re-used.



5. Lumps that do not pass through the sieve should be disposed of in accordance with legislation.



## ABSORBENT DISPENSING STATIONS

### SPILL STATIONS

Keep the workplace clean, safe and productive with our robust floor or wall mounted dispensing units for all your day to day spill control needs. Spillcare stations maintain all your absorbents including pads, rolls, socks and wipes in one convenient location.

#### WALL MOUNTED SORBENT STATION CABINET


Contains shelf and one removable rail. Made from powder coated mild steel.

| CODE      | SIZE (CM)    | WEIGHT (KG) |
|-----------|--------------|-------------|
| 0404/WALL | 55 x 59 x 46 | 12          |

#### FLOOR MOUNTED SORBENT STATION CABINET

Contains lockable cupboard, base shelf and removable rails. Made with powder coated mild steel.

| CODE        | DESCRIPTION            | SIZE (CM)     | WEIGHT (KG) |
|-------------|------------------------|---------------|-------------|
| 0404/1RH/2T | 1x roll holder 2x tray | 200 x 54 x 45 | 31          |
| 0404/2RH/1T | 2x roll holder 1x tray | 200 x 54 x 45 | 31          |



New and Improved

### LOOSE ABSORBENTS STATIONS

#### MOBILE GRANULE DISPENSER

Rain resistant mobile bin for multiple applications including grit, granules and other loose absorbents.

#### Benefits

- Suitable for indoor and outdoor use
- Compact and space saving design
- Robust rubber wheels
- Slanted lid for water run-off
- Lid can be secured in its open position for dispensing/loading

| CODE      | SIZE (CM)     | CAPACITY (L) | WEIGHT (KG) |
|-----------|---------------|--------------|-------------|
| 0399/DISP | 107 x 59 x 43 | 75           | 11          |

#### LOOSE ABSORBENT STORAGE BUNKERS

A simple and effective solution for storing loose absorbents ready for use for cleaning up spills in the workplace. Also suitable for storing grit and salt for winter periods. Position the storage bunker dispensing unit in location of high risk.

#### Benefits

- Suitable for indoor and outdoor use
- Large openings for easy access
- Fork lift access points
- Padlock facility available
- Angled lids allow water to run off

| CODE     | SIZE (CM)         | CAPACITY (L) | WEIGHT (KG) |
|----------|-------------------|--------------|-------------|
| 5051/A   | 57 x 65 x 50      | 65           | 8           |
| 5053/A/J | 75 x 85 x 50      | 130          | 12          |
| 5054/A/J | 85.5 x 100.5 x 59 | 200          | 16.5        |
| 5052/A/J | 79 x 120 x 60     | 400          | 18          |



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

#### 30 DAY MONEY BACK GUARANTEE

If you are not 100% satisfied with your products just let us know within 30 days. That's our promise guaranteed. Terms and conditions apply.



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

#### 24/7 EMERGENCY SPILL RESPONSE

Nationwide rapid response to spills. For emergency product supply, advice and spill clean up. Call 24/7 on 01732 441019 (UK only)





A range of emergency response kits enabling you to handle any type of spill. Meet with EA guidelines and legislation and assist with ISO 14001 compliance.

Regulation 13 of the Control Of Substances Hazardous to Health Regulations 2002 places a duty on employers to provide for appropriate emergency response including immediate remedial action.

EN ISO 14001 requires organisations to “establish and maintain procedures to identify potential for and respond to accidents and emergency situations, and for preventing and mitigating the environmental impact that may be associated with them” (Clause 4.4.7).

### HOW MUCH LIQUID COULD BE SPILT?

Kits come in sizes for dealing with spills from 5 to 1225 litres. Choose the right size for your needs.

### WHERE ARE SPILLS MOST LIKELY TO OCCUR?

Inside, outside, near drains, near water, in confined areas, on or off site. Whatever your requirement we have the right kit:

- Single use spill kits – for small scale infrequent spills
- Portable spill kits – for small scale more frequent spills
- Wheelie bin spill kits – for larger scale spills where the portability of the kit is a prerequisite
- Bunker spill kits – for remote locations where a permanent spill kit is required
- Trailer spill kits – for mass volume spills

Most Drizit® spill kits are colour coded for immediate identification:

- Maintenance spill kits are colour coded with a grey label
- Chemical spill kits are colour coded with a yellow label
- Oil spill kits are colour coded with a blue label

All Drizit® spill kits contain:

- Clear, easy to follow instructions
- Check list of contents
- Re-order sheet
- Emergency call out number should you require assistance
- One set of gloves and goggles
- At least one disposal bag and tie for safe disposal of used absorbents.
- Kits can be locked, or tamper tags fitted

### REFILL KITS

Most of our ranges of spill kits are also available as refill kits enabling you to maximise the investment in sturdy and robust spill kit containers. We also offer refills for kits purchased elsewhere.

### BESPOKE SPILL KITS

As a UK manufacturer we can make a spill kit to suit your individual requirements. Please contact us with details of your requirements to receive a competitive quote.

#### SPILL KITS 22 - 30

MINI KITS 23 - 24

GRAB BAG KITS 25

WHEELED BIN KITS 26

WHEELED BUNKER KITS 27

STATIC BUNKER KITS 28

POLLUTION KITS 29

DRUM KITS 29

TRAILER KITS 30

VEHICLE MOUNTED KITS 30

#### DRIZIT® FORK LIFT SPILL KIT

Clear, weatherproof tear open bag. Double sided tape for mounting on fork lift trucks. For rapid response to spills whilst using fork lifts. Contains Dammit® slab to seal leaks and tears from drums.

#### Contents

- 8 pads
- PPE
- Dammit® Slab
- Disposal bag & tie

Size: 50 x 28 x 7cm



| CODE      | TYPE     | ABSORBENCY (L) | WEIGHT (KG) |
|-----------|----------|----------------|-------------|
| 0170/FL/1 | Oil      | 7              | 1.9         |
| 0270/FL/1 | Chemical | 5              | 1.8         |

#### DRIZIT® MERCURY SPILL KIT

Developed with mercury specialists for all small mercury spills.

#### Contents

- Calcium hydroxide
- Scoop
- Gloves
- Syringe
- Mask
- Brush
- Waste container
- Microfined sulphur
- Absorbent alloy wool



Size: 23 x 20 x 9cm

| CODE   | TYPE     | WEIGHT (KG) | PICKS UP (MIN) L |
|--------|----------|-------------|------------------|
| 0276/M | Chemical | 0.7         | 0.3              |

#### DRIZIT® LAB SPILL KIT

Supplied in a tough, durable mini case. Highly visible for emergencies. Instructions for use on front of case. For clearing spills of acids, caustics and most liquids found in labs.

#### Contents

- 3 pads
- Scoop
- 2 socks
- Gloves
- 3 disposal bags & ties
- 250g loose absorbent

Size: 35 x 29 x 12cm



| CODE   | TYPE     | ABSORBENCY (L) | WEIGHT (KG) |
|--------|----------|----------------|-------------|
| 0276/L | Chemical | 5              | 1.9         |

#### DRIZIT® DRIP TRAY SPILL KIT

Absorbents are contained in a deep sided drip tray, ideal for vehicles and production areas. Heat sealed in clear plastic with instructions for use on top.

#### Contents

- 25 Pads • 2 Socks
- Gloves • Goggles
- Dammit slab
- Disposal bag and tie

Size: 59.5cm x 35cm x 11cm



| CODE      | TYPE        | ABSORBENCY (L) | WEIGHT (KG) |
|-----------|-------------|----------------|-------------|
| 0170/TRAY | Oil         | 26 - 30        | 3.1         |
| 0270/TRAY | Chemical    | 17 - 20        | 3.1         |
| 0370/TRAY | Maintenance | 17 - 20        | 3.1         |

#### DRIZIT® ECONOMY SPILL KITS

Economy kits are provided in boxes made from recycled board. Tear out dispensing slot for easy access, reinforced carry slots.

#### ECO 25 KIT

#### Contents

- 25 pads
- 2 socks (125 x 7.5 cm)
- PPE
- Dammit® slab
- Disposal bag & tie

Size: 54 x 42 x 15.5cm



| CODE        | TYPE        | ABSORBENCY (L) | WEIGHT (KG) |
|-------------|-------------|----------------|-------------|
| 0170/BOX/25 | Oil         | 26 – 30        | 3.4         |
| 0270/BOX/25 | Chemical    | 17 - 20        | 3.4         |
| 0370/BOX/25 | Maintenance | 17 - 20        | 3.4         |

#### ECO 65 KIT

#### Contents

- 75 pads
- 3 socks (125 x 7.5 cm)
- 1 cushion
- PPE
- Dammit® slab
- Disposal bag & tie

Size: 54 x 42 x 45cm



| CODE        | TYPE        | ABSORBENCY (L) | WEIGHT (KG) |
|-------------|-------------|----------------|-------------|
| 0170/BOX/65 | Oil         | 80 - 95        | 6.7         |
| 0270/BOX/65 | Chemical    | 50 - 62        | 6.7         |
| 0370/BOX/65 | Maintenance | 50 - 62        | 6.8         |



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

#### 24/7 EMERGENCY SPILL RESPONSE

Nationwide rapid response to spills. For emergency product supply, advice and spill clean up. Call 24/7 on 01732 441019 (UK only)



## DRIZIT® MINI SPILL KITS

Mini spill kits come in a clear plastic snap handle bag for quick access and easy contents check. Fast response to any small liquid spill. Ideal for those who occasionally carry small quantities of liquids and small store areas.

Small enough to be carried in small vans, either in cab (under or behind seat) or in storage areas.

### DRIZIT® MINI KIT 1

Size: 50 x 50 x 12cm

#### Contents

- 10 pads • 2 socks (125 x 7.5 cm) • PPE
- Disposal bag & tie • Dammit® slab



### DRIZIT® MINI KIT 2

Size: 50 x 50 x 14cm

#### Contents

- 20 pads • 3 socks (125 x 7.5 cm) • PPE
- Disposal bag & tie • Dammit® slab

| CODE        | TYPE        | ABSORBENCY (L) | WEIGHT (KG) |
|-------------|-------------|----------------|-------------|
| 0170/MINI/1 | Oil         | 15 – 17        | 2.4         |
| 0270/MINI/1 | Chemical    | 10 – 15        | 2.4         |
| 0370/MINI/1 | Maintenance | 10 - 15        | 2.4         |

## DRIZIT® BODY FLUID KIT

Includes all you need to effectively clean up body fluid spills. Cleans up vomit, urine, blood and drinks.

Reduces the spread of potential diseases. Ideal for hospitals, doctors surgeries, schools, hotels and restaurants and leisure centres.

#### Contents

- Super absorbent powder
- Biohazard disposal bags
- Disinfectant spray
- Alcohol free wipes
- Scoop
- Gloves
- Scraper
- Aprons

Size: 35 x 29 x 12cm



| CODE    | ABSORBENCY (L) | WEIGHT (KG) |
|---------|----------------|-------------|
| 0276/BF | 20             | 1.8         |

## DRIZIT® ASBESTOS KIT

For the safe clearing and containing of asbestos contaminated products.

Products come in a robust UV stabilized waterproof PVC bag.

#### Contents

- Overalls
- Masks
- Gloves
- Sacks
- Warning tape
- Asbestos disposal bags

Size: 55cm x 68cm x 14cm



| CODE     | WEIGHT (KG) |
|----------|-------------|
| 0380/ASB | 5.8         |

## DRIZIT® GRAB BAG SPILL KITS

Kits for use anywhere, inside and outside the workplace for containing and clearing up of all types of spill. Hang on walls with fire extinguishers, first aid kits etc to create a complete emergency station. Carry on cars, trucks and lorries for first response or place outside in high risk areas such as storage and transfer stations. Essential for any environmental management system. Kits supplied in a robust UV stabilised waterproof PVC bag.

### DRIZIT® SPILL KIT 50

Size: 50 x 50 x 18cm

#### Contents

- 25 pads • 4 socks (125 x 7.5 cm) • 1 cushion
- PPE • Disposal bag & tie • Dammit® slab

| CODE | TYPE        | ABSORBENCY (L) | WEIGHT (KG) |
|------|-------------|----------------|-------------|
| 0171 | Oil         | 46 - 56        | 4.9         |
| 0271 | Chemical    | 28 - 44        | 4.9         |
| 0371 | Maintenance | 28 - 44        | 4.9         |



### DRIZIT® SPILL KIT 70

Size: 50 x 50 x 26cm

#### Contents

- 50 pads • 4 socks (125 x 7.5 cm) • 2 cushions
- PPE • Disposal bag & tie • Dammit® slab

| CODE | TYPE        | ABSORBENCY (L) | WEIGHT (KG) |
|------|-------------|----------------|-------------|
| 0172 | Oil         | 79 - 96        | 6.6         |
| 0272 | Chemical    | 46 - 74        | 6.6         |
| 0372 | Maintenance | 46 - 74        | 6.8         |



### DRIZIT® SPILL KIT 90

Size: 50 x 50 x 35cm

#### Contents

- 75 pads • 4 socks (125 x 7.5 cm) • 2 cushions
- PPE • Disposal bag & tie • Dammit® slab

| CODE | TYPE        | ABSORBENCY (L) | WEIGHT (KG) |
|------|-------------|----------------|-------------|
| 0173 | Oil         | 97 - 121       | 7.7         |
| 0273 | Chemical    | 58 - 94        | 7.7         |
| 0373 | Maintenance | 58 - 94        | 7.8         |



Storage and Handling of Drums and Intermediate Bulk Containers: PPG26 Section 7 - Dealing with Spillages

Spill kits containing materials such as leak-sealing putty, over-drums, drain seals, oil or chemical absorbents and personal protective equipment should be on site. These should be located both within or near the storage area and remote from it (in case during an event it is not possible to reach the equipment near the storage containers). All staff should be trained in the use of this equipment.

General Guide to the Prevention of Pollution: PPG1 section 8 – Contingency Plans

It is recommended that appropriate spill kits or absorbent materials are held on site. It is essential that staff know what to do in an emergency.



Regulation 13 of the Control Of Substances Hazardous to Health Regulations 2002

Employers must provide for appropriate emergency response including immediate remedial actions.



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

#### 30 DAY MONEY BACK GUARANTEE

If you are not 100% satisfied with your products just let us know within 30 days. That's our promise guaranteed. Terms and conditions apply.



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

#### 24/7 EMERGENCY SPILL RESPONSE

Nationwide rapid response to spills. For emergency product supply, advice and spill clean up. Call 24/7 on 01732 441019 (UK only)



DRIZIT® WHEELED BIN SPILL KITS

Spill kit containers are manufactured from high quality high density UV stabilised polyethylene with two or four wheels (depending on the kit) for easy movement. Fully opening lids allow for ease of access to contents.

DRIZIT® SPILL KIT 120 Size: 48 x 55 x 93cm

Contents

- 50 pads • 2 socks (300 x 7.5 cm) • 5 socks (125 x 7.5 cm)
- 3 cushions • 4 disposal bags & ties

| CODE       | TYPE            | ABSORBENCY (L) | WEIGHT (KG) |
|------------|-----------------|----------------|-------------|
| 0170/SK120 | Oil kit         | 112 - 134      | 19.0        |
| 0270/SK120 | Chemical kit    | 68 - 104       | 19.1        |
| 0370/SK120 | Maintenance kit | 68 - 104       | 19.1        |



New

DRIZIT® SPILL KIT 240 Size: 58 x 74 x 110cm

Contents

- 150 pads • 1 sock (300 x 7.5 cm)
- 5 socks (125 x 7.5 cm) • 2 cushions • PPE
- Dammit® putty & mat • 3 disposal bags & ties

| CODE   | TYPE            | ABSORBENCY (L) | WEIGHT (KG) |
|--------|-----------------|----------------|-------------|
| 0174/7 | Oil kit         | 165 - 210      | 33.1        |
| 0274/7 | Chemical kit    | 100 - 166      | 33.1        |
| 0374/7 | Maintenance kit | 100 - 166      | 33.2        |



DRIZIT® SPILL KIT 340 Size: 86 x 62 x 110cm

Contents

- 150 pads • 2 stakes • 1 boom (400 x 12.5 cm)
- 5 socks (125 x 7.5 cm) • PPE • 1 mini roll • 2 cushions
- Dammit® putty & mat • 3 disposal bags & ties

| CODE   | TYPE            | ABSORBENCY (L) | WEIGHT (KG) |
|--------|-----------------|----------------|-------------|
| 0174/8 | Oil kit         | 272 - 345      | 44.6        |
| 0274/8 | Chemical kit    | 168 - 269      | 46.0        |
| 0374/8 | Maintenance kit | 168 - 269      | 46.2        |



DRIZIT® SPILL KIT 660 Size: 77 x 136 x 125cm

Contents

- 100 pads • 2 stakes • 2 booms (400 x 20 cm) • PPE
- 12 socks (125 x 7.5 cm) • 12 cushions
- Dammit® putty & mat • 12 disposal bags & ties
- 4kg loose absorbent

| CODE   | TYPE            | ABSORBENCY (L) | WEIGHT (KG) |
|--------|-----------------|----------------|-------------|
| 0174/9 | Oil kit         | 557 - 658      | 87.5        |
| 0274/9 | Chemical kit    | 301 - 482      | 91.2        |
| 0374/9 | Maintenance kit | 301 - 482      | 92.1        |



DRIZIT® WHEELED BUNKER SPILL KITS

Spill kit bunkers are manufactured from tough medium density polyethylene. The removable lid protects the spill kit contents from weather and provides easy access to contents. Casters are positioned in each corner for easy moving, steering and improved stability.

DRIZIT® SPILL KIT 110 Size: 62 x 53 x 69cm

Contents

- 50 pads • 2 socks (300 x 7.5 cm) • 5 socks (125 x 7.5 cm)
- 3 cushions • PPE • Dammit® putty
- 4 disposal bags & ties

| CODE     | TYPE               | ABSORBENCY (L) | WEIGHT (KG) |
|----------|--------------------|----------------|-------------|
| 0174/4   | Oil kit            | 112 - 134      | 17.3        |
| 0174/4/R | Oil refill         | 112 - 134      | 8.9         |
| 0274/4   | Chemical kit       | 68 - 104       | 17.3        |
| 0274/4/R | Chemical refill    | 68 - 104       | 8.9         |
| 0374/4   | Maintenance kit    | 68 - 104       | 17.4        |
| 0374/4/R | Maintenance refill | 68 - 104       | 9.0         |



DRIZIT® SPILL KIT 300 Size: 104 x 74 x 75cm

Contents

- 150 pads • 4 socks (300 x 7.5 cm) • 6 socks (125 x 7.5 cm)
- 1 boom • 4 cushions • PPE • Dammit® putty
- 10 disposal bags & ties

| CODE     | TYPE               | ABSORBENCY (L) | WEIGHT (KG) |
|----------|--------------------|----------------|-------------|
| 0174/5   | Oil kit            | 251 - 305      | 34.7        |
| 0174/5/R | Oil refill         | 251 - 305      | 18.7        |
| 0274/5   | Chemical kit       | 156 - 237      | 35.8        |
| 0274/5/R | Chemical refill    | 156 - 237      | 19.8        |
| 0374/5   | Maintenance kit    | 156 - 237      | 36.1        |
| 0374/5/R | Maintenance refill | 156 - 237      | 20.1        |



DRIZIT® SPILL KIT 460 Size: 134 x 73 x 75cm

Contents

- 200 pads • 5 socks (300 x 7.5 cm) • 10 socks (125 x 7.5 cm)
- 2 booms (300 x 12.5 cm) • 6 cushions • PPE
- Dammit® putty • 20 disposal bags & ties

| CODE     | TYPE               | ABSORBENCY (L) | WEIGHT (KG) |
|----------|--------------------|----------------|-------------|
| 0174/6   | Oil kit            | 368 - 443      | 52.7        |
| 0174/6/R | Oil refill         | 368 - 443      | 27.4        |
| 0274/6   | Chemical kit       | 230 - 343      | 54.5        |
| 0274/6/R | Chemical refill    | 230 - 343      | 29.2        |
| 0374/6   | Maintenance kit    | 230 - 343      | 55.0        |
| 0374/6/R | Maintenance refill | 230 - 343      | 29.7        |



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

30 DAY MONEY BACK GUARANTEE

If you are not 100% satisfied with your products just let us know within 30 days. That's our promise guaranteed. Terms and conditions apply.



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

24/7 EMERGENCY SPILL RESPONSE

Nationwide rapid response to spills. For emergency product supply, advice and spill clean up. Call 24/7 on 01732 441019 (UK only)



DRIZIT® STATIC BUNKER SPILL KITS

Our range of bunker spill kits is suitable for indoor and outdoor use for storing spill kit products. Bins provide for easy access to absorbents and forklift access makes positioning easy. Locks are available for these products for added security. Bunkers are made from 100% PE with angled lid allowing water to run off.

DRIZIT® SPILL KIT 130 Size: 75 x 85 x 50cm

Contents

- 75 pads • 2 socks (300 x 7.5 cm) • 3 cushions
- 10 socks (125 x 7.5 cm) • Dammit® ready mix
- 4 disposal bags & ties • Gloves and goggles

| CODE          | TYPE               | ABSORBENCY (L) | WEIGHT (KG) |
|---------------|--------------------|----------------|-------------|
| 0170/kit130   | Oil kit            | 126 – 179      | 23.1        |
| 0170/kit130/R | Oil refill         | 126 – 179      | 11.1        |
| 0270/kit130   | Chemical kit       | 82 – 142       | 23.1        |
| 0270/kit130/R | Chemical refill    | 82 – 142       | 11.1        |
| 0370/kit130   | Maintenance kit    | 82 – 142       | 23.3        |
| 0370/kit130/R | Maintenance refill | 82 – 142       | 11.3        |



DRIZIT® SPILL KIT 200 Size: 85.5 x 100 x 59cm

Contents

- 200 pads • 3 socks (300 x 7.5 cm) • Personal safety kit
- 10 socks (125 x 7.5 cm) • 5 cushions • Dammit® mat
- Dammit® ready mix • 3 disposal bags & ties

| CODE          | TYPE               | ABSORBENCY (L) | WEIGHT (KG) |
|---------------|--------------------|----------------|-------------|
| 0170/kit200   | Oil kit            | 237 – 344      | 41.2        |
| 0170/kit200/R | Oil refill         | 237 – 344      | 24.7        |
| 0270/kit200   | Chemical kit       | 148 - 270      | 41.2        |
| 0270/kit200/R | Chemical refill    | 148 - 270      | 24.7        |
| 0370/kit200   | Maintenance kit    | 148 - 270      | 41.4        |
| 0370/kit200/R | Maintenance refill | 148 - 270      | 24.9        |



DRIZIT® SPILL KIT 400 Size: 79 x 120 x 60cm

Contents

- 200 pads • 5 socks (300 x 7.5 cm) • Personal safety kit
- 10 socks (125 x 7.5 cm) • 10 cushions • Dammit® mat
- 1 mini roll• Dammit® ready mix • 3 disposal bags & ties

| CODE          | TYPE               | ABSORBENCY (L) | WEIGHT (KG) |
|---------------|--------------------|----------------|-------------|
| 0170/kit400   | Oil kit            | 371 – 538      | 52.0        |
| 0170/kit400/R | Oil refill         | 371 – 538      | 34.0        |
| 0270/kit400   | Chemical kit       | 225 – 417      | 51.9        |
| 0270/kit400/R | Chemical refill    | 225 – 417      | 33.9        |
| 0370/kit400   | Maintenance kit    | 225 – 417      | 52.2        |
| 0370/kit400/R | Maintenance refill | 225 – 417      | 34.2        |



DRIZIT® POLLUTION SPILL KITS

DRIZIT® SPILL KIT 1000 Size: 126 x 150 x 107cm

Contents

- 200 pads • 4 socks (300 x 7.5 cm) • 2 Stakes
- 10 cushions • 10 socks (125 x 7.5 cm)
- 4 booms (400 x 20 cm) • Dammit® mat
- Dammit® ready mix • 10 disposal bags & ties
- 2 personal safety kits • 2 mini rolls

| CODE      | TYPE               | ABSORBENCY (L) | WEIGHT (KG) |
|-----------|--------------------|----------------|-------------|
| 0174/10   | Oil kit            | 794 - 948      | 125.4       |
| 0174/10/R | Oil refill         | 794 - 948      | 64.0        |
| 0274/10   | Chemical kit       | 458 – 712      | 132.1       |
| 0274/10/R | Chemical refill    | 458 - 712      | 70.7        |
| 0374/10   | Maintenance kit    | 458 – 712      | 133.3       |
| 0374/10/R | Maintenance refill | 458 – 712      | 71.8        |



DRIZIT® SPILL KIT 1100 Size: 127 x 112 x 147cm

Contents

- 400 pads • 2 stakes • 4 booms (400 x 12.5 cm)
- 10 socks (300 x 7.5 cm) • Dammit® ready mix • 1 roll
- 2 mini rolls • 10 cushions• PPE • 2 Dammit® mats
- 10 disposal bags & ties • Personal safety kit

| CODE      | TYPE               | ABSORBENCY (L) | WEIGHT (KG) |
|-----------|--------------------|----------------|-------------|
| 0174/11   | Oil kit            | 979 - 1225     | 143.8       |
| 0174/11/R | Oil refill         | 979 – 1225     | 79.4        |
| 0274/11   | Chemical kit       | 605 - 950      | 148.1       |
| 0274/11/R | Chemical refill    | 605 – 950      | 83.7        |
| 0374/11   | Maintenance kit    | 605 - 950      | 149.0       |
| 0374/11/R | Maintenance refill | 605 – 950      | 84.6        |



DRIZIT® DRUM SPILL KITS

Absorbs and contains the full contents of damaged drums. Contains and transports the drum for disposal. 360 litre polyethylene overdrum ideal for 205 litre drum storage. Has forklift entry points for easy transportation.

Contents

- 100 pads • 15 socks (125 x 7.5 cm) • 5 cushions • PPE
- Dammit® putty & mat • 2 disposal bags & ties

Size: 81 dia x 119cm

| CODE       | TYPE               | ABSORBENCY (L) | WEIGHT (KG) |
|------------|--------------------|----------------|-------------|
| 0170/DSK   | Oil kit            | 220 - 263      | 47.4        |
| 0170/DSK/R | Oil refill         | 220 – 263      | 23.0        |
| 0270/DSK   | Chemical kit       | 138 – 207      | 47.6        |
| 0270/DSK/R | Chemical refill    | 138 – 207      | 23.2        |
| 0370/DSK   | Maintenance kit    | 138 - 207      | 47.8        |
| 0370/DSK/R | Maintenance refill | 138 – 207      | 23.4        |



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

30 DAY MONEY BACK GUARANTEE

If you are not 100% satisfied with your products just let us know within 30 days. That's our promise guaranteed. Terms and conditions apply.



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

24/7 EMERGENCY SPILL RESPONSE

Nationwide rapid response to spills. For emergency product supply, advice and spill clean up. Call 24/7 on 01732 441019 (UK only)



## DRIZIT® TRAILER SPILL KITS

Made up to your own specification to meet your own site requirements. If you require booms, pumps, skimmers, rolls, cushions, loose absorbents or a combination of a variety of products featured in this brochure we can optimise the capacity of the trailer space in line with the potential spill volume.

Call us and one of our Environmental Consultants will be glad to visit your site to discuss your requirements.

### OPEN TRAILER

A single axle trailer with high sides for plenty of stowage and a drop back opening tail gate ramp for easy access. Made from galvanised steel. A very robust trailer for response anywhere.



### CLOSED TRAILER

Twin axle trailer with walk in fibre glass body, roller shutter door for complete access. Custom built to your requirements with optional internal electrics.



## DRIZIT® VEHICLE MOUNTED SPILL KITS

For dealing with spills of carried goods or of vehicles fluids. The container is a 3mm high density polythene in grey with nylon coated handle and stainless steel fastener. Extended sides for ease of mounting on outside of vehicles, on trailer or rear end of cab.

### DRIZIT® VEHICLE KIT 1

#### Contents

- 25 pads
- 4 socks (125 x 7.5 cm)
- 1 cushion
- Dammit® slab
- Gloves
- Goggles
- Disposal bag & tie

Size: 65cm x 38cm x 26cm



For dealing with spills of carried goods or of vehicles fluids. High absorbency. The container is a black medium density polyethylene unit. Lockable handle supplied with two keys.

### DRIZIT® VEHICLE KIT 2

#### Contents

- 25 pads
- 4 socks (125 x 7.5 cm)
- 2 cushions
- Dammit® slab
- Gloves
- Goggles
- Disposal bag & tie

Size: 58cm x 40cm x 45cm



| CODE         | TYPE               | ABSORBENCY (L) | WEIGHT (KG) |
|--------------|--------------------|----------------|-------------|
| 0170/VEH/1   | Oil kit            | 46 – 56        | 9.3         |
| 0170/VEH/1/R | Oil refill         | 46 – 56        | 4.5         |
| 0270/VEH/1   | Chemical kit       | 29 – 35        | 9.3         |
| 0270/VEH/R   | Chemical refill    | 29 – 35        | 4.3         |
| 0370/VEH/1   | Maintenance kit    | 29 – 35        | 9.3         |
| 0370/VEH/1/R | Maintenance refill | 29 – 35        | 4.3         |

| CODE         | TYPE               | ABSORBENCY (L) | WEIGHT (KG) |
|--------------|--------------------|----------------|-------------|
| 0170/VEH/2   | Oil kit            | 60 – 71        | 10.5        |
| 0170/VEH/2/R | Oil refill         | 60 – 71        | 5.3         |
| 0270/VEH/2   | Chemical kit       | 36 – 42        | 10.5        |
| 0270/VEH/2/R | Chemical refill    | 36 – 42        | 5.3         |
| 0370/VEH/2   | Maintenance kit    | 36 – 42        | 10.6        |
| 0370/VEH/2/R | Maintenance refill | 36 – 42        | 5.3         |

## SPILL SITE EQUIPMENT

To compliment our spillcare product range of absorbents and spill kits we also provide a range of site equipment to compliment our offering. Our site equipment includes our range of Impact cleaning wipes and Challenge cleaners and degreasers. Our PPE for protection of your spill responders and signs to help identify the location of your spill response kits. Once contained, place your contaminated liquids in the hazardous waste bags ready for collection and disposal.

## WASTE BAGS

A range of strong disposal bags to hold contaminated materials. Safely dispose of hazardous waste.

| CODE           | DESCRIPTION                   | SIZE (CM) | QUANTITY | BAG THICKNESS | WEIGHT (KG) |
|----------------|-------------------------------|-----------|----------|---------------|-------------|
| 5089/10        | Plain disposal bags           | 61 x 122  | 10       | 62 microns    | 1.0         |
| 5089/ASB       | Asbestos bags                 | 60 x 90   | 100      | 89 microns    | 0.2         |
| 5089/HAZTIE/10 | Hazardous waste bags and ties | 75 x 100  | 10       | 125 microns   | 2.1         |
| 5089/HAZTIE/50 | Hazardous waste bags and ties | 75 x 100  | 50       | 125 microns   | 9.1         |



## PERSONAL SAFETY KITS

A must for all spillage response. Place in or near all spill clean up equipment to protect personnel from hazardous materials.

### Use

- To protect personnel from hazardous materials during spill response
- Can be included in spill kits

### Contents

- Coveralls – disposal suit with elasticated hood, wrists and ankles, size L.
- Overshoes – polyethylene or polypropylene film or fabric
- Gloves – flock-lined nitrile
- Goggles – indirect vent type, approved to EN166

| CODE      | TYPE     | WEIGHT (KG) |
|-----------|----------|-------------|
| 0380/CHEM | Chemical | 0.8         |
| 0380/OIL  | Oil      | 0.7         |



## SIGNS

Makes the location of your Spill Kits and Drain Isolation Valves more visible. Manufactured from 0.9mm rigid PVC and screen printed to help identify equipment in the event of a spillage.

| CODE                 | SIZE (CM) | DESCRIPTION                       |
|----------------------|-----------|-----------------------------------|
| SL/EMERGENCYSPILLKIT | 30 x 25   | Emergency Spill Kit Sign          |
| SL/EMERGENCY/OIL     | 30 x 25   | Emergency Oil Spill Kit Sign      |
| SL/EMERGENCY/CHEM    | 30 x 25   | Emergency Chemical Spill Kit Sign |
| SL/DRAINISOLATION    | 30 x 25   | Drain Isolation Kit Sign          |



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

### 30 DAY MONEY BACK GUARANTEE

If you are not 100% satisfied with your products just let us know within 30 days. That's our promise guaranteed. Terms and conditions apply.

Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

### 24/7 EMERGENCY SPILL RESPONSE

Nationwide rapid response to spills. For emergency product supply, advice and spill clean up. Call 24/7 on 01732 441019 (UK only)



CLEANING LIQUIDS

CHALLENGE BIOTASK POWERFUL MICROBIAL CLEANER

Environmentally friendly microbial cleaner, designed to tackle a wide range of hydrocarbon stains. The dual action emulsifies the contaminant and then quickly biodegrades the residue.

Benefits

- Cleans spilled oil and petroleum from surfaces such as concrete, asphalt, rock, rail ballast and soil
- 5 litre bottle

| CODE    | UNITS/CASE | WEIGHT (KG) |
|---------|------------|-------------|
| 001/CBT | 4 X 5L     | 22.5        |

CHALLENGE MICROBLAST POWERFUL STAIN REMOVER

Quickly removes organic stains from a wide range of water safe surfaces, especially carpet and textiles. Ideal for restaurants and night clubs.

Benefits

- Removes stains such as oil, tea, coffee, red wine, cola, milk and blood
- 5 litre bottle

| CODE    | UNITS/CASE | WEIGHT (KG) |
|---------|------------|-------------|
| 001/CMB | 4 X 5L     | 20.5        |

CHALLENGE ALL VERSATILE CLEANER & DEGREASER

Highly versatile and economical, biodegradable cleaner and degreaser. Can be used on all water safe surfaces as a safe alternative to many caustic and citrus-based cleaners. Apply manually or in conjunction with floor scrubbing equipment to quickly remove a wide range of build ups including carbon, fats, oils, greases, rubber scuff marks left by fork lift trucks.

Benefits

- Removing diesel blooms and heavy oil contamination from asphalt, tarmac, concrete, safety flooring, painted floors and metal
- 5 litre bottle

| CODE   | UNITS/CASE | WEIGHT (KG) |
|--------|------------|-------------|
| 001/CA | 4 X 5L     | 22.0        |



CLEANING WIPES

IMPACT CLEANING WIPES

A general hand cleaner that is tough yet kind to hands, quickly removing dirt, grime, oil and wet paint.

Contents

- 150 wipes per tub or 100 wipes per pouch

| CODE        | UNITS/CASE | WEIGHT (KG) |
|-------------|------------|-------------|
| 0660/HDHC   | 4 tubs     | 6           |
| 0660/HDHC/P | 10 pouches | 7           |

IMPACT SCRUB WIPES

A tough hand-cleaning wipe with a blue abrasive coating on one side for real ‘bite’.

Contents

- 100 wipes per tub

| CODE     | UNITS/CASE | WEIGHT (KG) |
|----------|------------|-------------|
| 0660/SHC | 4 tubs     | 4.5         |



Reduce spill risk and ensure you comply with health and safety legislation.

Our range of plastic and steel spill containment solutions contain and prevent the spread of leaks from damaged drums, IBC’s and other liquid storage containers.

THE CONTROL OF POLLUTION (OIL STORAGE) ENGLAND REGULATIONS 2001

The Oil Storage Regulations require that any containers must be situated in a secondary containment system that has a capacity of not less than 110% of the largest container’s storage capacity or 25% of the aggregate storage capacity, whichever is greater.

This is an extract from our full data - for specific compatibility information, please contact us.

| SOLUTION                | PERCENTAGE | SOLUTION               | PERCENTAGE | SOLUTION               | PERCENTAGE |
|-------------------------|------------|------------------------|------------|------------------------|------------|
| Acetic acid             | 10%        | Ethylene glycol        | 100%       | Latex                  |            |
| Aluminium chloride      | Sat.sol    | Ferric chloride        | Sat.sol    | Mercury                |            |
| Aluminium sulphate      | Sat.sol    | Ferric nitrate         | Sat.sol    | Milk                   |            |
| Ammonium acetate        |            | Ferric sulphate        | Sat.sol    | Molasses               |            |
| Ammonium chloride       | Sat.sol    | Formaldehyde           | 40%        | Nickel chloride        | Sat.sol    |
| Ascorbic acid           | 10%        | Formic acid            | 40%        | Nitric acid            | 25%        |
| Barium carbonate        | Sat.sol    | Formic acid            | 98 to 100% | N-Octane               |            |
| Barium hydroxide        | Sat.sol    | Fruit pulps            | Sol        | Orthophosphoric acid   | 50%        |
| Barium sulphate         | Sat.sol    | Gelatine               |            | Perchloric acid        | 20%        |
| Boric acid              | Sat.sol    | Glucose                | Sat.sol    | Phosphoric acid        | Up to 25%  |
| Calcium carbonate       | Sat.sol    | Glycerine              | 100%       | Phosphoric acid        | 25 to 50%  |
| Calcium hypochlorite    | Sol        | Glycerol               | 100%       | Photographic solutions |            |
| Calcium sulphate        | Sat.sol    | Hydrochloric acid      | Up to 36%  | Sodium acetate         | Sat.sol    |
| Castor oil              | Sol        | Hydrochloric acid Conc |            | Sodium bisulphate      | Sat.sol    |
| Chromic acid            | Sat.sol    | Hydrochloric acid      | 40%        | Sulphuric acid         | 10%        |
| Citric acid             | Sat.sol    | Inks                   |            | Sulphuric acid         | 50%        |
| Citric acid             | 10%        | Iron (II) chloride     | Sat.sol    | Tannic acid            | Sol        |
| Citric acid             | 25%        | Iron (II) sulphate     | Sat.sol    | Tartaric acid          | Sat.sol    |
| Detergents, synthetic   |            | Iron (III) chloride    | Sat.sol    | Vanilla extract        |            |
| Dextrose                | Sat.sol    | Iron (III) nitrate     | Sol        | Vinegar                |            |
| Diethylene glycol       |            | Iron (III) sulphate    | Sat.sol    | Wetting agents         |            |
| Disodium phosphate      |            | Isopropanol            |            | Yeast                  | Sol        |
| Emulsions, photographic |            | Lactic acid            | 10%        | Zinc bromide           | Sat.sol    |
| Ethyl alcohol           | 35%        | Lactic acid            | 28%        | Zinc chloride          | Sat.sol    |
| Ethyl alcohol           | 100%       | Lactic acid            | Up to 100% |                        |            |

SPILL CONTAINMENT 33 - 47

POLY DRUM STORAGE 34 - 36

STEEL DRUM STORAGE 37

BUNDED STORAGE 37 - 38

PLANT DRIP TRAYS 39

SPILL BARRIERS 40

LAND BOOMS 40 - 41

LEAK SEALING PUTTY 42

BUNDING 43 - 44

LIQUID STORAGE 45 - 47

Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

30 DAY MONEY BACK GUARANTEE

If you are not 100% satisfied with your products just let us know within 30 days. That’s our promise guaranteed. Terms and conditions apply.

33



POLY SUMP FLOORING

Polyethylene low profile sump flooring. Create your own work stations or storage areas to prevent hazardous liquids spilling onto the floor. Removable plastic mesh floors have 1,000 kg U.D.L. and give quick access to the sump for easy cleaning. Chemical compatible material that won't rust. Ramps are available for easy loading of heavy drums. Black plastic pallet and removable mesh grid.

SUMP FLOORING

| CODE         | SIZE (CM)      | 205L DRUM CAPACITY | SUMP CAPACITY (L) | WEIGHT (KG) |
|--------------|----------------|--------------------|-------------------|-------------|
| 1840/PSF2    | 160 x 80 x 15  | 2                  | 120               | 24          |
| 1840/PSF4    | 160 x 160 x 15 | 4                  | 240               | 45          |
| 1840/PSF4S/E | 261 x 86 x 15  | 4                  | 300               | 51          |

SUMP RAMPS

| CODE           | SIZE (CM)     | COMPATIBLE SUMP FLOORING | WEIGHT (KG) |
|----------------|---------------|--------------------------|-------------|
| 1840/PSF2/RAMP | 100 x 75 x 15 | 1840/PSF2                | 9           |
| 1840/PSF4/RAMP | 100 x 75 x 15 | 1840/PSF4                | 9           |



SPILLSHAK

Covered 2 and 4 Drum Sump Pallet System. Suitable for storing inside or out. Covered, lockable double walled, chemical resistant and weather proof storage unit.

Benefits

- Designed for safe containment of oils and chemicals
- Tall head space allows space for pumps and funnels
- Prevents sump filling with rain water
- Easy sliding shutter allows for easy access to either side of the drums
- Recessed side pockets for bolting the unit to the ground
- Side panels with storage compartments
- Can be padlocked to prevent damage or theft of drums
- Supplied flat packed - assembly instructions included



| CODE       | SIZE (CM)       | 205L DRUM CAPACITY | SUMP CAPACITY (L) | WEIGHT (KG) |
|------------|-----------------|--------------------|-------------------|-------------|
| 1840/SS/2  | 211 x 156 x 100 | 2                  | 250               | 182         |
| 1840/SS/4  | 211 x 156 x 162 | 4                  | 485               | 270         |
| 1840/SS/4L | 211 x 156 x 162 | 4                  | 250               | 270         |

SUMP RAMPS

| CODE            | SIZE (CM)     | COMPATIBLE SPILLSHAK | WEIGHT (KG) |
|-----------------|---------------|----------------------|-------------|
| 1840/SS/2/RAMP  | 45 x 75 x 250 | 1840/SS/2            | 54          |
| 1840/SS/4/RAMP  | 45 x 75 x 250 | 1840/SS/4            | 54          |
| 1840/SS/4L/RAMP | 30 x 75 x 175 | 1840/SS/4L           | 27          |

POLY SUMP PALLETS & RAMPS

Rotationally moulded polyethylene sump pallets resists UV rays, corrosion and chemicals. Tough, chemical resistant and lightweight with removable plastic mesh floors for easy cleaning. Large sump capacities catches leaks, drips and spills preventing spread. Complies with current UK and EU environmental regulations. Forklift entry points for portability when empty. Black plastic pallet and removable mesh grid.

SUMP PALLETS

| CODE       | SIZE (CM)      | 205L DRUM CAP | SUMP CAP (L) | WEIGHT (KG) |
|------------|----------------|---------------|--------------|-------------|
| 1840/NPP1  | 70 x 91 x 53   | 1             | 250          | 20          |
| 1840/NPP2  | 130 x 75 x 40  | 2             | 250          | 22          |
| 1840/NPP4  | 138 x 129 x 48 | 4             | 485          | 36          |
| 1840/NPP4L | 130 x 129 x 28 | 4             | 250          | 30          |
| 1840/NPP4S | 245 x 66 x 27  | 4             | 235          | 34          |

SUMP RAMPS

| CODE            | SIZE (CM)     | COMPATIBLE SUMP PALLET | WEIGHT (KG) |
|-----------------|---------------|------------------------|-------------|
| 1840/NPP2/RAMP  | 45 x 250 x 75 | 1840/NPP2              | 54          |
| 1840/NPP4/RAMP  | 45 x 250 x 75 | 1840/NPP4              | 54          |
| 1840/NPP4L/RAMP | 30 x 175 x 75 | 1840/NPP4L             | 27          |
| 1840/NPP4S/RAMP | 30 x 175 x 75 | 1840/NPP4S             | 27          |



New

POLY IBC SUMP PALLET

IBC containment systems are constructed from 100% polyethylene are corrosion resistant and do not rust or corrode. They have a very broadband chemical compatibility.

The removable mesh flooring provides for easy cleaning. Fork pockets for easy positioning and also available with optional dispensing trays to ensure that any spills during decanting are contained. Black plastic pallet and removable mesh grid.

| CODE        | SIZE (CM)        | 1000L IBC CAP | SUMP CAP (L) | WEIGHT (KG) |
|-------------|------------------|---------------|--------------|-------------|
| 1840/NPIBC  | 145 x 145 x 100  | 1             | 1100         | 105         |
| 1840/NPIBC2 | 245 x 145 x 58.5 | 2             | 1100         | 120         |



SUMP PALLET COVERS

Prevent rainwater filling up the sump bund and maintain capacity of the sump for its required purpose.

Our rain covers for drum sump pallets and IBC sump pallets are available in either a woven fabric or PVC. Both types of covers come complete with shock cord and eyelets to provide a secure fit.

| CODE                 | DESCRIPTION          | SIZE (CM)       | WEIGHT (KG) |
|----------------------|----------------------|-----------------|-------------|
| 1840/COV/PP1/PVC/CE  | 1 drum PVC cover     | 105 x 73 x 100  | 0.9         |
| 1840/COV/PP2/PVC/CE  | 2 drum PVC cover     | 131 x 76 x 100  | 1.0         |
| 1840/COV/PP4/PVC/CE  | 3 drum PVC cover     | 139 x 130 x 110 | 1.9         |
| 1840/COV/IBC/PVC/CE  | Single IBC PVC cover | 146 x 146 x 150 | 1.9         |
| 1840/COV/IBC2/PVC/CE | Double IBC PVC cover | 246 x 146 x 120 | 2.4         |



New



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

30 DAY MONEY BACK GUARANTEE

If you are not 100% satisfied with your products just let us know within 30 days. That's our promise guaranteed. Terms and conditions apply.



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

24/7 EMERGENCY SPILL RESPONSE

Nationwide rapid response to spills. For emergency product supply, advice and spill clean up. Call 24/7 on 01732 441019 (UK only)



## POLY OVER DRUM

With capacity of 360 litres and X rating for packing groups I, II and III. This is ideal for transporting damaged drums. UN approved. Screw top lid with soft rubber gasket providing an airtight seal. Easy forklift handling.



| CODE | SIZE (CM)    | WEIGHT (KG) |
|------|--------------|-------------|
| 1850 | 119 x 81 dia | 24.5        |

## POLY CAN AND LAB TRAY

For use with 25 litre drums or smaller. Ideal for work station areas where small quantities for dosing need to be kept safe. Chemical resistant for laboratory use. Black plastic base with removable yellow mesh grid.



| CODE        | SUMP CAPACITY (L) | SIZE (CM)       | WEIGHT (KG) |
|-------------|-------------------|-----------------|-------------|
| 1840/CAN20  | 20                | 60 x 40 x 15.5  | 3           |
| 1840/CAN30  | 30                | 80 x 40 x 15.5  | 4.5         |
| 1840/CAN40  | 40                | 80 x 60 x 15.5  | 6.5         |
| 1840/CAN60  | 60                | 100 x 60 x 17.5 | 8.5         |
| 1840/CAN100 | 100               | 120 x 80 x 17.5 | 16          |

## POLY DRUM STORAGE

### DRUM RACK

Safe storage of drums for regular dispensing. The dispensing unit gives good clearance for filling and with the stacking module can store up to 4 drums.



| CODE      | DESC | CAPACITY | SIZE (CM)          | WEIGHT (KG) |
|-----------|------|----------|--------------------|-------------|
| 1840/PSP1 | Rack | 2 x 205L | 39 x 137.5 x 94    | 15          |
| 1840/PHD2 | Base | 2 x 205L | 63.5 x 137.5 x 135 | 46          |

### POLY DRUM TROLLEY

Mobile dispensing station for 205 litre drums. Converts a drum into a moveable container/dispenser. Easy for one person to operate even with a full drum. The outsize dispensing area gives easy pouring access and the large sump of 230 litres makes spills a thing of the past.



| CODE      | SIZE (CM)       | WEIGHT (KG) |
|-----------|-----------------|-------------|
| 1840/PT10 | 174 x 81.5 x 65 | 42          |

### POLY FUNNELS

Large diameter non splash funnels make pouring liquids easy. Hinged lid reduces vapour release and keeps the funnel debris free. FL100 compatible with an 205L drum and FL200 compatible with an IBC.



| CODE       | SUMP CAPACITY (L) | SIZE (CM)         | WEIGHT (KG) |
|------------|-------------------|-------------------|-------------|
| 1840/FL100 | 20                | 64 (dia) x 15     | 4           |
| 1840/FL200 | 18                | 62.5 (dia) x 14.5 | 4           |

### POLY DRUM TRAY

An easy solution to a common problem. Drips and spills from drums in use can be a major hazard. Use drum trays to keep the work place clean and safe. Also used for lead acid batteries and drum storage for construction sites.



| CODE       | DRUM CAPACITY | WEIGHT (KG) |
|------------|---------------|-------------|
| 1840/DT200 | 1 x 205 L     | 4           |

## STEEL PALLETS AND FLOORING

### STEEL SUMP PALLETS

Ensure safe storage of drums either within the factory or outside. Polythene covers are also available to protect drums from rain. Sump pallets are manufactured from 3mm steel plate and have removable galvanized grid mesh floors for easy cleaning. Fully seam welded joints give complete integrity and the polymer paint finish is long lasting.




| CODE     | NO OF DRUMS | SUMP CAPACITY (L) | SIZE (CM)       | WEIGHT (KG) |
|----------|-------------|-------------------|-----------------|-------------|
| 1840/SP2 | 2           | 230               | 80 x 29.5 x 150 | 62          |
| 1840/SP4 | 4           | 250               | 122 x 24 x 150  | 108         |
| 1840/SP8 | 8           | 560               | 125 x 32 x 250  | 190         |

### STEEL SUMP FLOORING

Flush fitted steel sump flooring system. Measuring only 11cm high this flooring creates work station and mixing areas and ensures that, in the event of a leak or tear to a drum, the liquid is contained within the sump flooring system. Sections can be joined together to create a fully contained workstation. The low height provides for easy access with an optional ramp or a suitable trolley.

| CODE        | NO OF DRUMS | SUMP CAPACITY (L) | SIZE (CM)      | WEIGHT (KG) |
|-------------|-------------|-------------------|----------------|-------------|
| 1840/SF10   | 1           | 110               | 105 x 11 x 105 | 80          |
| 1840/SF20   | 3           | 230               | 105 x 11 x 230 | 125         |
| 1840/SF30   | 4           | 360               | 105 x 11 x 360 | 190         |
| 1840/SFRAMP | n/a         | n/a               | 50 x 11 x 100  | 16          |



## CHEMICAL STORAGE

The Darcy secure bunded storage unit for chemicals is designed to comply with all relevant safety and environmental regulations. Galvanised removable grid decks above the sump area. Decks can be raised to eliminate contact with the ground. High and low level flame arrestor protection vents.

Constructed with robust steel frames, 2mm steel panels welded on for extra strength. Doors either hinged or sliding dependent on the model.



| CODE     | OPTIONS                                      | STORAGE CAPACITY    | SUMP CAPACITY (L) | SIZE (CM)       | WEIGHT (KG) |
|----------|--|---------------------|-------------------|-----------------|-------------|
| 1840/CS3 | Twin sliding doors. 3 shelves and grid mesh. | 80 x 25 litre drums | 1125              | 300 x 150 x 245 | 1048        |
| 1840/CS4 | Twin sliding doors. 2 shelves and mesh grid  | 48 x 25 litre drums | 450               | 250 x 80 x 235  | 450         |
| 1840/CS5 | Double hinged lockable doors and 2 shelves   | 20 x 25 litre drums | 260               | 150 x 75 x 163  | 240         |



The Approved Code of Practice (L5) for the COSHH Regulations 2002

The safe storage of substances hazardous to health (paragraph 101 (f), referring to Regulation 7)



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

#### 30 DAY MONEY BACK GUARANTEE

If you are not 100% satisfied with your products just let us know within 30 days. That's our promise guaranteed. Terms and conditions apply.



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

#### 24/7 EMERGENCY SPILL RESPONSE

Nationwide rapid response to spills. For emergency product supply, advice and spill clean up. Call 24/7 on 01732 441019 (UK only)



## ECONOMY BUNDED STORAGE

The Darcy economy banded store range is available in three sizes and come supplied with a lockable door. It has fully galvanised side and roof panels, two deadlocks, fully banded floor with suspended grid mesh deck, roof has two integral gutters for effective rainwater dispersal to all four corners of the unit, framework is bolted to the chassis, panels and roof are then bolted to the frame, full build instructions supplied with the unit and optional shelving system available.

| CODE       | SUMP CAPACITY (L) | SIZE (W X H X L CM) | WEIGHT (KG) |
|------------|-------------------|---------------------|-------------|
| 1840/SMC21 | 680               | 235 x 216 x 225     | 520         |
| 1840/SMC31 | 940               | 308 x 216 x 225     | 633         |
| 1840/SMC41 | 1212              | 408 x 216 x 225     | 781         |



## FULLY ENCLOSED SECURE DRUM STORAGE

The DS range of secure drum storage offers safe vandal proof storage and is built to comply with current Pollution Prevention Guidelines and Oil Storage Regulations. All units have: removable galvanised grid decks, lockable sliding doors, crane lifting points, sloping roofs with a rain channel and base plinths to eliminate ground contact with the sump.

A complete range of secondary containment banded storage systems, for safe and secure storage of clean and waste oil, bulk fuels, chemicals and other hazardous liquids. Correct storage of drums and IBC's prevent the spread of any liquids maintaining a safe and clean working environment. Most importantly, these products meet legislation ensuring your compliance with guidelines and regulations including 'The Control of Pollution (Oil Storage) (England) Regulations 2001'.



| CODE          | DESCRIPTION   | SUMP CAPACITY (L) | SIZE (CM)          | WEIGHT (KG) |
|---------------|---|-------------------|--------------------|-------------|
| 1840/DS8S     | Stores 8 x 205L vertical drums on one level   | 1125              | 150 x 165 x 300    | 702         |
| 1840/DS8SE    | Stores 8 x 205L drums. Extra height over the DS8S allows ability to connect funnels or pumps to the drums             | 1125              | 150 x 240.50 x 300 | 938         |
| 1840/DS12S    | Stores 4 x 205L drums horizontally on one side and another  | 1125              | 150 x 238 x 300    | 1008        |
| 1840/DS16HS   | 4 drums vertically on the other with a shelf above for small containers. Stores 16 x 205L vertical drums on one level | 2200              | 150 x 167.5 x 592  | 1200        |
| 1840/DS16S    | Stores 16 x 205L vertical drums on two levels   | 1125              | 150 x 282 x 300    | 1160        |
| 1840/DS32S    | Stores 32 x 205L vertical drums on two levels   | 2200              | 150 x 282 x 560    | 1800        |
| 1840/DS32R    | Stores 32 x 205L vertical drums on two levels, electrically operated roller doors                                     | 2200              | 150 x 327.5 x 592  | 1800        |
| 1840/DS48SL   | Stores 48 x 205L vertical drums on two levels   | 3300              | 150 x 327.5 x 884  | 2300        |
| 1840/DS64S    | Stores 64 x 205L vertical drums on two levels. Double width doors both sides  | 4100              | 280 x 332.5 x 592  | 3100        |
| 1840/DS96SL   | Stores 96 x 205L vertical drums on two levels. Double width with doors both sides                                     | 6100              | 280 x 332.5 x 884  | 3800        |
| 1840/DS96SPB  | Stores 96 x 205L vertical drums on two levels. Double width doors 1 side, push back loading                           | 6100              | 280 x 366 x 884    | 4100        |
| 1840/DPU48-12 | Stores 12 IBC's in a single pallet depth unit   | 3300              | 150 x 327.5 x 884  | 2800        |



Extract from the Oil Storage Regulations

The storage must be positioned, or steps must be taken, so as to minimise any risk of damage by impact so far is reasonably practical.

## PLANT NAPPY

A Plant Nappy is a secondary containment catchment tray for the containment of leaks and spills from equipment on construction sites. The tray allows the water to pass through the sides whilst retaining and absorbing oil to prevent the tray overflowing and oil escaping. Liners can be purchased for the Plant Nappy which helps extend its life.

### Use

- Outside in wet and rainy conditions
- Contain spills from generators and other site machinery
- Ideal for construction sites or where machinery needs to be left outside
- Designed to sit under plant or machinery to capture drips of oil or fuel

| CODE      | PRODUCT            | SIZE (CM) | WEIGHT (KG) |
|-----------|--------------------|-----------|-------------|
| 0411/PN/1 | Plant Nappy small  | 50 x 69   | 1.5         |
| 0411/PN/2 | Plant Nappy medium | 100 x 69  | 2.5         |
| 0411/PN/3 | Plant Nappy large  | 200 x 137 | 5.5         |
| 0411/NL/1 | Nappy liner small  | 50 x 69   | 0.3         |
| 0411/NL/2 | Nappy liner medium | 100 x 69  | 0.8         |
| 0411/NL/3 | Nappy liner large  | 200 x 137 | 3.4         |



## ENVIROPAD

The EnviroPad contains smart polymer technology that captures and retains hydrocarbons within a polymer membrane, reducing the risk of pollution entering the environment. A lightweight and durable pad that allows surface water to drain away and negates the need for a drip tray. Simply roll away for easy storage after use.

### Use

- To collect drips and spills from leaking plant
- During refuelling activities

| CODE       | TYPE             | ABSORBENCY (L) | SIZE (CM) | WEIGHT (KG) |
|------------|------------------|----------------|-----------|-------------|
| 0411/PSP/1 | EnviroPad small  | Up to 3        | 61 x 46   | 0.7         |
| 0411/PSP/2 | EnviroPad medium | Up to 7        | 90 x 69   | 1.3         |
| 0411/PSP/3 | EnviroPad large  | Up to 28       | 218 x 137 | 5.5         |



New

## PLANT PILLOWS

Plant pillow is ideal for all your workshop needs. A highly absorbent polypropylene pillow is contained within a tough PVC constructed flexible tray. Ideal for use in vehicle maintenance, general manufacturing and heavy plant machinery and equipment. The sealed unit spill proof even if knocked

### Use

- Ideal for all your workshop needs
- Specifically designed for vehicle maintenance, general manufacturing, heavy plant machinery and equipment
- Low profiles to fit under machinery

| CODE                 | TYPE                      | SIZE (CM)    | WEIGHT (KG) |
|----------------------|---------------------------|--------------|-------------|
| 0411/plantpillow/o   | Oil Single pillow         | 55 x 35 x 10 | 1.1         |
| 0411/plantpillow/o/2 | Oil Double pillow         | 55 x 70 x 10 | 2.3         |
| 0411/plantpillow/m   | Maintenance Single pillow | 55 x 35 x 10 | 1.1         |
| 0411/plantpillow/m/2 | Maintenance Double pillow | 55 x 70 x 10 | 2.3         |



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

### 30 DAY MONEY BACK GUARANTEE

If you are not 100% satisfied with your products just let us know within 30 days. That's our promise guaranteed. Terms and conditions apply.



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

### 24/7 EMERGENCY SPILL RESPONSE

Nationwide rapid response to spills. For emergency product supply, advice and spill clean up. Call 24/7 on 01732 441019 (UK only)



## STOPPIT SEAL

Prevents spills flowing into gulleys and reaching drains, machinery or stock. Strong, flexible and forms a tight seal on rough flooring or smooth surfaces, diverting and controlling the flows of liquids. It creates a bund around a drain and confines leaks from dripping machinery, protecting the watercourse. Fast and easy to deploy with built in connectors to quickly increase to the required length. Resistant to oil, water and most chemicals. Supplied in 300cm lengths.

| CODE | SIZE (CM)    | WEIGHT (KG) | MATERIAL | COLOUR |
|------|--------------|-------------|----------|--------|
| 4600 | 300 x 10 x 7 | 12.5        | PU       | Yellow |



## POLY BOOM

The Trident poly land boom is a one-use, cost effective land barrier. Designed by firemen and now in use nationally by fire brigades and industry.

### Benefits

- Use to contain any spill in an emergency
- Two outer tubes are filled with water
- The centre stays empty to prevent the boom from rolling down slopes
- Any water source can be used to fill the tubes

| CODE         | LENGTH (M) | WEIGHT (KG) | MATERIAL | COLOUR |
|--------------|------------|-------------|----------|--------|
| 0419/500/10  | 10         | 1.9         | PVC      | Yellow |
| 0419/500/100 | 100        | 16.5        | PVC      | Yellow |



## BUND STRIP

The Trident bund strip confines spills and liquids. Crush-resistant foam ensures the bund retains its shape, even when it is run over. The yellow PVC outer cover provides for a 'caution!' visual presence while adding to the strength & integrity of the product.

### Benefits

- Contain or divert fluids
- Expandable to any length
- Corner and T joints shape bund to your requirements
- Crush resistant foam
- PVC cover resists oil, water and most chemicals

| CODE                 | SIZE (CM)   | DESCRIPTION                                      |
|----------------------|-------------|--|
| 0416/BUNDSTRIP/1.0   | 100 x 5 x 4 | 1m bund strip                                    |
| 0416/BUNDSTRIP/2.0   | 200 x 5 x 4 | 2m bund strip                                    |
| 0416/BUNDSTRIP/3.0   | 300 x 5 x 4 | 3m bund strip                                    |
| 0416/BUNDSTRIP/4.0   | 400 x 5 x 4 | 4m bund strip                                    |
| 0416/BUNDSTRIP/5.0   | 500 x 5 x 4 | 5m bund strip                                    |
| 0416/BUNDSTRIP/CNR   | 25 x 5 x 4  | Bund strip corner joint                          |
| 0416/BUNDSTRIP/KIT/1 | n/a         | 4 x 2m bund strip, 4 x corner joint, 3 x sealant |



New

## SPILLSTOP

Spillstop is a rapidly deployable, multi-functional liquid barrier defence and bunded containment system.

Widely used to protect high risk utilities, businesses and households. Inexpensive, highly effective with no construction civil works required. Available in 0.5 and 0.9m height units

### Benefits

- Protecting premises and products from damage due to flooding or spills
- As a barrier system to contain or divert flood water
- An effective temporary bunding system

### How it works

- Spillstop units fill with the liquids it is containing or can be filled with ballast material for added security.
- Each pod incorporates a unique foam gasket base creating a tight seal with the ground.
- No bolting to the ground is required, the weight of the filled units and weighted connection keys secure the barrier in position.
- As the water you are protecting against or the contained liquids are removed, the pods empty themselves and become light enough to be carried away.

| CODE         | PRODUCT       | SIZE (W X H X L CM) | WEIGHT (KG) |
|--------------|---------------|---------------------|-------------|
| 0424/0.5M/FB | 0.5m unit     | 50 x 50 x 100       | 10          |
| 0424/0.5M/MH | 0.5m multihub | 50 x 50 x 60        | 7           |
| 0424/0.9M/FB | 0.9m unit     | 75 x 90 x 100       | 22          |
| 0424/0.9M/MH | 0.9m multihub | 90 x 90 x 101       | 12          |



## FLOOD BARRIERS

The Industrial Flood Protection System is a flexible and versatile flood barrier that can be used at water levels of between 30cm and 2m over an unlimited distance. The flood barriers can be used as a preventive action in case of a flood or as a remedial device. Equipped with standard fittings and simple and easy to use, flood barriers protect traffic routes, industrial, historic and strategic sites. Available with straight or angle fittings, one-tube and two-tube barriers.

### How it works

- Use the power and strength of water to protect the required area from flooding and the damage associated.
- Barriers store flat and can be rolled up to minimum storage space required.
- Lightweight system can easily be handled by two persons.
- Individual barriers can be attached together to form a barrier of increased height and/or length.
- Easy to set up and ensures a high level of protection and safety.

| CODE          | PRODUCT     | SIZE (H X L) | WEIGHT (KG) |
|---------------|-------------|--------------|-------------|
| 0422/MT/40/10 | Single tube | 40cm x 10m   | 15          |
| 0422/MT/40/20 | Single tube | 40cm x 20m   | 26          |
| 0422/MT/40/30 | Single tube | 40cm x 30m   | 38          |
| 0422/BT/40/10 | Double tube | 40cm x 10m   | 34          |
| 0422/BT/40/20 | Double tube | 40cm x 20m   | 60          |
| 0422/BT/40/30 | Double tube | 40cm x 30m   | 88          |
| 0422/MT/60/10 | Single tube | 60cm x 10m   | 20          |
| 0422/MT/60/20 | Single tube | 60cm x 20m   | 38          |
| 0422/MT/60/30 | Single tube | 60cm x 30m   | 55          |
| 0422/BT/60/10 | Double tube | 60cm x 10m   | 44          |
| 0422/BT/60/20 | Double tube | 60cm x 20m   | 84          |
| 0422/BT/60/30 | Double tube | 60cm x 30m   | 122         |



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

### 30 DAY MONEY BACK GUARANTEE

If you are not 100% satisfied with your products just let us know within 30 days. That's our promise guaranteed. Terms and conditions apply.



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

### 24/7 EMERGENCY SPILL RESPONSE

Nationwide rapid response to spills. For emergency product supply, advice and spill clean up. Call 24/7 on 01732 441019 (UK only)



## LEAK SEALING PUTTY

### DAMMIT® READY MIX

Stop leaks from tears and holes in drums, pipes, road tankers, storage tanks, drums, fuel tanks and IBC's.

Specifically developed for the emergency sealing of leaks from holes, tears and ruptures. Stops liquids including chemicals and oils leaking out of the drums. Suitable for use on any non flexible surface. No need to premix the product or surface preparation necessary. Simply mould the Dammit® putty into a ball and place firmly over the tear or hole to instantly seal the hole stopping the spread of pollutants across the factory, workshop or storage facility. Transfer the remaining contents into another drum thus saving the wastage of costly and precious products.

#### Benefits

- Stops most spills at source
- Can be used on any non-flexible surface
- Ready for immediate application
- Withstands pressure of up to .25 bar
- Stays in place for up to 24 hours
- Effective down to -20°C

| CODE   | POT SIZE | QUANTITY |
|--------|----------|----------|
| 4037/X | 500g     | 18       |
| 4040/X | 800g     | 12       |
| 4041/X | 1kg      | 12       |
| 4050/X | 1.8kg    | 6        |



### DAMMIT® APPLICATOR PACK

For faster, easier, safer and cleaner deployment of the universally used Dammit® leak sealant. Developed in conjunction with the London Fire Brigade in the light of extensive practical operational experience to meet health and safety requirements. This is a patented product.

| CODE     | TYPE                   | POT SIZE | QUANTITY |
|----------|------------------------|----------|----------|
| 4047/X   | Applicator Pack        | 400g     | 6        |
| 4040/X/R | Applicator Pack Refill | 400g     | 6        |



### HOW TO USE

**Step 1:** Tear open bag and pull down over arm. Offers gauntlet like protection from escaping liquid.



**Step 2:** Hard pad made from 700 micron pvc on base offers protection from sharp, protruding objects.



**Step 3:** Push onto leak for immediate seal. Applicator will crumple allowing Dammit® to do its job.



Extract from the Oil Storage Regulations

The storage must be positioned, or steps must be taken, so as to minimise any risk of damage by impact so far is reasonably practical.

## BUNDING SYSTEMS

Tribund is a rapid use, multi-purpose, secondary containment bunding system that catches oil, fuel, chemical and contaminated water, preventing spread of liquids. Cost-effective and extremely portable, just unroll and use, with no need for additional supports. Unique internal collapsible side supports feature recesses for secure placement of absorbent booms to soak up spills. Manufactured from hydrocarbon, chemical and UV resistant PVC coated fabric that is hard wearing and maintenance free and easily cleaned. Standard sizes are available for immediate delivery with alternative sizes available on request.

### STANDARD TRIBUND

Ideal for bunding of tanks and drums, effluent, sewage and waste liquid containment and temporary liquid storage.



| CODE       | SIZE ( W X H X L CM) | CAPACITY (L) | WEIGHT (KG) |
|------------|----------------------|--------------|-------------|
| 0416/00270 | 90 x 30 x 150        | 270          | 4.5         |
| 0416/00500 | 240 x 30 x 100       | 500          | 5.5         |
| 0416/00750 | 240 x 30 x 150       | 750          | 7.1         |
| 0416/00800 | 200 x 30 x 200       | 800          | 7.7         |
| 0416/00960 | 320 x 30 x 150       | 960          | 9.0         |
| 0416/01000 | 240 x 30 x 200       | 1000         | 8.8         |
| 0416/01200 | 240 x 30 x 250       | 1200         | 10.5        |
| 0416/01440 | 240 x 30 x 300       | 1440         | 12.1        |
| 0416/01800 | 300 x 30 x 300       | 1800         | 14.6        |
| 0416/01900 | 240 x 30 x 400       | 1900         | 15.5        |
| 0416/02000 | 240 x 30 x 420       | 2000         | 16.1        |
| 0416/02880 | 240 x 30 x 600       | 2880         | 22.1        |
| 0416/03600 | 300 x 30 x 600       | 3600         | 26.5        |
| 0416/04000 | 240 x 30 x 840       | 4000         | 30.1        |
| 0416/04800 | 400 x 30 x 600       | 4800         | 33.7        |
| 0416/06400 | 400 x 30 x 800       | 6400         | 43.8        |
| 0416/09600 | 400 x 30 x 1200      | 9600         | 64.0        |
| 0416/10000 | 500 x 30 x 1000      | 10000        | 65.4        |
| 0416/12000 | 400 x 30 x 1500      | 12000        | 79.2        |
| 0416/14200 | 430 x 30 x 1650      | 14200        | 92.3        |
| 0416/20000 | 1000 x 30 x 1000     | 20000        | 123.1       |

### DRIVE IN TRIBUND

Drive in Tribund contains additional support and guidance for vehicle tyres. Ideal for loading and unloading of goods from vehicles and suitable for all vehicles from plant to road tankers.



| CODE           | SIZE ( W X H X L CM) | CAPACITY (L) | WEIGHT (KG) |
|----------------|----------------------|--------------|-------------|
| 0416/DIT/01920 | 310 x 30 x 310       | 1920         | 19.1        |
| 0416/DIT/02200 | 220 x 30 x 500       | 2220         | 24.4        |
| 0416/DIT/02400 | 400 x 30 x 300       | 2400         | 26.3        |
| 0416/DIT/03000 | 500 x 30 x 300       | 3000         | 31.1        |
| 0416/DIT/03240 | 540 x 30 x 300       | 3240         | 33.3        |
| 0416/DIT/04550 | 650 x 30 x 350       | 4550         | 43.5        |
| 0416/DIT/04800 | 600 x 30 x 400       | 4800         | 41.0        |
| 0416/DIT/06200 | 1160 x 30 x 270      | 6200         | 61.1        |
| 0416/DIT/06400 | 800 x 30 x 400       | 6400         | 53.5        |
| 0416/DIT/09000 | 1500 x 30 x 300      | 9000         | 88.3        |
| 0416/DIT/12800 | 1600 x 30 x 400      | 12800        | 106.9       |
| 0416/DIT/16200 | 1500 x 30 x 540      | 16200        | 109.1       |

View full list at [www.darcy.co.uk](http://www.darcy.co.uk) or call us for your own size requirements.



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

#### 30 DAY MONEY BACK GUARANTEE

If you are not 100% satisfied with your products just let us know within 30 days. That's our promise guaranteed. Terms and conditions apply.



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

#### 24/7 EMERGENCY SPILL RESPONSE

Nationwide rapid response to spills. For emergency product supply, advice and spill clean up. Call 24/7 on 01732 441019 (UK only)



## ENVIROBUND

A versatile and environmentally compliant secondary containment system offering up to a 40% saving when compared with blockwork and concrete bunds. Envirobund is made from modular galvanised steel panels and features a no dig option for cost effective installation around existing tanks and pipework.

### Benefits

#### Installation

- No requirement for heavy plant or lifting equipment
- No digging required as supports are drilled and bolted into concrete base
- Can be manufactured to any size or shape required
- Z post supports provide the optimum strength without the cost.
- Supplied in either 0.45m or 0.90m high panels
- Bolt together assembly means installation takes hours not days and eliminates the need for heavy lifting devices
- Specially designed feet provide the required strength and stability without the need to dig, eliminating the disturbance of underground pipes and cables

#### Legislations

- Meets the requirements of Oil Storage Regulations
- Designed to incorporate Bund Water Control Units

#### Liners

- Our guaranteed range of liners, made from tough durable polymers, are chosen to suit the type of liquid stored e.g. oil, petrol, solvents

#### Maintenance

- In the rare event of any failure, repairs are simple to fix using patches and sealants
- If decommissioned, the bund can be moved and reused leaving the site as it was found
- Independently strength and impact tested

### Case Study

#### Project overview

Containment of firewater run-off preventing pollution

#### Product / service

1. Envirobund – modular bunding system
2. DRAINTECTOR- automated drain closure device

#### Industry sector

Electronics waste disposal

#### Overview

Our client required a system to bund their site to deal with fire water run-off in the event of an incident.

#### Product features

1. Bunding / barrier containment for pollution, flood water and firewater run-off
2. Automated drain closure system



Extract from the Oil Storage Regulations

The storage must be positioned, or steps must be taken, so as to minimise any risk of damage by impact so far is reasonably practical.



## LIQUID STORAGE

Incorrectly stored fuels, oils and other hazardous liquids can cause long lasting damaging impact on the environment. Our range of bunded storage containers and dispensing tanks are ideal for the safe storage and dispensing of oils, chemicals and water. Our storage systems are manufactured in accordance with the latest regulations to ensure liquids are stored in accordance with legislation reducing the risk of a pollution incident.

### OIL WASTE CONTAINERS WITH FOOT OPERATED LID

Combustible material such as used wipes, absorbents or solvent soaked cleaning cloths can be a major fire hazard if left in unprotected containers.

#### Benefits

- The self-closing lids reduce oxygen and stop a fire within the container.
- The raised and ventilated base reduce the risk of spontaneous combustion

| CODE       | CAPACITY (L) | SIZE (H X DIA CM) | WEIGHT (KG) |
|------------|--------------|-------------------|-------------|
| 1840/09100 | 23           | 40 x 30           | 5           |
| 1840/09500 | 53           | 51 x 41           | 7           |
| 1840/09700 | 79           | 60 x 47           | 10          |



### STEEL SAFETY CANS

This range of non-explosive safety cans gives you safe control over flammable liquids. They are easy to fill and dispense from. The contained liquids are protected by flame arrestors and self-closing leak proof lids.

#### Benefits

- Resistant to solvents, fuel oils, kerosene
- Ergonomic handles for easy carrying and dispensing

| CODE       | CAPACITY (L) | SIZE (H X DIA CM) | WEIGHT (KG) |
|------------|--------------|-------------------|-------------|
| 1840/10301 | 4            | 29 x 18           | 2.0         |
| 1840/10501 | 8            | 34 x 24           | 2.5         |
| 1840/10801 | 19           | 42 x 29           | 4.0         |



### PLUNGER CANS

Made from chemically resistant Ryton® and brass, the new Blacktop “smart pump” is designed to drain the contents down to the last few ml so it needs refilling less often.

#### Benefits

- Quickly and easily moisten cleaning cloths
- Surplus liquids drain back into reservoir

| CODE        | PRODUCT      | CAPACITY (L) | SIZE (H X DIA CM) | WEIGHT (KG) |
|-------------|--------------|--------------|-------------------|-------------|
| 1840/10208  | Steel        | 2            | 19 x 18.5         | 1.5         |
| 1840/10308  | Steel        | 4            | 27 x 18.5         | 2.0         |
| 1840/104018 | Polyethylene | 1            | 21 x 14           | 0.9         |



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

#### 30 DAY MONEY BACK GUARANTEE

If you are not 100% satisfied with your products just let us know within 30 days. That's our promise guaranteed. Terms and conditions apply.



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

#### 24/7 EMERGENCY SPILL RESPONSE

Nationwide rapid response to spills. For emergency product supply, advice and spill clean up. Call 24/7 on 01732 441019 (UK only)



## POLYETHYLENE BUNDED WASTE OIL TANKS

Our polyethylene banded waste oil tanks are manufactured in accordance with OFTEC guidelines from high density polyethylene. The material is corrosion resistant resulting in a maintenance free tank.

### Benefits

- Banded Waste Oil Tanks are available from 400 Litres – 5,000 Litres in capacity
- Guaranteed for 10 years
- Horizontal, Vertical and Slimline designs available
- Comes with Filter and shut off valve
- High impact strength and corrosion resistant
- 110% total bund capacity



| CODE          | CAPACITY (L) | SIZE (L X W X H CM) | WEIGHT (KG) | SHAPE      |
|---------------|--------------|---------------------|-------------|------------|
| 1840/PTS/1000 | 1,000        | 189 x 64 x 135      | 116         | Slimline   |
| 1840/PTH/2500 | 2,500        | 264 x 145 x 162     | 190         | Horizontal |
| 1840/PTV/5000 | 5,000        | 230 x 212 (dia)     | 282         | Vertical   |

View full list at [www.darcy.co.uk](http://www.darcy.co.uk) or call us for your own size requirements.

## STEEL BUNDED WASTE TANKS

Designed for the safe storage of waste oil our Steel Banded Waste Oil Tanks meet with the Oil Storage Regulations. The tanks are of an all steel fabrication with a total bund capacity of 110%

### Benefits

- Steel Banded Waste Oil Tanks are available from 850 Litres – 50,000 Litres in capacity
- All steel fabrication with 110% bund capacity
- Bulk storage of waste oil
- Guaranteed for 10 years



| CODE          | CAPACITY (L) | SIZE (L X W X H CM) | WEIGHT (KG) |
|---------------|--------------|---------------------|-------------|
| 1840/ST/06000 | 6,000        | 300 x 150 x 170     | 2000        |
| 1840/ST/10000 | 10,000       | 310 x 200 x 220     | 3000        |
| 1840/ST/20000 | 20,000       | 600 x 200 x 220     | 4500        |
| 1840/ST/25000 | 25,000       | 600 x 250 x 220     | 5500        |
| 1840/ST/30000 | 30,000       | 670 x 260 x 220     | 6500        |

View full list at [www.darcy.co.uk](http://www.darcy.co.uk) or call us for your own size requirements.

## FUEL STORAGE AND DISPENSING TANKS

Secure double skinned, lockable fuel dispensing tanks for commercial, agricultural or industrial properties. Our range of banded dispensing tanks assist achieving compliance to the Control of Pollution Regulations.

### Benefits

- Suitable for agricultural fuel oil (Class A2) and Gas/Oil/Diesel (Class D)
- Device to prevent overfilling and spills



| CODE          | CAPACITY (L) | SIZE ( L X W X H CM)  | WEIGHT (KG) |
|---------------|--------------|-----------------------|-------------|
| 0460/DT/1300  | 1,300        | 189 x 125.5 x 178.5   | 150         |
| 0460/DT/2500  | 2,500        | 243 x 142 x 185.5     | 205         |
| 0460/DT/3500  | 3,500        | 208 x 268 x 190       | 216         |
| 0460/Fmv05000 | 5,000        | 223 x 289 x 242       | 263         |
| 0460/Fmv09000 | 9,000        | 358 x 246 x 295       | 575         |
| 0460/Fmv10000 | 10,000       | 348.5 x 275.5 x 282.5 | 2235        |

View full list at [www.darcy.co.uk](http://www.darcy.co.uk) or call us for your own size requirements.

## BUNDED POLY OIL TANKS

Banded poly oil tank for secure storage and dispensing of new oil in line with Oil Storage Regulations.

### Benefits

- Manufactured from high grade polyethylene
- Corrosion resistant, UV stabilised
- Crane lifting lug
- Forklift access points
- Compatible with electrical gauges
- Lockable lid



| CODE          | CAPACITY (L) | SIZE (CM)       | WEIGHT (KG) |
|---------------|--------------|-----------------|-------------|
| 1840/BOP/1000 | 1,000        | 189 x 125 x 64  | 116         |
| 1840/BOP/2455 | 2,455        | 170 x 181       | 162         |
| 1840/BOP/2500 | 2,500        | 264 x 162 x 145 | 232         |

View full list at [www.darcy.co.uk](http://www.darcy.co.uk) or call us for your own size requirements.

## BUNDED STEEL OIL TANKS

Banded steel oil tank for secure storage and dispensing of new oil in line with Oil Storage Regulations.

### Benefits

- Tank and bund stiffened internally
- 100 x 50 mm channel fully welded to base of unit to allow air to circulate
- Tank vented into flask, then flask vented to atmosphere
- Pyramid roof to allow water run off
- 2” BSP fill point with cap
- Sludge suction tubes on top of unit for tank and bund
- Choice of top or bottom outlet
- Lockable captivated dipstick for tank and bund
- Painted in green as standard (other colours on request)



| CODE          | CAPACITY (L) | SIZE (CM)       | WEIGHT (KG) |
|---------------|--------------|-----------------|-------------|
| 1840/BOS/1000 | 1,000        | 137 x 106 x 89  | 330         |
| 1840/BOS/1600 | 1,600        | 125 x 125 x 122 | 515         |
| 1840/BOS/2250 | 2,250        | 167 x 132 x 122 | 760         |
| 1840/BOS/2700 | 2,700        | 198 x 137 x 122 | 880         |

View full list at [www.darcy.co.uk](http://www.darcy.co.uk) or call us for your own size requirements.

## BUNDED DIESEL TANKS

For safe containment and dispensing of diesel in line with Oil Storage Regulations.

### Benefits

- High security cabinet with mortise lock and tanked bottom
- 50 litre per min electric pump
- Float type contents gauge
- Channels on base to allow air to circulate
- Lifting lugs (for lifting when empty only)
- Pyramid roof for water run off
- Auto nozzle, flowmeter and accessible manhole



| CODE           | CAPACITY (L) | SIZE (CM)       | WEIGHT (KG) |
|----------------|--------------|-----------------|-------------|
| 1840/BDS/03500 | 3,500        | 235 x 150 x 225 | 1220        |
| 1840/BDS/04500 | 4,500        | 235 x 183 x 225 | 1600        |
| 1840/BDS/06000 | 6,000        | 275 x 183 x 225 | 1700        |
| 1840/BDS/08000 | 8,000        | 340 x 183 x 225 | 1800        |
| 1840/BDS/10000 | 10,000       | 390 x 200 x 225 | 1900        |
| 1840/BDS/12000 | 12,000       | 410 x 210 x 225 | 2000        |

View full list at [www.darcy.co.uk](http://www.darcy.co.uk) or call us for your own size requirements.



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

### 30 DAY MONEY BACK GUARANTEE

If you are not 100% satisfied with your products just let us know within 30 days. That's our promise guaranteed. Terms and conditions apply.



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

### 24/7 EMERGENCY SPILL RESPONSE

Nationwide rapid response to spills. For emergency product supply, advice and spill clean up. Call 24/7 on 01732 441019 (UK only)





## DRAIN COVERS AND BLOCKING DEVICES

We have developed a range drain covers and blocking devices providing security preventing pollutants or firewater runoff entering the watercourse through onsite drainage systems. Drain protection measures should be installed in vulnerable areas where there is a risk of a spill of liquids that could get into onsite drains.

### KEY AREAS OF USE

Prevention at times of “high risk”

Offering peace of mind, drain blocking systems enable a site to enhance its environmental security by blocking drainage systems during times of “high risk” such as during tankering of materials and during flooding. In addition drain closure devices should be ready to use should a spill pollution incident occur.

Site security in the event of a spill

In the event of a spill on site, drain protection systems can be deployed to prevent pollutants reaching controlled waters. Drain blocking and flow blocking devices are applicable to all industry sectors where the potential to pollute groundwater and controlled waters exists. They are particularly relevant to sites governed by

environmental regulations including Control Of Major Accident Hazards Regulations (COMAH), Pollution Prevention Guidelines (PPG) and Environmental Permitting Licenced Sites (EPL).

### COST EFFECTIVE SOLUTIONS

We offer solutions to all spill prevention and protection requirements by containing firewater and other hazardous liquids on-site, thus preventing environmental liability, fines and prosecutions and reducing spill clean-up costs

#### DRAIN MATS 48 - 51

COVERS/MATS 49 - 50

BLOCKING DEVICES 51

### NEOPRENE DRAIN COVER

Lightweight and easy-to-use drain protection for small-scale spills. Three sizes cover most standard drains and prevent the spread of oils and chemicals into the watercourse. Choose a size that will extend over the edge of the drain.

| CODE     | SIZE (CM) | WEIGHT (KG) |
|----------|-----------|-------------|
| 4500/1.0 | 100 x 100 | 2.9         |
| 4500/1.2 | 120 x 120 | 4           |
| 4500/1.4 | 140 x 140 | 10.6        |



### FLEXIBLE DRAIN MAT WITH CARRY HANDLES

A simple, reusable and highly effective way to prevent spilt oils and chemicals entering the drainage system. The durable polyethylene top is flexible and resistant to abrasions, whilst the underside is sticky to tightly seal the drain. A bonded nylon cover provides extra strength with carry handles for easy handling, storage and deployment. Simply clean with soap and water before storing, ready for next use.

| CODE       | SIZE (CM)       | WEIGHT (KG) |
|------------|-----------------|-------------|
| 4610/060/L | 60 x 0.8 x 60   | 2.9         |
| 4610/060/H | 60 x 1.3 x 60   | 4.7         |
| 4610/090/L | 90 x 0.8 x 90   | 6.8         |
| 4610/090/H | 90 x 1.3 x 90   | 10.8        |
| 4610/120/L | 120 x 0.8 x 120 | 12.8        |
| 4610/120/H | 120 x 1.3 x 120 | 19          |



### MAGNETIC DRAIN COVER

Stop spills entering drains fast with the new Magentic Drain Cover. This new drain cover is completely reusable and will not pick up dirt. The magnetic drain cover adheres to all metallic surfaces which are free of dirt & debris. Use as part of your spill response program or deploy pro-actively prior to bulk deliveries of liquid to site.

#### Benefits

- Easy to maintain
- Compact & light-weight
- Permanently magnetic
- Complete with wall mounted storage frame for convenient product placement
- Flexible, resistant to weather & temperature (-20°C to + 80°C)
- Resists acids & alkalis
- Pressure force 52g/cm<sup>2</sup>
- Thickness 0.9 mm
- Colour, black with pictogram
- Ideal for placing on steel drum storage units right where the hazardous liquids are kept

| CODE       | PRODUCT                         | SIZE (CM)   |
|------------|---------------------------------|-------------|
| 1840/MDC03 | Magnetic drain cover and holder | 63 x 62 x 1 |



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

#### 24/7 EMERGENCY SPILL RESPONSE

Nationwide rapid response to spills. For emergency product supply, advice and spill clean up. Call 24/7 on 01732 441019 (UK only)



## DAMMIT® MATS - DISPOSABLE DRAIN MATS

These disposable, reinforced, clay mats prevent spilt oils and chemicals flowing through storm drains into controlled waters. Resists most oils and chemicals for up to 24 hours, giving plenty of time to clean up spills. Flexible up to -20°C, they give a 100% seal even on damaged drains and rough surfaces.

Simply peel off cover and tread onto drains. Can be overlapped to seal large areas. Available in three sizes. Also available is a metal wall mounted mat box to contain mats ready for use in high-risk areas.

### DRAIN MATS

| CODE   | SIZE (CM) | QUANTITY | WEIGHT (KG) |
|--------|-----------|----------|-------------|
| 4000/X | 65 x 45   | 2        | 12.9        |
| 4010/X | 45 x 45   | 2        | 9.7         |
| 4020/X | 22.5 x 20 | 12       | 13.7        |

### WALL MOUNTED BOX

Keeps mat immediately available in vulnerable areas. Galvanised for long term outdoor storage. Holds two large mats.

| CODE | SIZE (CM)     | WEIGHT (KG) |
|------|---------------|-------------|
| 4780 | 76 x 56 x 7.5 | 3.3         |



## DAMMIT® GULLEY MATS - DISPOSABLE GULLEY MATS

For blocking long gulley drains. No surface preparation required. 100% seal on rough surfaces.

| CODE   | SIZE (CM) | QUANTITY | WEIGHT (KG) |
|--------|-----------|----------|-------------|
| 4030/X | 66 x 15   | 6        | 13.6        |



## DRAINSEAL

Mechanical, multi-use, reusable seal that securely clamps onto the drain giving maximum protection. The clamping system ensures the seal on the drain will not lift, even with back-pressure. It is simply the most effective drain cover on the market and ensures spilt liquids will not enter the drain. Robust HDPE body with closed cell neoprene sponge seal and steel mechanical parts.

| CODE   | SIZE (CM) | WEIGHT (KG) | COLOUR |
|--------|-----------|-------------|--------|
| 0830/1 | 60 x 50   | 9.4         | Yellow |
| 0830/2 | 50 x 50   | 8.5         | Yellow |
| 0830/3 | 40 x 40   | 6.5         | Yellow |



## DRAIN TRACING AND MARKING KIT

Invaluable in helping identify and mark all drains on site to differentiate between storm water and foul water drains. Contain all you require to clearly identify the drainage network across your site.

### Kit Contents

- Blue, green and red drain tracing dye
- Pads for cleaning grids and covers
- Blue and red drain marking paint
- 250ml bottle of degreaser
- Arrow stencil board

| CODE | WEIGHT (KG) |
|------|-------------|
| 0770 | 1.4         |



## PORTABLE INFLATABLE DRAIN VALVES

One size seals pipes and drains from 4” to 15” with no need to carry a range of bladders. Developed for and with the emergency services and the Environment Agency, the lance allows insertion into deep manholes without confined spaces equipment. Simple to use high volume pump, with self-regulating pressure, makes it impossible to over-inflate the bladder. Easy to assemble lance and bladder grip, aids quick deployment with retaining rope to recover and reuse bladder. Broad range of chemical compatibility

### Contents

- PVC carry holdall • Bladder • Pump • Lance

| CODE        | BLADDER SIZE (CM) | WEIGHT (KG) |
|-------------|-------------------|-------------|
| 4400/FB     | 37.5              | 5.1         |
| 4400/FB/450 | 45                | 4.7         |
| 4400/FB/600 | 60                | 4.7         |
| 4400/FB/750 | 75                | 4.7         |
| 4400/FB/915 | 91.5              | 4.7         |



Step 1: Use the lance and holder to insert bladder into the pipe



Step 2: Pump up the bladder until fully inflated



Step 3: Remove lance, release pump and move to next bladder



Step 4: Bladder blocking drain



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

### 30 DAY MONEY BACK GUARANTEE

If you are not 100% satisfied with your products just let us know within 30 days. That's our promise guaranteed. Terms and conditions apply.



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

### 24/7 EMERGENCY SPILL RESPONSE

Nationwide rapid response to spills. For emergency product supply, advice and spill clean up. Call 24/7 on 01732 441019 (UK only)





An exclusive range of liquid monitoring and detection systems provide affordable solutions to comply with regulations and EA guidelines, minimise waste management costs and prevent pollution of the watercourse.

The range of remote monitoring automated systems, providing full site environmental security, ensure no pollutants leave your site and ensure you maintain the highest storage and containment standards.

## LEGISLATION

- PPG2: Above ground oil storage tanks
- PPG3 Use and design of oil separators in surface water drainage systems
- PPG8: Safe storage and disposal of used oils
- PPG18: Managing fire water and major spillages
- PPG21: Incident Response Planning
- Control of Pollution (Oil Storage) (England) Regulations 2001
- Control of Major Accident Hazards Regulations (COMAH) 2015
- Environmental Permitting (England and Wales) Regulations 2010
- European Standard EN858-1:2002
- Water Act 2003

## DID YOU KNOW?

Under The 2014 Sentencing Council Guideline for Environmental Offences the general principles in setting a fine:

- Fine must reflect the seriousness of the offence
- The level of fine should reflect the extent to which the offender fell below the required standard
- The fine must take into account the financial circumstances of the offender

## LIQUID MONITORING & CONTROL 52 - 53

BUND DEWATERING 53

SEPARATOR ALARMS 53

DRAIN CLOSURE SYSTEMS 53

## COST

- Simple retro-fit to existing containment systems
- Typically one day installation with minimal civil works
- Reduce waste management costs
- Prevent environmental fines and clean up costs
- Self monitoring and maintenance

## PEACE OF MIND


All our systems can be activated automatically and provide full notification via text, email, beacon or sounder making you aware of a potential pollution incident across the most remote parts of your site. Full reporting logs and diagnostic checks are available at the touch of a button detailing “current status” of pollution prevention systems and service requests.

## BUND DEWATERING

Monitor and dewater bunds to retain 110% capacity bund contents, safely pumping water into drainage system. Bund dewatering systems safely pump rainwater into the surface water drainage system.

The system comprises a control panel linked to a series of liquid level sensors and pumps that are installed within the sump of the bund. When liquids reach predetermined levels the pump automatically transfers liquids out of the bund thus maintaining capacity. If excessive levels are reached the alarm activates.

- Maintains 110% bund capacity
- Automatically removes rainwater
- Reduces waste management costs




## SEPARATOR ALARMS

Monitor oil, silt and liquid levels within underground separators. Interceptor monitors ensure correct operation of separators preventing pollutants. Separator alarms ensure correct operation of separators preventing pollutants.

The system comprises a control panel linked to up to 3 probe sensors that are installed within the separator that automatically monitor the levels within. If excessive levels are reached the alarm activates to notify of excessive liquid levels. Warnings allow for corrective action to prevent oil passing through the separator and polluting watercourses.

- Warns of excessive levels of oil via conductivity sensor, silt via optical sensor and liquid via level sensor
- Tells you when the separator needs emptying
- Reduces waste management costs
- Retro fit to existing separators




## DRAIN CLOSURE SYSTEMS

Contain pollutant spills & firewater runoff within site drainage systems. Drain closure valves providing instant security against the polluting of controlled waters. Drain closure systems provide instant security against the polluting of controlled waters.

The system comprises a control panel located above ground that operates a closure system installed within the site drain system. Use as a preventive measure to seal drains at times of high risk (i.e. deliveries and site maintenance) or in an emergency situation to prevent polluting of controlled waters.

- Manual or automated activation
- Informs of pollution incidents
- Retro fit to existing drainage system
- Provides full site environmental security



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

## 24/7 EMERGENCY SPILL RESPONSE

Nationwide rapid response to spills. For emergency product supply, advice and spill clean up. Call 24/7 on 01732 441019 (UK only)





## CONTAIN, CONTROL AND CLEAN UP DEBRIS AND LIQUID POLLUTION ON LAND AND WATER.

Developed primarily for the marine and harbour industry but applicable to all industry sectors where the potential to pollute the watercourse exists including:

- Spill response
- Waterways
- Construction
- Aviation
- Manufacturing
- Utilities
- Agricultural
- Waste disposal

Our Trident range is ideal for:

- Containing liquids and debris on watercourses
- Storing, deploying and inflating booms
- Temporary containment of pollutants
- Removing oil from the surface of water
- Pumping liquids direct or through separation systems
- Oil, silt and water separation and filtration



### INDUSTRIAL MARINE 54 - 62

CONTAINMENT BOOMS 56 - 57

DEBRIS BOOMS 58

STORAGE TANKS 59

SKIMMERS 60

PUMPS 61

FILTRATION SYSTEMS 62

## CONTAINMENT AND DEBRIS BOOMS

As a leading UK manufacturer of spill containment booms and debris booms we have developed a comprehensive range of booms for both temporary and permanent deployment.

We understand that, in the event of an emergency, the immediate availability of containment boom is invaluable to prevent further spread of pollution.

The range of Trident Inflatable Booms are lightweight and significant lengths are easy to store and use, perfect for emergency deployment as a preventive measure in situations where there is a risk of oil or debris pollution deployment.

Where preventative deployment is necessary the range of Trident Fence Booms concertina for efficient storage and deployment as a preventive measure in situations where there is a risk of oil or debris pollution.

Where effective oil containment is necessary in intertidal or shallow water areas the range of Trident Beach and Bank Seal booms have excellent wave following characteristics when afloat and excellent sealing and stability characteristics when grounded.

For more demanding environments where both oil and floating debris is present the Trident Debris boom range have specially moulded floats that are highly resistant to impact and provide high buoyancy. Highly visible they are sound safety barriers for marine environments.

Designed predominantly for the harbourside water environment the Trident Harbourguard boom ensures the protection of the harbour from accidental discharge of oils and other contaminating products. With high strength, buoyancy and stability the boom can also be deployed in open water environments.


With substantial investment and development of manufacturing processes we now offer a selected range of booms available in stock for immediate delivery.

The immediate availability of containment boom prevents the spread of pollutants spreading over the water courses thus reducing clean up time and the risk of fines, negative PR and increased waste management costs.

### Boom selector

Trident booms are protecting watercourses across the UK for a range of industry sectors including:

- Spill responders
- Waterways
- Construction
- Aviation
- Manufacturing
- Utilities
- Shipping
- Food manufacturing



### Compatibility Table

|                         | CALM WATER | PROTECTED WATER | FAST CURRENT | OPEN WATER | INTERTIDAL |
|-------------------------|------------|-----------------|--------------|------------|------------|
| Fence boom              | ↙          |                 | ↙            |            |            |
| Inflatable boom         | ↙          | ↙               | ↙            | ↙          |            |
| Harbourguard boom       | ↙          | ↙               | ↙            | ↙          |            |
| Debris boom             | ↙          | ↙               | ↙            |            |            |
| Beach & Bank seal booms |            |                 |              | ↙          | ↙          |



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

#### 24/7 EMERGENCY SPILL RESPONSE

Nationwide rapid response to spills. For emergency product supply, advice and spill clean up.  
Call 24/7 on 01732 441019 (UK only)



## PERMANENT FENCE BOOMS

Designed for long term deployment in all inland and sheltered inshore waters.


### Benefits

- Durable construction
- Sealed floats and ballast make boom vandal-proof and unsinkable
- Light weight and compact – stores on Trident reel or aluminum dispensing unit
- Quick and easy deployment and recovery
- Available with a number of connector options making it easy to use in any situation
- The sealed-in weights make this the easiest boom to clean
- The boom concertinas to store in small areas such as car boots or emergency trailers

- Long term deployment or emergency use
- Standard simple overlap connectors to prevent any pollutant or rubbish getting through
- End fittings for stakes or rope (available to order)

### Features

- Colours – standard yellow (available in other colors)
- Float material – either polystyrene foam or closed cell polyethylene foam in individual pockets
- Construction – high frequency radio welding




## TRIDENT HARBOURGUARD BOOMS

A boom of high strength, buoyancy and stability consisting of a cylindrical foam-filled float section and a skirt with galvanised chain ballast/tension member.

The Trident Harbourguard boom is a high buoyancy curtain boom sited to both harbours and open waters. The boom ensures protection of the harbourside water environment from accidental discharge of oils and other contaminating products.

### Boom material

- PUA coated polyester
- Colour – yellow/orange
- Weight – 1000gsm



## TRIDENT BEACH SEAL & BANK SEAL


Highly effective oil containment booms for shallow water or intertidal situations. These water ballasted booms can also be used on land.

The Trident Beach Seal and Bank Seal booms act as an oil containment boom when afloat and, when the water level recedes in tidal or variable water level situations, acts to retain the oil by forming a seal with the ground.

This range of booms is suitable for all applications.

### Benefits

- High Performance – When afloat booms have excellent wave following characteristics because of their air buoyancy/water ballast tube design. When aground, the vertical perforated inner membrane acts as a tension member and prevents the boom from rolling when grounded, giving the boom excellent stability and sealing characteristics.
- Versatility – Can be used at the water's edge as a beach seal which is effective throughout the tidal range to protect marshes. In shallow rivers, the boom can be used to improve oil recovery operations by acting as a dam to increase water depth.
- Oil Retention – The smooth continuous boom profile inhibits the formation of vortices, thereby discouraging oil loss under the boom.
- Flexibility – Low air inflation pressure increases boom flexibility.
- Durability – It has a high resistance to punctures, abrasion and rough handling. Resistance to hydrocarbons and ultra violet rays is also excellent.
- Easy to clean – After deployment, it can be easily cleaned with normal detergents and hot or cold pressure washers.
- Ground sheets also available



## TRIDENT INFLATABLE BOOMS


Designed for short term emergency deployment in inland waters, ports, harbours and docks.

### Benefits

- Lightweight construction
- Easy to store when not in use
- Perfect for emergency deployment
- Easy transport
- Deploys over a substantial area when considering the footprint of storage area required.

### Features

- Colours - yellow/orange
- In-built ballast system
- Construction - high frequency radio weld
- Manufactured from PVC as standard
- Also available in PU and PUA
- Inflatable buoyancy chamber
- Supplied with ASTM or Emcon connectors and monsun valves
- Inflation equipment also available
- Deployment reels also available



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

### 30 DAY MONEY BACK GUARANTEE

If you are not 100% satisfied with your products just let us know within 30 days. That's our promise guaranteed. Terms and conditions apply.

Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

### 24/7 EMERGENCY SPILL RESPONSE

Nationwide rapid response to spills. For emergency product supply, advice and spill clean up. Call 24/7 on 01732 441019 (UK only)



## TRIDENT DEBRIS BOOMS

Suitable for marine environments including rivers, harbours and estuaries we provide an extensive range of debris booms to contain floating debris. As well as debris, these booms can be used to contain oil and also be used as a safety barrier system.

Debris booms provided by us are designed for permanent deployment in areas of high and ongoing spill risk. They are also suitable for deployment during emergency spill situations to contain oil and floating debris. The contained debris can then be collected and disposed of in accordance with regulations.

### Benefits

- Durable • Visible • Easily deployed

### Selecting the right debris boom

The most suitable debris boom to meet your requirements is dependent on a number of factors including:

- The type of project - Dredging, construction or runoff/debris control
- The duration of the project
- The body of water - Calm lake/pond, moving river/stream, near-shore or sea
- The water conditions - Wave height, current/flow rate, wind velocity in the area and water depth.
- The length and depth of curtain you need


To ensure we provide the optimum debris boom to meet your requirements we would always recommend an inspection by one of our trained boom installation team. To discuss your requirements and arrange a visit please contact us.

The Trident debris boom is designed for long term deployment in demanding conditions. The specially moulded floats are highly resistant to impact and provide high buoyancy. The floats require minimal maintenance and can be easily removed for cleaning or replacement.

#### Fabric details

PVC - Manufactured from PVC coated onto woven nylon scrim with good water and oil resistance. 5 ply construction (2 x nylon scrim, 3 x PVC), 3mm thickness, brown colour (can be varied), breaking strength = 98kN/m (10 tonnes/m)

PVG - Manufactured from PVC/PU blend coated onto woven polyester scrim with good water and oil resistance, 4mm thickness, black colour, breaking strength = 300kN/m (30.6 tonnes/m), flame retardant and static dissipative.



## TRIDENT INFLATABLE ROLLOVER TANK

Manufactured from tear resistant Polyurethane or PVC. Inflatable sides with carry handles. Fitted with large Monsun valves for deflation and small Monsun valves for inflation. High visibility orange or yellow.

### Benefits

- Use under overturned trucks as safety reservoir or containment bath
- Smaller tanks inflate with foot pump • Larger tanks inflate with foot pump or separate air supply
- Can be placed in position prior to inflation

| CODE           | VOLUME (L) | SIZE (CM)       | WEIGHT (KG) |
|----------------|------------|-----------------|-------------|
| 0451/01200/PVC | 1200       | 200 x 200 x 37  | 15.2        |
| 0451/02400/PVC | 2400       | 400 x 200 x 37  | 24.7        |
| 0451/03600/PVC | 3600       | 600 x 200 x 37  | 34.3        |
| 0451/04800/PVC | 4800       | 800 x 200 x 37  | 43.8        |
| 0451/06000/PVC | 6000       | 1000 x 200 x 37 | 53.3        |
| 0451/07500/PVC | 7500       | 1200 x 200 x 37 | 62.8        |



## TRIDENT POP UP TANK

Compact and fully collapsible self-erecting tank made from PVC fabric. Foam collar causes tank to “pop up”.

### Uses

- Decontamination at oil spills or bath of detergent
- To stop spread of contamination and clean work boots
- Under small drips or leaks on vehicles or machinery
- Ideal for small spill response kit

| CODE     | CAPACITY (L) | SIZE (CM)      | WEIGHT (KG) |
|----------|--------------|----------------|-------------|
| 0412/080 | 80           | 85 x 100 x 30  | 2.2         |
| 0412/250 | 250          | 120 x 140 x 25 | 3.7         |



## TRIDENT EXPANDER TANK

Our range of Trident Expander tanks are constructed from heavy duty PVC using radio frequency welding. PU and PUA tanks are also available on request. The tanks are designed so that they self-erect on filling with liquid, stability is maintained via a stiffened top collar with a foam insert.

### Use

- Decontamination at oil spills and as detergent baths
- Stop spread of contamination and clean work boots
- Place under machinery to collect drips or leaks
- Emergency storage for recovered product in spill situations
- Temporary storage whilst other tanks are being repaired or maintained
- Use as part of an emergency response kit

| CODE           | CAPACITY (L) | SIZE (FULL CM)  | WEIGHT (KG) |
|----------------|--------------|-----------------|-------------|
| 0415/01000/PVC | 1000         | 71 x 114 x 165  | 9.5         |
| 0415/02000/PVC | 2000         | 88 x 131 x 226  | 13.4        |
| 0415/03000/PVC | 3000         | 90 x 160 x 255  | 14.8        |
| 0415/05000/PVC | 5000         | 140 x 160 x 264 | 17.1        |
| 0415/06000/PVC | 6000         | 130 x 180 x 300 | 22.3        |
| 0415/07000/PVC | 7000         | 100 x 200 x 350 | 27.0        |
| 0415/12000/PVC | 12000        | 180 x 200 x 380 | 33.4        |



## TRIDENT NEOPRENE TANK

A self-supporting open top storage tank, manufactured from reinforced neoprene-coated fabric, with an air filled collar for extra stability. It is easy to use as no framework is required - the tank takes shape as it is filled.

| CODE         | CAPACITY (L) | SIZE (CM) |
|--------------|--------------|-----------|
| 0415/BP/5068 | 6000         | 282 x 155 |
| 0415/BP/5069 | 15000        | 431 x 155 |
| 0415/BP/5070 | 10000        | 155 x 287 |



## TRIDENT FRAME TANK

Manufactured in PVC or PU with a powder coated mild steel frame. Use for emergency storage or decontamination bath. Available in a variety of sizes.

| CODE          | CAPACITY (L) | SIZE (CM)       |
|---------------|--------------|-----------------|
| 0414/0400/PVC | 400          | 100 x 100 x 40  |
| 0414/0800/PVC | 800          | 200 x 100 x 40  |
| 0414/2000/PVC | 2000         | 100 x 200 x 100 |
| 0414/4000/PVC | 4000         | 200 x 200 x 100 |



The above tables list the standard sizes available; other, non-standard sizes are available on request. Dimensions quoted are for PVC tanks; PU tanks may vary.



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

#### 30 DAY MONEY BACK GUARANTEE

If you are not 100% satisfied with your products just let us know within 30 days. That's our promise guaranteed. Terms and conditions apply.



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

#### 24/7 EMERGENCY SPILL RESPONSE

Nationwide rapid response to spills. For emergency product supply, advice and spill clean up. Call 24/7 on 01732 441019 (UK only)



## ROPE MOP SKIMMERS

Rope Mop skimmers are used in a variety of configurations for vertical or horizontal deployment to recover surface oil contaminants from industrial waste water in a range of applications including:

- Separators / Interceptors
- Drains
- Retention sumps
- Settlement ponds
- Balancing tanks
- Bore holes
- Fat traps
- Oil recovery across lakes and rivers
- Water treatment facilities.



When incorporated with an oil/water separator, allows free water pick up to be returned to the effluent water. Oil can be gravity drained or pumped to the waste oil storage tanks nearby allowing 24/7 operation.

### TRIDENT INDUSTRIAL ROPE MOP SKIMMER

- Recovers up to 12m<sup>3</sup>/hr of floating oil or chemicals
- Uses 10cm, 15cm or 22cm mop
- Can be mounted as single or double unit or trailer mounted onto an Oil Water Separator

### TRIDENT LOW CAPACITY ROPE MOP SKIMMER

- Recovers oil at a rate of up to 600 litres an hour
- Uses 10cm mop
- Available with own frame, can be easily carried in a car

These skimmers use mops made from specially polypropylene fabric which is stitched to form a continuous loop.



## WEIR SKIMMERS

Trident weir skimmers operate on a weir principle making them an efficient, easy to use lightweight skimmer. Simple operation and deployment this maintenance and obstruction free product is suitable for use in:

- Rivers
- Lakes
- Industrial lagoons
- Interceptors
- Harbours
- Sheltered estuarial situations

The oil that is removed from the surface of the water is discharged through the rear camlock connection to a pump. The weir can be easily adjusted should the conditions, such as oil viscosity or layer thickness change, by ballasting the floats with water.

### TRIDENT WEIR SKIMMER

- Shallow draft - Can operate in 100mm(4") water
- Versatile - Will fit through 50cm manhole cover
- Output - adjustable 0.5 to 12m<sup>3</sup>/hour
- In line throughput - Obstruction free operation
- "T" skeleton design - Very stable in all conditions
- Weir easily adjustable to control depth of skim

### TRIDENT SILVERWEIR SKIMMER

- The depth of skim is automatically adjusted by the discharge rate
- Discharge can be by gravity, vacuum tanker or any compatible pumping unit
- Output up to 15m<sup>3</sup>/hr
- Weir circumference 1400mm
- Water drought 370mm



## LIQUID TRANSFER PUMPS

The Trident range of liquid transfer pumps can be used for the transferring of a variety of liquids including oils and water across a range of applications including:

- Building and construction industry • Water treatment • Food and drink manufacturing • Paper and Textile industry
- Shipbuilding industry • Mechanical industry • Chemical industry • Agriculture / livestock / farming • Power stations
- Environmental spill response • Marine industry • Waste and disposal industry

Our most popular pumps are featured below but please do not hesitate to contact us to discuss your individual requirements and request information on our full pump range.

### TRIDENT DIAPHRAGM PUMP

Our diaphragm positive displacement pump with a coupling rod driven by a gear box speed reducer uses a reciprocating action and a non-return check valve to pump the liquid.

#### Benefits

- Good suction lift characteristics
- Can cope with sludges and slurries and liquids containing grit, fibres or rags
- Quick, dry self priming up to 6m in a few seconds
- Excellent dry running capability
- No rotating part in contact with the liquid
- High abrasion resistance
- Capacity is proportional to speed



### TRIDENT PERISTALTIC PUMP

Idea for dealing with any pollution incident. A highly reliable and efficient method of transferring liquids, even under the most demanding operational conditions. The pump is also available in a reversible design for pumping in the opposite direction with the same performance features – essential when pumping out liquids which are harmful to the environment. Pumps are designed to allow quick change of hose and components without any special tools.

#### Benefits

- Ideal for abrasive, viscose and shear sensitive media
- Dry running resistant
- Integrated early warning system
- Ability to handle difficult media such as liquid/gas mixtures, abrasives, fibrous material and other solids.
- Lightweight, portable units
- High pumping pressures of max. 13 bar / 188 psi
- Dry self-priming
- Up to max. 9.5 m / 31 feet lift
- Easy operation and servicing, only one wear item
- Versions for explosive environments also available
- Choice of power drives – electric, water, diesel or petrol
- Flow rates up to 20m<sup>3</sup>/h.



### TRIDENT SUBMERSIBLE PUMP

The sealed motor allows the whole assembly to be submerged into the liquid that is to be pumped. The pump can either be connected to a pipe, flexible hose or lowered down guide rails or wires so that the pump sits on a "ducks foot" coupling or permanently fixed within a bunded area and locations with a high water table.

#### Their size makes them portable for use in:

- Bunds • Lift shafts • Wells • Cellars • Basements
- Other areas where unwanted water collects for a short period



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

#### 30 DAY MONEY BACK GUARANTEE

If you are not 100% satisfied with your products just let us know within 30 days. That's our promise guaranteed. Terms and conditions apply.



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

#### 24/7 EMERGENCY SPILL RESPONSE

Nationwide rapid response to spills. For emergency product supply, advice and spill clean up. Call 24/7 on 01732 441019 (UK only)



## FILTRATION SYSTEMS

A simple and economical way to remove sediment and oil from contained water. Utilising multi-stage filtration to remove hydrocarbons to almost non-detectable levels, they can be used in a wide range of dewatering applications without slowing down the pumping process. A versatile solution for dewatering holding systems including: manholes and vaults, sumps and bunds, ponds and ditches and separators (interceptors).

### Benefits

- No need to tanker water away • Less risk of pollution • Cleans contaminated water as it's being pumped away
- No need to remove water by tanker • Portable, reusable and recyclable

## SEDIMENT FILTER

This is a highly reusable filtration system for the removal of sediment from pumped water. Designed to prevent the pollution caused when pumping water from excavations.

### Features

- Removes sediment from contaminated water down to 100micron
- Hydrocarbon detection strip to identify oil pollution
- Retains approximately 15-20 kg of Sediment

| CODE      | SEDIMENT RETAINED (KG) | SIZE (CM) |
|-----------|------------------------|-----------|
| 0119/BSFS | Up to 15               | 135 x 33  |
| 0119/SFS  | Up to 20               | 123 x 34  |



## OIL & SEDIMENT FILTER

This is a highly reusable filtration system for the removal of sediment and oil from pumped water. Designed to prevent the pollution caused when pumping water from excavations, trenches, lift shafts, bunds, and more.

### Features

- Removes sediment from contaminated water down to 100micron
- Retains up to 2.5 litres of hydrocarbon sheen and 20kg of sediment
- Hydrocarbon detection strip to identify oil pollution

| CODE      | SEDIMENT RETAINED (KG) | OIL RETAINED (L) | SIZE(CM) |
|-----------|------------------------|------------------|----------|
| 0119/OSFS | Up to 20               | Up to 2.5        | 139 x 33 |



## SOCKIT

Sockit is an innovative oil and sediment filtration system with significant economic and environmental advantages. From dirty to clean in one easy process. The Sockit filtration system is one of the most simple and economical ways of dealing with contaminated water.

### Features

- Multi-layered filtration system
- Optimise filtration without reducing flow rates.
- Holds 10-15 litres of heavy oil

| CODE         | OIL RETAINED (L) | SIZE(CM) |
|--------------|------------------|----------|
| 0119/P16XYAC | Up to 15         | 50 x 250 |



# ENVIRONMENTAL SERVICES darcy



The Environmental Projects and Services Division was formed to formally expand and complement our established product and service offering to deliver compliance and environmental management contracts.

From audit inspections in line with current legislation to the installation of full environmental upgrade contracts, our service offering provides the customer with the confidence that they have achieved the appropriate level of environmental compliance for their specific requirements.

### Our services

- Environmental audits including PPG2, PPG3 and OFTEC
- Incident Response Planning
- Structural Integrity Testing – Bunds, tanks
- Spill Impact Assessment
- Improvement Plan Formulation
- Bund Refurbishment and Construction
- Tank Supply, Installation and Refurbishment
- Drainage Plans and Repairs
- Separator Supply, Installation and Servicing
- 24/7 Spill Response

In addition to all matters environmental, we are committed to quality, health and safety and as such hold Safe Contractor and Achilles Verify certification.

We have completed services and major environmental management contracts for key clients in the Energy and Utilities, Government Contracts, Chemical, Aviation, Education and Food Industry Sectors. Case studies on request.

With our extensive experience over 75 years and on-going commitment to continual advancement in health, safety and the environment, we are ideally placed to provide our client base with a full range of environmental consultancy and contract services to ensure that their projects are managed from concept to delivery.



### ENVIRONMENTAL SERVICES 63 - 67

TRAINING 64 - 65

SERVICES 66

HIRE 67

EMERGENCY RESPONSE 67



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

### 30 DAY MONEY BACK GUARANTEE

If you are not 100% satisfied with your products just let us know within 30 days. That's our promise guaranteed. Terms and conditions apply.



## SPILL RESPONSE TRAINING

**“Major pollution incidents can in many cases be prevented if appropriate pollution prevention measures are taken at an early stage. Planning is the key to success, and both preventative measures and incident response strategies need to be carefully addressed”. Environment Agency (EA)**

Your spill responders are your most valuable asset in ensuring protection of your site and the environment from pollution incidents. It is vital that spill responders understand their responsibilities for site safety, spill control and environmental protection. The effectiveness of your site spill prevention strategy and response plan is greatly influenced by training.

Spill response training is essential for any organisation developing a Pollution Incident Response Plan or when seeking and maintaining ISO 14001 accreditation. Investment in spill training assists towards adherence to regulations including Pollution Prevention Guidelines (PPG21) and Control of Major Accident Hazards Regulations (COMAH).

Drawing on our vast experience in the spill control industry; from manufacturing of spill response products to the provision of 24 hour emergency spill response and site environmental risk assessments, we have developed a range of spill response training courses; delivered by our NEBOSH qualified instructors in line with our accreditation to BSIF Quality Mark for Organisations Providing Training Category: First Responder - Liquid Spill.

We offer both private and public courses to meet your budgetary requirements taking into account the number of spill responders that require training.

### Private courses

- for up to 12 persons
- held onsite or at our training centre
- charged at a flat rate for the session

### Public courses

- for 1-12 persons
- held at our training centre
- charged at a rate per person

## OUR COURSES

### Tool Box Tools

The Tool Box Talk is recommended for companies whose spill responders need a general overview of spill response products and their use.

- Duration 30 minutes
- 1 - 5 per course
- Overview of absorbents and spill kits
- Overview of spill containment and liquid storage
- Overview of drain closure devices
- Overview of what to do in the event of a spill

### Refresher Spill Training

The refresher spill course is recommended to be undertaken after a spill response training course so responders remain up to date with legislation, spill control products and methodology and relevance to individual site risk or when fundamental changes are made to site procedures and processes.

- Duration 3 hours
- 5 - 12 per course
- Changes to legislation
- Changes to spill control, containment and cleanup
- Changes to spill response products
- Theory and practical test



## SPILL RESPONSE TRAINING

### Spill Response Training (oil, chemical, or combined)

For staff at all levels who have to deal with a spill. Ensure key staff understand their responsibility for safety, spill control and environmental protection. This course provides a good understanding of legislative requirements, accreditations, spill control procedures and best practice. The added practical demonstration and hands-on session ensures that spill responders have the correct level of training and understanding on using products effectively. Certificates and handout notes for all attendees are issued on completion of the course

- Duration 4.5 hours
- 5 - 12 per course
- Introduction to legislation
- Consequences of pollution
- Contingency planning 10 point checklist
- Spill response and planning
- Risk Assessment
- Spill response equipment
- Controlled hands-on demonstration
- Spill exercises
- Questions and answers

### Train The Trainer

To provide the skills and knowledge required to enable spill responders to run their own Spill Response Training courses. Training handouts and computer presentation are issued on completion of the course.

- Duration 2 x 3.5 hours
- 1 - 4 per course
- (in addition to Spill Response Training course)
- Identification of and establishing training requirements
- Design and delivery of a spill response course
- Evaluation techniques

### DVDS

#### Spill Guide to Spill Response

Knowing how to use a spill kit effectively in an emergency is vital for preventing pollution. Spill! demonstrates the essential steps to rapid response.

#### Storing of Liquids

Reducing the risk of pollution from the storage and handling of materials that could cause contamination of land or watercourses.



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

#### 30 DAY MONEY BACK GUARANTEE

If you are not 100% satisfied with your products just let us know within 30 days. That's our promise guaranteed. Terms and conditions apply.



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

#### 24/7 EMERGENCY SPILL RESPONSE

Nationwide rapid response to spills. For emergency product supply, advice and spill clean up. Call 24/7 on 01732 441019 (UK only)



## SERVICES

### BUND SERVICES

Bunds are designed to hold at least 110% of the contents of the tank it surrounds and are usually made of concrete, masonry or metal and are impermeable to the liquid being stored.

#### Bund inspection

- Visual inspection to identify presence of faults or non-compliance to the bund or tank

#### Bund maintenance/relining

- Installation of protective linings to new or refurbished bunds

#### Bund integrity testing

- Structural test
- Full written report on results
- Recommendations on remedial measures

#### Bund servicing

- Dewatering of bund
- Full clean down using degreasing agents
- Removal of waste



### SEPARATOR SERVICES

Separators are an essential protection system for avoiding pollution. Our range of services will ensure that your separators meet with the requirements of your site and legislation.

#### Separator audits

- Establish type
- Presence and operation of alarm system
- Coalescing filter condition
- Measure and record levels in service log

#### Separator installation and commissioning

- Select the correct type for your requirements
- Install separator and all additional components
- Issue commissioning certificate

#### Separator servicing

- Measure and record liquid and solids levels
- Service coalescing filter or replace if required
- Clean and empty tank (if required)
- Inspect automatic closure device

#### Alarm installation and commissioning

- Install control panel and calibrate sensors
- Issue commissioning certificate



### DRAIN SERVICES

All drainage systems should be maintained in working order. A frequent cause of pollution incidents on site is as a loss of drain integrity.

#### CCTV Drain Inspection surveys

- Detailed DVD records and associated reports
- Identify existing or potential problems

#### Drain Jetting

- High performance jetting and suction units
- Remove pollutants and compacted waste

#### Drainage repairs

- Relining and patch repairs of damaged areas

#### Drain closure systems

- Installation and commissioning
- Servicing and repairs



## HIRE

### OIL WATER SEPARATORS

The Trident Oil Water Separator efficiently meets the needs for separating oil, petrol and diesel from water on construction sites.

Using a four stage filtration process the static or trailer mounted unit can be operational within fifteen minutes of deployment and is capable of handling 15m<sup>3</sup>/hr throughput. The oil and water mix is filtered down to less than 5 parts per million meeting discharge requirements (subject to consent)

#### Key features:

- Available for temporary or semi permanent hire
- Cut oily water disposal costs by 75%
- Simple operation
- Low maintenance
- 15m<sup>3</sup>/hr throughput
- Filters oil to less than 5 ppm
- Meets discharge requirements



#### Use

- In ground remediation
- To separate the oil from water contained within pits or ditches
- To remove oil from bunds and interceptors
- To clean up oil spills

The cleaned water may be recirculated back to source (pending discharge consent) whilst the recovered oil can be sold, reused or disposed of via a waste management contractor at a significantly reduced cost.

#### Operation

The oily water mix is pumped via a peristaltic pump into the main inlet and gravity fed through the following four separation chambers:

- Chamber 1 - Sludge settling and debris screening
- Chamber 2 - Coalescing filter with adjustable weir and oil outlet
- Chamber 3 - Polypropylene filter
- Chamber 4 - Final carbon polishing filter

Each chamber has its own independent discharge ball valve with camlock connector for ease of use, cleaning and maintenance.

#### Hire Service Includes:

- Delivery to and from site
- Onsite training and commissioning
- 24 hour phone support

Separators delivered fully charged with new filter pack and 3 metres of 3 inch discharge hose and connector.

Peristaltic pumps and strainers also available.



## 24 HOUR EMERGENCY SPILL AND FLOOD RESPONSE

With all the best planning accidents can still happen. To give you total peace of mind we operate a 24 hour spill response service.

In an emergency situation we provide you with:

- Products to continue your own clean up operation
- Specialist clean up contractors
- Helpful advice

Simply call and tell us:

- Type and quantity of product spilt or level of flooding
- Situation
- Location

From initial telephone call the approved UK Spill Accredited contractor aims to be on site within two hours.



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

#### 30 DAY MONEY BACK GUARANTEE

If you are not 100% satisfied with your products just let us know within 30 days. That's our promise guaranteed. Terms and conditions apply.



Order online at [www.darcy.co.uk](http://www.darcy.co.uk)

#### 24/7 EMERGENCY SPILL RESPONSE

Nationwide rapid response to spills. For emergency product supply, advice and spill clean up. Call 24/7 on 01732 441019 (UK only)



# CONTACT

## Head Office:

Darcy Spillcare  
Unit B7 Chaucer Business Park  
Watery Lane  
Kemsing  
Sevenoaks  
Kent  
TN15 6QY

**01732 441015**

**0800 0370 899**

**[www.darcy.co.uk](http://www.darcy.co.uk)**

## Manufacturing & Servicing:

Darcy Spillcare  
1 Hickmans Road  
West Float  
Wallasey  
CH41 1JH



Spillcare Manufacture



Liquid Monitoring & Control



Industrial Marine



Environmental Services

Established in 1935, The Darcy Group is at the forefront of Environmental Protection and specialises in the manufacture and provision of solutions helping sites to achieve environmental and ISO compliance and care for the environment in increasingly demanding circumstances.