

# powerlite®

lighting solutions



Made in  
**Britain**

**TRADE PRICE LIST 2016**



<b>CoronaLED2</b>		
C2LW48705K	White trim with LED - 5000K Ra80	152.33
C2LC48705K	Chrome trim with LED - 5000K Ra80	191.07
C2LB48705K	Brass trim with LED - 5000K Ra80	191.07
C2LS4870	Brushed steel trim with LED - 5000K Ra80	163.44
<b>Options and Accessories</b>		
SC3	Integral 3 hour emergency	43.89
B	Blue halo filter	11.50
G	Green halo filter	
R	Red halo filter	
C	Clear halo filter	
VH	Lumisaver Master	37.71
VR	Lumisaver Slave	11.91
EH	Energysaver	27.79
HFD	Switch Dim version	41.68
HFD-D	DALI dimmable control gear	41.68
<b>CoronaLED3</b>		
C3LW48705K	White trim with LED - 5000K Ra80	108.74
C3LC48705K	Chrome trim with LED - 5000K Ra80	162.71
C3LB48705K	Brass trim with LED - 5000K Ra80	162.71
C3LW48105K	White trim with LED- 5000k 21 watt	120.23
C3LC48105K	Chrome trim with LED- 5000k 21 watt	171.37
C3LB48105K	Brass trim with LED- 5000k 21 watt	171.37
<b>Options and Accessories</b>		
SC3	Integral 3 hour emergency	43.89
B	Blue halo filter	11.50
G	Green halo filter	
R	Red halo filter	
C	Clear halo filter	
VH	Lumisaver Master	37.71
VR	Lumisaver Slave	11.91
EH	Energysaver	27.79
HFD	Switch Dim version	41.68
HFD-D	DALI dimmable control gear	41.68
<b>CoronaLED4</b>		
C4LW48705K	White body with LED - 5000K Ra80	102.06
C4LC48705K	Chrome body with LED - 5000K Ra80	156.03
C4LB48705K	Brass body with LED - 5000K Ra80	156.03
C4LW48105K	White trim with LED- 5000k 21 watt	113.55
C4LC48105K	Chrome trim with LED- 5000k 21 watt	164.81
C4LB48105K	Brass trim with LED- 5000k 21 watt	164.81
<b>Options and Accessories</b>		
SC3	Integral 3 hour emergency	43.89
VH	Lumisaver Master	37.71
VR	Lumisaver Slave	11.91
EH	Energysaver	27.79
HFD	Switch Dim version	41.68
HFD-D	DALI dimmable control gear	41.68





<b>CoronaLED5</b>		
C5LW48705K	White trim with LED - 5000K Ra80	59.31
C5LC48705K	Chrome trim with LED - 5000K Ra80	72.75
C5LB48705K	Brass trim with LED - 5000K Ra80	72.75
C5LW48105K	White trim with LED - 5000K Ra80 21 watt	77.29
C5LC48105K	Chrome trim with LED - 5000K Ra80 21 watt	91.07
C5LB48105K	Brass trim with LED - 5000K Ra80 21 watt	91.07
<b>Options and Accessories</b>		
SC3	Integral 3 hour emergency	43.89
VH	Lumisaver Master	37.71
VR	Lumisaver Slave	11.91
EH	Energysaver	27.79
HFD	Switch Dim version	41.68
HFD-D	DALI dimmable control gear	41.68
<b>CoronaLED6</b>		
C6LW32705K	White trim with LED - 5000K Ra80	45.80
C6LC32705K	Chrome trim with LED - 5000K Ra80	57.60
C6LB32705K	Brass trim with LED - 5000K Ra80	57.60
C6LW32105K	White trim with LED - 5000K Ra80 14 watt	
C6LC32105K	Chrome trim with LED - 5000K Ra80 14 watt	
C6LB32105K	Brass trim with LED - 5000K Ra80 14 watt	
<b>Options and Accessories</b>		
SC3	Integral 3 hour emergency	43.89
VH	Lumisaver Master	37.71
VLR	Lumisaver Slave	11.91
EH	Energysaver	27.79
HFD	Switch Dim version	41.68
HFD-D	DALI dimmable control gear	41.68
<b>CoronaLED7</b>		
C7LW48705K	White body with LED - 5000K Ra80	54.08
C7LW48105K	White body with LED - 5000K Ra80 21 watt	67.90
<b>Options and Accessories</b>		
SC3	Integral 3 hour emergency	43.89
VH	Lumisaver Master	37.71
VR	Lumisaver Slave	11.91
EH	Energysaver	27.79
HFD	Switch Dim version	41.68
HFD-D	DALI dimmable control gear	41.68
<b>CoronaLED8</b>		
C8LW32705K	White body with LED - 5000K Ra80	41.98
C8LW32105K	White body with LED - 5000K Ra80	54.39
<b>Options and Accessories</b>		
SC3	Integral 3 hour emergency	43.89
VH	Lumisaver Master	37.71
VR	Lumisaver Slave	11.91
EH	Energysaver	27.79
HFD	Switch Dim version	41.68
HFD-D	DALI dimmable control gear	41.68





<b>LuxMax</b>		
Luxmax-7-LED5K	White body with LED - 5000K Ra80	45.19
Luxmax-11-LED5K	White body with LED - 5000K Ra80	52.48
<b>Options and Accessories</b>		
SC3	Integral 3 hour emergency	43.89
VH	Lumisaver Master	37.71
VR	Lumisaver Slave	11.91
EH	Energysaver	27.79
HFD	Switch Dim version	41.68
HFD-D	DALI dimmable control gear	41.68
<b>UltimaLED</b>		
UL1-W35705K	White body with LED - 5000K Ra80	36.26
UL1-s35705K	Silver body with LED - 5000K Ra80	40.08
<b>Options and Accessories</b>		
SC3	Integral 3 hour emergency	43.89
VH	Lumisaver Master	37.71
VR	Lumisaver Slave	11.91
EH	Energysaver	27.79
HFD	Switch Dim version	41.68
HFD-D	DALI dimmable control gear	41.68
<b>LED4</b>		
L4L32705K	White body with LED - 5000K Ra80 9 watt	79.39
L4L32105K	White body with LED - 5000K Ra80 14 watt	88.17
L4+L32705K	White body with LED - 5000K Ra80 19 watt	97.56
<b>Options and Accessories</b>		
SC3	Integral 3 hour emergency	43.89
VH	Lumisaver Master	37.71
VR	Lumisaver Slave	11.91
EH	Energysaver	27.79
HFD	Switch Dim version	41.68
HFD-D	DALI dimmable control gear	41.68
<b>LED5</b>		
L5L32705K	White body with LED - 5000K Ra80 9 watt	117.63
L5L32105K	White body with LED - 5000K Ra80 14watt	126.41
L5+L32705K	White body with LED - 5000K Ra80 19 watt	133.66
<b>Options and Accessories</b>		
SC3	Integral 3 hour emergency	43.89
VH	Lumisaver Master	37.71
VR	Lumisaver Slave	11.91
EH	Energysaver	27.79
HFD	Switch Dim version	41.68
HFD-D	DALI dimmable control gear	41.68





<b>MiniLED5</b>		
L5ML32705K	White body with LED - 5000K Ra80	100.76
L5ML32705K+	White body with LED - 5000K Ra80	108.40
<b>Options and Accessories</b>		
SC3	Integral 3 hour emergency	43.89
VH	Lumisaver Master	37.71
VR	Lumisaver Slave	11.91
EH	Energysaver	27.79
HFD	Switch Dim version	41.68
HFD-D	DALI dimmable control gear	41.68
<b>LED8</b>		
L8L48705K	White body with LED - 5000K Ra80 14 watt	151.15
L8L48105K	White body with LED - 5000K Ra80 19 watt	158.74
L8+L48705K	White body with LED - 5000K Ra80 29 watt	169.05
<b>Options and Accessories</b>		
SC3	Integral 3 hour emergency	46.64
VH	Lumisaver Master	37.71
VR	Lumisaver Slave	11.91
EH	Energysaver	27.79
HFD	Switch Dim version	41.68
HFD-D	DALI dimmable control gear	41.68





<b>CygnusLED2</b>		
CYGNUSLED2-5K	1000 lumen 5000K Ra80	51.91
<b>Options and Accessories</b>		
B	Black finish	50.38
AL	Aluminium finish	54.20
CH	Chrome finish	54.20
BS	Brass finish	54.20
WH	White finish	50.38
MHR70	Blue halo ring	1.15
MHR71	Red halo ring	1.15
MHR73	Green halo ring	1.15
MOC70	IP44 opal cover	1.72
MOC71	IP44 clear cover	1.72
<b>MiraLED9</b>		
MLD160/LED5K	White fitting	48.85
MLD161/LED5K	Black fitting	48.85
MLD162/LED5K	Chrome fitting	52.67
MLD163/LED5K	Polished brass fitting	52.67
<b>Options and Accessories</b>		
MLD70	Blue halo ring	6.87
MLD71	Red halo ring	6.87
MLD73	Green halo ring	6.87
<b>MiraLED5</b>		
MLED5-DL	Fixed fire rated	55.23
MLED5-A	Adjustable fire rated	57.63
MLED5-IP65	LED downlight	59.16
<b>Options and Accessories</b>		
B	Brass	1.91
C	Chrome	1.91
SC	Satin Chrome	1.91
<b>MondoLED1 &amp; 2</b>		
MOL1-4K	1000 lumen 11W 4000K Ra80	38.17
MOL1-3K	1000 lumen 11W 3000K Ra80	38.17
MOL2-4K	2000 lumen 22W 4000K Ra80	49.62
MOL2-3K	2000 lumen 22W 3000K Ra80	49.62
<b>MondoLED3 &amp; 4</b>		
MOL3-5K	3000 lumen 11W 5000K Ra80	80.15
MOL3-4K	3000 lumen 11W 4000K Ra80	80.15
MOL4-5K	4000 lumen 22W 5000K Ra80	93.51
MOL4-4K	4000 lumen 22W 4000K Ra80	93.51
<b>Argon</b>		
ARGON-24-LED	24 W LED - 5000K Ra80	150.76
ARGON-30-LED	30 W LED - 5000K Ra80	229.77
ARGON-50-LED	50 W LED - 5000K Ra80	248.09





<b>CorvusLED1 &amp; 2</b>		
CORVUSLED1-S-W-5K	White 1000 lumen surface mount - 5000K Ra80	68.70
CORVUSLED2-S-W-5K	White 2200 lumen surface mount - 5000K Ra80	87.79
CORVUSLED1-T-W-5K	White 1000 lumen track mount - 5000K Ra80	68.70
CORVUSLED2-T-W-5K	White 2200 lumen track mount - 5000K Ra80	87.79
<b>Options and Accessories</b>		
B	Black finish	FOC Option
AL	Aluminium Finish	
<b>LaserLED</b>		
LASERLED-S5K	1000 lumen surface 5000K Ra80	32.98
LASERLED-T5K	1000 lumen track 5000K Ra80	32.98
<b>Options and Accessories</b>		
AL	Aluminium finish	3.82
B	Black finish	FOC Option
W	White finish	
S	Spot reflector	
M	Medium reflector	
F	Flood reflector	
<b>Pendant</b>		
PENDANT-440-40-LED	40 W - 400mm ø globe - 5000K Ra80	216.03
PENDANT-445-70-LED	70 W - 450mm ø globe - 5000K Ra80	283.70
<b>Sirius1 Track</b>		
DET200	Det200 electronic transformer (white)	52.18
DET200/EF	Det200 electronic transformer (white) with end feed	59.89
DET201	Det200 electronic transformer (black)	50.76
DET201/EF	Det200 electronic transformer (black) with end feed	58.32
GB11-2	End feed left hand (black)	6.15
GB11-3	End feed left hand (white)	6.15
GB12-2	End feed right hand (black)	6.15
GB12-3	End feed right hand (white)	6.15
GB14-2	Middle feed (black)	16.53
GB14-3	Middle feed (white)	16.53
GB2100-1	Sirius 2 240v single circuit surface track 1m (aluminium)	20.88
GB2100-2	Sirius 2 240v single circuit surface track 1m (black)	20.88
GB2100-3	Sirius 2 240v single circuit surface track 1m (white)	20.88
GB21-2	Straight connector (black) (cannot be used as feed)	5.57
GB21-3	Straight connector (white) (cannot be used as feed)	5.57
GB2200-1	Sirius 2 240v single circuit surface track 2m (aluminium)	40.42
GB2200-2	Sirius 2 240v surface single circuit surface track 2m (black)	40.42
GB2200-3	Sirius 2 240v single circuit surface track 2m (white)	40.42
GB2300-1	Sirius 2 240v single circuit surface track 3m (aluminium)	62.82
GB2300-2	Sirius 2 240v single circuit surface track 3m (black)	62.82
GB2300-3	Sirius 2 240v single circuit surface track 3m (white)	62.82
GB24-2	Adjustable corner connector 0-360 (black) (cannot be used as feed)	19.92
GB24-3	Adjustable corner connector 0-360 (white) (cannot be used as feed)	19.92
GB34-2	L connector (black)	16.64
GB34-3	L connector (white)	16.64
GB35-2	L connector (black)	16.64
GB35-3	L connector (white)	16.64
GB36-2	T connector (black)	23.17
GB36-3	T connector (white)	23.17
GB37-2	T connector (black)	23.17
GB37-3	T connector (white)	23.17
GB38-2	X connector (black)	30.00
GB38-3	X connector (white)	30.00
GB39-2	T connector (black)	23.17
GB39-3	T connector (white)	23.17
GB40-2	T connector (black)	23.17

Powerlite Price List - April 2016

GB40-3	T connector (white)	23.17
GB41-2	End cap (black)	1.34
GB41-3	End cap (white)	1.34
GBA14-2	Hook base (black)	0.42
GBA14-3	Hook base (white)	0.42
GBF10-2	Coverplate for end feed for recessed track (black)	3.47
GBF10-3	Coverplate for end feed for recessed track (white)	3.47
GBF2200-1	Sirius 2 240v single circuit recessed track 2m (aluminium)	56.26
GBF2200-2	Sirius 2 240v single circuit recessed track 2m (black)	56.26
GBF2200-3	Sirius 2 240v single circuit recessed track 2m (white)	56.26
GBF2300-1	Sirius 2 240v single circuit recessed track 3m (aluminium)	84.31
GBF2300-2	Sirius 2 240v single circuit recessed track 3m (black)	84.31
GBF2300-3	Sirius 2 240v single circuit recessed track 3m (white)	84.31
GBF30-2	Coverplate for straight,l,t & x connectors for recessed track (black)	3.78
GBF30-3	Coverplate for straight,l,t & x connectors for recessed track (white)	3.78
GBS18-9	Suspension clamp for straight connector (m6)	3.59
GBS33-9	Suspension clamp (m6)	1.49
MAJ100	Flexible connector electrical (white)	9.43
MAJ101	Flexible connector electrical (black)	9.54
MAJ200	Flexible connector mechanical (white)	4.08
MAJ201	Flexible connector mechanical (black)	4.20
MLS100	Microna 3 surface mounted spotlight (white)	9.43
MLS101	Microna 3 surface mounted spotlight (black)	9.43
MLS104	Microna 3 surface mounted spotlight (aluminium)	9.69
MLT100	Sirius 1 12v track 1000mm (white)	15.42
MLT101	Sirius 1 12v track 1000mm (black)	15.88
MLT104	Sirius 1 12v track 1000mm (aluminium)	18.40
MLT120	Sirius 1 12v track 1200mm (white)	17.48
MLT121	Sirius 1 12v track 1200mm (black)	17.60
MLT124	Sirius 1 12v track 1200mm (aluminium)	20.69
MLT150	Sirius 1 12v track 1500mm (white)	21.76
MLT151	Sirius 1 12v track 1500mm (black)	22.33
MLT154	Sirius 1 12v track 1500mm (aluminium)	23.85
MLT200	Sirius 1 12v track 2000mm (white)	26.98
MLT201	Sirius 1 12v track 2000mm (black)	27.67
MLT204	Sirius 1 12v track 2000mm (aluminium)	31.34
MLT300	Sirius 1 12v track 3000mm (white)	47.90
MLT301	Sirius 1 12v track 3000mm (black)	47.90
MLT304	Sirius 1 12v track 3000mm (aluminium)	47.63
MLT50	Microna 3 sirius 1 low voltage track mounted spotlight (white)	9.54
MLT51	Microna 3 sirius 1 1 low voltage track mounted spotlight (black)	9.54
MLT54	Microna 3 sirius 1 low voltage track mounted spotlight (aluminium)	9.92
MSK14	Bracket cowl	0.00
MSK150	Suspension kit	0.00
MTC100	Sirius 1 straight connector electrical (white)	3.05
MTC101	Sirius 1 straight connector electrical (black)	3.05
MTC200	Sirius 1 straight connector mechanical (white)	1.53
MTC201	Sirius 1 straight connector mechanical (black)	1.53
MTF100	Track fixing kit (white)	2.29
MTF101	Track fixing kit (black)	2.29
SPC16-2	Conduit suspension set (black)	65.73
SPC16-3	Conduit suspension set (white)	65.73
SPR61-2	Rod extension (black)	10.61
SPR61-3	Rod extension (white)	10.61
SPR6-2	Rod suspension set (black)	7.29
SPR6-3	Rod suspension set (white)	11.11




Powerlite Price List - April 2016

SPW1-2	Wire suspension set (black)	11.45
SPW1-3	Wire suspension set (white)	11.45
XTS11-2	End feed left hand (black)	11.55
XTS11-3	End feed left hand (white)	11.55
XTS12-2	End feed right hand (black)	11.55
XTS12-3	End feed right hand (white)	11.55
XTS14-2	Middle feed (black)	29.01
XTS14-3	Middle feed (white)	29.01
XTS21-2	Straight connector (black) (cannot be used as feed)	8.34
XTS21-3	Straight connector (white) (cannot be used as feed)	8.34
XTS23-2	Flexible corner connector (black)	62.87
XTS23-3	Flexible corner connector (white)	62.87
XTS24-2	Adjustable corner connector (black)	46.50
XTS24-3	Adjustable corner connector (white)	46.50
XTS34-2	L connector (black)	38.50
XTS34-3	L connector (white)	38.50
XTS35-2	L connector (black)	38.50
XTS35-3	L connector (white)	38.50
XTS36-2	T connector (black)	56.14
XTS36-3	T connector (white)	56.14
XTS37-2	T connector (black)	56.14
XTS37-3	T connector (white)	56.14
XTS38-2	X connector (black)	72.89
XTS38-3	X connector (white)	72.89
XTS39-2	T connector (black)	56.14
XTS39-3	T connector (white)	56.14
XTS40-2	T connector (black)	56.14
XTS40-3	T connector (white)	56.14
XTS4100-1	Sirius 3 240v three circuit track 1m (aluminium)	33.97
XTS4100-2	Sirius 3 240v three circuit track 1m (black)	33.97
XTS4100-3	Sirius 3 240v three circuit track 1m (white)	33.97
XTS41-2	End cap (black)	1.98
XTS41-3	End cap (white)	1.98
XTS4200-1	Sirius 3 240v three circuit surface track 2m (aluminium)	68.28
XTS4200-2	Sirius 3 240v three circuit surface track 2m (black)	68.28
XTS4200-3	Sirius 3 240v three circuit surface track 2m (white)	68.28
XTS4300-1	Sirius 3 240v three circuit surface track 3m (aluminium)	102.40
XTS4300-2	Sirius 3 240v three circuit surface track 3m (black)	102.40
XTS4300-3	Sirius 3 240v three circuit surface track 3m (white)	102.40
XTSA67-2	Power take off adaptor (black)	12.82
XTSA67-3	Power take off adaptor (white)	12.82
XTSF10-2	Coverplate for end feed for recessed track (black)	3.95
XTSF10-3	Coverplate for end feed for recessed track (white)	3.95
XTSF30-2	Coverplate for straight, l t and x connectors for recessed track (black)	4.36
XTSF30-3	Coverplate for straight, l t and x connectors for recessed track (white)	4.36
XTSF4100-1	Sirius 3 240v three circuit recessed track 1m (aluminium)	39.74
XTSF4100-2	Sirius 3 240v three circuit recessed track 1m (black)	39.74
XTSF4100-3	Sirius 3 240v three circuit recessed track 1m (white)	39.74
XTSF4200-1	Sirius 3 240v three circuit recessed track 2m (aluminium)	79.47
XTSF4200-2	Sirius 3 240v three circuit recessed track 2m (black)	79.47
XTSF4200-3	Sirius 3 240v three circuit recessed track 2m (white)	79.47
XTSF4300-1	Sirius 3 240v three circuit recessed track 3m (aluminium)	119.21
XTSF4300-2	Sirius 3 240v three circuit recessed track 3m (black)	119.21
XTSF4300-3	Sirius 3 240v three circuit recessed track 3m (white)	119.21



<b>PanelLED</b>		
PANEL-27-LED-55-5K	27 w 500 x 500 - 5000K Ra80	113.85
PANEL-27-LED-5K	27 w 600 x 600 - 5000K Ra80	106.76
PANEL-40-LED-5K	40 w 600 x 600 - 5000K Ra80	123.55
PANEL-27-LED-123-5K	27 w 1200 x 300 - 5000K Ra80	149.89
PANEL-54-LED-5K	54 w 1200 x 600 - 5000K Ra80	242.82
PANEL-80-LED-5K	80 w 1200 x 600 - 5000K Ra80	274.01
PANEL-108-LED-5K	108 w 1200 x 600 - 5000K Ra80	306.76

<b>Options and Accessories</b>		
SC3	Integral 3 hour emergency	47.71
SC3-ST	Integral self-test emergency	100.76
VH	Lumisaver Master	59.16
VR	Lumisaver Slave	13.36
EH	Energysaver	29.77
HFD	Switch Dim version	36.64
HFD-D	DALI dimmable control gear	40.46



<b>PanelLED Concealed Grid</b>		
PANEL-CG-27-LED-5K	27 w 600 x 600 - 5000K Ra80	139.43
PANEL-CG-40-LED-5K	40 w 600 x 600 - 5000K Ra80	146.26

<b>Options and Accessories</b>		
SC3	Integral 3 hour emergency	47.71
SC3-ST	Integral self-test emergency	100.76
VH	Lumisaver Master	59.16
VR	Lumisaver Slave	13.36
EH	Energysaver	29.77
HFD	Switch Dim version	36.64
HFD-D	DALI dimmable control gear	40.46



<b>PanelLED Plasterboard</b>		
PANEL-PB-27-LED-5K	27 w 600 x 600 - 5000K Ra80	151.87
PANEL-PB-40-LED-5K	40 w 600 x 600 - 5000K Ra80	158.02
PANEL-PB-54-LED-5K	54 w 1200 x 600 - 5000K Ra80	261.87

<b>Options and Accessories</b>		
SC3	Integral 3 hour emergency	47.71
SC3-ST	Integral self-test emergency	100.76
VH	Lumisaver Master	59.16
VR	Lumisaver Slave	13.36
EH	Energysaver	29.77
HFD	Switch Dim version	36.64
HFD-D	DALI dimmable control gear	40.46



<b>Panel LED Plank Ceilings</b>		
PANEL-P-38-LED-5K	38 w 1400 x 250 - 5000K Ra80	155.00
PANEL-P-53-LED-5K	53w 1400 x 250- 5000K Ra80	163.97
PANEL-P-80-LED-5K	80 w 1400 x 250 - 5000K Ra80	339.69
<b>Options and Accessories</b>		
SC3	Integral 3 hour emergency	47.71
SC3-ST	Integral self-test emergency	100.76
VH	Lumisaver Master	59.16
VR	Lumisaver Slave	13.36
EH	Energysaver	29.77
HFD	Switch Dim version	36.64
HFD-D	DALI dimmable control gear	40.46
<b>MicroPrism</b>		
PRISM-27-LED-5K	27 w 600 x 600 - 5000K Ra80	131.83
PRISM-40-LED-5K	40 w 600 x 600 - 5000K Ra80	137.10
<b>Options and Accessories</b>		
SC3	Integral 3 hour emergency	47.71
SC3-ST	Integral self-test emergency	100.76
VH	Lumisaver Master	59.16
VR	Lumisaver Slave	13.36
EH	Energysaver	29.77
HFD	Switch Dim version	36.64
HFD-D	DALI dimmable control gear	40.46
<b>GulEco</b>		
GUL-ECO-27-LED-5K	27 w 600 x 600 - 5000K Ra80	143.13
GUL-ECO-40-LED-5K	40 w 600 x 600 - 5000K Ra80	148.85
<b>Options and Accessories</b>		
SC3	Integral 3 hour emergency	47.71
SC3-ST	Integral self-test emergency	100.76
VH	Lumisaver Master	59.16
VR	Lumisaver Slave	13.36
EH	Energysaver	29.77
HFD	Switch Dim version	36.64
HFD-D	DALI dimmable control gear	40.46
<b>IntegerLED</b>		
INTEGER-27-LED 5K	27 w 600 x 600 - 5000K Ra80	115.65
INTEGER-40-LED 5K	40 w 600 x 600 - 5000K Ra80	122.10
INTEGER-72-LED 5K	72 w 1200 x 600 - 5000k Ra80	226.34
INTEGER-108-LED 5K	108 w 1200 x 600 - 5000k Ra80	301.53
<b>Options and Accessories</b>		
SC3	Integral 3 hour emergency	47.71
SC3-ST	Integral self-test emergency	100.76
HFD	Switch Dim version	36.64
HFD-D	DALI dimmable control gear	40.46






<b>IntegerLED+</b>		
INTEGER+27-LED 5K	27 w 600 x 600 - 5000K Ra80	187.02
INTEGER+40-LED 5K	40 w 600 x 600 - 5000K Ra80	196.56
INTEGER+72-LED 5K	72 w 1200 x 600 - 5000k Ra80	358.78
INTEGER+108-LED 5K	108 w 1200 x 600 - 5000k Ra80	396.95

<b>Options and Accessories</b>		
SC3	Integral 3 hour emergency	47.71
SC3-ST	Integral self-test emergency	100.76
HFD	Switch Dim version	36.64
HFD-D	DALI dimmable control gear	40.46



<b>ZetaR</b>		
ZETA-R-10-LED	10 w LED - 5000K Ra80 600 mm	97.33
ZETA-R-19-LED	19 w LED - 5000K Ra80 600 mm	97.33
ZETA-R-18-LED	18 w LED - 5000K Ra80 1200 mm	147.33
ZETA-R-27-LED	27 w LED - 5000K Ra80 1200 mm	153.05
ZETA-R-23-LED	23 w LED - 5000K Ra80 1500 mm	177.86
ZETA-R-35-LED	35 w LED - 5000K Ra80 1500 mm	183.59

<b>Options and Accessories</b>		
SC3	Integral 3 hour emergency	47.71
SC3-ST	Integral self-test emergency	100.76
HFD	Switch Dim version	36.64
HFD-D	DALI dimmable control gear	40.46



<b>GaleLED</b>		
GALE-46-LED	46 w LED - 5000K Ra80 1500 mm	146.91
GALE-68-LED	68 w LED - 5000K Ra80 1500 mm	172.90

<b>Options and Accessories</b>		
SC3	Integral 3 hour emergency	47.71
SC3-ST	Integral self-test emergency	100.76
VH	Lumisaver Master	59.16
VR	Lumisaver Slave	13.36
EH	Energysaver	29.77
HFD	Switch Dim version	36.64
HFD-D	DALI dimmable control gear	40.46



<b>GaleT5</b>		
GALE-235	2 x 35 w T5	69.47
GALE-249	2 x 49 w T5	69.47

<b>Options and Accessories</b>		
SC3	Integral 3 hour emergency	47.71
SC3-ST	Integral self-test emergency	100.76
VH	Lumisaver Master	59.16
VR	Lumisaver Slave	13.36
EH	Energysaver	29.77
HFD	Switch Dim version	36.64
HFD-D	DALI dimmable control gear	40.46

<b>PanelLED Surface</b>		
PANEL-27-LED-5K	27 w 600 x 600 - 5000K Ra80	131.68
PANEL-40-LED-5K	40 w 600 x 600 - 5000K Ra80	136.95
PANEL-54-LED-5K	54 w 1200 x 600 - 5000K Ra80	210.69
PANEL-80-LED-5K	80 w 1200 x 600 - 5000K Ra80	278.63
<b>Options and Accessories</b>		
SC3	Integral 3 hour emergency	47.71
SC3-ST	Integral self-test emergency	100.76
EH	Energysaver	29.77
HFD	Switch Dim version	36.64
HFD-D	DALI dimmable control gear	40.46
<b>ProfileLED</b>		
PROFILE-46-LED-5K	46 w LED - 5000K Ra80	113.74
PROFILE-64-LED-5K	64w LED - 5000K Ra80	131.30
<b>Options and Accessories</b>		
SC3	Integral 3 hour emergency	47.71
SC3-ST	Integral self-test emergency	100.76
VH	Lumisaver Master	59.16
VR	Lumisaver Slave	13.36
EH	Energysaver	29.77
HFD	Switch Dim version	36.64
HFD-D	DALI dimmable control gear	40.46
<b>PremierLED</b>		
PREMIER-18-LED-5K	18 w LED - 5000K Ra80 600 mm	59.01
PREMIER-23-LED-5K	23 w LED - 5000K Ra80 1200 mm	83.82
PREMIER-44-LED-5K	44 w LED - 5000K Ra80 1200 mm	88.44
PREMIER-24-LED-5K	24 w LED - 5000K Ra80 1500 mm	105.88
PREMIER-31-LED-5K	31 w LED - 5000K Ra80 1500	153.28
PREMIER-45-LED-5K	45 w LED - 5000K Ra80 1500	153.28
<b>Options and Accessories</b>		
SC3	Integral 3 hour emergency	47.71
SC3-ST	Integral self-test emergency	100.76
VH	Lumisaver Master	59.16
VR	Lumisaver Slave	13.36
EH	Energysaver	29.77
HFD	Switch Dim version	36.64
HFD-D	DALI dimmable control gear	40.46
<b>Project Batten LED</b>		
PRO-10-LED-5K	10 w LED - 5000K Ra80 600 mm	37.79
PRO-18-LED-5K	18 w LED - 5000K Ra80 600 mm	42.75
PRO-23-LED-5K	23 w LED - 5000K Ra80 1200 mm	56.49
PRO-44-LED-5K	44 w LED - 5000K Ra80 1200 mm	57.63
PRO-24-LED-5K	24 w LED - 5000K Ra80 1500 mm	64.12
PRO-31-LED-5K	31 w LED - 5000K Ra80 1500 mm	65.65
PRO-45-LED-5K	45 w LED - 5000K Ra80 1500 mm	75.95
<b>Options and Accessories</b>		
SC3	Integral 3 hour emergency	47.71
SC3-ST	Integral self-test emergency	100.76
VH	Lumisaver Master	59.16
VR	Lumisaver Slave	13.36
EH	Energysaver	29.77
HFD	Switch Dim version	36.64
HFD-D	DALI dimmable control gear	40.46





<b>PremierT5</b>		
BTR128	1 x 28 w T5	41.72
BTR228	2 x 28 w T5	45.99
BTR135	1 x 35 w T5	48.74
BTR235	2 x 35 w T5	56.49
BTR149	1 x 49 w T5	48.74
BTR249	2 x 49 w T5	56.49
BTR180	1 x 80 w T5	54.73
BTR280	2 x 80 w T5	66.07
<b>Options and Accessories</b>		
SC3	Integral 3 hour emergency	47.71
SC3-ST	Integral self-test emergency	100.76
VH	Lumisaver Master	59.16
VR	Lumisaver Slave	13.36
EH	Energysaver	29.77
HFD	Switch Dim version	36.64
HFD-D	DALI dimmable control gear	40.46
BTR-DIF-12	1200mm polycarbonate microprism type diffuser	9.58
BTR-DIF-15	1500mm polycarbonate microprism type diffuser	11.95
BTR-RFT-M4-12	1200mm Miro 4 High rack reflector	12.98
BTR-RFT-M4-15	1500mm Miro 4 High rack reflector	13.93
BTR-RFT-AL-12	1200mm general reflector	4.01
BTR-RFT-AL-15	1500mm general reflector	4.73
<b>ZetaS</b>		
ZETA-S-10-LED	10w LED - 5000K Ra80 600 mm	95.04
ZETA-S-18-LED	18 w LED - 5000K Ra80 600 mm	142.75
ZETA-S-23-LED	23 w LED - 5000K Ra80 1200 mm	148.47
ZETA-S-44-LED	44 w LED - 5000K Ra80 1200 mm	172.14
ZETA-S-24-LED	24 w LED - 5000K Ra80 1500 mm	177.86
ZETA-S-31-LED	31 w LED - 5000K Ra80 1500 mm	172.14
ZETA-S-45-LED	45w LED - 5000K Ra80 1500 mm	177.86
<b>Options and Accessories</b>		
SC3	Integral 3 hour emergency	47.71
SC3-ST	Integral self-test emergency	100.76
HFD	Switch Dim version	36.64
HFD-D	DALI dimmable control gear	40.46
<b>ImpactLED</b>		
IMPACT-III-72 LED	72 w LED	208.24
IMPACT-III-108 LED	108 w LED	242.18
IMPACT-III-144 LED	140 w LED	333.36
IMPACT-III-180 LED	180 w LED	378.28
IMPACT-III-210 LED	210 w LED	405.19
<b>Options and Accessories</b>		
SC3	3 hour maintained emergency	94.01
DD	DALI dimmable gear	POA
PIR	20m programable PIR	122.14
PIR-M	8m microwave sensor	36.26
WL	Internal wireless controller	122.14
PIR-W	10m PIR for wireless control	22.14
DL	Daylight link sensor for wireless control	13.36
IP54	IP54 version	57.25
IP65	IP65 version	106.87





<b>ImpactLED V</b>		
IMPACT-V-84 LED	84 w LED	211.83
IMPACT-V-148 LED	148 w LED	262.52
IMPACT-V-212 LED	212 w LED	340.23
<b>Options and Accessories</b>		
SC3	3 hour maintained emergency	94.01
DD	DALI dimmable gear	POA
PIR	20m programable PIR	122.14
PIR-M	8m microwave sensor	36.26
WL	Internal wireless controller	122.14
PIR-W	10m PIR for wireless control	22.14
DL	Daylight link sensor for wireless control	13.36



<b>ImpactLEDsports</b>		
IMPACT-III-108 LED-S	108 w LED	298.40
IMPACT-III-144 LED-S	140 w LED	362.40
IMPACT-III-180 LED-S	180 w LED	443.36
IMPACT-III-210 LED-S	210 w LED	477.10
<b>Options and Accessories</b>		
SC3	3 hour maintained emergency	94.01
DD	DALI dimmable gear	POA
PIR	20m programable PIR	122.14
PIR-M	8m microwave sensor	36.26
WL	Internal wireless controller	122.14
PIR-W	10m PIR for wireless control	22.14
DL	Daylight link sensor for wireless control	13.36



<b>ImpactT5</b>		
IMP-254	2 x 54 w T5	85.61
IMP-249	2 x 49 w T5	91.22
IMP-280	2 x 80 w T5	100.38
IMP-454	4 x 54 w T5	121.76
IMP-449	4 x 49 w T5	137.44
IMP-480	4 x 80 w T5	165.50
<b>Options and Accessories</b>		
SC3	3 hour maintained emergency	94.01
DD	DALI dimmable gear	POA
PIR	20m programmable PIR	122.14
IMP-PC-4-2L	PC cover for 2 lamp 4' T5	10.04
IMP-PC-4-4L	PC cover for 4 lamp 4' T5	18.40
IMP-PC-5-2L	PC cover for 2 lamp 4' T5	12.60
IMP-PC-5-4L	PC cover for 4 lamp 4' T5	23.28



<b>Starlux</b>		
STA-95-A	95 w LED - 5000K Ra80	339.58
STA160-A	160 w LED - 5000K Ra80	470.83
STA190-A	190 w LED - 5000K Ra80	523.46
<b>Options and Accessories</b>		
DD	DALI dimmable gear	POA
20P	20m programmable sensor	122.14
W	Wireless control with PIR	122.14
SS	316L stainless steel version	POA
IP54	IP54 version	57.25
IP65	IP65 version	106.87



<b>StormLED</b>		
<b>Single Body</b>		
STORM-10-LED-S	600mm 10 w single	45.42
STORM-22-LED-S	1200mm 22 w single	75.15
STORM-27-LED-S	1500mm 27 w single	89.73
STORM-31-LED-S	1800mm 31 w single	101.56
STORM-19-LED-S	600mm 19 w single	53.44
STORM-36-LED-S	1200mm 36 w single	82.56
STORM-40-LED-S	1500mm 40 w single	90.04
STORM-47-LED-S	1800mm 47 w single	111.56
<b>Twin body</b>		
STORM-20-LED-T	600mm 20 w twin	68.40
STORM-46-LED-T	1200mm 46 w twin	106.72
STORM-54-LED-T	1500mm 54 w twin	114.31
STORM-68-LED-T	1800mm 68 w twin	146.91
STORM-36-LED-T	600mm 36w twin	84.58
STORM-66-LED-T	1200mm 66 w twin	160.50
STORM-67-LED-T	1500mm 67 w twin	143.17
STORM-95-LED-T	1800mm 95 w twin	169.47
<b>Options and Accessories</b>		
SC3	3 hour maintained emergency	47.71
DD	DALI dimmable gear	POA
PIR-M	8m microwave sensor	36.26
WL	Internal wireless controller	122.14
PIR-W	10m PIR for wireless control	22.14
SS	Stainless steel clips (price each - need 2 /ft)	0.57
<b>Impact Linear</b>		
LIN-V-100W	100 w LED linear	153.70
<b>Options and Accessories</b>		
SC3	3 hour maintained emergency	94.01
DD	DALI dimmable gear	POA
PIR-M	8m microwave sensor	36.26
WL	Internal wireless controller	122.14
PIR-W	10m PIR for wireless control	22.14
DL	Daylight link sensor for wireless control	13.36
<b>StormLED-IP66</b>		
<b>Single body</b>		
STORM-23-LED-S-IP66	1500mm 23 w	97.33
STORM-45-LED-S-IP66	1500mm 45w	112.21
<b>Twin body</b>		
STORM-54-LED-T-IP66	1500mm 54 w	128.40
STORM-67-LED-T-IP66	1500mm 67w	156.34
<b>Options and Accessories</b>		
SC3	3 hour maintained emergency	43.89
DD	DALI dimmable gear	139.31
PIR-M	8 m microwave sensor	29.77
WL	Internal wireless controller	122.14
PIR-W	10 m PIR for wireless control	22.14
PIR-H	PIR holder for end of fitting	0.00
ABS	Acrylic diffuser & ABS Base	0.00
SS	Stainless steel clips	13.36









<b>StormT5</b>		
NC154-PC	1 x 54 w T5	40.15
NC135-PC	1 x 35 w T5	43.78
NC149-PC	1 x 49 w T5	43.78
NC254-PC	2 x 54 w T5	44.66
NC235-PC	2 x 35 w T5	51.72
NC249-PC	2 x 49 w T5	51.72

<b>Options and Accessories</b>		
SC3	3 hour maintained emergency	47.71
DD	DALI dimmable gear	37.40
PIR-M	8m microwave sensor	29.77
WL	Internal wireless controller	122.14
PIR-W	10m PIR for wireless control	22.14
SS	Stainless steel clips	13.36



<b>Hi-LED</b>		
HILED-100	100 watt hi bay LED	320.00
HILED-130	130 watt hi bay LED	297.71
HILED-160	160 watt hi bay LED	273.97
HILED-100-IP54	100 watt hi bay LED IP54	304.01
HILED-130-IP54	130 watt hi bay LED IP54	327.98



<b>HyGrowLED</b>		
YK200B	200 W Broad out put	650.76
YK400B	400 W Broad out put	877.86
YK600B	600 W Broad out put	1,295.80
YK200P	200 W 90o out put	734.73
YK400P	400 W 90o out put	1,074.43
YK600P	600 W 90o out put	1,576.34



<b>HydraLED1</b>		
PSL31-LED	8 Watt LED long Arm (Black)	101.15

<b>Options and Accessories</b>		
AL	Aluminium finish	7.63



<b>HydraLED2</b>		
PSL11-LED	8 Watt LED Short Arm (Black)	91.60

<b>Options and Accessories</b>		
AL	Aluminium finish	7.63



<b>Hydra3</b>		
PSL226	2 x 26 Watt Black finish	57.40
H3LB64705K	20 Watt LED black finish 5K Ra 80	71.76



<b>Hydra4</b>		
PSL126	1 x 26 Watt Black Finish	36.26
H4LB32705K	10 Watt LED black finish 5k Ra 80	47.71

<b>Options &amp; Accessories</b>		
PC	Integral photocell	20.99
PSL400	400 mm long sign arm	12.60
PSC20	Beza mounting kit	9.54
SPK26	Garden spike 210mm	7.63



<b>Post Tops</b>	(price includes acrylic globe)	
PTP-40-LED 5K	40 Watt LED Post Top fitting 76 mm post entry	256.11
PTP-70-LED 5K	70 Watt LED Post Top fitting 76 mm post entry	302.79



<b>Accessories</b>		
SHR-LOUVRE	louvre stack for 450 mm globe	87.79



<b>Regor1</b>		
GCF42	42 watt TC-T	68.70
R1L305K	30 watt LED 5000K Ra80	79.01
R1L155K	15 watt LED 5000K Ra80	74.43



<b>RegorLED4</b>		
REGORLED4	Architectural flood light	114.96



<b>Options</b>		
FL	Flood beam	FOC Options
NA	Narrow beam	
AS	Assymetric beam	



<b>RegorLED6</b>		
R6L305K	30 watt Regor 6 5000k Ra80	91.30
R6L455K	45 watt Regor 6 5000k Ra80	97.33
R6L605K	60 watt Regor 6 5000K Ra80	120.46



<b>RegorLED8</b>		
PBH309-LED	9 watt Regor 8 LED 5000k Ra80	41.98
PBH301	1 x 9 watt PL Regor 8	28.74
PBH302	2 X 9 watt PL Regor 8	33.85
PBH304	1 x 9 watt PL Regor 8 with integral photocell	49.27
PBH303	2 X 9 watt PL Regor 8 with Integral photocell	56.18



<b>RegorLED14 &amp; 15</b>		
R14LW48705K	14watt Regor 14 5000k Ra80	116.41
R15LW48705K	14 watt Regor 15 5000k Ra80	116.41
R14LW48105K	21 watt Regor 14 5000k Ra80	123.09
R15LW48105K	21 watt Regor 15 5000k Ra80	123.09

<b>Options &amp; Accessories</b>		
SC3	3 hour integral emergency	46.64
PC	Photocell	15.27
VLH	Lumisaver Master	37.71
VLR	Lumisaver Slave	11.91
EH	Energysaver	27.79
EL	Die-cast eyelid	32.44

<b>RegorLED16 &amp; 17</b>		
R16LW48705K	14 watt Regor 14 5000k Ra80	76.98
R17LW48705K	14 watt Regor 15 5000k Ra80	88.55
R16LW48105K	21 watt Regor 14 5000k Ra80	84.73
R17LW48105K	21 watt Regor 15 5000k Ra80	96.18

<b>Options &amp; Accessories</b>		
SC3	3 hour integral emergency	46.64
PC	Photo cell	15.27
VLH	lumisaver master	37.71
VLR	lumisaver slave	11.91
EH	energy saver	27.79

Powerlite Price List - April 2016



<b>Portis</b>		
PORT-50-5K	50 w Stainless Steel Fitting	171.76
<b>Options &amp; Accessories</b>		
PH	Photocell	15.27
<b>LED Geartrays</b>		
GT-LED-150-T-50	9 W LED	30.08
GT-LED-150-T-50-EM	9 W LED + Em	70.92
GT-LED-150-T-50-PIR	9 W LED + Sensor	51.98
GT-LED-150-T-50-PIR-EM	9 W LED + Sensor + Em	93.17
GT-LED-200-T-50	13 W LED	39.39
GT-LED-200-T-50-EM	13 W LED + Em	80.99
GT-LED-200-T-50-PIR	13 W LED + Sensor	61.53
GT-LED-200-T-50-PIR-EM	13 W LED + Sensor + Em	103.13
GT-LED-200-T-HO-50	24 W LED	43.55
GT-LED-200-T-HO-50-EM	24 W LED + Em	85.15
GT-LED-200-T-HO-50-PIR	24 W LED + Sensor	65.69
GT-LED-200-T-HO-50-PIR-EM	24 W LED + Sensor + Em	107.29
GT-LED-300-T-50	14 W LED	54.62
GT-LED-300-T-50-EM	14 W LED + Em	102.33
GT-LED-300-T-50-PIR	14 W LED + Sensor	81.72
GT-LED-300-T-50-PIR-EM	14 W LED + Sensor + Em	129.43
<b>LED Light Engines</b>		
<b>Linear Boards</b>		
LEL135x20-08-2550-F		7.94
LEL135x20-08-5050-F		9.54
LEL146x45-12-2195-A		31.91
LEL182x18-39-2550-A		13.44
LEL200x22-32-2550-F		9.92
LEL200x24-12-2550-A		5.61
LEL200x24-12-5050-A		7.44
LEL250x24-12-2550-A		5.76
LEL250x24-12-5050-A		7.60
LEL270x40-24-5050-A		14.01
LEL400x22-64-2550-F		32.06
LEL480x24-24-2550-A		10.76
LEL480x24-24-5050-A		14.43
LEL540x20-16-2550-F		10.76
LEL540x20-16-2550-F-E		12.75
LEL540x20-32-2550-F		12.18
LEL540x20-32-2550-F-E		14.16
LEL540x20-32-5050-A		19.47
LEL540x20-32-5050-A-E		21.45
LEL540x40-48-5050-A		27.48
LEL540x40-56-5050-A		32.06
LEL580x24-30-2550-A		12.33
LEL580x24-30-5050-A		16.91
LEL770x24-42-2550-A		15.42
LEL770x24-42-5050-A		21.83
<b>Circular Boards</b>		
LEC230-32-2550-F		14.35
LEC230-32-2550-F-E		15.92
LEC295-48-2550-F		28.97
LEC295-48-2550-F-E		30.53

<b>Finger Boards</b>		
LEF230-35-2550-F		11.91
LEF230-35-2550-F-E		13.44
LEF460x460-96-2550-F		24.50
LEF460x460-96-2550-F-E		26.03
<b>Square Boards</b>		
LES150x150-24-2550-F		13.17
LES150x150-24-2550-F-E		15.65
LES200x200-27-2550-F		16.22
LES200x200-27-2550-F-E		18.70
LES200x200-35-2550-F		18.44
LES200x200-35-2550-F-E		20.92
LES300x300-48-2550-F		27.79
LES300x300-48-2550-F-E		30.27







# powerlite<sup>®</sup>

## lighting solutions

**Subject to our Terms & Conditions - a copy of which are available on request**

Keighley - North Brook Works, Alkincote Street, Keighley, West Yorkshire BD21 5JT, Tel: 0113 289 7832 Fax: 0113 259 7917.  
Email: [info@powerlite.net](mailto:info@powerlite.net)

Glasgow - Unit 1B Clyde Gateway Trade Park, Rutherglen, G73 1AN. Tel: 0141 647 4499 Fax: 0141 647 4418 Email:  
[info@powerlite.net](mailto:info@powerlite.net)