

























item	Picture	style	Wire Dia	Outer measure Link (long x width)	unit	kg/100m
S04(1)		curb	6.00	34.5 x 26	mm	80
S06(1)		curb	5.20	28.5 x 19	mm	53
S06L		curb	5.20	33.3 x 26.4	mm	54.4
S07(1)		curb	4.60	21.2 x 17	mm	52.4
S08(1)		CURB	4.00	18.5 x 16.4	mm	42.1
S08(1)RB		curb	4.00	31.2 x 24.4	mm	34
S08(2)		curb	4.00	18.7 x 15	mm	40
S08L		curb	4.00	39.8 x 28.2	mm	31.6
S09(2)		curb	3.66	17 x 13.4	mm	
S10(1)		curb	3.25	25.1 X 19.1	mm	25














item	Picture	style	Wire Dia	Outer measure Link (long x width)	unit	kg/100m
S10(2)		curb	3.25	19 X 14.2	mm	26.1
S10(3)		curb	3.25	17.1 X 12.6	mm	27.6
S11(1)		curb	2.95	24 x 19.1	mm	20.5
S11(2)		curb	2.95	17.15 x 13.56	mm	22.2
S11(3)		curb	2.95	15.3 x 11	mm	22.2
S11(4)		CUT	2.95	13.5 x 10.75	mm	23.4
S11L		curb	2.95	20.8 x 11.6	mm	18
S12(1)		curb	2.61	17 x 13	mm	17
S12(2)		curb	2.61	14.7 x 10.8	mm	17.2
S13(1)		curb	2.34	15.45 x 10.5	mm	11.2
S13(2)		curb	2.34	14.16 x 9.6	mm	11.5
S13(3)		curb	2.34	12.4 x 9.2	mm	13.6
S14(1)		curb	2	13.7 x 9.7	mm	8.4
S14(2)		curb	2	13.3 x 8.6	mm	8.6
S14(3)		curb	2	10.3 x 7.6	mm	9.2













item	Picture	style	Wire Dia	Outer measure Link (long x width)	unit	kg/100m
S15(1)		curb	1.83	11.7 x 7.8	mm	6.6
S15(2)		curb	1.83	9.9 x 7.25	mm	7.36
S15(3)		curb	1.83	9.3 x 6.65	mm	7.4
S212F		curb-Flat	2.9 x 1.6	16.3 x 13.6	mm	
S16(1)		curb	1.60	11.65 x 7.5	mm	5.5
S16(2)		curb	1.60	9.1 x 6.3	mm	5.7
S16(3)		curb	1.60	8.2 x 5.8	mm	5.7
S17(1)		curb	1.42	9.2 x 7	mm	3.95
S17(2)		curb	1.42	8.95 x 5.6	mm	4.12
S17(3)		curb	1.42	7.8 x 5.4	mm	4.14
S17L		curb	1.42	13.25 x 8	mm	3.8
S18(1)		curb	1.29	7.7 x 5.5	mm	3.4
S18(2)		curb	1.29	7.38 x 5	mm	3.4
S18(3)		curb	1.29	6.5 x 4.54	mm	3.14
S19(1)		curb	1.00	7 x 4.6	mm	2.3
S19(2)		curb	1.00	5.75 x 4	mm	2.18
S20		curb	0.90	5.2 x 3.5	mm	1.9
S21(1)		curb	0.80	5.9 x 3.8	mm	1.32

WING FUNG METAL CHAIN MANUFACTORY


















G/F., NO. 167 TAI NAN STREET., SHAM SHUI PO, KOWLOON., HONG KONG

TEL: (852)-2742 1032 FAX: (852)-2398 2661 email: info@wingfungchain.com

item	Picture	style	Wire Dia	Outer measure Link (long x width)	unit	kg/100m
S21(2)		curb	0.80	4.8 x 3.1	mm	1.36
S21(3)		curb	0.80	4.3 x 3.0	mm	1.38
IR160		curb	0.60	3.42 x 2.32	mm	0.8
IR150		curb	0.50	2.58 x 2.05	mm	0.65
IR140		curb	0.40	2.9 x 1.8	mm	0.5
S15RB		CURB-RB	1.83	14.4 x 10.7	mm	6.4
S17RB		CURB-RB	1.42	10.6 x 7.8	mm	4.14
S18(1)RB		CURB-RB	1.29	11.3 x 8.9	mm	2.5
S18(2)RB		CURB-RB	1.29	8.7 x 6.4	mm	3
IR180BD		CURB-RB	0.80	6.1 x 4.6	mm	1.39
IR170BD		CURB-RB	0.70	5.5 x 4.08	mm	1.08
IR160SB		CURB-RB	0.60	5.1 x 3.5	mm	0.68
SQ110		CURB-SQ	2.7 x 2.8	28 x 22	mm	
SQ120		CURB-SQ	1.8 x 1.8	11 x 7.1	mm	
SQ120F		CURB SQ	0.85 x 0.85	10.96 x 6.9	mm	

item	Picture	style	Wire Dia	Outer measure Link (long x width)	unit	kg/100m
S06(1)G		diamond cut	5.20	28.5 x 19	mm	
S07(1)G		diamond cut	4.60	21.2 x 17	mm	
S08(1)G		diamond cut	4.00	18.5 x 16.4	mm	40.3
S08(2)G		diamond cut	4.00	18.7 x 15	mm	38
S09-1-4DC		diamond cut	3.66	17.1 x 12	mm	
S09-1-8DC		diamond cut	3.66	17.1 x 13	mm	
S10(1)G		diamond cut	3.25	25.1 X 19.1	mm	24
S10(2)G		diamond cut	3.25	19 X 14.2	mm	25.2
S10(3)G		diamond cut	3.25	17.1 X 12.6	mm	26.2
S10-1-4DC		diamond cut	3.25		mm	
S10-1-8DC		diamond cut	3.25	15.6 x 10.8	mm	23.5
S10-1-RRDC		diamond cut	3.25	18.46 x 13.5	mm	



















item	Picture	style	Wire Dia	Outer measure Link (long x width)	unit	kg/100m
S10-2-RRDC		diamond cut	3.25	17 x 12	mm	
S10-3-RRDC		diamond cut	3.25	15.8 x 11.4	mm	
S10-TRDC		diamond cut	3.25	16 x 11.9	mm	0
S11(1)G		diamond cut	2.95	24 x 19.1	mm	19
S11(2)G		diamond cut	2.95	17.15 x 13.56	mm	19.4
S11(3)G		diamond cut	2.95	15.3 x 11	mm	19.4
S11LG		diamond cut	2.95	20.8 x 11.6	mm	16.4
S11-RDC		diamond cut	2.95	16 x 11.9	mm	
S11-TRDC		diamond cut	2.95	16 x 12.2	mm	
WF-S11		diamond cut	2.95	13.4 x 11	mm	
WF-S12		diamond cut	2.60	12.78 x 10	mm	
S12(1)G		diamond cut	2.61	17 x 13	mm	16.4
S12(2)G		diamond cut	2.61	14.7 x 10.8	mm	17
S12-RDC		diamond cut	2.61	12.8 x 10.4	mm	
S13(1)G		diamond cut	2.34	15.45 x 10.5	mm	10.7

















item	Picture	style	Wire Dia	Outer measure Link (long x width)	unit	kg/100m
S13(2)G		diamond cut	2.34	14.16 x 9.6	mm	10.8
S13(3)G		diamond cut	2.34	12.4 x 9.2	mm	12
S13-4RDC		diamond cut	2.34	10.6 x 8.2	mm	
S13-FRDC		diamond cut	2.34	11.1 x 8.1	mm	
S13-TRDC		diamond cut	2.34	11 x 8.9	mm	
S14(1)G		diamond cut	2	13.7 x 9.7	mm	7.8
S14(2)G		diamond cut	2	13.3 x 8.6	mm	
S14(3)G		diamond cut	2	10.3 x 7.6	mm	
S15(1)G		diamond cut	1.83	11.7 x 7.8	mm	
S15(2)G		diamond cut	1.83	9.9 x 7.25	mm	7
S15(3)G		diamond cut	1.83	9.3 x 6.65	mm	7
S16(1)G		diamond cut	1.60	11.65 x 7.5	mm	5.14
S16(2)G		diamond cut	1.60	9.1 x 6.3	mm	5.8
S16(3)G		diamond cut	1.60	8.2 x 5.8	mm	5.7
S17(1)G		diamond cut	1.42	9.2 x 7	mm	
S17(2)G		diamond cut	1.42	8.95 x 5.6	mm	
S17(3)G		diamond cut	1.42	7.8 x 5.4	mm	
















WING FUNG METAL CHAIN MANUFACTORY



















G/F., NO. 167 TAI NAN STREET., SHAM SHUI PO, KOWLOON., HONG KONG



















TEL: (852)-2742 1032 FAX: (852)-2398 2661 email: info@wingfungchain.com

item	Picture	style	Wire Dia	Outer measure Link (long x width)	unit	kg/100m
S17LG		diamond cut	1.42	13.25 x 8	mm	
S18(1)G		diamond cut	1.29	7.7 x 5.5	mm	3.06
S18(2)G		diamond cut	1.29	7.38 x 5	mm	3.06
S18(3)G		diamond cut	1.29	6.5 x 4.54	mm	2.76
S19(1)G		diamond cut	1.00	7 x 4.6	mm	
S19(2)G		diamond cut	1.00	5.75 x 4	mm	2
S1.8NK		diamond cut	1.80	10 x 7.1	mm	
S20G		diamond cut	0.90	5.2 x 3.5	mm	1.75
S21(3)G		diamond cut	0.80	4.3 x 3.0	mm	
IR180F		diamond cut	0.80	4.3 x 3.1	mm	1.4
IRFG160(3:1)		FIGARO	0.60	5.6 x 2.4 & 3.2 x 2.3	mm	0.7
IRFG160(5:1)		FIGARO	0.60	5.55 x 2.45 & 3.1 x 2.45	mm	0.76
IRFG180(3:1)		FIGARO	0.80	7 x 3.1 & 4 x 3.1	mm	1.34
IRFG180(5:1)		FIGARO	0.80	7 x 3.5 & 4 x 3.2	mm	1.42
IRFG110(1:1)		FIGARO	1.00	8.5 x 3.7 & 4.85 x 3.7	mm	1.9
IRFG110(5:1)		FIGARO	1.00	9 x 3.7 & 5.3 x 3.6	mm	2.2
IRFG112(5:1)		FIGARO	1.20	10.55 x 4.8 & 6.1 x 4.7	mm	3.2
IRFG114(1:1)		FIGARO	1.40	11.7 x 5.3 & 6.9 x 5.3	mm	3.62
IRFG114(5:1)		FIGARO	1.40	11.8 x 5.7 & 7 x 5.3	mm	4.43

item	Picture	style	Wire Dia	Outer measure Link (long x width)	unit	kg/100m
IRFG116(5:1)		FIGARO	1.60	12.1 x 6.35 & 7.8 x 6	mm	5.6
IRFG1120(1:1)		FIGARO	2.00	16.1 x 8.9 & 9.6 x 7.9	mm	7.9
IRFG1120(3:1)		FIGARO	2.00	16.3 x 8.3 & 9.7 x 7.7	mm	8.4
IRFG1130(1:1)		FIGARO	3.00	23 x 11.5 & 14 x 11.1	mm	18.7
0027		FIGARO	1 x 0.6	6.38 x 3.5	mm	1.05
0028		FIGARO	1.2 x 0.7	8.32 x 4.2	mm	1.85
IRFG160RBF		FIGARO	0.60	5.6 x 3.5	mm	0.75
IRFG180RBF		FIGARO	0.80	7.15 x 4.2	mm	1.23
IRFG112RBF		FIGARO	1.20	11.35 x 6.55	mm	2.63
IRFG114RBF		FIGARO	1.40	11.4 x 7.8	mm	3.9
S13D		curb twin	2.34	16.94 x 12.8	mm	24.6
S13FD		curb twin	2.34	18.8 x 15.88	mm	24.8
S14FD		curb twin	2	14.5 x 12	mm	18
S15(1)DG		curb twin	1.83	13.4 x 10.6	mm	13.9
S16(1)DG		curb twin	1.60	13.7 x 9	mm	9.9
S17(2)DG		curb twin	1.42	14.14 x 8.8	mm	7.1

item	Picture	style	Wire Dia	Outer measure Link (long x width)	unit	kg/100m
S17DG-RB		curb twin	1.42	width 9.6	mm	
SQ17D		curb twin	1.40	width 6.6	mm	
IRDH112-3W		curb twin	1.20	10.65 x 7.7	mm	4.9
S18DG		curb twin	1.29	9 x 6.5	mm	6
S19D		curb twin	1.00	7.4 x 5.1	mm	4.8
S19DG		curb twin	1.00	7.4 x 5.5	mm	
S21DG		curb twin	0.90	5.6 x 4.2	mm	28
IRD160F		curb twin	0.60	4.35 x 3.2	mm	1.54
S10(O)		cable	3.25	17.8 x 13.1	mm	24.7
S11(O)		cable	2.95	14 x 11	mm	21
S12(O)		cable	2.61	13 x 10.45	mm	17.5
S13(1)O		cable	2.34	14.3 x 10.4	mm	11.6
S13(2)O		cable	2.34	10.9 x 8.6	mm	13.6
S14(1)O		cable	2	12.9 x 8.25	mm	8.6
S14(2)O		CABLE	2	10.7 x 8.3	mm	8.8














item	Picture	style	Wire Dia	Outer measure Link (long x width)	unit	kg/100m
S14(O)L		cable	2	21.2 x 10	mm	6.6
S15(1)O		cable	1.83	10 x 7.7	mm	6.9
S15(2)O		cable	1.83	11.9 x 8.8	mm	6.55
S16(1)O		cable	1.60	10.8 x 6.5	mm	4.8
S16(2)O		cable	1.60	8.7 x 6.1	mm	5.5
S16(3)O		cable	1.60	7.8 x 6.3	mm	6.2
S17(1)O		cable	1.42	9.7 x 6.25	mm	3.8
S17(2)O		cable	1.42	8.25 x 5.8	mm	3.8
S17(3)O		cable	1.42	6.85 x 5.45	mm	4.37
S18(1)O		cable	1.29	8 x 5.1	mm	2.68
S18(2)O		cable	1.29	7.15 x 4.5	mm	3.28
S18(3)O		cable	1.29	6.05 x 4.5	mm	3.2
S19(1)O		cable	1.00	6.4 x 4.5	mm	2
S19(2)O		cable	1.00	5.8 x 4.2	mm	2.4
S20(O)		cable	0.90	4.4 x 3.4	mm	1.76
S21(1)O		cable	0.80	5.3 x 3.8	mm	1.33
S21(2)O		cable	0.80	5.75 x 3.4	mm	1.29
S21(3)O		cable	0.80	4 x 3.1	mm	1.42


















item	Picture	style	Wire Dia	Outer measure Link (long x width)	unit	kg/100m
IR260		cable	0.60	3.4 x 2.5	mm	0.78
IR250		cable	0.50	2.8 x 2.2	mm	0.55
IR240		cable	0.40	2.5 x 1.8	mm	0.4
S13F		cable flat	2.34	14 x 9.3	mm	10.9
S13FO		cable flat	2.34	13.8 x 10.04	mm	
S14F		cable flat	2	13.4 x 8.2	mm	
S14LF		cable flat	2	16.1 x 7.7	mm	7
S15F		cable flat	1.83	11.6 x 7	mm	6
S16(1)F		cable flat	1.60	11.3 x 6.2	mm	4.3
S16(2)F		cable flat	1.60	9.1 x 6.2	mm	5.1
S17F		cable flat	1.42	9 x 5.6	mm	3.6
S18(1)F		cable flat	1.29	8 x 4.4	mm	2.4
S18(2)F		cable flat	1.29	7.7 x 4.8	mm	3.1
S18(3)F		cable flat	1.29	6.4 x 4.7	mm	3.3
S19(1)F		cable flat	1.00	6 x 4.15	mm	2.26
S19(2)F		cable flat	1.00	5.5 x 4.1	mm	2.2
S19LF		cable flat	1.00	8 x 4.85	mm	2.1
S20F		cable flat	0.90	4.6 x 3.5	mm	1.68



















WING FUNG METAL CHAIN MANUFACTORY





G/F., NO. 167 TAI NAN STREET., SHAM SHUI PO, KOWLOON., HONG KONG















TEL: (852)-2742 1032 FAX: (852)-2398 2661 email: info@wingfungchain.com













item	Picture	style	Wire Dia	Outer measure Link (long x width)	unit	kg/100m
S21(2)F		cable flat	0.80	4.8 x 3.1	mm	1.28
IR280R		cable flat	0.80	4.6 x 3.4	mm	1.3
IR260F		cable flat	0.60	3.8 x 2.9	mm	1
IR250F		cable flat	0.50	2.9 x 2.4	mm	0.5
S6694-11		CABLE-BOX	3.64 x 1.3	11 x 7.5 + 18 x 8	mm	
S6694-18+11		CABLE-BOX	3.64 x 1.3	11 x 7.5 + 18 x 8	mm	
S6694-13		CABLE-BOX	3.64 x 1.3	13 x 8	mm	
S6694-18+13		CABLE-BOX	3.64 x 1.3	13 x 8 & 18 x 8	mm	
S6694-16		CABLE-BOX	3.64 x 1.3	16 x 8	mm	
S6694-18		CABLE-BOX	3.64 x 1.3	18 x 8	mm	
S206		cable oval	7.3 x 2.8	28.2 x 19	mm	
S208		cable oval	5 x 2.5	20 x 13.5	mm	
S211		cable oval	4 x 1.95	16 x 10.8	mm	
S2110		cable oval	4.7 x 1.3	13 x 11	mm	
S212		cable oval	3.92 x 1.5	13.5 x 10	mm	
BOX 2.5BR		CABLE-SQ	1.1 x 0.8	4.7 x 2.7	mm	















item	Picture	style	Wire Dia	Outer measure Link (long x width)	unit	kg/100m
SD212C		CABLE-SQ	1.1 x 0.8	7.1 x 3.8	mm	1.85
SQ212		cable - SQ	1.1 x 1.1	8 x 4.5	mm	
214BT		CABLE-SQ	1.40	7.2 X 3.54	mm	2.6
218BT		CABLE-SQ	1.80	12.5 x 5.1	mm	3.5
220BT		CABLE-SQ	2.00	16.15 x 7.2	mm	5.4
SQ214		CABLE-SQ	1.2 x 1.2	11.25 x 5.6	mm	
SQ216(1)		CABLE-SQ	1.4 x 1.4	9.22 x 6.32	mm	
SQ216(2)		CABLE-SQ	1.4 x 1.4	7.7 x 5.6	mm	
SQ218		CABLE-SQ	1.7 x 1.7	10.1 x 7.5	mm	
SQ220L		CABLE-SQ	2.5 x 1.86	22.16 x 9.2	mm	
SQ224		CABLE-SQ	2.1 x 2.1	12 x 9.5	mm	
SQ224-L		CABLE-SQ	2 x 2	16.5 x 8.3	mm	
SQ226(1:1)		CABLE-SQ	2.68 x 2.6 & 2.4 x 2.3	16.1 x 13.1 & 12.2 x 9.1	mm	
SQ234		CABLE-SQ	3.0 x 3.0	24 x 13.46	mm	
SQ235		CABLE-SQ	3.3 x 3.3	20.7 x 11	mm	
S14M		twin cable	2	12.6 x 9.85	mm	18.2
S14TM		twin cable	2	13.22 x 9.4	mm	11.1


















item	Picture	style	Wire Dia	Outer measure Link (long x width)	unit	kg/100m
S15M		twin cable	1.83	11.4 x 8.5	mm	13.6
S16M		twin cable	1.60	10.4 x 7.7	mm	10.8
S17M		twin cable	1.42	9.45 x 6.6	mm	8.2
SSQ17M		twin cable	1.40	width 6.6	mm	
SQ17M		twin cable	1.40	width 7.15	mm	
S18(1)M		twin cable	1.29	9 x 6	mm	5.8
S18(2)M		twin cable	1.29	7.75 x 5.45	mm	6.2
S19M		twin cable	1.00	7.45 x 5	mm	4.1
S21M		twin cable	0.80	5.9 x 3.9	mm	2.3
IRD250		twin cable	0.50	3.64 x 2.75	mm	1
IRD260		twin cable	0.60	4.9 x 3.1	mm	1.62
IRD160HM		cable wave	0.60	4.8 x 3.53	mm	1.3
IRD150HM		cable wave	0.50	4.05 x 3	mm	1.05
IRD140HM		cable wave	0.40	3.28 x 2.4	mm	0.6
TR245		ROPE	0.45	width 2.2	mm	1
TR260		ROPE	0.60	width 3.0	mm	1.8
TR280		ROPE	0.80	width 3.9	mm	3.1
TR210		ROPE	1.00	width 5.0	mm	4.8








item	Picture	style	Wire Dia	Outer measure Link (long x width)	unit	kg/100m
TR212		ROPE	1.20	width 5.72	mm	7.2
360SFR		ROPE		3.2	mm	2
380SFR		ROPE		4.2	mm	3.8
310SFR		ROPE		5	mm	6
S14TR		TR	2	9.5 x 7.4	mm	
S16-OSKY		SKY	1.60	11.2 x 7	mm	
115SKY		SKY	1.30	11.3 x 8.1	mm	4
120SKY		SKY	2.00	15.6 x 10.5	mm	8
125SKY		SKY	2.50	17.4 x 13.25	mm	12
130SKY		SKY	3.00	21.2 x 16.85	mm	18
135SKY		SKY	3.50	25.1 x 18.8	mm	23.8
140SKY		SKY	3.80	33.1 x 26	mm	30
EE-11G		EYE	2.95	23 x 18.5	mm	
EE-13G		EYE	2.30	18 x 13.5	mm	









item	Picture	style	Wire Dia	Outer measure Link (long x width)	unit	kg/100m
EE-S226		EYE	2.60	22.3 x 14.7	mm	
B12DH		DH	2.60	width 19.65	mm	
S14(1)DH		DH	2	22.5 x 16.8	mm	15.7
S14(2)DH		DH	2	19.21 x 14.7	mm	20
DH116W		DH	1.60	width 11.34	mm	
IRDH112		DH	1.20	12.5 x 8.8	mm	5.3
IRDH110		DH	1.00	9.9 x 7.25	mm	4.1
IRDH110+BL		DH-BL	1.00	width 8.2	mm	
IRDH110+BL(G)		DH-BL	1.00	width 8.2	mm	
IRDH180		DH	0.80	7.8 x 5.4	mm	2.8
IRDH160		DH	0.60	5.2 x 4	mm	1.9
SQ110		CURB-SQ	2.7 x 2.8	28 x 22	mm	
SQ120		CURB-SQ	1.8 x 1.8	11 x 7.1	mm	
SQ120F		CURB SQ	0.85 x 0.85	10.96 x 6.9	mm	



item	Picture	style	Wire Dia	Outer measure Link (long x width)	unit	kg/100m
S6172		BASKET	1.60	width 8.2	mm	
S6173		BASKET	1.22	width 9.5	mm	
SQ6177		BASKET	1.3 x 1.3	width 9.2	mm	
S6176		BASKET	2.8 & 1.5	width 12.8	mm	
S6176-BK		BASKET	2.8 & 1.5	width 12.8	mm	
S6175		BASKET	1.22	width 7.75	mm	
D216(2.0)-S		BASKET	1.60	width 9.55	mm	
D220(2.5)-S		BASKET	2.00	width 12	mm	
S13-4FK		BASKET	2.34	width 17.2	mm	
S14-3.5FK		BASKET	2	width 15.4	mm	
S16-3FK		BASKET	1.60	width 12.35	mm	
S17-2.75FK		BASKET	1.42	width 11	mm	
S18-2.25FK		BASKET	1.29	width 10	mm	
S18-2.5FK		BASKET	1.29	width 11	mm	
















item	Picture	style	Wire Dia	Outer measure Link (long x width)	unit	kg/100m
S19-1.75FK		BASKET	1.00	width 7.5	mm	
S19-2FK		BASKET	1.00	width 8.3	mm	
Basket 10mm		BASKET		10	mm	
Basket 8mm		BASKET		8	mm	
Basket 6mm		BASKET		6	mm	
Basket 5mm		BASKET		5	mm	
Basket 4mm		BASKET		4	mm	
Basket 3mm		BASKET		3	mm	
S12DJL		LADDER	2.61	width 37	mm	
S12DJS		LADDER	2.61	width 23.6	mm	
S14J		JACK DOUBLE	2	23.5 x 12	mm	
S16JS(12.5mm)		JACK SINGLE	1.60	12.5 x 6.12	mm	
S19JS(9mm)		JACK SINGLE	1.00	9 x 5	mm	
SR-70		DISK		disk 7	mm	



















item	Picture	style	Wire Dia	Outer measure Link (long x width)	unit	kg/100m
SR-94		DISK		disk 9.4	mm	
SR94-17(3D)		RING	1.40	ring 9.4	mm	
SR94-17LA		RING	1.40	ring 9.4	mm	
SR-98		DISK		disk 14.6 x 10	mm	
TH-005		DISK		width 10.1	mm	
BWS-6		WS		6	mm	
BWS-8		WS		8	mm	
WS-9		WS		9	mm	
BWS-9+6		WS		9 & 6	mm	
WS-10D		WS		rings 9	mm	
WS-11		WS		ring 11	mm	
WS-11+9		WS		11 & 9	mm	
BWS-11+6		WS		rings 11 & 6	mm	
WS-14		WS		14	mm	
WS-14+11		WS		14 & 11	mm	
WS-14+9		WS		14 & 9	mm	
WS-14+13D		WS		14 & 13	mm	



















item	Picture	style	Wire Dia	Outer measure Link (long x width)	unit	kg/100m
WS-19R		WS		19	mm	
R-18(LA)		ws		18	mm	
BWS-6X3		WS		6	mm	
BWS-6X4		WS		6	mm	
BWS-9X3		WS		9	mm	
BWS-9X4		WS		9	mm	
BWS-11X3		WS		11	mm	







item	Picture	style	Wire Dia	Outer measure Link (long x width)	unit	kg/100m
BWS-11X4		WS		11	mm	
RT-18X11(LA-1)		DISK-RT		18 x 11	mm	
RT-18X11(LA-2)		DISK-RT		18 x 11	mm	
RT-18X20(LA)		DISK-RT		18 x 20	mm	
RT-20X14(3)		DISK-RT		20 x 14	mm	
RT-20X14(LA)		DISK-RT		20 x 14	mm	
A8-9F(11-5)		8	5.1 x 2.35	40 x 17 x 2.35 (width 40mm)	mm	
S8-13F(16-4)		8	3.8 x 1.9	width 32	mm	
















item	Picture	style	Wire Dia	Outer measure Link (long x width)	unit	kg/100m
S8-15(14-2.25)		8	1.80	width 25	mm	
S8-15(15-3)		8	1.80	width 30	mm	
S8-16(17-2.5)		8	1.60	width 19	mm	
S8-16F(17-2.5)		8	1.60	width 18	mm	
S8-18(18-2)		8	1.20	width 15.4	mm	
S8-18F(18-2)		8	1.20	width 14.3	mm	
S8-18X2		8	1.20	width 31	mm	
S8-19(18-2)		8	1.00	width 15	mm	
S8-19F(18-2)		8	1.00	width 14.3	mm	
OV-B11(11X14)		OVAL	2.95	14 x 11	mm	
















item	Picture	style	Wire Dia	Outer measure Link (long x width)	unit	kg/100m
OV-S11(26X19)		OVAL	2.95	26 x 19	mm	
OV-S13(23X15)		OVAL	2.34	23 x 15	mm	
OV-S14(21X10)		OVAL	2.00	21 x 10	mm	
OV-S14(12X8)		OVAL	2.00	12 x 8	mm	
OV-S14-1		OVAL	2.00	11.9 x 8.32	mm	
OV-S16(10X6)		OVAL	1.60	10 x 6	mm	
RB-S16(10X8)		OVAL	1.60	10 x 8	mm	
S8-16(LA)		8	1.60	width 9	mm	
S8-17(3)		8	1.40	width 8	mm	
S8-17(3)X2		8	1.40	width 12	mm	
S13DT		TR	2.34	width 11	mm	
SSQ13(1:1)TR		TR	2.1 x 2.1	11.85 x 7.55 & 12.55 x 8.8	mm	11
SSQ13TR		TR	2.1 x 2.1	12.25 x 8.66	mm	11.4
TBL-S9		CABLE- TRI	2.1 x 2.1	9	mm	
SQ17-2.5RR		RING	1.40	width 10	mm	

item	Picture	style	Wire Dia	Outer measure Link (long x width)	unit	kg/100m
S17-2.5RR		RING	1.42	width 10	mm	
S19-1.9RR		RING	1.00	width 8	mm	
S20-1.5RR		RING	0.90	width 6	mm	
N-207		strip		width 12.1	mm	
N-211(12mm)		strip		width 12	mm	
N-211(8mm)		strip		width 8	mm	
N-93(12mm)		strip		width 12	mm	
N-93(6mm)		strip		width 6	mm	
N-95(12mm)		strip		width 12	mm	
N-96(12mm)		strip		width 12	mm	
N-96(6mm)		strip		width 6	mm	
DIAMOND 1.9		LANTERN		1.9	mm	
DIAMOND 2.4		LANTERN		2.4	mm	
DIAMOND 3.2		LANTERN		3.2	mm	
DIAMOND 4.2		LANTERN		4.2	mm	
LANTERN 2.4		LANTERN		2.4	mm	
LANTERN 3.2(4)		LANTERN		3.2	mm	
LANTERN 3.2(6)		LANTERN		3.2	mm	

item	Picture	style	Wire Dia	Outer measure Link (long x width)	unit	kg/100m
LANTERN 4.2(8)		LANTERN		4.2	mm	
LANTERN 5.2		LANTERN		5.2	mm	
LANTERN 8.0(8)		LANTERN		8	mm	
N-134(3.2mm)		LANTERN		3.2	mm	
N-23(6mm)		LANTERN		6	mm	
N-53(2.4mm)		LANTERN		2.4	mm	
N-373(6mm)		LANTERN		6	mm	
ROUND MESH 1.9		LANTERN		1.9	mm	
ROUND MESH 2.4		LANTERN		2.4	mm	
ROUND MESH 3.2		LANTERN		3.2	mm	
ROUND MESH 4.2		LANTERN		4.2	mm	
ROUND MESH 6.0		LANTERN		6	mm	
KM-19R		CORN		1.9	mm	
KM-24R		CORN		2.4	mm	
KM-32R		CORN		3.2	mm	
KM-42R		CORN		4.2	mm	
KM-60R		CORN		6	mm	
KM-70R		CORN		7	mm	

item	Picture	style	Wire Dia	Outer measure Link (long x width)	unit	kg/100m
KM-12R		CORN		Dia 12	mm	
KM-10X5		corn		10 x 5	mm	
KM-12		corn		12 x 5.1	mm	
N-245		LANTERN- F		6 x 3 thk	mm	
N-65		LANTERN- F		8 x 3 thk	mm	
BOSTON 1.4		BOX		1.4	mm	
BOSTON 1.9		BOX		1.9	mm	
BOSTON 2.4		BOX		2.4	mm	
BOX 1.1		BOX		1.1	mm	
BOX 1.4		BOX		1.4	mm	
BOX 1.9		BOX		1.9	mm	
BOX 2.4		BOX		2.4	mm	
BOX 3.0		BOX		3	mm	
BOX 4.0		BOX		4	mm	
BOX 5.0R		BOX		5	mm	
BOX 6		BOX		6	mm	
BOX 7.5BR		BOX		7.5	mm	

item	Picture	style	Wire Dia	Outer measure Link (long x width)	unit	kg/100m
BOX 8		BOX		8	mm	
N-200		GUCCI		width 7.75	mm	
N-216		GUCCI		width 6.3	mm	
N-217		GUCCI		width 6.3	mm	
N-218		GUCCI		width 6.3	mm	
N-236(4mm)		BOX		width 4	mm	
N-843(3mm)		BOX		width 3	mm	
RB-01		DISK		width 8.2	mm	
THIN BIKER		FASHION		width 9	mm	
SK-011		FASHION		width 10	mm	
SK-036		FASHION		disk 6	mm	
SK-5270		FASHION		width 7	mm	
SK-6785		FASHION		width 10	mm	
SK-S110		FASHION	4 x 2.2	width 20.5	mm	
SK-S150		FASHION	2.4 x 1.3	width 12	mm	

item	Picture	style	Wire Dia	Outer measure Link (long x width)	unit	kg/100m
KL(3)		RING		width 11	mm	
SK140F(B)		SCROLL	0.40	width 1.8	mm	
SK160F		SCROLL	0.60	width 2.7	mm	
SK180F		SCROLL	0.80	width 3.3	mm	
SK110F		SCROLL	1.00	width 4.5	mm	
SK114F		SCROLL	1.40	width 6	mm	
SK160R		SCROLL	0.60	width 2.1	mm	
SK180R		SCROLL	0.80	width 2.6	mm	
SK110R		SCROLL	1.00	width 4.3	mm	
SK114R		SCROLL	1.40	width 5	mm	
SK160K		SCROLL	0.60	width 2.9	mm	
SK180K		SCROLL	0.80	width 3.7	mm	
SK110K		SCROLL	1.00	width 5	mm	
SK114K		SCROLL	1.40	width 6.6	mm	
SK114G		SCROLL	1.40	width 6.1	mm	