

USING THIS GUIDE

Welcome to the Varilight Collection,
a comprehensive list of the products and services
available from Varilight.

In order to use this catalogue to its best effect
follow the steps below when browsing through the
collections to create the code for your
desired product.

Pick your product -

e.g. Ultraflat Collection
1-Gang 2A Round Pin Socket

...and make a note of it's code
*e.g. XF*RP2A-*


Then replace the * & - with your desired finish and
insert colour (if applicable) from the finish selector
on each page -

e.g. Iridium Black Plate (I)
which is only available with Black inserts (B)

Which gives you your product code of -

XFIRP2AB

Examples of all the finishes can
be found inside the front and
back covers.



VARILIGHT COLLECTION

Dimmers, Switches & Sockets



KEG

1	4.24	5.40
2	5.20	6.36
3	6.16	7.32
4	7.12	8.28
5	8.08	9.24
6	9.04	10.20

SEEK ALES
PINE ALE

OUR STORY



THE VARILIGHT STORY

Varilight is the brand name of Doyle & Tratt Products Ltd, the leading British manufacturer of dimmer switches and decorative switches and sockets. Our diverse and innovative range is available throughout the UK and the rest of the world via the electrical trade, retail and online suppliers.

Established in 1972 manufacturing dimmer switches, Varilight naturally diversified into decorative wiring accessories. Ground breaking innovations enabled the company to pioneer new processes in forming metal plates, which have often since been imitated.

Varilight continues to manufacture in the UK, enabling fast response times and the ability to fast-track product development and experiment with new materials and processes to keep the Varilight brand at the forefront of cutting edge design, and leading quality standards. Innovation in dimming technology has made Varilight world experts in lighting control. In recognition of this expertise, Doyle & Tratt Products Ltd was awarded the UK's most prestigious recognition of business achievement, The Queen's Award for Enterprise in the category of "Continuous Innovation and Development" in 2006 and again in 2015.

A clutch of industry awards have followed for Varilight, which was also the inaugural winner of the "Innovation in Lighting Design" award at 100% Design in 2007 and a "Decade of Design" finalist at the Lighting Design Awards in 2012.

Meanwhile the dimmer switch continued to evolve with the development of V-Pro intelligent dimmers, which have become the industry standard for controlling dimmable LED lighting. This market-leading technology has been applied to a wide array of LED compatible dimmer switches including remote control versions with scene setting capabilities. The company is continuing to push the boundaries of lighting control technology with the introduction of a new range of V-Com dimmer-switches capable of handling large LED loads in commercial and domestic settings.

Varilight continues to be run as a privately-owned family business with an unrivalled commitment to service and value for money and now manufactures over 5000 product lines. With its aim of holding stock of every product, Varilight's UK manufacturing capability enables it to react quickly to orders, for large project quantities.

Being UK based, Varilight is also able to quote for, and manufacture special non-standard items with amazingly fast turnaround times. Just ask for Varilight's bespoke service.

The core values upon which more than 40 years of business success have been built will endure as a new generation continues to work hard to ensure that the Varilight brand remains synonymous with quality, choice, value and innovation not only in technology but also in leading the market in on-trend decorative finishes across the comprehensive Varilight range of wiring accessories.

CLASSIC



THE CLASSIC COLLECTION

Choose Varilight Classic decorative switches and sockets for timeless elegance with a choice of styles and finishes to suit every budget and interior design scheme. Finishes range from functional and stylish Brushed Steel to elegant Georgian Brass, classic Pewter and contemporary Satin Chrome.

Classic Switches

Rocker Switches

X*1-	1-Gang 10A 1- or 2-Way Rocker Switch
X*2-	2-Gang 10A 1- or 2-Way Rocker Switch
X*3-	3-Gang 10A 1- or 2-Way Rocker Switch
X*93-	3-Gang 10A 1- or 2-Way Rocker Switch (TwinPlate)
X*9-	4-Gang 10A 1- or 2-Way Rocker Switch (TwinPlate)
X*96-	6-Gang 10A 1- or 2-Way Rocker Switch (TwinPlate)
X*7-	1-Gang 10A Intermediate Rocker Switch
X*71-	2-Gang 10A Intermediate Switch + 10A 1- or 2-Way Rocker Switch
X*77-	2-Gang 10A Intermediate Rocker Switch
X*20-	1-Gang 20A Double Pole Rocker Switch
X*20N-	1-Gang 20A Double Pole Rocker Switch + Neon Indicator Light

Toggle Switches

X*T1	1-Gang 10A 1- or 2-Way Toggle Switch
X*T2	2-Gang 10A 1- or 2-Way Toggle Switch
X*T3	3-Gang 10A 1- or 2-Way Toggle Switch
X*T9	4-Gang 10A 1- or 2-Way Toggle Switch (TwinPlate)
X*T7	1-Gang 10A Intermediate Toggle Switch


Impulse Switches

X*P1	1-Gang 6A 1- or 2-Way Push-On/Off Impulse Switch
X*P2	2-Gang 6A 1- or 2-Way Push-On/Off Impulse Switch
X*P3	3-Gang 6A 1- or 2-Way Push-On/Off Impulse Switch (TwinPlate)
X*P4	4-Gang 6A 1- or 2-Way Push-On/Off Impulse Switch (TwinPlate)

Classic Switches

Momentary Switches

X*M1	1-Gang 6A 1-Way Push-to-Make Momentary Switch
X*M2	2-Gang 6A 1-Way Push-to-Make Momentary Switch
X*M3	3-Gang 6A 1-Way Push-to-Make Momentary Switch (TwinPlate)
X*M4	4-Gang 6A 1-Way Push-to-Make Momentary Switch (TwinPlate)



Finish Selector

Plate Colour	*	A	C	G	I	N	P	R	S	V
Insert Colour	-	B	BWD	BWD	BD	BWD	B	BWD	BWD	BWD

Classic Sockets & Spurs

Standard Switched Sockets

X*4-	1-Gang 13A Double Pole Switched Socket
X*4D-	1-Gang 13A Double Pole Switched Socket with Metal Rockers
X*5-	2-Gang 13A Double Pole Switched Socket
X*5D-	2-Gang 13A Double Pole Switched Socket with Metal Rockers

Standard Sockets with USB

X*5U2-	2-Gang 13A Unswitched Socket + 2 x 5V DC 2100mA USB Charging Ports
X*5U2S-	2-Gang 13A Single Pole Switched Socket + 2 x 5V DC 2100mA USB Charging Ports
X*5U2SD-	2-Gang 13A Single Pole Switched Socket with Metal Rockers + 2 x 5V DC 2100mA USB Charging Ports

Round Pin Sockets

X*RP2A-	1-Gang 2A Unswitched Round Pin Socket
X*RP5A-	1-Gang 5A Unswitched Round Pin Socket
X*RP15A-	1-Gang 15A Unswitched Round Pin Socket

Fused Spurs

X*6-	13A Switched Fused Spur
X*6D	13A Switched Fused Spur with Metal Inserts
X*6N-	13A Switched Fused Spur + Neon
X*6ND	13A Switched Fused Spur + Neon with Metal Inserts
X*6FON-	13A Switched Fused Spur + Neon + Flex Outlet

Classic Sockets & Spurs

Fused Spurs

X*6U-	13A Unswitched Fused Spur
X*6UD	13A Unswitched Fused Spur with Metal Inserts
X*6UFO-	13A Unswitched Fused Spur + Flex Outlet
X*6UFOD	13A Unswitched Fused Spur + Flex Outlet with Metal Inserts
X*FO-	16A Flex Outlet Plate



Finish Selector

Plate Colour	*	A	C	G	I	N	P	R	S	V
Insert Colour	-	B	BW	BW	B	BW	B	BW	BW	BW

Classic Accessories

Special Switches & Sockets

X*BP-	1-Gang 10A Retractive Switch
X*FI-	10A Fan Isolating Switch (3 Pole)
X*45P-	45A Cooker Panel with 13A Double Pole Switched Socket Outlet (Red Rocker)
X*45S	45A Cooker Switch (Single Plate, Red Rocker)
X*45N	45A Cooker Switch + Neon (Vertical T/Plate, Red Rocker)
X*SS-	Dual Voltage Shaver Socket 240V/115V

Data & Comms Accessories

X*8	1-Gang TV Socket, Co-Axial
X*8S	1-Gang TV Socket, F-Type Satellite
X*8ISO-	1-Gang TV Socket, Isolated Co-axial
X*88	2-Gang TV Socket, Co-Axial
X*88S	2-Gang TV Socket, Co-axial + F-Type Satellite
X*TVFM-	2-Gang Diplex Socket, TV/FM
X*TM-	1-Gang Telephone Master Socket
X*TS-	1-Gang Telephone Slave (Extension) Socket
X*G1	DataGrid Plate (1 Grid Space)
X*G2	DataGrid Plate (2 Grid Spaces)
X*G4	DataGrid T/Plate (4 Grid Spaces)

Architrave Switches *(Only available in finishes C, S, and V)*

X*A1D	1-Gang 10A 1- or 2-Way Rocker Architrave Switch
X*AT1	1-Gang 10A 1- or 2-Way Toggle Architrave Switch

Pull Switches

XVPC	10A Pull Switch Brass Effect
XCPC	10A Pull Switch Chrome Effect
YPSB45	45A Pull Switch with Neon Brass Effect
YPSC45	45A Pull Switch with Neon Chrome Effect

Classic Accessories

Decorative Pattress Boxes

YBD.B	Double Surface Decorative Pattress Box Brass Effect
YBD.C	Double Surface Decorative Pattress Box Chrome Effect
YBS.B	Single Surface Decorative Pattress Box Brass Effect
YBS.C	Single Surface Decorative Pattress Box Chrome Effect
X*SB	Single Blank Plate
X*DB	Double Blank Plate



Finish Selector

Plate Colour	*	A	C	G	I	N	P	R	S	V
Insert Colour	—	B	BW	BW	B	BW	B	BW	BW	BW

ULTRAFLAT



THE ULTRAFLAT COLLECTION

Choose Varilight Ultraflat for an understated aesthetic with ultra slim flat faceplates in five popular, high quality finishes.

Ultraflat Switches

Rocker Switches

XF*1D	1-Gang 10A 1- or 2-Way Rocker Switch
XF*2D	2-Gang 10A 1- or 2-Way Rocker Switch
XF*3D	3-Gang 10A 1- or 2-Way Rocker Switch
XF*93D	3-Gang 10A 1- or 2-Way Rocker Switch (TwinPlate)
XF*9D	4-Gang 10A 1- or 2-Way Rocker Switch (TwinPlate)
XF*96D	6-Gang 10A 1- or 2-Way Rocker Switch (TwinPlate)
XF*7D	1-Gang 10A Intermediate Rocker Switch
XF*71D	2-Gang (10A Intermediate Switch + 10A 1- or 2-Way Rocker Switch)
XF*77D	2-Gang 10A Intermediate Rocker Switch
XF*20D	1-Gang 20A Double Pole Rocker Switch
XF*20ND	1-Gang 20A Double Pole Rocker Switch + Neon Indicator Light

Toggle Switches

XF*T1	1-Gang 10A 1- or 2-Way Toggle Switch
XF*T2	2-Gang 10A 1- or 2-Way Toggle Switch
XF*T3	3-Gang 10A 1- or 2-Way Toggle Switch
XF*T9	4-Gang 10A 1- or 2-Way Toggle Switch (TwinPlate)
XF*T7	1-Gang 10A Intermediate Toggle Switch

Impulse Switches

XF*P1	1-Gang 6A 1- or 2-Way Push-On/Off Impulse Switch
XF*P2	2-Gang 6A 1- or 2-Way Push-On/Off Impulse Switch
XF*P3	3-Gang 6A 1- or 2-Way Push-On/Off Impulse Switch (TwinPlate)
XF*P4	4-Gang 6A 1- or 2-Way Push-On/Off Impulse Switch (TwinPlate)

Ultraflat Switches

Momentary Switches

XF*M1	1-Gang 6A 1-Way Push-to-Make Momentary Switch
XF*M2	2-Gang 6A 1-Way Push-to-Make Momentary Switch
XF*M3	3-Gang 6A 1-Way Push-to-Make Momentary Switch (TwinPlate)
XF*M4	4-Gang 6A 1-Way Push-to-Make Momentary Switch (TwinPlate)



Finish Selector

Plate Colour * B C I S V

Ultraflat Sockets & Spurs

Standard Switched Sockets

XF*4D-	1-Gang 13A Double Pole Switched Socket with Metal Rockers
XF*5D-	2-Gang 13A Double Pole Switched Socket with Metal Rockers

Standard Sockets with USB


XF*5U2-	2-Gang 13A Unswitched Socket + 2 x 5V DC 2100mA USB Charging Ports
XF*5U2SD-	2-Gang 13A Single Pole Switched Socket with Metal Rockers + 2 x 5V DC 2100mA USB Charging Ports

Round Pin Sockets

XF*RP2A-	1-Gang 2A Unswitched Round Pin Socket
XF*RP5A-	1-Gang 5A Round Unswitched Pin Socket

Fused Spurs

XF*6D	13A Switched Fused Spur with Metal Inserts
XF*6ND	13A Switched Fused Spur + Neon with Metal Inserts
XF*6UD	13A Unswitched Fused Spur with Metal Inserts
XF*6UFOD	13A Unswitched Fused Spur + Flex Outlet with Metal Inserts
XF*6FON-	13A Switched Fused Spur + Neon + Flex Outlet
XF*FOD	16A Flex Outlet Plate



Ultraflat Accessories

Special Switches & Sockets

XF*BP-	1-Gang 10A Retractive Switch
XF*FI-	10A Fan Isolating Switch (3 Pole)
XF*45P-	45A Cooker Panel with 13A Double Pole Switched Socket Outlet (Red Rocker)
XF*45S	45A Cooker Switch (Single Plate, Red Rocker)
XF*45N	45A Cooker Switch + Neon (Vertical T/Plate, Red Rocker)
XF*SS-	Dual Voltage Shaver Socket 240V/115V

Data & Comms Accessories

XF*8	1-Gang TV Socket, Co-Axial
XF*TM-	1-Gang Telephone Master Socket
XF*TS-	1-Gang Telephone Slave (Extension) Socket
XF*G1	DataGrid Plate (1 Grid Space)
XF*G2	DataGrid Plate (2 Grid Spaces)
XF*G4	DataGrid T/Plate (4 Grid Spaces)

Blank Plates

XF*SB	Single Blank Plate
XF*DB	Double Blank Plate

Finish Selector

Plate Colour	*	B	C	I	S	V
Insert Colour	-	B W	B W	B	B W	B W

SCREWLESS

THE SCREWLESS COLLECTION

The Varilight Screwless low profile collection offers minimalism with style in our widest range of decorative finishes for the ultimate in choice and a flawless finish. This collection includes premium black and white accessories.

Screwless Switches

Rocker Switches

XD*1S	1-Gang 10A 1- or 2-Way Rocker Switch
XD*2S	2-Gang 10A 1- or 2-Way Rocker Switch
XD*3S	3-Gang 10A 1- or 2-Way Rocker Switch
XD*93S	3-Gang 10A 1- or 2-Way Rocker Switch (TwinPlate)
XD*9S	4-Gang 10A 1- or 2-Way Rocker Switch (TwinPlate)
XD*96S	6-Gang 10A 1- or 2-Way Rocker Switch (TwinPlate)
XD*7S	1-Gang 10A Intermediate Rocker Switch
XD*71S	2-Gang (10A Intermediate Switch + 10A 1- or 2-Way Rocker Switch)
XD*77S	2-Gang 10A Intermediate Rocker Switch
XD*20DS	1-Gang 20A Double Pole Rocker Switch
XD*20NDS	1-Gang 20A Double Pole Rocker Switch + Neon Indicator Light

Toggle Switches

XD*T1S	1-Gang 10A 1- or 2-Way Toggle Switch
XD*T2S	2-Gang 10A 1- or 2-Way Toggle Switch
XD*T3S	3-Gang 10A 1- or 2-Way Toggle Switch
XD*T9S	4-Gang 10A 1- or 2-Way Toggle Switch (TwinPlate)
XD*T7S	1-Gang 10A Intermediate Toggle Switch

Impulse Switches

XD*P1S	1-Gang 6A 1- or 2-Way Push-On/Off Impulse Switch
XD*P2S	2-Gang 6A 1- or 2-Way Push-On/Off Impulse Switch
XD*P3S	3-Gang 6A 1- or 2-Way Push-On/Off Impulse Switch (TwinPlate)
XD*P4S	4-Gang 6A 1- or 2-Way Push-On/Off Impulse Switch (TwinPlate)

Screwless Switches

Momentary Switches

XD*M1S	1-Gang 6A 1-Way Push-to-Make Momentary Switch
XD*M2S	2-Gang 6A 1-Way Push-to-Make Momentary Switch
XD*M3S	3-Gang 6A 1-Way Push-to-Make Momentary Switch (TwinPlate)
XD*M4S	4-Gang 6A 1-Way Push-to-Make Momentary Switch (TwinPlate)



Finish Selector

Plate Colour * B C I L M N Q R S V W

Screwless Sockets & Spurs

Standard Switched Sockets

XD*4-S	1-Gang 13A Double Pole Switched Socket with Metal Rockers
XD*5-S	2-Gang 13A Double Pole Switched Socket with Metal Rockers

Standard Sockets with USB

XD*5U2-S	2-Gang 13A Unswitched Socket + 2 x 5V DC 2100mA USB Charging Ports
XD*5U2S-S	2-Gang 13A Single Pole Switched Socket with Metal Rockers + 2 x 5V DC 2100mA USB Charging Ports

Round Pin Sockets

XD*RP5A-S	1-Gang 5A Unswitched Round Pin Socket
XD*RP2A-S	1-Gang 2A Unswitched Round Pin Socket **

Fused Spurs

XD*6DS	13A Switched Fused Spur with Metal Inserts
XD*6NDS	13A Switched Fused Spur + Neon with Metal Inserts
XD*6UDS	13A Unswitched Fused Spur with Metal Inserts
XD*6UFODS	13A Unswitched Fused Spur + Flex Outlet with Metal Inserts
XD*FODS	16A Flex Outlet Plate
XD*6FON-S	13A Switched Fused Spur + Neon + Flex Outlet **

** Available in all finishes except L and Q



Screwless Accessories

Special Switches & Sockets

XD*FI-S	10A Fan Isolating Switch (3 Pole)
XD*45P-S	45A Cooker Panel with 13A Double Pole Switched Socket Outlet (Red Rocker)
XD*45PN-S	45A Cooker Panel + Neon with 13A Double Pole Switched Socket Outlet (Red Rocker)
XD*45SS	45A Cooker Switch (Single Plate, Red Rocker)
XD*45NS	45A Cooker Switch + Neon (Vertical T/Plate, Red Rocker)
XD*SS-S	Dual Voltage Shaver Socket 240V/115V

Data & Comms Accessories

XD*8S	1-Gang TV Socket, Co-Axial
XD*G1S	DataGrid Plate (1 Grid Space)
XD*G2S	DataGrid Plate (2 Grid Spaces)
XD*G4S	DataGrid T/Plate (4 Grid Spaces)

Blank Plates

XD*SBS	Single Blank Plate
XD*DBS	Double Blank Plate

Finish Selector

Plate Colour	*	B	C	I	M	L	N	Q	R	S	V	W
Insert Colour	—	BW	BW	B	B	B	BW	W	B	BW	BW	W



JUBILEE

THE JUBILEE COLLECTION

For a modern take on a classic style, choose our Jubilee collection. Screwless plates are decorated with a beaded edge, capturing the charm and grace of neo-classical design with a contemporary twist.

Jubilee Switches, Sockets & Spurs

Rocker Switches

XDY1S.*	1-Gang 10A 1- or 2-Way Rocker Switch
XDY2S.*	2-Gang 10A 1- or 2-Way Rocker Switch
XDY3S.*	3-Gang 10A 1- or 2-Way Rocker Switch
XDY9S.*	4-Gang 10A 1- or 2-Way Rocker Switch (TwinPlate)
XDY7S.*	1-Gang 10A Intermediate Rocker Switch
XDY20NDS.*	1-Gang 20A Double Pole Rocker Switch + Neon Indicator Light

Toggle Switches

XDYT1S.*	1-Gang 10A 1- or 2-Way Toggle Switch
XDYT2S.*	2-Gang 10A 1- or 2-Way Toggle Switch
XDYT3S.*	3-Gang 10A 1- or 2-Way Toggle Switch
XDYT9S.*	4-Gang 10A 1- or 2-Way Toggle Switch (TwinPlate)
XDYT7S.*	1-Gang 10A Intermediate Toggle Switch

Standard Switched Sockets

XDY4WS.*	1-Gang 13A Double Pole Switched Socket with Metal Rockers
XDY5WS.*	2-Gang 13A Double Pole Switched Socket with Metal Rockers

Standard Sockets with USB

XDY5U2SWS.*	2-Gang 13A Single Pole Switched Socket with Metal Rockers + 2 x 5V DC 2100mA USB Charging Ports
-------------	---

Round Pin Sockets

XDYRP5AWS.*	1-Gang 5A Unswitched Round Pin Socket
-------------	---------------------------------------

Fused Spurs

XDY6DS.*	13A Switched Fused Spur with Metal Inserts
XDY6NDS.*	13A Switched Fused Spur + Neon with Metal Inserts

Jubilee Accessories

Special Switches & Sockets

XDYFIWS.*	10A Fan Isolating Switch (3 Pole)
XDY45PNWS.*	45A Cooker Panel + Neon with 13A Double Pole Switched Socket Outlet (Red Rocker)
XDY45SWS.*	45A Cooker Switch (Single Plate, Red Rocker)
XDY45NWS.*	45A Cooker Switch + Neon (Vertical T/Plate, Red Rocker)
XDYSSWS.*	Dual Voltage Shaver Socket 240V/115V

Data & Comms Accessories

XDY8S.*	1-Gang TV Socket, Co-Axial
XDYG1S.*	DataGrid Plate (1 Grid Space)
XDYG2S.*	DataGrid Plate (2 Grid Spaces)
XDYG4S.*	DataGrid T/Plate (4 Grid Spaces)

Blank Plates

XDYSBS.*	Single Blank Plate
XDYDBS.*	Double Blank Plate



Finish Selector

Plate Colour * JB JS



KILNWOOD

THE KILNWOOD COLLECTION

A comprehensive range of wooden wiring accessories to suit a variety of interiors. Our Kilnwood range is hand-crafted in Sussex using both modern and traditional techniques.

All of the wood used for our Kilnwood collection is of the highest grade and is from sustainable sources. All of the wood used can be traced to source. The Kilnwood range is offered in Solid Oak, Medium Oak, Limed Oak, Ash and our contemporary Scandic Beech range is offered with a minimalist bevelled moulding. We also have a 'Mahogany' finish that utilises stained Ash to achieve a natural effect.

These products are manufactured from sustainable hardwood, therefore the grain and timber colour may vary between plates.

Kilnwood Switches

Rocker Switches

XK1*-	1-Gang 10A 1- or 2-Way Rocker Switch
XK2*-	2-Gang 10A 1- or 2-Way Rocker Switch
XK3*-	3-Gang 10A 1- or 2-Way Rocker Switch
XK9*-	4-Gang 10A 1- or 2-Way Rocker Switch (TwinPlate)
XK7*-	1-Gang 10A Intermediate Rocker Switch
XK71*-	2-Gang (10A Intermediate Switch + 10A 1- or 2-Way Rocker Switch)
XK77*-	2-Gang 10A Intermediate Rocker Switch
XK20*-	1-Gang 20A Double Pole Rocker Switch
XK20N*-	1-Gang 20A Double Pole Rocker Switch + Neon Indicator Light

Toggle Switches

XKT1*	1-Gang 10A 1- or 2-Way Toggle Switch
XKT2*	2-Gang 10A 1- or 2-Way Toggle Switch
XKT3*	3-Gang 10A 1- or 2-Way Toggle Switch
XKT9*	4-Gang 10A 1- or 2-Way Toggle Switch (TwinPlate)
XKT7*	1-Gang 10A Intermediate Toggle Switch



Kilnwood Sockets & Spurs

Standard Switched Sockets

XK4*-	1-Gang 13A Double Pole Switched Socket
XK5*-	2-Gang 13A Double Pole Switched Socket

Standard Sockets with USB

XK5U2*-	2-Gang 13A Unswitched Socket + 2 x 5V DC 2100mA USB Charging Ports
---------	--

Round Pin Sockets

XKRP*-	1-Gang 2A Unswitched Round Pin Socket
XKRP5*-	1-Gang 5A Unswitched Round Pin Socket

Fused Spurs

XK6*-	13A Switched Fused Spur
XK6N*-	13A Switched Fused Spur + Neon
XK6FON*-	13A Switched Fused Spur + Neon + Flex Outlet
XK6U*-	13A Unswitched Fused Spur



Finish Selector

Plate Colour	*	A	BE	LO	M	MO	O
Insert Colour	-	W	W	W	B	B	BW

Kilnwood Accessories

Special Switches & Sockets

XKF1*-	10A Fan Isolating Switch (3 Pole)
XK45P*-	45A Cooker Panel with 13A Double Pole Switched Socket Outlet (Red Rocker)
XK45S*-	45A Cooker Switch (Single Plate, Red Rocker)
XK45N*-	45A Cooker Switch + Neon (Vertical T/Plate, Red Rocker)
XKSS*-	Dual Voltage Shaver Socket 240V/115V

Data & Comms Accessories

XK8*	1-Gang TV Socket, Co-Axial
XK88*	2-Gang TV Socket, Co-Axial
XKTM*-	1-Gang Telephone Master Socket
XKTS*-	1-Gang Telephone Slave (Extension) Socket
XKG1*	DataGrid Plate (1 Grid Space)
XKG2*	DataGrid Plate (2 Grid Spaces)
XKG4*	DataGrid T/Plate (4 Grid Spaces)



Wooden Patresses & Wall Boxes

XKBOXS*	Single 25mm wall box surround
XKBOXD*	Double 25mm wall box surround
XKS	Single decorative pattress surround, unfinished wood (for personalisation: e.g staining)
XKD	Twin decorative pattress surround, unfinished wood (for personalisation: e.g staining)
XKSB*	Single Blank Plate
XKDB*	Double Blank Plate



Finish Selector

Plate Colour	*	A	BE	LO	M	MO	O
Insert Colour	-	W	W	W	B	B	BW

Sustainability

"All of the wood used for our Kilnwood collection is of the highest grade and is from sustainable sources."

FREESTYLE



THE FREESTYLE COLLECTION

*Free your imagination with Varilight Freestyle.
Get creative and customise your switches and sockets with
wallpaper, photos, artwork or paint to personalise your accessories.*

The Freestyle Collection

Rocker Switches

XIF1C 1-Gang 10A 1- or 2-Way Rocker Switch

XIF2C 2-Gang 10A 1- or 2-Way Rocker Switch

XIF7C 1-Gang 10A Intermediate Rocker Switch

XIF20C 1-Gang 20A Double Pole Rocker Switch

Standard Switched Socket

XIF4CW 1-Gang 13A Double Pole Switched Socket with Metal Rockers

XIF5CW 2-Gang 13A Double Pole Switched Socket with Metal Rockers

Round Pin Sockets

XIFRP5ACW 1-Gang 5A Unswitched Round Pin Socket

Fused Spur

XIF6C 13A Switched Fused Spur with Metal Inserts

Special Switches


XIF45C 45A Cooker Switch (Single Plate, Red Rocker)

DataGrid & Blank Plates

XIFG1C DataGrid Plate (1 Grid Space)

XIFG2C DataGrid Plate (2 Grid Spaces)

XIFSBC Single Blank Plate



LILY PAINTED

THE LILY PAINTED COLLECTION

Choose from a selection of retro pastel switches, sockets and dimmers. The Lily collection is also offered in vibrant Reflex Blue and Pillarbox Red.

Lily Painted Switches, Sockets & Spurs

Rocker Switches

XY1*	1-Gang 10A 1- or 2-Way Rocker Switch
XY2*	2-Gang 10A 1- or 2-Way Rocker Switch
XY3*	3-Gang 10A 1- or 2-Way Rocker Switch
XY9*	4-Gang 10A 1- or 2-Way Rocker Switch (TwinPlate)
XY7*	10A Intermediate Switch
XY20N*	1-Gang 20A Double Pole Rocker Switch + Neon Indicator Light

Standard Switched Sockets

XY4*	1-Gang 13A Double Pole Switched Socket
XY5*	2-Gang 13A Double Pole Switched Socket

Standard Sockets with USB

XY5U2*	2-Gang 13A Unswitched Socket + 2 x 5V DC 2100mA USB Charging Ports
XY5U2S*	2-Gang 13A Single Pole Switched Socket + 2 x 5V DC 2100mA USB Charging Ports

Fused Spurs

XY6*	13A Switched Fused Spur
XY6U*	13A Unswitched Fused Spur
XY6N*	13A Switched Fused Spur + Neon

Lily Painted Accessories

Special Switches & Sockets

XYFI*	10A Fan Isolating Switch (3 Pole)
XY45P*	45A Cooker Panel with 13A Double Pole Switched Socket Outlet (Red Rocker)
XYSS*	Dual Voltage Shaver Socket 240V/115V
XY45S.*	45A Cooker Switch (Single Plate, Red Rocker)
XY45N.*	45A Cooker Switch + Neon (Vertical T/Plate, Red Rocker)
XYRP5A*	1-Gang 5A Unswitched Round Pin Socket



Finish Selector

Insert/Plate Colour * B.PR W.BG W.DB W.RB W.RP W.WC


Lily Painted Accessories

Data & Comms Accessories

XY8.*	1-Gang TV Socket, Co-Axial
XYG1.*	DataGrid Plate (1 Grid Space)
XYG2.*	DataGrid Plate (2 Grid Spaces)
XYG4.*	DataGrid T/Plate (4 Grid Spaces)

Blank Plates

XYSB.*	Single Blank Plate
XYDB.*	Double Blank Plate



Finish Selector

Plate Colour * PR BG DB RB RP WC





VARILIGHT DIMMER SERIES

V is for Versatile

Never before has there been such a choice of light sources for installers to choose from. We offer a comprehensive set of dimmer series to widen compatibility with this ever-growing array of lighting options. In order to get the best possible dimming performance from a given lighting load it is important to:-

- 1. Select the correct dimmer switch series*
- 2. Observe the minimum and maximum rating*
- 3. Program the dimmer (where required)*

Please refer to the quick reference guide overleaf to help you choose the correct dimmer switch for your application. More information on compatibility with many different types of lighting is available on our website www.varilight.co.uk/info

MAKING THE RIGHT DIMMER SELECTION

Best for: Filament Lighting
Features: Overload Protection (on some models)

Best for: Halogen Lighting (Soft start extends lamp life)
Features: Soft Start, Overload Protection

Best for: Halogen Lighting (Soft start extends lamp life)
Features: Soft Start, Overload Protection. Remote Control

Best for: LED Lighting
 Up to 100W (Max. 10 dimmable LEDs)
Features: Soft Start, Overload Protection,
 3 Dimming Modes, Adjustable Minimum Brightness

Best for: LED Lighting
 Up to 100W (Max. 10 dimmable LEDs)
Features: Soft Start, Overload Protection,
 3 Dimming Modes, Adjustable Minimum Brightness,
 Remote Control, LightScene

Best for: LED Lighting
 Up to 100W (Max. 10 dimmable LEDs)
Features: Soft Start, Overload Protection,
 3 Dimming Modes, Adjustable Minimum Brightness,
 Remote Control, LightScene, Separate Up/Down
 Dimming Motion

Best for: Large LED Lighting Loads
 (With options up to 600W)
Features: Soft Start, Overload Protection,
 3 Dimming Modes, Adjustable Minimum Brightness

DIMMER SELECTOR CHART

Load or lamp type		V-Dimm	V-Plus	V-Plus IR	V-Pro	V-Pro IR	Eclique2	V-Com
Filament	Mains GLS	●	●	●	●	●	●	●
	Mains Candle	●	●	●	●	●	●	●
Halogen	Mains Halogen	●	●	●	●	●	●	●
	Varilight Electronic Transformers	●	●	●	●	●	●	●
	Wirewound Transformers	●	●	●	●	●	●	●
Dimmable LED Lighting	Mains LED	●	●	●	●	●	●	●
	Varilight Electronic Transformers	●	●	●	●	●	●	●
	Other Brand Electronic Transformers	●	●	●	●	●	●	●
Dimmable CFLs	Varilight / Digiflux CFLs	●	●	●	●	●	●	●
	Other Brand CFLs	●	●	●	●	●	●	●

● Fully Compatible

● Widely Compatible

● Not Recommended

see additional information at
www.varilight.co.uk/info



V-DIM ROTARY I-WAY SERIES

Standard Series Dimmers

This is the current version of the original Varilight Dimmer Switch incorporating robust UK design and build quality for long-lasting performance. Built to exacting standards and containing proven technology from the UK's leading dimmer manufacturer. We use top quality, branded power components for reliability and long life, and individually set up each dimmer for consistent brightness levels.

Leading-edge dimmer best suited for: incandescent GLS filament lamps, eco-halogen lamps and other halogen loads.

For other applications see the dimmer selection guide.

V-Dim I-Way Dimmers

White Dimmers

HQ5W-P5	1-Gang 1-Way Rotary Dimmer 1 x 40-250W (Trade Pack of 5)
HQ1-	1-Gang 1-Way Rotary Dimmer 1 x 60-400W
TQR1001-	1-Gang 1-Way Rotary Dimmer 1 x 200-1000W
TQDR1001-	1-Gang 1-Way Rotary Dimmer 1 x 200-1000W (TwinPlate)
HQ2-	2-Gang 1-Way Rotary Dimmer 2 x 40-250W
HQ23-	3-Gang 1-Way Rotary Dimmer 3 x 40-250W (TwinPlate)
HQ24-	4-Gang 1-Way Rotary Dimmer 4 x 40-250W (TwinPlate)
HQ10W	1-Gang 1-Way Rotary Fan Regulator 1 x 40-250W

Knob Colour - W A



H*1	1-Gang 1-Way Rotary Dimmer 1 x 60-400W
T*R1001	1-Gang 1-Way Rotary Dimmer 1 x 200-1000W
T*DR1001	1-Gang 1-Way Rotary Dimmer 1 x 200-1000W (TwinPlate)
H*2	2-Gang 1-Way Rotary Dimmer 2 x 40-250W
H*23	3-Gang 1-Way Rotary Dimmer 3 x 40-250W (TwinPlate)
H*24	4-Gang 1-Way Rotary Dimmer 4 x 40-250W (TwinPlate)
H*10	1-Gang 1-Way Rotary Fan Regulator 1 x 40-250W

V-Dim I-Way Dimmers

HF*1	1-Gang 1-Way Rotary Dimmer 1 x 60-400W
TF*R1001	1-Gang 1-Way Rotary Dimmer 1 x 200-1000W
TF*DR1001	1-Gang 1-Way Rotary Dimmer 1 x 200-1000W (TwinPlate)
HF*2	2-Gang 1-Way Rotary Dimmer 2 x 40-250W
HF*10	1-Gang 1-Way Rotary Fan Regulator 1 x 40-250W
HD*1S	1-Gang 1-Way Rotary Dimmer 1 x 60-400W
TD*R1001S	1-Gang 1-Way Rotary Dimmer 1 x 200-1000W
TD*DR1001S	1-Gang 1-Way Rotary Dimmer 1 x 200-1000W (TwinPlate)
HD*2S	2-Gang 1-Way Rotary Dimmer 2 x 40-250W
HD*10S	1-Gang 1-Way Rotary Fan Regulator 1 x 40-250W
TDYR1001S.*	1-Gang 1-Way Rotary Dimmer 1 x 200-1000W
TYR1001.*	1-Gang 1-Way Rotary Dimmer 1 x 200-1000W





V-DIM PUSH-ON/OFF ROTARY 2-WAY SERIES

Standard Series Dimmers

Specification as per the V-Dim Rotary 1-Way series with the addition of a push-on, push-off switching action so that the dimmer can be used with switches on a 2-way circuit.


Leading-edge dimmer best suited for: incandescent GLS filament lamps on 2 way circuits. For other applications see the dimmer selection guide.

V-Dim 2-Way Dimmers

White Dimmers

HQ35W-P5	1-Gang 2-Way Push-On/Off Rotary Dimmer 1 x 40-250W (Trade Pack of 5)
HQ3-	1-Gang 2-Way Push-On/Off Rotary Dimmer 1 x 60-400W
TQP501-	1-Gang 2-Way Push-On/Off Rotary Dimmer 1 x 60-500W
HQ4-	2-Gang 2-Way Push-On/Off Rotary Dimmer 2 x 40-250W
HQ83-	2-Gang 2-Way Push-On/Off Rotary Dimmer 2 x 60-400W
HQ62-	2-Gang 2-Way Push-On/Off Rotary Dimmer 2 x 200-600W (TwinPlate)
HQ43-	3-Gang 2-Way Push-On/Off Rotary Dimmer 3 x 40-250W (TwinPlate)
HQ33-	3-Gang 2-Way Push-On/Off Rotary Dimmer 3 x 60-400W (TwinPlate)
HQ44-	4-Gang 2-Way Push-On/Off Rotary Dimmer 4 x 40-250W (TwinPlate)
FQP1M1-	1-Gang 2-Way Dimmer for Multiple HF Ballasts/LED Drivers requiring 1-10V DC Input

Knob Colour — W A



V-Dim 2-Way Dimmers

H*3	1-Gang 2-Way Push-On/Off Rotary Dimmer 1 x 60-400W
H*4	2-Gang 2-Way Push-On/Off Rotary Dimmer 2 x 40-250W
H*83	2-Gang 2-Way Push-On/Off Rotary Dimmer 2 x 60-400W
H*62	2-Gang 2-Way Push-On/Off Rotary Dimmer 2 x 200-600W (TwinPlate)
H*43	3-Gang 2-Way Push-On/Off Rotary Dimmer 3 x 40-250W (TwinPlate)
H*33	3-Gang 2-Way Push-On/Off Rotary Dimmer 3 x 60-400W (TwinPlate)
H*44	4-Gang 2-Way Push-On/Off Rotary Dimmer 4 x 40-250W (TwinPlate)
F*P1M1	1-Gang 2-Way Dimmer for Multiple HF Ballasts/LED Drivers requiring 1-10V DC Input

HF*3	1-Gang 2-Way Push-On/Off Rotary Dimmer 1 x 60-400W
HF*4	2-Gang 2-Way Push-On/Off Rotary Dimmer 2 x 40-250W
HF*83	2-Gang 2-Way Push-On/Off Rotary Dimmer 2 x 60-400W
HF*62	2-Gang 2-Way Push-On/Off Rotary Dimmer 2 x 200-600W (TwinPlate)
HF*43	3-Gang 2-Way Push-On/Off Rotary Dimmer 3 x 40-250W (TwinPlate)
HF*33	3-Gang 2-Way Push-On/Off Rotary Dimmer 3 x 60-400W (TwinPlate)
HF*44	4-Gang 2-Way Push-On/Off Rotary Dimmer 4 x 40-250W (TwinPlate)
FF*P1M1	1-Gang 2-Way Dimmer for Multiple HF Ballasts/LED Drivers requiring 1-10V DC Input

V-Dim 2-Way Dimmers

HD*3S	1-Gang 2-Way Push-On/Off Rotary Dimmer 1 x 60-400W
HD*4S	2-Gang 2-Way Push-On/Off Rotary Dimmer 2 x 40-250W
HD*83S	2-Gang 2-Way Push-On/Off Rotary Dimmer 2 x 60-400W
HD*62S	2-Gang 2-Way Push-On/Off Rotary Dimmer 2 x 200-600W (TwinPlate)
HD*43S	3-Gang 2-Way Push-On/Off Rotary Dimmer 3 x 40-250W (TwinPlate)
HD*33S	3-Gang 2-Way Push-On/Off Rotary Dimmer 3 x 60-400W (TwinPlate)
HD*44S	4-Gang 2-Way Push-On/Off Rotary Dimmer 4 x 40-250W (TwinPlate)
FD*P1M1S	1-Gang 2-Way Dimmer for Multiple HF Ballasts/LED Drivers requiring 1-10V DC Input



HDY3S.*	1-Gang 2-Way Push-On/Off Rotary Dimmer 1 x 60-400W
HDY83S.*	2-Gang 2-Way Push-On/Off Rotary Dimmer 2 x 60-400W
HDY33S.*	3-Gang 2-Way Push-On/Off Rotary Dimmer 3 x 60-400W (TwinPlate)
HDY44S.*	4-Gang 2-Way Push-On/Off Rotary Dimmer 4 x 40-250W (TwinPlate)

V-Dim 2-Way Dimmers

Freestyle Collection

TIFP401C	1-Gang 2-Way Push-On/Off Rotary Dimmer 1 x 60-400W
TIFP252C	2-Gang 2-Way Push-On/Off Rotary Dimmer 2 x 40-250W

HK3*	1-Gang 2-Way Push-On/Off Rotary Dimmer 1 x 60-400W
HK4*	2-Gang 2-Way Push-On/Off Rotary Dimmer 2 x 40-250W
HK43*	3-Gang 2-Way Push-On/Off Rotary Dimmer 3 x 40-250W (TwinPlate)
HK44*	4-Gang 2-Way Push-On/Off Rotary Dimmer 4 x 40-250W (TwinPlate)


HY3.*	1-Gang 2-Way Push-On/Off Rotary Dimmer 1 x 60-400W
HY83.*	2-Gang 2-Way Push-On/Off Rotary Dimmer 2 x 60-400W
HY33.*	3-Gang 2-Way Push-On/Off Rotary Dimmer 3 x 60-400W (TwinPlate)
HY44.*	4-Gang 2-Way Push-On/Off Rotary Dimmer 4 x 40-250W (TwinPlate)

V-Dim Grid Series

GP250*	2-Way Push-On/Off Rotary Dimmer 40-250W (1 Grid Space)
GP400*	2-Way Push-On/Off Rotary Dimmer 60-400W (1 Grid Space)
GFP1M1*	2-Way Dimmer for HF Ballasts/LED Drivers requiring 1-10V DC Input (1 Grid Space)
GH0*	2-Way Push-On/Off Switch Module (Dummy Dimmer) 6A (1 Grid Space)
GPINT*	Intermediate Push-On/Off Switch Module (Dummy Dimmer) 6A (1 Grid Space)

Replace * with one of the following finishes:

Black (B), White (W), Chrome (C), Brushed Steel (S), Iridium Black (I), Brass (V)




Multi-Grid (to fit MK, Schneider/GET and Crabtree)

GFP1M1*.MG	2-Way Dimmer for HF Ballasts/LED Drivers requiring 1-10V DC Input (1 Grid Space)
GH0*.MG	2-Way Push-On/Off Switch Module (Dummy Dimmer) 6A (1 Grid Space)
GPINT*.MG	Intermediate Push-On/Off Switch Module (Dummy Dimmer) 6A (1 Grid Space)

*Available in Black (B) and White (W)

Replacement Modules

ZOHO	2-Way Push-On/Off Switch Module (Dummy Dimmer) 6A
MPINT	Intermediate Push-On/Off Switch Module (Dummy Dimmer) 6A



**V-PLUS**TM

V-PLUS SERIES

Intelligent Series Dimmers

*Proven technology for halogen dimming you can rely on.
Outstanding performance with low voltage transformers.*

*High wattage capabilities for large loads. Efficient heat
dissipation for longer life. Soft start which has proven benefits
for extending lamp-life especially when dimming halogen and
eco lamps. Overload and short-circuit protection.*

*Leading-edge dimmer best suited for halogen lamps (including
eco-halogen and low-voltage dichroic) and all types of electronic
and wire wound low voltage transformers.*


For other applications see the dimmer selection guide.

V-Plus 2-Way Dimmers

White Dimmers

IQP401-	1-Gang 2-Way Push-On/Off Rotary Dimmer 1 x 40-400W
IQP501-	1-Gang 2-Way Push-On/Off Rotary Dimmer 1 x 40-500W
IQP701-	1-Gang 2-Way Push-On/Off Rotary Dimmer 1 x 60-700W
IQP1001-	1-Gang 2-Way Push-On/Off Rotary Dimmer 1 x 200-1000W
IQDP1001-	1-Gang 2-Way Push-On/Off Rotary Dimmer 1 x 200-1000W (TwinPlate)
IQP302-	2-Gang 2-Way Push-On/Off Rotary Dimmer 2 x 40-300W
IQDP303-	3-Gang 2-Way Push-On/Off Rotary Dimmer 3 x 40-300W (TwinPlate)
IQDP304-	4-Gang 2-Way Push-On/Off Rotary Dimmer 4 x 40-300W (TwinPlate)

Knob Colour — W — A




V-Plus 2-Way Dimmers

I*P401	1-Gang 2-Way Push-On/Off Rotary Dimmer 1 x 40-400W
I*P501	1-Gang 2-Way Push-On/Off Rotary Dimmer 1 x 40-500W
I*P701	1-Gang 2-Way Push-On/Off Rotary Dimmer 1 x 60-700W
I*P1001	1-Gang 2-Way Push-On/Off Rotary Dimmer 1 x 200-1000W
I*DP1001	1-Gang 2-Way Push-On/Off Rotary Dimmer 1 x 200-1000W (TwinPlate)
I*P302	2-Gang 2-Way Push-On/Off Rotary Dimmer 2 x 40-300W
I*DP303	3-Gang 2-Way Push-On/Off Rotary Dimmer 3 x 40-300W (TwinPlate)
I*DP304	4-Gang 2-Way Push-On/Off Rotary Dimmer 4 x 40-300W (TwinPlate)

IF*P401	1-Gang 2-Way Push-On/Off Rotary Dimmer 1 x 40-400W
IF*P501	1-Gang 2-Way Push-On/Off Rotary Dimmer 1 x 40-500W
IF*P701	1-Gang 2-Way Push-On/Off Rotary Dimmer 1 x 60-700W
IF*P1001	1-Gang 2-Way Push-On/Off Rotary Dimmer 1 x 200-1000W
IF*DP1001	1-Gang 2-Way Push-On/Off Rotary Dimmer 1 x 200-1000W (TwinPlate)
IF*P302	2-Gang 2-Way Push-On/Off Rotary Dimmer 2 x 40-300W
IF*DP303	3-Gang 2-Way Push-On/Off Rotary Dimmer 3 x 40-300W (TwinPlate)
IF*DP304	4-Gang 2-Way Push-On/Off Rotary Dimmer 4 x 40-300W (TwinPlate)

V-Plus 2-Way Dimmers

ID*P401S	1-Gang 2-Way Push-On/Off Rotary Dimmer 1 x 40-400W
ID*P501S	1-Gang 2-Way Push-On/Off Rotary Dimmer 1 x 40-500W
ID*P701S	1-Gang 2-Way Push-On/Off Rotary Dimmer 1 x 60-700W
ID*P1001S	1-Gang 2-Way Push-On/Off Rotary Dimmer 1 x 200-1000W
ID*DP1501S	1-Gang 2-Way Push-On/Off Rotary Dimmer 1 x 200-1400W (TwinPlate)
ID*P302S	2-Gang 2-Way Push-On/Off Rotary Dimmer 2 x 40-300W
ID*DP303S	3-Gang 2-Way Push-On/Off Rotary Dimmer 3 x 40-300W (TwinPlate)
ID*DP304S	4-Gang 2-Way Push-On/Off Rotary Dimmer 4 x 40-300W (TwinPlate)



IDYP401S.*	1-Gang 2-Way Push-On/Off Rotary Dimmer 1 x 40-400W
IDYP1001S.*	1-Gang 2-Way Push-On/Off Rotary Dimmer 1 x 200-1000W
IDYP302S.*	2-Gang 2-Way Push-On/Off Rotary Dimmer 2 x 40-300W
IDYDP303S.*	3-Gang 2-Way Push-On/Off Rotary Dimmer 3 x 40-300W (TwinPlate)
IDYDP304S.*	4-Gang 2-Way Push-On/Off Rotary Dimmer 4 x 40-300W (TwinPlate)

V-Plus 2-Way Dimmers

Freestyle Collection

IIFP401C	1-Gang 2-Way Push-On/Off Rotary Dimmer 1 x 40-400W
IIFP302C	2-Gang 2-Way Push-On/Off Rotary Dimmer 2 x 40-300W
IYP401.*	1-Gang 2-Way Push-On/Off Rotary Dimmer 1 x 40-400W
IYP1001.*	1-Gang 2-Way Push-On/Off Rotary Dimmer 1 x 200-1000W
IYP302.*	2-Gang 2-Way Push-On/Off Rotary Dimmer 2 x 40-300W
IYDP303.*	3-Gang 2-Way Push-On/Off Rotary Dimmer 3 x 40-300W (TwinPlate)
IYDP304.*	4-Gang 2-Way Push-On/Off Rotary Dimmer 4 x 40-300W (TwinPlate)

V-Plus Grid Series

GIP400*	2-Way Push-On/Off Rotary Dimmer 40-400W (1 Grid Space)
GIP600*	2-Way Push-On/Off Rotary Dimmer 100-600W (2 Grid Spaces)

Replace * with one of the following finishes:

Black (B), White (W), Chrome (C), Brushed Steel (S), Iridium Black (I), Brass (V)

Multi-Grid (to fit MK, Schneider/GET and Crabtree)

GIP400*.MG	2-Way Push-On/Off Rotary Dimmer 40-400W (1 Grid Space)
------------	--

*Available in Black (B) and White (W)



V-PLUS·IR™

V-PLUS IR SERIES

Intelligent Series 1 Way Remote Control Dimmers

Specification as per V-Plus series dimmers with the addition of touch and remote control capabilities enabling control of your lighting from anywhere in the room. Can be used with the Varilight dedicated handset (YRC8) or the dimmer can be programmed to respond to many domestic remote control handsets such as most TV or DVD remotes.

Best suited for incandescent GLS filament lamps, eco-halogen lamps and other halogen loads as well as electronic low voltage transformers.

V-Plus IR Series Dimmers

White Dimmers


IQ1601M	1-Gang 1-Way Remote/Touch Control Master Dimmer 1 x 40-600W
IQ1402M	2-Gang 1-Way Remote/Touch Control Master Dimmer 2 x 40-400W
IQS001	1-Gang Touch Control Dimming Slave for use with Master on 2-Way Circuits
IQS002	2-Gang Touch Control Dimming Slave for use with Master on 2-Way Circuits



I*1601M	1-Gang 1-Way Remote/Touch Control Master Dimmer 1 x 40-600W
I*1402M	2-Gang 1-Way Remote/Touch Control Master Dimmer 2 x 40-400W
I*1602M	2-Gang 1-Way Remote/Touch Control Master Dimmer 2 x 60-600W (TwinPlate)
I*1403M	3-Gang 1-Way Remote/Touch Control Master Dimmer 3 x 40-400W (TwinPlate)
I*1254M	4-Gang 1-Way Remote/Touch Control Master Dimmer 4 x 40-250W (TwinPlate)

V-Plus IR Series Dimmers

IF*1601M	1-Gang 1-Way Remote/Touch Control Master Dimmer 1 x 40-600W
IF*1402M	2-Gang 1-Way Remote/Touch Control Master Dimmer 2 x 40-400W
IF*1602M	2-Gang 1-Way Remote/Touch Control Master Dimmer 2 x 60-600W (TwinPlate)
IF*1403M	3-Gang 1-Way Remote/Touch Control Master Dimmer 3 x 40-400W (TwinPlate)
IF*1254M	4-Gang 1-Way Remote/Touch Control Master Dimmer 4 x 40-250W (TwinPlate)



ID*1601MS	1-Gang 1-Way Remote/Touch Control Master Dimmer 1 x 40-600W
ID*1402MS	2-Gang 1-Way Remote/Touch Control Master Dimmer 2 x 40-400W
ID*1602MS	2-Gang 1-Way Remote/Touch Control Master Dimmer 2 x 60-600W (TwinPlate)
ID*1403MS	3-Gang 1-Way Remote/Touch Control Master Dimmer 3 x 40-400W (TwinPlate)
ID*1254MS	4-Gang 1-Way Remote/Touch Control Master Dimmer 4 x 40-250W (TwinPlate)

Remote Control Handsets

YRC8	8 Button Infrared Remote Control Handset
------	--



V-PRO SERIES

Professional Series Dimmers

Market leading technology for dimmable LED loads. Latest V-Pro technology to optimise dimming performance of all dimmable LED lamps. Compatible with LED lamps which require leading or trailing edge dimming. Three dimming modes available and adjustable minimum brightness for maximum possible dimming range. Totally silent operation. Soft start for improved lamp life. Overload and short-circuit protection.


Best suited for between 1 and 10 dimmable LED lamps of all types (max 100W).

V-Pro 2-Way Dimmers

White Dimmers

JQP401-	1-Gang 2-Way Push-On/Off Rotary LED Dimmer 1 x 0-100W max 10 LEDs
JQP252-	2-Gang 2-Way Push-On/Off Rotary LED Dimmer 2 x 0-100W max 10 LEDs**
JQDP402-	2-Gang 2-Way Push-On/Off Rotary LED Dimmer 2 x 0-100W max 10 LEDs** (TwinPlate)
JQDP303-	3-Gang 2-Way Push-On/Off Rotary LED Dimmer 3 x 0-100W max 10 LEDs** (TwinPlate)
JQDP254-	4-Gang 2-Way Push-On/Off Rotary LED Dimmer 4 x 0-100W max 10 LEDs** (TwinPlate)

Knob Colour — W A



J*P401	1-Gang 2-Way Push-On/Off Rotary LED Dimmer 1 x 0-100W max 10 LEDs
J*P252	2-Gang 2-Way Push-On/Off Rotary LED Dimmer 2 x 0-100W max 10 LEDs**
J*DP402	2-Gang 2-Way Push-On/Off Rotary LED Dimmer 2 x 0-100W max 10 LEDs** (TwinPlate)
J*DP303	3-Gang 2-Way Push-On/Off Rotary LED Dimmer 3 x 0-100W max 10 LEDs** (TwinPlate)
J*DP254	4-Gang 2-Way Push-On/Off Rotary LED Dimmer 4 x 0-100W max 10 LEDs** (TwinPlate)

**Max LEDs per gang

V-Pro 2-Way Dimmers

JF*P401	1-Gang 2-Way Push-On/Off Rotary LED Dimmer 1 x 0-100W max 10 LEDs
JF*P252	2-Gang 2-Way Push-On/Off Rotary LED Dimmer 2 x 0-100W max 10 LEDs**
JF*DP402	2-Gang 2-Way Push-On/Off Rotary LED Dimmer 2 x 0-100W max 10 LEDs** (TwinPlate)
JF*DP303	3-Gang 2-Way Push-On/Off Rotary LED Dimmer 3 x 0-100W max 10 LEDs** (TwinPlate)
JF*DP254	4-Gang 2-Way Push-On/Off Rotary LED Dimmer 4 x 0-100W max 10 LEDs** (TwinPlate)

JD*P401S	1-Gang 2-Way Push-On/Off Rotary LED Dimmer 1 x 0-100W max 10 LEDs
JD*P252S	2-Gang 2-Way Push-On/Off Rotary LED Dimmer 2 x 0-100W max 10 LEDs**
JD*DP402S	2-Gang 2-Way Push-On/Off Rotary LED Dimmer 2 x 0-100W max 10 LEDs** (TwinPlate)
JD*DP303S	3-Gang 2-Way Push-On/Off Rotary LED Dimmer 3 x 0-100W max 10 LEDs** (TwinPlate)
JD*DP254S	4-Gang 2-Way Push-On/Off Rotary LED Dimmer 4 x 0-100W max 10 LEDs** (TwinPlate)

**Max LEDs per gang

V-Pro 2-Way Dimmers

JDYP401S.*	1-Gang 2-Way Push-On/Off Rotary LED Dimmer 1 x 0-100W max 10 LEDs
JDYP252S.*	2-Gang 2-Way Push-On/Off Rotary LED Dimmer 2 x 0-100W max 10 LEDs**
JDYDP303S.*	3-Gang 2-Way Push-On/Off Rotary LED Dimmer 3 x 0-100W max 10 LEDs** (TwinPlate)
JDYDP254S.*	4-Gang 2-Way Push-On/Off Rotary LED Dimmer 4 x 0-100W max 10 LEDs** (TwinPlate)



Freestyle Collection

JIFP401C	1-Gang 2-Way Push-On/Off Rotary LED Dimmer 1 x 0-100W max 10 LEDs
JIFP252C	2-Gang 2-Way Push-On/Off Rotary LED Dimmer 2 x 0-100W max 10 LEDs**
JK1*	1-Gang 2-Way Push-On/Off Rotary LED Dimmer 1 x 0-100W max 10 LEDs
JK2*	2-Gang 2-Way Push-On/Off Rotary LED Dimmer 2 x 0-100W max 10 LEDs**

**Max LEDs per gang

V-Pro 2-Way Dimmers

JYP401.*	1-Gang 2-Way Push-On/Off Rotary LED Dimmer 1 x 0-100W max 10 LEDs
JYP252.*	2-Gang 2-Way Push-On/Off Rotary LED Dimmer 2 x 0-100W max 10 LEDs**
JYDP402.*	2-Gang 2-Way Push-On/Off Rotary LED Dimmer 2 x 0-100W max 10 LEDs** (TwinPlate)
JYDP303.*	3-Gang 2-Way Push-On/Off Rotary LED Dimmer 3 x 0-100W max 10 LEDs** (TwinPlate)
JYDP254.*	4-Gang 2-Way Push-On/Off Rotary LED Dimmer 4 x 0-100W max 10 LEDs** (TwinPlate)

**Max LEDs per gang

V-Pro Grid Series

GJP100*	2-Way Push-On/Off Rotary LED Dimmer 0-100W max 10 LEDs (1 Grid Space)
---------	---

Replace * with one of the following finishes:

Black (B), White (W), Chrome (C), Brushed Steel (S), Iridium Black (I), Brass (V)

Multi-Grid (to fit MK, Schneider/GET and Crabtree)

GJP100*.MG	2-Way Push-On/Off Rotary LED Dimmer 0-100W max 10 LEDs (1 Grid Space)
------------	---

*Available in Black (B) and White (W)

Also available as a replacement module for standard dimmer plates



V-PRO·IRTM

V-PRO IR SERIES


Professional Series Dimmers

Specification as per V-Pro series dimmers with the addition of touch and remote control capabilities enabling control of your lighting from anywhere in the room. Can be used with the Varilight dedicated handset (YRC8) or the dimmer can be programmed to respond to many domestic remote control handsets such as most TV or DVD remotes. Your lights can be dimmed from multiple locations using V-Pro IR dimming slaves. Use the Varilight Lightscene handset (YRE8) to set light levels in different circuits to create and save up to 4 lighting scenes in any room and recall at the touch of a button.

V-Pro IR Series Dimmers

White Dimmers

JQ1401	1-Gang 1-Way Remote/Touch Control Master LED Dimmer 1 x 0-100W max 10 LEDs
JQ1252	2-Gang 1-Way Remote/Touch Control Master LED Dimmer 2 x 0-100W max 10 LEDs**
IQS001	1-Gang Touch Control Dimming Slave for use with Master on 2-Way Circuits
IQS002	2-Gang Touch Control Dimming Slave for use with Master on 2-Way Circuits



IJ*1101	1-Gang 1-Way Remote/Touch Control Master LED Dimmer 1 x 0-100W max 10 LEDs
IJ*1102	2-Gang 1-Way Remote/Touch Control Master LED Dimmer 2 x 0-100W max 10 LEDs**
IJ*1103	3-Gang 1-Way Remote/Touch Control Master LED Dimmer 3 x 0-100W max 10 LEDs** (TwinPlate)
IJ*1104	4-Gang 1-Way Remote/Touch Control Master LED Dimmer 4 x 0-100W max 10 LEDs** (TwinPlate)
IJ*S001	1-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits
IJ*S002	2-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits
IJ*S003	3-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits (TwinPlate)
IJ*S004	4-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits (TwinPlate)

**Max LEDs per gang

V-Pro IR Series Dimmers

IJF*1101	1-Gang 1-Way Remote/Touch Control Master LED Dimmer 1 x 0-100W max 10 LEDs
IJF*1102	2-Gang 1-Way Remote/Touch Control Master LED Dimmer 2 x 0-100W max 10 LEDs**
IJF*1103	3-Gang 1-Way Remote/Touch Control Master LED Dimmer 3 x 0-100W max 10 LEDs** (TwinPlate)
IJF*1104	4-Gang 1-Way Remote/Touch Control Master LED Dimmer 4 x 0-100W max 10 LEDs** (TwinPlate)
IJF*S001	1-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits
IJF*S002	2-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits
IJF*S003	3-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits (TwinPlate)
IJF*S004	4-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits (TwinPlate)

IJD*1101S	1-Gang 1-Way Remote/Touch Control Master LED Dimmer 1 x 0-100W max 10 LEDs
IJD*1102S	2-Gang 1-Way Remote/Touch Control Master LED Dimmer 2 x 0-100W max 10 LEDs**
IJD*1103S	3-Gang 1-Way Remote/Touch Control Master LED Dimmer 3 x 0-100W max 10 LEDs** (TwinPlate)
IJD*1104S	4-Gang 1-Way Remote/Touch Control Master LED Dimmer 4 x 0-100W max 10 LEDs** (TwinPlate)
IJD*S001S	1-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits
IJD*S002S	2-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits
IJD*S003S	3-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits (TwinPlate)
IJD*S004S	4-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits (TwinPlate)

**Max LEDs per gang

V-Pro IR Series Dimmers

IJDY1101S.*	1-Gang 1-Way Remote/Touch Control Master LED Dimmer 1 x 0-100W max 10 LEDs
IJDY1102S.*	2-Gang 1-Way Remote/Touch Control Master LED Dimmer 2 x 0-100W max 10 LEDs**
IJDY1103S.*	3-Gang 1-Way Remote/Touch Control Master LED Dimmer 3 x 0-100W max 10 LEDs** (TwinPlate)
IJDY1104S.*	4-Gang 1-Way Remote/Touch Control Master LED Dimmer 4 x 0-100W max 10 LEDs** (TwinPlate)
IJDYS001S.*	1-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits
IJDYS002S.*	2-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits
IJDYS003S.*	3-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits (TwinPlate)
IJDYS004S.*	4-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits (TwinPlate)

IJY1101.*	1-Gang 1-Way Remote/Touch Control Master LED Dimmer 1 x 0-100W max 10 LEDs
IJY1102.*	2-Gang 1-Way Remote/Touch Control Master LED Dimmer 2 x 0-100W max 10 LEDs**
IJY1103.*	3-Gang 1-Way Remote/Touch Control Master LED Dimmer 3 x 0-100W max 10 LEDs** (TwinPlate)
IJY1104.*	4-Gang 1-Way Remote/Touch Control Master LED Dimmer 4 x 0-100W max 10 LEDs** (TwinPlate)
IJYS001.*	1-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits
IJYS002.*	2-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits
IJYS003.*	3-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits (TwinPlate)
IJYS004.*	4-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits (TwinPlate)

**Max LEDs per gang

V-Pro IR Series Dimmers

Remote Control Handsets

YRC8	8 Button Infrared Remote Control Handset
YRE8	LightScene Infrared Remote Control Handset with Scene-Setting





ECLIQUE2 SERIES

Professional Series Dimmers

New generation of remote control dimming for all types of loads including LED. All the features of the V-Pro IR dimmers with the addition of separate up and down dimming using the same control button. New design for seamless integration with the Varilight range of decorative wiring accessories. Available in grid formats to enable maximum wiring flexibility and customer choice.

Eclique2 Series Dimmers

J*E101	1-Gang 1-Way Remote/Tactile Touch Control Master LED Dimmer 1 x 0-100W max 10 LEDs
J*E102	2-Gang 1-Way Remote/Tactile Touch Control Master LED Dimmer 2 x 0-100W max 10 LEDs**
J*E103	3-Gang 1-Way Remote/Tactile Touch Control Master LED Dimmer 3 x 0-100W max 10 LEDs**
J*E104	4-Gang 1-Way Remote/Tactile Touch Control Master LED Dimmer 4 x 0-100W max 10 LEDs**
J*ES001	1-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits
J*ES002	2-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits
J*ES003	3-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits (TwinPlate)
J*ES004	4-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits (TwinPlate)

**Max LEDs per gang



Eclique2 Series Dimmers

JF*E101	1-Gang 1-Way Remote/Tactile Touch Control Master LED Dimmer 1 x 0-100W max 10 LEDs
JF*E102	2-Gang 1-Way Remote/Tactile Touch Control Master LED Dimmer 2 x 0-100W max 10 LEDs**
JF*E103	3-Gang 1-Way Remote/Tactile Touch Control Master LED Dimmer 3 x 0-100W max 10 LEDs**
JF*E104	4-Gang 1-Way Remote/Tactile Touch Control Master LED Dimmer 4 x 0-100W max 10 LEDs**
JF*ES001	1-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits
JF*ES002	2-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits
JF*ES003	3-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits (TwinPlate)
JF*ES004	4-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits (TwinPlate)

JD*E101S	1-Gang 1-Way Remote/Tactile Touch Control Master LED Dimmer 1 x 0-100W max 10 LEDs
JD*E102S	2-Gang 1-Way Remote/Tactile Touch Control Master LED Dimmer 2 x 0-100W max 10 LEDs**
JD*E103S	3-Gang 1-Way Remote/Tactile Touch Control Master LED Dimmer 3 x 0-100W max 10 LEDs**
JD*E104S	4-Gang 1-Way Remote/Tactile Touch Control Master LED Dimmer 4 x 0-100W max 10 LEDs**
JD*ES001S	1-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits
JD*ES002S	2-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits
JD*ES003S	3-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits (TwinPlate)
JD*ES004S	4-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits (TwinPlate)

**Max LEDs per gang

Eclique2 Series Dimmers

JDYE101S.*	1-Gang 1-Way Remote/Tactile Touch Control Master LED Dimmer 1 x 0-100W max 10 LEDs
JDYE102S.*	2-Gang 1-Way Remote/Tactile Touch Control Master LED Dimmer 2 x 0-100W max 10 LEDs**
JDYE103S.*	3-Gang 1-Way Remote/Tactile Touch Control Master LED Dimmer 3 x 0-100W max 10 LEDs**
JDYE104S.*	4-Gang 1-Way Remote/Tactile Touch Control Master LED Dimmer 4 x 0-100W max 10 LEDs**
JDYES001S.*	1-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits
JDYES002S.*	2-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits
JDYES003S.*	3-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits (TwinPlate)
JDYES004S.*	4-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits (TwinPlate)



Freestyle Collection

JIFE101C	1-Gang 1-Way Remote/Tactile Touch Control Master LED Dimmer 1 x 0-100W max 10 LEDs
JIFE102C	2-Gang 1-Way Remote/Tactile Touch Control Master LED Dimmer 2 x 0-100W max 10 LEDs**
JIFES001C	1-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits
JIFES002C	2-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits

**Max LEDs per gang

Eclique2 Series Dimmers

JYE101.*	1-Gang 1-Way Remote/Tactile Touch Control Master LED Dimmer 1 x 0-100W max 10 LEDs
JYE102.*	2-Gang 1-Way Remote/Tactile Touch Control Master LED Dimmer 2 x 0-100W max 10 LEDs**
JYE103.*	3-Gang 1-Way Remote/Tactile Touch Control Master LED Dimmer 3 x 0-100W max 10 LEDs**
JYE104.*	4-Gang 1-Way Remote/Tactile Touch Control Master LED Dimmer 4 x 0-100W max 10 LEDs**
JYES001.*	1-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits
JYES002.*	2-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits
JYES003.*	3-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits (TwinPlate)
JYES004.*	4-Gang Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits (TwinPlate)

**Max LEDs per gang

Remote Control Handsets


YRC8	8 Button Infrared Remote Control Handset
YRE8	LightScene Infrared Remote Control Handset with Scene-Setting

Eclique2 Grid Series

GJE100*	1-Way Remote/Tactile Touch Control Master LED Dimmer 1 x 0-100W max 10 LEDs (1 Grid Space)
GJES*	Tactile Touch Control Dimming Slave for use with Master on 2-Way Circuits (1 Grid Space)

Replace * with one of the following finishes:

Chrome (C), Brushed Steel (S), Iridium Black (I), Brass (V)



**V-COMTM**

V-COM SERIES

Commercial Series Dimmers

*With options for dimming up to 600W of dimmable LED loads.
High maximum wattages available for dimming up to 60 LED
lamps. Ideal for dimming LED panels.
Soft-start to improve lamp-life. Adjustable minimum brightness
for maximum possible dimming range.
Thermal overload protection. Recommended for larger LED loads.*

V-Com 2-Way Dimmers

White Dimmers

KQP101-	1-Gang 2-Way Push-On/Off Rotary LED Dimmer 1 x 10-100W max 10 LEDs
KQP221-	1-Gang 2-Way Push-On/Off Rotary LED Dimmer 1 x 15-220W max 30 LEDs
KQP401-	1-Gang 2-Way Push-On/Off Rotary LED Dimmer 1 x 20-400W max 40 LEDs
KQDP601-	1-Gang 2-Way Push-On/Off Rotary LED Dimmer 1 x 40-600W max 60 LEDs (TwinPlate)
KQP182-	2-Gang 2-Way Push-On/Off Rotary LED Dimmer 2 x 15-180W max 24 LEDs**
KQDP302-	2-Gang 2-Way Push-On/Off Rotary LED Dimmer 2 x 20-300W max 36 LEDs** (TwinPlate)
KQDP183-	3-Gang 2-Way Push-On/Off Rotary LED Dimmer 3 x 15-180W max 24 LEDs** (TwinPlate)
KQDP184-	4-Gang 2-Way Push-On/Off Rotary LED Dimmer 4 x 15-180W max 24 LEDs** (TwinPlate)

Knob Colour — W A



K*P221	1-Gang 2-Way Push-On/Off Rotary LED Dimmer 1 x 15-220W max 30 LEDs
K*P401	1-Gang 2-Way Push-On/Off Rotary LED Dimmer 1 x 20-400W max 40 LEDs
K*DP601	1-Gang 2-Way Push-On/Off Rotary LED Dimmer 1 x 40-600W max 60 LEDs (TwinPlate)
K*P182	2-Gang 2-Way Push-On/Off Rotary LED Dimmer 2 x 15-180W max 24 LEDs**
K*DP302	2-Gang 2-Way Push-On/Off Rotary LED Dimmer 2 x 20-300W max 36 LEDs** (TwinPlate)
K*DP183	3-Gang 2-Way Push-On/Off Rotary LED Dimmer 3 x 15-180W max 24 LEDs** (TwinPlate)
K*DP184	4-Gang 2-Way Push-On/Off Rotary LED Dimmer 4 x 15-180W max 24 LEDs** (TwinPlate)

**Max LEDs per gang

V-Com 2-Way Dimmers

KF*P221	1-Gang 2-Way Push-On/Off Rotary LED Dimmer 1 x 15-220W max 30 LEDs
KF*P401	1-Gang 2-Way Push-On/Off Rotary LED Dimmer 1 x 20-400W max 40 LEDs
KF*DP601	1-Gang 2-Way Push-On/Off Rotary LED Dimmer 1 x 40-600W max 60 LEDs (TwinPlate)
KF*P182	2-Gang 2-Way Push-On/Off Rotary LED Dimmer 2 x 15-180W max 24 LEDs**
KF*DP302	2-Gang 2-Way Push-On/Off Rotary LED Dimmer 2 x 20-300W max 36 LEDs** (TwinPlate)
KF*DP183	3-Gang 2-Way Push-On/Off Rotary LED Dimmer 3 x 15-180W max 24 LEDs** (TwinPlate)
KF*DP184	4-Gang 2-Way Push-On/Off Rotary LED Dimmer 4 x 15-180W max 24 LEDs** (TwinPlate)



KD*P221S	1-Gang 2-Way Push-On/Off Rotary LED Dimmer 1 x 15-220W max 30 LEDs
KD*P401S	1-Gang 2-Way Push-On/Off Rotary LED Dimmer 1 x 20-400W max 40 LEDs
KD*DP601S	1-Gang 2-Way Push-On/Off Rotary LED Dimmer 1 x 40-600W max 60 LEDs (TwinPlate)
KD*P182S	2-Gang 2-Way Push-On/Off Rotary LED Dimmer 2 x 15-180W max 24 LEDs**
KD*DP302S	2-Gang 2-Way Push-On/Off Rotary LED Dimmer 2 x 20-300W max 36 LEDs** (TwinPlate)
KD*DP183S	3-Gang 2-Way Push-On/Off Rotary LED Dimmer 3 x 15-180W max 24 LEDs** (TwinPlate)
KD*DP184S	4-Gang 2-Way Push-On/Off Rotary LED Dimmer 4 x 15-180W max 24 LEDs** (TwinPlate)

**Max LEDs per gang

V-Com 2-Way Dimmers

KDYP221.*	1-Gang 2-Way Push-On/Off Rotary LED Dimmer 1 x 15-220W max 30 LEDs
KDYP401.*	1-Gang 2-Way Push-On/Off Rotary LED Dimmer 1 x 20-400W max 40 LEDs
KDYDP601.*	1-Gang 2-Way Push-On/Off Rotary LED Dimmer 1 x 40-600W max 60 LEDs (TwinPlate)
KDYP182.*	2-Gang 2-Way Push-On/Off Rotary LED Dimmer 2 x 15-180W max 24 LEDs**
KDYDP302.*	2-Gang 2-Way Push-On/Off Rotary LED Dimmer 2 x 20-300W max 36 LEDs** (TwinPlate)
KDYDP183.*	3-Gang 2-Way Push-On/Off Rotary LED Dimmer 3 x 15-180W max 24 LEDs** (TwinPlate)
KDYDP184.*	4-Gang 2-Way Push-On/Off Rotary LED Dimmer 4 x 15-180W max 24 LEDs** (TwinPlate)

KYP221.*	1-Gang 2-Way Push-On/Off Rotary LED Dimmer 1 x 15-220W max 30 LEDs
KYP401.*	1-Gang 2-Way Push-On/Off Rotary LED Dimmer 1 x 20-400W max 40 LEDs
KYDP601.*	1-Gang 2-Way Push-On/Off Rotary LED Dimmer 1 x 40-600W max 60 LEDs (TwinPlate)
KYP182.*	2-Gang 2-Way Push-On/Off Rotary LED Dimmer 2 x 15-180W max 24 LEDs**
KYDP302.*	2-Gang 2-Way Push-On/Off Rotary LED Dimmer 2 x 20-300W max 36 LEDs** (TwinPlate)
KYDP183.*	3-Gang 2-Way Push-On/Off Rotary LED Dimmer 3 x 15-180W max 24 LEDs** (TwinPlate)
KYDP184.*	4-Gang 2-Way Push-On/Off Rotary LED Dimmer 4 x 15-180W max 24 LEDs** (TwinPlate)

**Max LEDs per gang

V-Com Grid Series

GKP180*	2-Way Push-On/Off Rotary LED Dimmer 15-180W max 24 LEDs (1 Grid Space)
GKP300*	2-Way Push-On/Off Rotary LED Dimmer 20-300W max 36 LEDs (2 Grid Spaces)

Replace * with one of the following finishes:

Black (B), White (W), Chrome (C), Brushed Steel (S), Iridium Black (I), Brass (V)


Multi-Grid (to fit MK, Schneider/GET and Crabtree)

GKP180*.MG	2-Way Push-On/Off Rotary LED Dimmer 15-180W max 24 LEDs (1 Grid Space)
------------	--

*Available in Black (B) and White (W)

Also available as a replacement module for standard dimmer plates





THE GRID COLLECTION POWERGRID

THE GRID COLLECTION POWERGRID

The Varilight PowerGrid collection enables you to create countless combinations of tailor made accessories for specific installations

Varilight PowerGrid plates compliment the Screwless collection and Classic Matt Chrome accessories. PowerGrid enables you to combine switches, dimmers and other accessories on one plate.

PowerGrid is a three part assembly.

Plate + Frame (Yoke) + Insert

PowerGrid

PowerGrid Matt Chrome Plates *(to complement the Classic Matt Chrome plate)*

XSPG1-P	1-Gang Grid Plate
XSPG2-P	2-Gang Grid Plate
XSPG3-P	3-Gang Grid Plate (TwinPlate)
XSPG4-P	4-Gang Grid Plate (TwinPlate)

PowerGrid Metal Plates *(to complement the Screwless collection)*

XD*PG1-P	1-Gang Grid Plate (Single Plate)
XD*PG2-P	2-Gang Grid Plate (Single Plate)
XD*PG3-P	3-Gang Grid Plate (TwinPlate)
XD*PG4-P	4-Gang Grid Plate (TwinPlate)
XD*PG6-P	6-Gang Grid Plate (Double T/Plate)
XD*PG8-P	8-Gang Grid Plate (Double T/Plate)
XD*PG9-P	9-Gang Grid Plate (Triple T/Plate)
XD*PG12-P	12-Gang Grid Plate (Triple T/Plate)

Above plate sizes available in Mirror Chrome (C), Brushed Steel (S), and Premium White (Q)

PowerGrid Metal Plates *(to complement the Screwless collection)*

XD*PG1-P	1-Gang Grid Plate (Single Plate)
XD*PG2-P	2-Gang Grid Plate (Single Plate)
XD*PG4-P	4-Gang Grid Plate (TwinPlate)
XD*PG8-P	8-Gang Grid Plate (Double T/Plate)
XD*PG12-P	12-Gang Grid Plate (Triple T/Plate)

*Above plate sizes available in Iridium Black (I), Brushed Brass (B), Victorian Brass (V), Satin Chrome (N), Pewter (R), White Chocolate (W), and Mocha (M)


PowerGrid

PowerGrid Premium Black Plates *(to complement the Screwless collection)*

XDLPG1-P	1-Gang Grid Plate (Single Plate)
XDLPG2-P	2-Gang Grid Plate (Single Plate)
XDLPG3-P	3-Gang Grid Plate (TwinPlate)
XDLPG4-P	4-Gang Grid Plate (TwinPlate)

PowerGrid Frames (Yokes)

Z3PGRID1	1-Gang Single Grid Frame (Yoke)
Z3PGRID2	2-Gang Single Grid Frame (Yoke)
Z3PGRID3	3-Gang Twin Grid Frame (Yoke)
Z3PGRID4	4-Gang Twin Grid Frame (Yoke)



PowerGrid

PowerGrid Modules *(for Grid Dimmers, see relevant Dimmer series)*

Z2DG102S*	10A 2-Way Switch
Z2DG103S*	10A Intermediate Switch
Z2DG13FH*	13A Fuse Holder
Z2DG16FO*	16A Flex Outlet
Z2DGB*	1-Gang Blanking Insert
Z2DG201D*	20A 1-Way Double Pole Switch
Z2DG201DN*	20A 1-Way Double Pole Switch + Neon
Z2DG201DK*	20A 1-Way Double Pole Key Switch**
Z2DG202SK*	20A 2-Way Single Pole Key Switch**
Z2DG202S*	20A 2-Way Single Pole Switch**
Z2DG102SR*	10A 2-Way & Off Retractive Switch

Replace * with one of the following finishes:

Black (B), White (W), Chrome (C), Brushed Steel (S), Iridium Black (I), Brass (V)


** Not available in Black (B), Brass (V), or Iridium Black (I)

PowerGrid Indicator Modules *(White surround)*

Z2DGNAW	Indicator Light Module - Amber
Z2DGNW	Indicator Light Module - Green
Z2DGNRW	Indicator Light Module - Red

PowerGrid





THE GRID COLLECTION DATAGRID

THE GRID COLLECTION DATAGRID

The Varilight DataGrid collection enables you to create countless combinations of tailor made accessories for specific installations

DataGrid is a two part assembly.

Choose your inserts, taking note of the amount of grid spaces each module takes up.

Once you have chosen the grid inserts, please refer to the Accessories section of each Collection to find the DataGrid plates in the style and finish you require, to complete your product.

DataGrid

DataGrid Modules *(for Plates, see relevant collection to choose style & finish)*

Z2GBRH*	Brush Module (1 DataGrid Space)
Z2GBRS*	Brush Module (2 DataGrid Spaces)
Z2GBRD*	Brush Module (4 DataGrid Spaces)
Z2GHB*	Half Blank Plate (Half DataGrid Space)
Z2GSB*	Single Blank (1 DataGrid Space)
Z2GDB*	Double Blank (2 DataGrid Spaces)
Z2GPH*	Single Phono (RCA) Socket, Female (1 DataGrid Space)
Z2GPH2*	Double Phono (RCA) Socket, Female (1 DataGrid Space)
Z2GPH3*	Triple Phono (RCA) Socket, Female (1 DataGrid Space)
Z2GSP2*	Speaker Module (2 gold plated banana or cable binding posts) (1 DataGrid Space)
Z2GSP4*	Speaker Module (4 gold plated banana or cable binding posts) (2 DataGrid Space)
Z2GHDMI*	HDMI high speed module (1 DataGrid Space)
Z2GPABX*	PABX Master Module (1 DataGrid Space) (White Only)
Z2GSVGA*	S-VGA Module (1 DataGrid Space)
Z2GBNC*	BNC Module, Female (CCTV) (1 DataGrid Space)
Z2GUSBA*	USB-A Module (non-charging) (1 DataGrid Space)


*Available in Black (B) and White (W)

DataGrid

DataGrid Modules *(for Plates, see relevant collection to choose style & finish)*

Z2G8*	Co-axial TV Socket, Female (1 DataGrid Space)
Z2G8S*	Satellite TV Outlet, F Type (1 DataGrid Space)
Z2G8ISO*	Co-axial TV Socket (Isolated) (1 DataGrid Space)
Z2G8R*	Co-axial TV Socket, Female (Screened Return) (1 DataGrid Space)
Z2G8M*	Co-axial TV Socket, Male (1 DataGrid Space)
Z2GTVMF*	2-Gang Diplex Module, TV/FM (2 DataGrid Spaces)
Z2GTRI*	Triplex Module TV/Sat/FM (+DAB) (2 DataGrid Spaces)
Z2GQUA*	Quadplex Module TV/Sat/FM (+DAB) (2 DataGrid Spaces)
Z2G5X*	5 Outlet Module Sat x 2/TV/Screened Return/FM (+DAB) (3 DataGrid Spaces)
Z2GTS*	Telephone Slave Socket (1 DataGrid Space)
Z2GTM*	Telephone Master Socket (1 DataGrid Space)
Z2GTMLH*	Telephone Master Socket (Left-hand) (1 DataGrid Space) (White Only)
Z2GRJ45*	RJ45 Cat 5e Module (1 DataGrid Space)
Z2GRJ456*	RJ45 Cat 6 Module (1 DataGrid Space)
Z2GRJ11*	RJ11 Module (1 DataGrid Space)

*Available in Black (B) and White (W)





DIMMABLE TRANSFORMERS & LED DRIVERS

DIMMABLE TRANSFORMERS & LED DRIVERS

A comprehensive range of low voltage lighting transformers compatible with Varilight dimmers.

Fully featured with soft start, overload protection and short circuit protection as standard.

Choose the YT50LZ to power low voltage AC LED lighting or for DC LED lighting, such as LED strip, choose the YT40DC12.

Dimmable Transformers & LED Drivers



Dimmable Transformers

YT50LZ	0-50VA Low Voltage Lighting Transformer (with Trailing Leads) (Case A)
YT70Z	0-70VA Low Voltage Lighting Transformer (with Terminals) (Case A)
YT70LZ	0-70VA Low Voltage Lighting Transformer (with Trailing Leads) (Case A)
YT105Z	0-105VA Low Voltage Lighting Transformer (with Terminals) (Case B)
YT150Z	0-150VA Low Voltage Lighting Transformer (with Terminals) (Case C)
YT210Z	0-210VA Low Voltage Lighting Transformer (with Terminals) (Case C)

Dimmable Converters & LED Drivers

YTACDC	AC to DC Dimmable Converter for LED strip (for use with Dimmable LV Transformers)
YT40DC12	240V AC to 12V DC Dimmable Transformer/Driver for LED Strip (max 40W) (Case D)

Case A (95 x 41.5 x 27.5mm) Case B (108 x 44 x 33mm) Case C (167 x 52.5 x 38.5mm) Case D (145 x 53 x 23mm)



VARILIGHT BESPOKE SERVICE



VARILIGHT®
Bespoke

VARILIGHT BESPOKE SERVICE






If you require something special, unusual or bespoke to complete your project then please contact your Varilight supplier with a description of your requirements.

Please provide as much information as possible and if you require a colour match then please specify the RAL code for the colour you require. With experienced and skilled craftspeople at our UK factory we are able to produce bespoke items to suit most project requirements.

It can be confusing, for example in the kitchen, when presented with an array of anonymous switches but with our engraving service we can label switches with a permanent engraving to indicate their function. For example, a switch might be engraved with the words "Dishwasher" or "Washing Machine". Our engraving service is particularly popular for switches that are being installed into rental properties.



The Finishes



*In the interest of sustainability
the Mahogany finish is a
stained Ash plate*

White Dimmer Knob Finishes

