## **ProCrease**

The new dawn in creasing matrix technology

### Product Information



### Standard Centre Crease



Channel Height	Chann	nel Wid	th (mm	ı) 2/3p	t as sta	ındard,	3/4pt o						
0.3mm Light Pink	0.5	0.6	0.8	1.0	1.1	1.2	1.3	1.4	1.5	1.6	1.7	1.9	
0.4mm Buff	0.5	0.6	0.8	1.0	1.1	1.2	1.3	1.4	1.5	1.6	1.7	1.9	
0.45mm White			0.8	1.0	1.1	1.2	1.3	1.4	1.5	1.6	1.7	1.9	
0.5mm Yellow			0.8	1.0	1.1	1.2	1.3	1.4	1.5	1.6	1.7	1.9	2.1
0.55mm Powder Blue			0.8	1.0	1.1	1.2	1.3	1.4	1.5	1.6	1.7	1.9	2.1
0.6mm Green				1.0	1.1	1.2	1.3	1.4	1.5	1.6	1.7	1.9	2.1
0.65mm Burgundy							1.3	1.4	1.5	1.6	1.7	1.9	2.1
0.7mm Red							1.3	1.4	1.5	1.6	1.7	1.9	2.1
0.8mm Blue									1.5	1.6	1.7	1.9	2.1
1.0mm Brown													
1.2mm Grey													
1.4mm Black													
1.6mm Light Yellow													

### 7mm Off Centre Crease



Channel Height	Chann	nel Wid	th (mm	ı) 2/3p		andard,							
0.3mm Light Pink	0.5	0.6	0.8	1.0	1.1	1.2	1.3	1.4	1.5	1.6	1.7	1.9	
0.4mm Buff	0.5	0.6	0.8	1.0	1.1	1.2	1.3	1.4	1.5	1.6	1.7	1.9	
0.45mm White			0.8	1.0	1.1	1.2	1.3	1.4	1.5	1.6	1.7	1.9	
0.5mm Yellow			0.8	1.0	1.1	1.2	1.3	1.4	1.5	1.6	1.7	1.9	2.1
0.55mm Powder Blue			0.8	1.0	1.1	1.2	1.3	1.4	1.5	1.6	1.7	1.9	2.1
0.6mm Green				1.0	1.1	1.2	1.3	1.4	1.5	1.6	1.7	1.9	2.1
0.65mm Burgundy							1.3	1.4	1.5	1.6	1.7	1.9	2.1
0.7mm Red							1.3	1.4	1.5	1.6	1.7	1.9	2.1
0.8mm Blue									1.5	1.6	1.7	1.9	2.1
1.0mm Brown													

# ProCrease Size Chart

### **Double Crease**



			<b>*</b>
2.3			
2.3			
2.3	2.5	2.7	3.0
2.3	2.5	2.7	3.0
2.3	2.5	2.7	3.0
2.3	2.5	2.7	3.0
2.3	2.5	2.7	3.0
			3.0
			3.0
			7.0


Channel Height	Chanı	nel Wid	dth (mn	n)	Space	ace Between Crease Cen				
0.4mm Buff	1.0	0.2	0.3	0.5	3.0	3.5	4.0	4.5	5.0	
0.45mm White	1.0	0.2	0.3	0.5	3.0	3.5	4.0	4.5	5.0	
0.5mm Yellow	1.0	0.2	0.3	0.5	3.0	3.5	4.0	4.5	5.0	

### 12mm Large Off-Centre Crease



Channel Height	Channel Width (mm) 3/4pt as Standard, 2/3pt by requ							
1.0mm Brown			3.5	4.0		5.0	6.0	
1.2mm Grey		3.2	3.5	4.0	4.5		6.0	8.0
1.4mm Black	3.0					5.0		
1.6mm Light Yellow				4.0		5.0		
1.6mm Light Yellow				4.0		5.0		

### 12mm Large Centre Crease



2.3			
2.3			
2.3	2.5	2.7	3.0
2.3	2.5	2.7	3.0
2.3	2.5	2.7	3.0
2.3	2.5	2.7	3.0
2.3	2.5	2.7	3.0

Channel Height	Channel Width (mr			mm) 3/4pt as Standard, 2/3pt by request							
0.6mm Green	3.2	3.5	4.0	4.5	5.0	6.0	7.0	8.0			
0.65mm Burgundy	3.2	3.5	4.0	4.5	5.0	6.0	7.0	8.0			
0.7mm Red	3.2	3.5	4.0	4.5	5.0	6.0	7.0	8.0			
0.8mm Blue	3.2	3.5	4.0	4.5	5.0	6.0	7.0	8.0			
1.0mm Brown	3.2	3.5	4.0	4.5	5.0	6.0	7.0	8.0			
1.2mm Grey	3.2	3.5	4.0	4.5	5.0	6.0	7.0	8.0			
1.4mm Black	3.2	3.5	4.0	4.5	5.0	6.0	7.0	8.0			
1.6mm Light Yellow	3.2	3.5	4.0	4.5	5.0	6.0	7.0	8.0			











# ProCrease

The new dawn in creasing matrix technology

We called it "a new dawn in creasing matrix technology" and with good reason. ProCrease is the most advanced creasing matrix ever developed by Man Mat, Produced at our own facility in Tonbridge England

ProCrease is a completely new design from the ground up.
ProCrease is manufactured using state of the art, laser-controlled technology. Our research into new materials has resulted in a creasing matrix with excellent impact strength for longer life and engineered shoulders for faster, smoother substrate throughput.

ProCrease is colour coded (by channel height) and both locator and matrix are printed with product dimensions, so you'll never find yourself accidentally using the wrong size matrix.

Our patented adhesive-free locator bonding leaves no sticky residue, saving time and making better creases.

And it's easy to use thanks to our superior-quality finger-lift adhesive system. The engineered shoulder shoulders perfectly bonded to ultra-thin film base. We think it's our best matrix yet. And we're willing to bet you will too.



MAN MAT C&K Extrusions Ltd. 12 Drayton Road Tonbridge TN9 2BE United Kingdom

t: +44 1732 369698 f: +44 1732 771009 e: manmat@ckextrusions.co.uk

manmat.com