


Rectoils

Rectangular Small Bore Tubing Coils

Rectoils are designed to minimise the impact on small bore tubing by allowing movement between a fixed point and a moving point. The benefits of Rectoils from Swagelok include:

- Improved reliability and significant time saving
- CNC bent rectoils meeting industry requirements reducing the time and skills required for hand bending
- Fabricated by Swagelok certified factory experts supported by a local presence
- Helping to ensure small bore tubing assemblies meet Energy Institute Guidelines
- Can be configured using a part number for simplified ordering
- Additional instrumentation is available including, gauges, meters and flow indicators



Rectoil Configuration Options

Tube Material

316 stainless steel as standard. Other alloys are available on request.

OD (Outside Diameter)

Available in:

- Imperial 1/4", 3/8" and 1/2"
- Metric 6mm, 10mm or 12mm

Wall Thickness

- 1/4"
- 0.035mm
 - 0.049mm
 - 0.065mm

- 3/8" & 1/2"
- 0.035mm
 - 0.049mm
 - 0.065mm
 - 0.083mm

- 6mm
- 1.0mm
 - 1.5mm

- 10mm & 12mm
- 1.0m
 - 1.5mm
 - 2.0mm

Coil Arrangement

Right Hand Coil or Left Hand Coil to suit your requirements.

Swagelok is prepared to provide you with accurate, CNC bent rectoils configured to your exact specifications and completed with a turnaround to fit your schedule. For more information or a quote contact your local Swagelok authorised Sales and Service Centre:

Swagelok Scotland

T: +44 (0)1224 759900

E: info@scotland.swagelok.com

W: scotland.swagelok.com

Swagelok Teesside

T: +44 (0)1642 636320

E: info@teesside.swagelok.com

W: teesside.swagelok.com

Swagelok Ireland

T: +353 (1) 2864088

E: info@ireland.swagelok.com

W: ireland.swagelok.com