



# Arctic Hayes



## PRODUCT CATALOGUE

*Professional Heating & Plumbing Accessories*



Visit us at: [www.arctic-hayes.com](http://www.arctic-hayes.com) | Call us on: +44(0)113 271 5245



## About Us.

Arctic Hayes Ltd was formed in July 2014 following the merger of Arctic Products Ltd and Hayes UK Ltd. Both businesses have been distinguished suppliers of consumable items and accessories to the heating, plumbing and building sectors for more than 40 years.

Through dedicated research and development, both Arctic and Hayes have consistently led the field with innovative and mainstream products that have delivered time saving solutions for installers and profit margin gains for resellers.

### Working Together with Social Housing Partnerships and Supply Chain.

Our hands-on work with local authorities and social housing landlords has helped us better understand the growing demands placed on the teams responsible for the up keep of rented accommodation. This has enabled us to develop and deliver products and training solutions that are simpler and more efficient, cheaper to maintain which reduces the inconvenience caused by not having the right tool for the job.

### Private and Public Sector Consultation and Training.

Our technical teams have worked with both the private and public sector for many years, developing solutions for utilities suppliers such as oil, water, gas, electricity and telecoms. Our training teams have provided technical training to engineers from water and gas authorities, steel works, colleges, hospitals and prisons, to name just a few.

### Global Markets.

Arctic Hayes has a growing network of distributors throughout the world covering all continents. We recognise the value of supporting local distributors in other countries and offer training, samples and marketing support as required.

1966



2016



# Content



## 2 - 13

Pipe Freezing



## 14 - 19

Smoke Products



## 20 - 25

Aerosols & Grease



## 26 - 34

Testing Equipment



## 35 - 37

Carbon Monoxide & Smoke Alarms



## 38 - 43

Report Pads, Tags & Labels & Tapes



## 44 - 47

Vortex Brazing Torches, Brazing Gases & Mats



## 48 - 54

Fix it Fast Washer Kits, Split Klick



## 55 - 58

Abrasives & Brushes



## 59

Access Panels



## 56 - 63

Lighting



## 64 - 73

Servicing & Specialist Tools



## 74 - 76

Stove Maintenance, High Temperature Products



## 77-79

Dust Sheets, Asset Protection, Heating Appliances



## 80 - 84

Health & Safety, Cleaning, Hygiene



## 85 - 87

Personal Protection



## 88 - 92

Workwear, Winterwear

# WHY FREEZE PIPES?

*Arctic Pipe Freeze products enable repairs and maintenance of pipework without the need to drain down the whole system, saving time & money.*



**Arctic Pipe Freeze kits can be used on all types of pipes, including:**

- Copper.
- Steel including stainless and carbon.
- Plastic including barrier pipe (underfloor heating).
- Lead.
- Iron.

**Huge advantages when working in:**

- Domestic properties.
- Apartment blocks.
- Hospitals.
- Schools.
- Colleges & universities.
- Leisure centres.

**An essential kit for:**

- Plumbers.
- DIY enthusiasts.
- Heating engineers.
- Deluge / sprinkler engineers.



*"Arctic Pipe Freeze kits can be used on pipes from 8mm-61mm. Ice plugs can be formed in as little as 2 mins (depending on local conditions & pipe diameter). Ideal for plumbing and pipework installations where disruption needs to be kept to a minimum".*

# FEATURES AND BENEFITS

## Features:

- Portable.
- Freeze pipes in as little as 2 minutes.
- Non-Flammable.
- Up to 7 freezes per 700g can (Polar Professional).
- Horizontal & vertical freezes.
- Dual freeze capability with most Polar Kits.



## Benefits:

- No drain down required.
- Reduces job time on average by 85% (based on a 2 hour drain down and refill).
- No need to locate stop-cock or service valves.
- Saves time & money.
- Great for confined spaces (eg. under sinks).



## *Pipe Freeze kits can also be used for:*



**Installing / replacing service valves.**



**Replacing stop cocks.**



**Changing radiator valves.**



**Isolating mains water supply up to 150mm o/d.**



**Maintaining deluge / sprinkler systems without shutting down entire zones.**

# Arctic Pipe Freezing

The quick and easy way to repair and extend pipework with no drain-down required.

## Arctic Spray Pipe Freeze.

- Large (415ml) can suitable for 2 x 8-15mm freezes, or 1 x 22mm or 1 x 28mm freeze.
- Small (200ml) can suitable for 1 x 8-15mm freeze.

With a new compact straw lid!



**BEST SELLER!**



## Arctic Spray Freezing Jacket.

8-28mm freezing jacket for use with Arctic Spray.  
Length: 20cm.

Includes 2x cable ties.



- AS1 200ml Can
- AS2 415ml Can

ASM01 Freezing jacket



# Arctic Spray Kits

*Arctic Spray kits have been trusted by professionals for 50 years and offer freezes up to 60 minutes from just one application.*

## Arctic Spray Kit 8 - 15mm.

- 1 x Arctic Spray Pipe Freezer 200ml can.
- 1 x Freezing Jacket.
- Suitable for 1 x 8-15mm Freeze.



**ASK1** 8-15mm Kit

## Arctic Spray Kit 8 - 28mm.

- 1 x Arctic Spray Pipe Freezer 415ml can.
- 2 x Freezing Jacket.
- Suitable for 2 x 8-15mm Freeze or 1 x 22 or 28mm Freeze.



**BEST SELLER!**

**ASK2** 8-28mm Kit

## Arctic Spray Kit 8 - 28mm.

- 2 x Arctic Spray Pipe Freezer 415ml can.
- 2 x Freezing Jacket.
- Suitable for 2 x 8-15mm Freeze or 1 x 22 or 28mm Freeze.



**ASK3** 8-28mm kit with additional can

# Arctic Spray Kits

## Arctic Spray Elite Freezing System.

- Covers 8-35mm pipework.
- Can be used on copper, plastic, iron and lead and more.
- Comprehensive installation instructions.
- Fast action freezing.
- 6 x 15mm freezes per system.



The Elite kit is designed for users who prefer the flexibility of Arctic Spray and the increased freeze times this range offers.



**ELITE1** 8-35mm kit

**ELITE820** 8-20mm jacket


**ELITE2235** 22-35mm jacket

Our kits can be used to change stop-cocks, plumb in washing machines or dishwashers, install shower units, replace taps or washers and more!

## Here's how they work!


Before you start ensure that the circulation pumps have been switched off.

Switch OFF



1

Attach jacket



2

Inject spray as per freeze guide



3


Wait for 5mins for freeze to form




Complete job within 30 minutes.



# Polar Professional



- Get up to 7 freezes per can.
- Freeze pipes in as little as 90 seconds.
- Suitable for all pipe materials.
- Full instructions provided.
- Re-useable components.
- Dual freezing capability in most kits.
- Non-flammable.




1. Easy to attach jackets, ideal for areas with restricted space.



2. Brass Regulator valve for precise control of freeze pipe.



3. Dual freeze capability with most kits.



4. Fastest pipe freezer on the market.

# Polar Professional Kits

**BEST SELLER!**



## Polar 'Professional' Freeze kit 8-22mm.

### Contents:

- 1 x Polar Professional, 700g can.
- 2 x 8-15mm freezing jackets.
- 2 x 15-22mm freezing jackets.
- Brass regulator valve.
- 2 x 1m hose.
- Refrigerant dose weighing scale.
- T-connector for dual freezing.
- User instructions.

**PSPRO Professional kit 8-22mm**

## Polar Porter 4 Case.

### Contents:



**PP4 Porter 4 empty case**

**PP4/4 Porter 4 with 4 x PG01**



## Polar 'Commercial' Freezer Kit 8-35mm.

### Contents:

- 1 x Polar Professional, 700g can.
- 2 x 8-15mm freezing jackets.
- 2 x 15-22mm freezing jackets.
- 2 x 18-35mm freezing jackets.
- Brass regulator valve.
- 2 x 1m hose.
- Refrigerant dose weighing scale.
- T - Connector for dual freezing.
- User instructions.

**PSCOM Commercial kit 8-35mm**

## Polar 'Commercial Plus' Freezer Kit 8-35mm.

All the same components as PSCOM with an additional Polar 700g canister. Ideally suited to the plumber who is predominantly working on commercial pipe-work.



**PSCOM+ Commercial Plus kit 8-35mm**

# Polar Professional Kits

## Polar Starter Kit.

### Contents:

- 1 x Polar Professional, 700g can.
- 1 x 8-15mm freezing jacket.
- 1 x 15-22mm freezing jacket.
- 1 x Hose.
- 1 x Brass regulator valve.
- 1 x Polar dosing scale.
- 1 x User instructions.

**Note:** This kit cannot perform dual freezing.



**NEW**

### PSSOLO Polar starter kit

## Polar 'Utility' Freeze Kit 8-35mm.

### Contents:

- 2 x Polar Professional, 700g can.
- 1 x 8-15mm freezing jacket.
- 1 x 15-22mm freezing jacket.
- 1 x 28-35mm freezing jacket.
- 1 x 1m hose.
- Refrigerant dose weighing scale.
- Brass regulator valve.
- User instructions.

**Note:** This kit cannot perform dual freezing.



### PSWA Utility kit 8-35mm

## Polar Industrial Freezer Kit 8-61mm.

### Contents:

- 2 x Polar Professional, 700g can.
- 2 x 8-15mm freezing jackets.
- 2 x 15-22mm freezing jackets.
- 2 x 28-35mm freezing jackets.
- 2 x 32-42mm freezing jackets.
- 2 x 42-61mm freezing jackets.
- Brass regulator valve.
- 2 x 1m hoses
- Refrigerant dose weighing scale.
- T-Connector for dual freezing.
- User instructions.

**Note:** Freeze up to 61mm Pipes.



### PSIND Industrial kit 8-61mm

# Polar Professional

*This QUICK GUIDE is designed to show how fast and easy it is to use POLAR PROFESSIONAL Pipe Freezing Kits.*




## Here's how Polar works!

### PREPARATION

1. Ensure circulation pumps are switched off and water is static and as cool as possible. Ambient temperature should be around 20°C (68°F) or cooler for maximum performance. (Steps 8 and 9 should be followed for single freeze aswell.)

### JACKET FITTING

2. Select the freezing jacket to match the pipe diameter using the FREEZING GUIDE or on the canister.
3. Wrap the jacket around the pipe, seam uppermost (on a horizontal freeze).
4. Pull the draw string toggle tightly against the jacket.



### FREEZING PROCESS

5. Connect the brass valve to the canister, check pin is retracted first, take care NOT to overtighten.
6. Connect the tubing to the valve and jacket.



### DUAL FREEZING

7. Connect tubes into T-piece and the jackets. Keep the jackets at least 50cm (18") apart. Follow the freezing process using DOUBLE the amount stated in the FREEZING GUIDE.



8. Connect the scales to the valve and read the total weight.
9. Check the amount needed to freeze the pipe stated in the FREEZING GUIDE.
10. Open the valve to allow a steady flow of POLAR PROFESSIONAL Pipe Freezer. Do NOT allow the jacket to flood.
11. Switch off when the correct amount has been injected.
12. Wait for 1 minute. Check that a plug has formed. Start work.
13. Remove parts in reverse order, cleaning and drying, and replace in the POLAR PROFESSIONAL kit case.

# Pipe Freeze Accessories

## Spare Ties - Arctic Spray.

- Bag of 100 (2.5 x 200mm) tie wraps.



**TIES200** 100 x Spare ties (200mm)

## Polar Replacement Nylon Tube.

Replacement 1 metre length of nylon tube for use with Polar pipe freezing kits.

*\* Available in longer length if required*



**NTB04** Replacement nylon tube

## T - Piece.

Replacement double freeze equal -T Connector for use with all Polar Pipe Freezing kits.



**ETC04** T-Piece

## Polar Dosing Scale.


Replacement Polar refrigerant dosing scales, calibrated to allow accurate dosing of Polar Spray and minimise refrigerant wastage.



**SCALE** Dosing scale

## Polar Valve.

Replacement valve for use with all Polar Pipe Freezing Kits. Manufactured from pure brass.



**VPOL** Complete valve  
**VSK** Valve service kit

## Polar Professional Freezing Jacket.

Re-usable freezing jacket made in high quality rip-stop nylon For use with all Polar professional pipe freezing Kits.



**MUFF0** ● Yellow 8-15mm  
**MUFF1** ● Green 15-22mm  
**MUFF2** ● Red 28-35mm  
**MUFF3** ● White 35-42mm  
**MUFF4** ● Black 42-61mm

# Arctic Electric Kits

*Arctic Electric Pipe Freezing machines. Outstanding performance with minimal running costs.*



- Machines available to freeze from 8mm to 88mm.
  - 110v or 230v.
- Freeze pipes in as little as 8 minutes.
  - No consumable costs.
  - No maintenance costs.
- Ideal for contractors or hire shops.

For a full demonstration of how to use an Electric Pipe Freeze Kit watch the full video on:  
<https://www.arctic-hayes.com/all-products/pipe-freezing/electric-pipe-freezing>



# Arctic Electrical Kits

## Arctic Electric Industrial 110/240 Volt.

To freeze 8 - 61mm pipes.

### Contents:

- 2 x Reducer set pairs for 15, 22, 28, 35, 42, 54 & 61mm.
- Pair of cotton gloves.
- Pair of freeze head clamps.
- Comprehensive instructions.
- Ice plug forms around 5 minutes for 15mm pipe and 45 minutes for 61mm pipe.
- 200ml freeze cream.

**AE61/1** 8-61mm - 110v 600w  
**AE61/2** 8-61mm - 240v 600w



## Arctic Electric Domestic 240 Volt.

To freeze 8 - 28mm pipes.

### Contents:

- 2 x 15mm reducers.
- 2 x 22mm reducers.
- 2 x 28 freeze heads.
- Pair of cotton gloves.
- Pair of freeze head clamps.
- Comprehensive instructions.
- 200ml freeze cream.

**AE28/2** 8-28mm - 240v 280w



## Arctic Electrical Commercial 110/240 Volt.

To freeze 8 - 42mm pipes.

### Contents:

- Reducer set pairs for 15, 22, 28, 35mm.
- Pair of cotton gloves.
- Pair of freeze head clamps (design may vary).
- Comprehensive instructions.
- Ice plug forms around 5 minutes for 15mm pipes and 25 minutes for 42mm pipe.
- 200ml freeze cream.

**ARCEL/110** 8-42mm - 110v 350w  
**ARCEL/220** 8-42mm - 240v 350w

**BEST SELLER!**



## Arctic Electric Mini 230v (450w).

Ice plug formation varies between 5 minutes for 15m pipes and 20 minutes for 28mm pipes.

### Contents:

- 2 x 15mm reducers.
  - 2 x 22mm reducers.
  - 2 x 28mm freeze heads.
  - Freeze 8/28mm pipes.
  - 200ml freeze cream.
- Complete tasks without monitoring refrigerant levels as required by other pipe freezing products.
  - Machine to freeze up to 88mm.
  - No ongoing expenses.
  - Can be used on most pipe materials.
  - Freeze lasts as long as required.
  - Freeze pipes in as little as 10mins.

**AE28/M** 8-28mm - 240v 450w



## Arctic Electric Freeze Cream

### Contents:

- Water based to improve thermal contact.
- 200ml



**FC200** Freeze Cream

# Smoke Matches

*A range of specially developed smoke products that provide greater smoke density and volume performance.*

## HayesUK Strikes Smoke Matches.

*Grey / White smoke matches with 25 second burn time. Used for airflow and spillage testing of gas appliances.*

- 25 second burn time.
- 2m3 approx. of dense smoke.
- Clean to use, no residue.
- Cool to touch after burning.
- Packed in protective resealable tubs to protect against damp and damage.



**BEST SELLER!**

333000	'Strikes'Tub 25 Smoke Matches
333050	'Strikes'Tub 50 Smoke Matches
333075	'Strikes'Tub 75 Smoke Matches
333000B	'Strikes'Tub 100 Smoke Matches
333012	CDU stand (72 x 333012B)
333012B	Box of 12 matches



## HayesUK Strikes Smoke Match Plume Kit.

A metal smoke match plume supplied with two tubs of 25 Strikes Matches to aid the installer carry out spillage tests on gas appliances.

*Kit contains with 2 x 25 matches & copper smoke match plume!*

338001	Smoke Plume Kit
338000	Smoke Plume only


# Smoke Sticks & Powdered Smoke

## Smoke Stick.

Available with refill packs of 3 or 6 Smoke-Sticks providing up to 3 hours of controllable smoke, these are a great replacement for smoke matches.

- First product on the market offering pencil-thin smoke pattern.
- Ideal for testing for the slightest air movement, gas spillage.
- For mandatory spillage checks of boiler case spills after fitting re-fitting.
- HVAC air-movement/leakage checks.
- Available in Kits with 3 or 6 refill packs.
- Refill packs available separately.
- Each stick gives off 30mins of smoke.
- Non-corrosive, not harmful.

For testing leakage, air flows, drafts, ventilation and smoke detectors



**333113 Kit3 - Smoke pen & 3 Smoke sticks**

**333110 Kit6 - Smoke pen & 6 Smoke sticks**

**333103 Stick refill pack 3**

**333100 Stick refill pack 6**

## FP Powdered Smoke.

The FP Smoke is a patented, product exclusive to HayesUK. A small squeeze provides enough smoke for draught detection or negative pressure around a door.

- Content: Powder.
- Smoke Colour: white.
- Weight: 20 gm.
- Size: 115 x Ø 34 mm.
- Smoke type: Medium strong velocity.
- 50- 300 pumps.

Requires no ignition source or smoke.



**NEW**



**337001 FP Powder smoke**

**338002 Powder smoke pump**

# HayesUK Smoke Cartridges



## HayesUK Classic 3.

*3g smoke cartridges with easy to use finger grip base. Supplied in a resealable plastic pack.*

- Smoke duration 45 seconds.
- 8m<sup>3</sup> approx. of dense smoke.
- Non toxic and oil free.
- Complies with BS5440-1.
- Available in grey or orange colour smoke.



**!** CAUTION  
Coloured cartridge dye may stain certain surfaces.

333003	Classic 3 pack 10 grey
333003C	Classic 3 tub 50 grey
333003B	Classic 3 tub 100 grey
334003	Coloured 3 pack 10 orange
334003C	Coloured 3 tub 50 orange
334003B	Coloured 3 tub 100 orange



## HayesUK Classic 9.

*9g smoke cartridges in polycarbonate plastic sheath. Supplied in a resealable plastic tub.*

- Smoke duration 65 seconds.
- Non toxic and oil free.
- Complies with BS5440-1.
- 25m<sup>3</sup> approx. of dense smoke.
- Available in grey or orange colour smoke.



**!** CAUTION  
Coloured cartridge dye may stain certain surfaces.

333009	Classic 9 pack 10 grey
333009C	Classic 9 tub 25 grey
333009B	Classic 9 tub of 50 grey
334009	Coloured 9 pack 10 orange
334009B	Coloured 9 tub 50 orange



## HayesUK SUPER SIX.

*9g smoke cartridges, 6 Smoke Cartridges Used for air flow testing of chimneys, flues and ventilation systems.*

- Supplied in a handy blister pack.
- Smoke duration 65 seconds.
- Non-toxic and oil free.
- Complies with BS5440-1.
- 25m<sup>3</sup> approx of dense smoke.
- Available in grey or orange colour smoke.



**!** CAUTION  
Coloured cartridge dye may stain certain surfaces.


333009S	SuperSix Cartridges 6 pack - grey
334009S	SuperSix Cartridges 6 pack - orange

# HayesUK Smoke Cartridges

## HayesUK Classic 18.

*18g Smoke cartridges in polycarbonate plastic sheath. Supplied in a resealable plastic tub. Produces a greater volume of smoke with a longer burn time.*

- Smoke duration 4 minutes.
- 45m<sup>3</sup> approx. of dense smoke.
- Non toxic and oil free.
- Complies with BS5440-1.
- Available in grey or orange colour smoke

 **CAUTION**  
Coloured cartridge dye may stain certain surfaces.




**333018 Classic 18 pack 5 grey**  
**334018 Classic 18 pack 5 orange**

## HayesUK Classic 60.

*60g Smoke Cartridges in polycarbonate plastic sheath. This cartridge has the same burn time as the 18g smoke cartridge but produces significantly more smoke. Used for air flow testing of large factory flues, underwater drainage testing and fire training exercises.*

- Smoke duration 4 minutes.
- 150m<sup>3</sup> approx. of dense smoke.
- Non-toxic and oil free.
- Complies with BS5440-1.
- Available in grey or orange colour smoke.

 **CAUTION**  
Coloured cartridge dye may stain certain surfaces.




**333060 Classic 60 pack 5 grey**  
**334060 Classic 60 pack 5 orange**

## HayesUK Classic 430.

*430g Smoke cartridge in PP plastic casing. Used for air flow testing, testing of large flues and fire training exercises. This is the largest of the smoke cartridges with the longest burn time and the greatest volume of smoke.*

- Smoke duration 6 - 8 minutes.
- 400m<sup>3</sup> approx. of dense smoke.
- Non toxic and oil free.
- Complies with BS5440-1.
- Available in grey and orange.
- Supplied as single cartridges.

 **CAUTION**  
Coloured cartridge dye may stain certain surfaces.



**333430 Classic 430 - single grey**  
**334430 Classic 430 - single orange**

# PH Smoke Pellets

OIL FREE!



## PH Smoke 5g Standard Smoke Pellet.

- White smoke.
- 30 second burn time.
- 7m<sup>3</sup> of smoke.
- Non toxic.
- Oil free.
- Complies with BS 5440-1.

Burn Time.



PH8006	Tube 6
PH625	Tub 50
PH007	Tub 100

OIL FREE!



## PH Smoke 13g Standard Smoke Pellet.

- White smoke.
- 40 Second burn time.
- 18m<sup>3</sup> of smoke.
- Non toxic.
- Oil free.
- Complies with BS 5440-1.

Burn Time.



PH001	Tube 6
PH008	Tub 50
PH118	Tub 100



**CAUTION**  
Coloured pellet dye may stain certain surfaces.



## PH Smoke Coloured 13g Standard Smoke Pellet.

- Red smoke.
- 40 Second burn time.
- 18m<sup>3</sup> of smoke.
- Non toxic.
- Complies with BS 5440-1.

Burn Time.



PH001C	Tube 6
--------	--------



# PH Smoke Pellets

## PH Smoke 5g Encapsulated Smoke Pellet.

- White smoke
- 30 second burn time.
- 15m<sup>3</sup> of smoke.
- Non toxic.
- Oil free.
- Complies with BS 5440-1.

**OIL FREE!**



PH030	Tube 10
PH530	Tub 50
PH130	Tub 100

## PH Smoke 8g Encapsulated Smoke Pellet.

- White smoke.
- 60 second burn time.
- 24m<sup>3</sup> of smoke.
- Non toxic.
- Oil free.
- Complies with BS 5440-1.

**OIL FREE!**



PH025	Tube 10
PH525	Tub 50
PH125	Tub 100

## PH Smoke Coloured 8g Encapsulated Smoke Pellet.

- Red smoke.
- 60 Second burn time.
- 24m<sup>3</sup> of smoke.
- Non toxic.
- Complies with BS 5440-1.



PH025C	Tub 50
PH125C	Tub 100

**!** CAUTION  
Coloured cartridge dye may stain certain surfaces.

## PH Drain Tester.

- 80gm.
- 50 Second burn time.
- 300m<sup>3</sup> of smoke.



PH018	Pack 6
PH018S	Single

## PH Smoke Pellet & Match Holder.

- The safe way to use smoke pellets and matches.
- Engineered from high-grade aluminium.



PHSPHS	Holder
--------	--------


# Aerosols & Grease

*HayesUK aerosols and chemicals are essential everyday accessories for today's heating and plumbing engineers.*

## HayesUK Contract Leak Detection Spray.

- Non-flammable gas leak fluid, for detection of leaks in joints, connections etc.
- Non - corrosive.
- Safe for use on oxygen pipes.
- Complies with requirements of BS EN 14291:2004.
- 400ml can.

**NON  
FLAMMABLE**



- Used to trace costly & potentially dangerous gases & compressed air leaks.
- Produces a Microporous foam, designed to identify the smallest leak in an instant.

**664010C Leak detection spray 400ml**

## HayesUK Leak Detection Fluid 250ml with Brush in Cap.



- Simple and safe to use.
- Locates air and gas leaks.
- Brush in cap.
- Non flammable.

**664012 Leak detection fluid 250ml**

## HayesUK Leak Detection Fluid with Atomiser Spray.

**NON  
FLAMMABLE**



- Simple and safe to use.
- Locates air and gas leaks.
- Pump-action applicator.
- Non flammable.

**664011 250ml Atomiser spray**

**664011-500 500ml Atomiser spray**

## HayesUK Air Duster.

*Contract Air spray with blow pipe that provides the best solution for quick and easy non-contact removal of dirt and debris.*

- For removal of dust and debris from inaccessible areas.
- Can be used to clean burner jets, PCB's etc.
- Available in 150ml & 400ml cans.
- Non flammable.

*664013C Air Duster is Invertible!*



**360°  
Nozzle**



**664013C Air duster 150ml (invertible)**

**664017 Air duster 400ml**

# Aerosols & Grease

## HayesUK Gas Cock Grease 100g Tube.



- GC300 - purpose made for use in the gas industry.
- Should be used as a lubricant for gas cocks, taps and valves.
- It is also highly recommended as a pipe jointing compound, sealant and thread lubricant for flange and screw fittings exposed to many industrial and domestic gases.
- Temp range: -10°C to +160°C.

**665014**

**Hayes UK Gas Cock Grease  
100g Tube**

## HayesUK Heat Sink Compound 100g Tube.

APPROVED  
MATERIAL  
**WRAS**



- A high temperature silicone compound used to create a positive heat sink seal.
- This product evenly dissipates the heat at the probe when used with clamp-on or dry-pocket boiler overheat thermostats.

**665022**

**Hayes UK Heatsink Compound  
100g Tube**

## HayesUK Silicone Grease 100g Tube.

APPROVED  
MATERIAL  
**WRAS**



- Lubricates rubber, plastic and other materials.
- Used on valves and taps and rubber o'rings.
- Ideal as a plumber's grease.
- Complies with UK water fittings by laws.

**665016**

**Hayes UK Silicone Grease  
100g Tube**

## HayesUK Silicone Grease Tub.

- Lubricates rubber, plastics and other materials.
- Used on valves and, taps and rubber O' rings.
- Ideal as a plumber's grease.
- Complies with UK water fittings bylaws.
- Water repellent, non-melting silicone grease.
- Suitable for use on potable water systems.
- For use on hot and cold water systems up to 65°C.

APPROVED  
MATERIAL  
**WRAS**



**665016-TUB Silicone grease 100g tub**

**665017 Silicone grease 500g tub**

# Aerosols & Grease

## PH Gas Leak Detector.

- Non-flammable gas leak fluid, for detection of leaks in joints, connections etc.
- Non - corrosive.
- Safe for use on oxygen pipes.
- Complies with requirements of BS EN 14291:2004.
- Brush, atomiser or jet nozzle with straw.
- 400ml can.



**NON  
FLAMMABLE**

**PH020 400ml can**



**PH026 250ml bottle with brush**

**PH026A 250ml bottle with atomiser**

## PH Professional Air Duster.

- High power duster spray, designed to force dust and debris out of hard to reach areas such as burner jets, heat exchangers or laptop keyboards.
- Non flammable



**150ml Can  
360°  
Nozzle**

**INVERTIBLE  
WORKS AT ANY ANGLE**

**PH029 150ml can (invertible)**

**PH0294 400ml can**

## PH Professional Silicone Spray.

- Water repellent silicone spray for use in applications where light lubrication is required.
- Suitable for use on potable water systems.
- For use on hot and cold water systems up to 80°C.
- WRAS approved.



**APPROVED  
WRAS  
MATERIAL**

**PH040 PH Pro silicone spray 400ml can**

# Aerosols & Grease

## Bigger Value Aerosol Packs

**GREAT 3in1 Value Pack.  
Big Savings / Added Value.**

# NEW

### Aerosol Spray Pack

#### Pack Contains:

- 1 x 400ml PH020 Leak Detection Spray.
- 1 x 400ml PH0294 PH Professional Air Duster.
- 1 x 400ml CI/400 2in1 Maintenance Spray .



**AEP1** Aerosol pack

### Leak Detection Spray Pack

#### Pack Contains:

- 3 x 400ml PH020 Leak Detection Spray.



**AEP2** leak detection pack

*\*Promotional pack contents not for resale seperately*

# Aerosols & Grease

## Crack-It.

- Releases seized and corroded parts through shock freezing.
- Freeze action breaks the corrosion seal and allows the penetrating oil to reach the corroded area, releasing the seized items in 1-2 minutes.
- Crack-It also helps to prevent future corrosion.
- Crack-It is completely bio degradable.
- Operational temperature -45°C.
- 2 in 1 maintenance spray.

First the Freeze, then the penetration.

**Fast Release of Seized Parts!**

**CI/400 Shock freeze release 400ml can**

## Maintenance Spray .

- Penetrates & lubricates.
- Frees rusted parts.
- Displaces moisture.
- Protects & cleans metals.
- Prevents rusting.
- Stops squeaks.
- 150ml can.

**NEW**



**MS150 Arctic maintenance spray 150ml**



# Aerosols & Grease

## Zinc Galvanising Spray.

- Corrosion reducing formula.
- Can be used as a primer and over painted with acrylic cellulose, alkyd, polyurethane alkyd and epoxy.
- Fast drying.
- Use as a coating on pipes and steel fabrications.
- 66% zinc content (in dry film).
- Thin film (e.g. single coat) can be welded through.



**PH055** Zinc spray 500ml can

## Red Oxide Primer.

- Tough acrylic formula.
- Re-coat in 20 minutes, overcoat in 24 hours.
- Stops rust on bare metals.
- Fast drying.
- Use on metal, wood and plastic prior to top-coating.
- Can be sprayed over acrylic and cellulose.
- Can be over-coated with cellulose, acrylic, alkyd, polyurethane alkyd and epoxy.



**PH060** Red primer spray 400ml can

## High Temperature Paint. Matt Black.

- Withstands temperature up to 650°C.
- Low odour.
- Even coverage.
- Fast drying.
- Gives a tough, durable coating with matt finish.
- Use on stoves, fireplaces, pipes, flues, coals and BBQs.
- Petrol and oil resistant when cured.
- Black in colour.



**Ideal for use on coals!**

**HTP1** High temp paint spray 300ml can

## Arctic Radiator Paint.

- Ideal for interior use on radiator surfaces.
- Excellent smooth coverage.
- Rust resistant enamel.
- No primer needed.
- Quick and easy paint coverage for radiators.
- Provides a fast, dry finish that will not yellow over time.
- White in colour.



**NO PRIMER NEEDED**

**HTP2** Arctic radiator paint

# Temperature



## HayesUK TC-9218 Thermometer Kit with 4 Probes.

- Unique feature of folding probe.
- Stainless steel probe adjusts from 0°C to 180°C -100°C ~ to +300°C OR -148°F ~ to +572°F.
- Comprehensive and variety use for different object (e.g. surface, semi-solid, air).
- High degree of accuracy.
- Large LCD display.
- Extra EVA box for easy and protective storage.
- Dimension: 153mm x 50mm.
- LCD display dimension: 50mm x 22mm.

**2 x CR2032 Lithium batteries supplied!**

*Four probes including: air, surface, penetration and immersion probes.*



**998725 TC-9218 thermometer kit c/w 4 probes**



## HayesUK IR99 (3in1) Thermometer.

- User selectable °C or °F.
- Clamp opening 1"(25mm) approx.
- Response time less than 1 second.
- Max, min record, data hold & automatic power off.
- IR with probe & clamp temperature.
- IR Temp. range: -35°C to +260°C / -31°F to 500°F.
- IR Temp. Resolution 0.1°C/°F.
- Optical Resolution: 1:1 Distance to.

### Spot Size:

- Thermistor temperature range: -40°C to +260°C / -40°F to 500°F.
- Resolution 0.1°C/°F.
- Basic Accuracy 2% of reading.

*Pipe Thermometer, Infra Red Thermometer, Stem Thermometer (All in 1 instrument).*

**2 x CR2032 Lithium batteries supplied!**



**998724 IR99 3in1 thermometer**

# Temperature

## HayesUK Stem Thermometer.

- Max/Min memory (°F/°C).
- Measurement Range: -50°C to +150°C or -58°F to +302°F.
- Temperature unit °F or °C selectable.
- Data hold/test function selectable.
- 1 sec. normal temperature sensing time.
- Low battery indicator.
- One hour auto shut off.
- 133mm. stainless steel sensor probe.
- Protective plastic sleeve with clip.

Use in Conjunction with  
888000 Flow cup



1 x 1.5 G13 button  
battery supplied!




998731 HayesUK Stem thermometer

## HayesUK DT810 Mini Infra Red Thermometer.

- Temp Range: -30°C to 260°C / -22°F to 500°F.
- Precise non contact measurements.
- Built in laser pointer.
- User selectable °C or °F.
- Max/min temperature displays.
- Trigger lock.
- Automatic data hold, power off.



9v Battery supplied!



998738 DT810 mini infra red thermometer

## HayesUK DT3610B Single Input Thermometer.

- Temp range -200°C to 1372°C -328°F to 2501°F.
- User selectable °C, °F or K.
- Type K / Type J single output.
- Max / Min / Average hold and data hold.
- LCD display with backlight.
- Wide variety of interchangeable.
- Thermocouple probes with Auto power off.
- Can be used with a wide variety of Type K/J probes.

3 x 1.5 AAA supplied!



998761 DT3610B single input thermometer

## HayesUK 3630K Differential Thermometer

- Temp range -200°C to 1372°C -328°F to 2501°F.
- Thermometers offering fast response and laboratory accuracy.
- This thermometer works with K-Type / J-Type temperature probes.
- Offering 0.1/0.1°C Resolution.
- Includes 2x1m Thermocouple Probes K-Type.

3 x 1.5 AAA supplied!



998752 3630K thermometer

# Temperature

## HayesUK 3630K Differential Thermometer Kit Supplied with Probes K Type.

- 1 x 3630 Differential Thermometer.
- 1 x Standard Surface probe.
- 1 x Air Liquid probe.
- 2 x TCP100 Pipe Clamp probes.
- 2 x 1m Thermocouple probes.

*3 x 1.5 AAA supplied!*

*Ideal for flow and return temperatures!*



**998753** 3630K thermometer kit

## HayesUK 1m Thermocouple Probe K Type.

- Semi flexible thermocouple with exposed tip.
- Ideal for air or liquid temperatures.
- Very fast response time.
- 1 metre length with mini plug.
- Max temp. 250°C.



**998728** 1m thermocouple probe - K Type

## HayesUK Heavy Duty Surface Probe K Type.

- 10mm Dia ceramic tip for surface temperature measurement.
- Maximum temperature 1000°C.
- Maximum exposure time: 5 minutes @ +250°C.
- Supplied with 1m coiled cable and fitted mini plug.



**8115** Heavy duty surface probe - K Type

## HayesUK Velcro Pipe Strap Probe K Type.

- 320mm x 20mm Velcro strap.
- Ideal for various size pipe measurements.
- 2 metre long lead.
- Max. temp. 150°C.



**8125** Velcro pipe strap probe - K Type

## HayesUK Standard Air / Liquid Probe K Type.

- Probe length 100mm.
- Diameter 3.2mm.
- Maximum temperature 350°C.
- Supplied with handle, 1m coiled.
- Cable and fitted mini plug.



**998726** Standard air/liquid probe - K Type

## HayesUK Pipe Clamp Probe TCP100 K Type.

- Spring loaded jaw for secure grip.
- For use with any HayesUK Thermometer or Multimeter with a Type K thermocouple input.
- Operating temperature: -40°C to 100 °C.
- Clamp jaw opening: 1-3/8" (3.5cm).
- Length: 40" (102cm).



**8161** Pipe clamp probe TCP100 - K Type

## HayesUK Standard Surface Probe K Type.

- Diameter 5mm.
- Maximum temperature 850°C.
- Maximum exposure time: 1minute @ +250°C.
- Supplied with 1m cable and fitted mini plug.



**998727** Standard surface probe - K Type

# Gas & Pressure

## HayesUK Digital Differential Pressure Meter DT-8890A.

- Digital display of gauge or differential pressure.
- 11 pressure units - Mbar, psi, inches, H2O, bar, KPa, inHg, mmHg, ozin, ftH2O, kgcm<sup>2</sup>.
- Hold data, Record function.
- Max/Min pressure feature.
- Back-light display.
- Ideal for Domestic Tightness Testing.
- Auto power off, low battery indicator.
- Includes connection hose, battery and manual.

### Pressure Range:

- 0 ± 138mbar.
- 0 ± 55.4 inches H2O.
- 0 ± 1410mm H2O.
- 0 ± 2psi.
- 0 ± 0.138bar.

*Includes case, connection hose, battery and manual*



*9V battery supplied!*

HayesUK

**998673 Digital differential pressure meter**

## HayesUK C383 Combustible Gas Leak Detector.

*The unit has a newly developed heated semi-conductor gas sensor and micro-processor control to provide reliable digital signal processing. Designed as a high-performance combustible gas detector.*

- Sensitivity to all combustible gases.
- Adjustable leak sensitivity level.
- 7 LED visual indicators.
- Audible and visual alarm.
- Supplied in robust carrying case.
- Adjustable goose-neck.
- Easy to use.

*Includes case, connection hose, batteries and manual*

*4 x AA batteries supplied!*



HayesUK

**998721 HayesUK C383 combustible gas leak detector**

# Testing Equipment



## HayesUK DT9902 Analogue Voltage & Continuity Indicator.



- This electrical tester provides voltage, continuity in one compact tool.
- The instrument turns on automatically when the probe is placed across a complete circuit and turns off automatically.
- Cat III 1000v - 0.2A/500v resettable fused protection.
- For use on 50/60Hz circuits CATIII 1000v - EN 61010-1.

**2 x AA batteries supplied!**

**998718 DT9902 Analogue voltage & continuity indicator**



**Flashlight Function**

## HayesUK DT9121 Voltage & Continuity Indicator.

- Voltage Range (AC/DC) 12, 24, 36, 50, 120, 230, 400, 600V.
- Continuity test function.
- CAT III 1000V.
- CAT IV 600V.
- Self test button .
- Flashlight function.
- Clear indication.
- Polarity detection.
- Single pole phase test.
- Rotary field indication.
- IP64.
- Size: 240 x 78 x 40mm.
- Weight: 237g.



**2 x AA batteries supplied!**

**998723 DT9121 voltage / continuity indicator**

## HayesUK Multi Function Screwdriver.

- AC voltage test-contact, 70 to 250VAC.
- AC voltage test-non-contact, 70 to 600VAC .
- DC voltage test up to 250VDC.
- Polarity test, 1.5V to 36VDC.
- Continuity check, 0 to 50M ohm.
- Detects microwave leakage  $\geq 5\text{MW} / \text{sq cm.2}$ .
- Magnetic screwdriver tip.
- Water resistant; durable.

**2 x LR41 button batteries supplied!**



**664072 Multi function screwdriver**

## HayesUK AC9 Voltage Detector with Torch.

- Easy to use.
- Rugged double case mould.
- Non contact detection of AC voltage.
- Suitable for outlets and wire insulation testing.
- Built in bright flashlight with on/off button.
- Convenient size with pocket clip.
- For use on 50/60Hz circuits.
- CAT III 1000V - EN 61010-1.

**2 x AAA batteries supplied!**



Voltage Range:  
200-1000V AC

**998715 AC9 voltage detector with torch**



# Electrical Testing Equipment

## HayesUK DT914 Standard Multimeter with Temperature.

The instrument complies with EN61010-1 insulation.

- Class 2, double insulation.
- Overload category: CATIII 600v.
- Display: 2000 counts LCD display.
- Temp range up to 760°C.
- Thermocouple temperature probe included.
- DC Voltage: (auto-ranging except 200mV).
- DC Current: (auto-ranging for uA and mA).
- AC Current: (auto-ranging for uA and mA).

INPUT LIMITS	
Function	Maximum Input
V DC or V AC	CATIII-600V DC/AC
mA DC/AC	200mA/250V DC/AC
A DC/AC	10A/250V DC/AC (30seconds max every 15 mins)
Resistance, Diode test, Continuity, Temperature	250V DC/AC

**998722 DT914 Multimeter c/w temperature probe**

HayesUK

Temperature Function

supplied with K-type temperature probe and adapter

9v battery supplied!



## HayesUK DT9918 Professional Multimeter (Auto Ranging).

- Safety conformance EN61010-1 CAT IV 600V.
- CAT III 1000V.
- 1000V input protection.
- 10A/1000V & 0.5A/1000V fuses protection.
- Digital display counts 4000.
- Data hold.
- MAX/MIN recording mode.
- Auto power off.
- Peak capture mode.
- Wide capacitance range.
- Analogue bar-graph/segment.
- Diode check & continuity test.
- Temperature facility, includes temperature probe°C.
- Temperature range -20°C to +760°C / -4°F to +1400°F.

**8051 DT9918 professional multimeter**

HayesUK

Temperature Function

9v battery supplied!

supplied with K-type temperature probe and adapter



## HayesUK Fused Multimeter Test Leads.

Fully compliant fuse leads which conform to the requirements of EN61010 and HSE GS38 regulations

- Slim body with 4mm plug in connector with 2mm probe lip.
- Complete with 1.2m o/d double insulated silicone cable.
- 600V CAT III rated to EN61010.
- 500mA fast blow fuse.
- Can be used in conjunction with any multimeter.
- Complete with snap on crocodile clips.

**998780 Fused multimeter test leads**

HayesUK



# Electrical Testing Equipment



Flashlight Function

Non Contact Function.

## HayesUK DT118 3in1 Auto Ranging Multimeter.

- Non-contact voltage detector.
- AC voltage: 100V - 600V.
- Flashlight feature.
- Auto ranging.
- Auto Power off.
- DCV, ACV, DCA, ACA, OHM.
- Diode check.
- Continuity test.
- Double moulded housing.
- 2 x test leads.
- Cat III 1000V.
- 0.2A/500V Resettable.
- Fused protection.

2 x AAA batteries supplied!

**998716 DT118 3 in1 auto ranging multimeter**



HayesUK

## HayesUK DT3343 Professional Digital Clamp Meter.

- AC/DC Professional Clamp Meter.
- AC/DC Measurements include resistance.
- Capacitance and diode test.
- Digital display counts 4000.
- Electronic overload protection.
- Continuity buzzer & diode check.
- Data hold function.
- DCA zero function.
- Auto Power off.
- Low battery indication.
- AC/DC current.
- 1.2" (30mm) tear drop shape jaw opening.

9V battery supplied!

**8053 DT3343 professional digital clamp meter**

## HayesUK FC31(3 in1) Mini AC Clamp Meter.

- Designed to verify the presence of load current.
- Large backlit display easy to use.
- Digital display counts 2000.
- Data hold function.
- Max hold function.
- Auto power off.
- Low battery indication.
- Back-light display.

2 x AAA batteries supplied!

The small body and jaws fit perfectly in hand.

Non Contact Voltage detector.

Flash light function.



**998782 3 in1 mini AC clamp meter**

# Electrical Testing Equipment

## HayesUK DT-618 Digital Thermo-anemometer.

- High Sensitivity and accuracy.
- Easy to use.
- 3 1/2 Digital dual display.
- Measures - m/s, km/hr, knots.
- Accuracy +/-3.0%.
- K Type temperature function.
- Temp range: 0 to 60 °C / 32 to 140 °F.
- Resolution 0.1.
- Selectable °C / °F.



9V battery supplied!



**998783 DT-618 digital thermo-anemometer**

## HayesUK Laser Distance Measure.

- Measuring range: 0.05 to 35m / 0.15ft to 98ft.
- Measure units: inches, mm, ft, m.
- Smallest unit displayed: 1mm.
- 20 records stored.



2 x AAA batteries supplied!



**998739 Laser distance measure LDM35**

## HayesUK TM136 Digital Stopwatch.

- 1/100 second (for first 30mins), 1second thereafter.
- Calendar & time (12 or 24 hour format).
- Daily alarm.
- Hourly chime.
- Big digital display (digital height 7.2mm).
- Case size: 64 x 53 x 19mm.
- Supplied with battery and neck cord.



**998735 HayesUK TM136 digital stopwatch**

## Arctic 9.8mm Borescope Camera with SD Card.

- 2.4" fixed TFT Colour screen (720 x 480).
- 9.8mm fixed camera with 2 x LED lights.
- Digital photo & video storage via USB.
- 1GB Storage card.
- Video output for TV connection.
- 5 Hours operating time.
- Includes clip-on-tools.
- 4 x AA batteries.
- Software package.
- Storage case.

Colour screen display

1m length

Operating temperature: 0 to 45 °C.  
Rated current: 350mA (max).  
LED class: BS EN 62471: 2008.  
Picture Resolution: 720 x 480.

Camera lens (9.8mm)

4 x AA batteries supplied!



**RBS200 Arctic borescope inspection camera**

# Repair and Calibration


---

Arctic Hayes offers a comprehensive range of calibration and repair services aimed at keeping your test equipment maintained, accurate and functional to the highest standards and at very competitive prices.

Our professional calibration service is staffed by accredited engineers and our service laboratories are fully equipped with the latest calibration instrumentation.

All our calibration certificates and in house test equipment are traceable to National Standards. Any test equipment repaired by us will also be fully calibrated before being dispatched to ensure the repair was successful and the meter is operating correctly. All instruments calibrated or repaired at our laboratory are cleaned, adjusted (where necessary) and test leads (where supplied) are also checked to ensure that your meter is operating at its full potential.

We offer a calibration recall service and we aim to have all instruments tested within 3-5 working days from receipt, and we can tailor our service to suit your specific requirements.



*For Service Enquiries Please Call Us On : 0113 271 5245*

# Carbon Monoxide & Smoke

## Protection from The Silent Killer.

*In the UK, at least 50 people die from carbon monoxide poisoning every year and thousands more need hospital treatment.*

This apparatus is designed to protect individuals from the acute effects of carbon monoxide exposure. It will not fully safeguard individuals with specific medical conditions. If in doubt, consult a medical practitioner. This apparatus should be installed by a competent person.

### Alarm Features:

- Loud 85dB audio alert.
- 3 Visual readouts:
  - Power (green).
  - Alarm (red).
  - Fault (amber).
- Advanced 6 year CO sensor.
- Test / silence button.
- Portable, free-standing or mountable.
- Certified to EN 50291-1:2010.
- Sealed for life battery.

**COA2 SleepSafe Carbon Monoxide alarm**



### SleepSafe™ Carbon Monoxide Detector 7 Year Sealed Battery.

- Certified to EN50291-1:2010.
- Alarm sound: 85dB (A) at 100cm.
- 3 Visual readouts:
  - Power (green).
  - Alarm (red).
  - Fault (amber).
- Product life: 7 years.
- Sensor fault alarm, pull out tab to enable product.
- Smart design, long battery life.
- Silence function.
- End of life indication.
- 7 year sensor.

*Carbon Monoxide cannot be seen, smelled or tasted but can be fatal. The build up of Carbon Monoxide in the blood is called the carboxhemoglobin level and interferes with the body's ability to supply itself with oxygen. Depending on the concentration of Carbon Monoxide, it can kill in minutes*


**COA7 SleepSafe carbon monoxide alarm**

**NEW!**



# Carbon Monoxide & Smoke

**NEW!**



## SleepSafe™ Mini Carbon Monoxide Detector 10 Year Sealed Battery.

- Conforms to EN50291-1:2010+A1:2012.
- Sensor type: electrochemical.
- Alarm sound: 85dB at 100cm @ 3.4±0.5 KHz pulsing alarm.
- 3 Visual readouts:
  - Power (green).
  - Alarm (red).
  - Fault (amber).
- Silence function.
- End of life indication.
- Size: 80mm x 45mm x 30mm.
- 10 year sensor.

**10**  
YEAR SEALED  
BATTERY



**Actual Size!**



**COA10 10 year carbon monoxide alarm**

## SleepSafe™ Personal Carbon Monoxide Alarm Powered by Li-Ion Battery.

*Lightweight, compact personal alarm for early detection of carbon monoxide. Durable, shock resistant casing with belt clip. Ideal for heating engineers, emergency responders and pilots, at work, home or on holiday. Alarm activates when carbon monoxide level exceeds 30ppm.*

- Lightweight and compact.
- Loud 75dB alarm.
- LED readout.
- 3 year sensor.
- Sealed for life battery.
- Free-standing design.
- Belt clip and hanging hook.




**PC01 SleepSafe personal CO alarm**

## SleepSafe™ CO Detector.



- Ideal for use in homes, offices, hotels, bedsits, caravans, boats, aircraft's and tents.
- Reacts to low-level Carbon Monoxide (<50ppm).
- Easy to use.
- Independently tested by UKAS labs.



*Ideal for:*



Boats & caravans



Camping



Home & more

**PH019HC Single pack CO detector**

**PH019AC Twin pack CO detector**



# Carbon Monoxide & Smoke

## SleepSafe™ Smoke Alarm

- Certified to EN14604:2005.
- Operates on a 9v battery (included).
- Powerful 85dB speaker.
- Toast-Proof technology.
- Test / silence button.
- Easy to install.
- Photoelectric technology.

Powerful 85dB speaker.

Press button to test




### SA1 SleepSafe smoke alarm

## SleepSafe™ Dual Smoke and CO Alarm

- Meets the requirements of EN14604:2005 and EN50291-1 2010.
- Operates on a 9v battery (included).
- Powerful 85dB speaker.
- Photoelectric technology.
- Test / silence button.
- Easy to install.
- Separate test button of each CO and smoke function.

**SMOKE & CO  
COMBINED!**



### CO51 SleepSafe dual alarm

## SleepSafe™ Smoke Alarm Tester

- 40 tests per can.
- Designed to test the sensor in smoke alarms.



### PH043A SleepSafe smoke alarm tester

## SleepSafe™ CO Alarm Tester

- 7 tests per can.
- Designed to test all Carbon Monoxide alarms.
- Can be used to test Flue Gas Analysers.



### PHCO520 SleepSafe CO alarm tester

# Report Pads

## UK Gas Safety / Landlords / Service Pad.


- Pad of 25 A4 forms in triplicate suitable for all landlords.
- Complies with the Gas Safety Installation and Use Regulations.
- Use for inspections, gas servicing and appliance checks.
- Sequentially numbered.

**BEST  
SELLER**



*All in one Gas  
Safety Pad!*

LANDLORD/HOME OWNER GAS SAFETY RECORD											
<b>LANDLORD/HOME OWNER DETAILS</b> Tenant/Home Owner Name: _____ Property Address: _____ Post Code: _____ Tel: _____						<b>LANDLORD/AGENT DETAILS (if applicable)</b> Landlord/Agent Name: _____ Address: _____ Post Code: _____ Tel: _____					
<b>APPLIANCE DETAILS</b>			<b>INSPECTION DETAILS</b>			<b>FLUE TEST</b>			<b>RESULTS</b>		
Appliance	Location	Serial	Type	Gas Safe Registered	Inspected	Flue	Gas Pressure	Flue	Flue	Flue	Flue
<b>DETAILS OF ANY FAULTS</b>			<b>REMOVAL ACTION TAKEN</b>			<b>DETAILS OF WORK CARRIED OUT</b>			<b>DATE &amp; SIGNATURE</b>		
Outcome of gas installation pipework visual inspection? Pass / Fail / NA Outcome of gas supply pipework visual inspection? Pass / Fail / NA Is the Emergency Control Valve access satisfactory? Pass / Fail / NA Outcome of gas tightness test? Pass / Fail / NA Is the Protective Equipotential bonding satisfactory? Pass / Fail / NA						This Safety Record is issued by Gas Installer (owner) Issued on behalf of Landlord / Home Owner (owner) Signed Landlord/Agent/Home Owner Number of appliances tested: _____ Date: _____ <b>NEXT GAS SAFETY CHECK DUE WITHIN 12 MONTHS</b>					
Codes: White Landlord/Agent/Home Owner Green Registered Gas Installer Pink None *delete as applicable											



**663010-NUM UK Gas safety / landlords / service pad**

## Electrical Bonding Report Pad.

- Pad of 25 A4 forms in duplicate.
- Complies with the Gas Safety Installation and Use Regulations.

## Non Domestic Gas Pipework Pad.

- Pad of 25 A4 forms in duplicate.
- Complies with the Gas Safety Installation and Use Regulations.





**663011 Electrical bonding report pad**

**663014 Non domestic gas pipework pad**  
**663014B Bulk pack of 5 pads**

# Report Pads

**BEST SELLER**

## Danger Do Not Use Pad.

- Warning Notice is a newly updated duplicate form combining the Electrical Bonding Report.
- Includes at risk / immediate danger / not to current standard, electrical cross bonding.
- Pad of 25 A4 forms in triplicate.
- Complies with the Gas Safety Installation and Use Regulations.



WARNING/DO NOT USE NOTICE		Hayes																														
<p>PROPERTY OF Hayes UK                      Installation No. _____                      Address _____                      Appointment _____                      Date _____</p>																																
<p>GAS USER'S RESPONSIBLE PERSON'S DECLARATION                      I declare that I am the responsible person for the installation and use of the gas supply to the premises.                      I understand that it is my responsibility to ensure that the gas supply is safe and that I comply with the Gas Safety (Installation and Use) Regulations 1998.                      I understand that I must ensure that the gas supply is safe and that I comply with the Gas Safety (Installation and Use) Regulations 1998.                      I understand that I must ensure that the gas supply is safe and that I comply with the Gas Safety (Installation and Use) Regulations 1998.                      I understand that I must ensure that the gas supply is safe and that I comply with the Gas Safety (Installation and Use) Regulations 1998.</p>																																
<p><b>THIS NOTICE CONCERNS YOUR SAFETY</b></p> <p><b>LOCATION/DESCRIPTION OF SAFETY DEFECT INCLUDING GAS LEAKS</b></p> <table border="1"> <thead> <tr> <th>Location/Description of Safety Defect</th> <th>Gas</th> <th>Level</th> <th>Time</th> <th>Location/Description of Safety Defect</th> </tr> </thead> <tbody> <tr> <td>1. The appliance is not correctly installed and is not safe to use.</td> <td>Gas</td> <td>Low</td> <td>15/10/20</td> <td>1. The appliance is not correctly installed and is not safe to use.</td> </tr> <tr> <td>2. The appliance is not correctly installed and is not safe to use.</td> <td>Gas</td> <td>Low</td> <td>15/10/20</td> <td>2. The appliance is not correctly installed and is not safe to use.</td> </tr> <tr> <td>3. The appliance is not correctly installed and is not safe to use.</td> <td>Gas</td> <td>Low</td> <td>15/10/20</td> <td>3. The appliance is not correctly installed and is not safe to use.</td> </tr> <tr> <td>4. The appliance is not correctly installed and is not safe to use.</td> <td>Gas</td> <td>Low</td> <td>15/10/20</td> <td>4. The appliance is not correctly installed and is not safe to use.</td> </tr> <tr> <td>5. The appliance is not correctly installed and is not safe to use.</td> <td>Gas</td> <td>Low</td> <td>15/10/20</td> <td>5. The appliance is not correctly installed and is not safe to use.</td> </tr> </tbody> </table>			Location/Description of Safety Defect	Gas	Level	Time	Location/Description of Safety Defect	1. The appliance is not correctly installed and is not safe to use.	Gas	Low	15/10/20	1. The appliance is not correctly installed and is not safe to use.	2. The appliance is not correctly installed and is not safe to use.	Gas	Low	15/10/20	2. The appliance is not correctly installed and is not safe to use.	3. The appliance is not correctly installed and is not safe to use.	Gas	Low	15/10/20	3. The appliance is not correctly installed and is not safe to use.	4. The appliance is not correctly installed and is not safe to use.	Gas	Low	15/10/20	4. The appliance is not correctly installed and is not safe to use.	5. The appliance is not correctly installed and is not safe to use.	Gas	Low	15/10/20	5. The appliance is not correctly installed and is not safe to use.
Location/Description of Safety Defect	Gas	Level	Time	Location/Description of Safety Defect																												
1. The appliance is not correctly installed and is not safe to use.	Gas	Low	15/10/20	1. The appliance is not correctly installed and is not safe to use.																												
2. The appliance is not correctly installed and is not safe to use.	Gas	Low	15/10/20	2. The appliance is not correctly installed and is not safe to use.																												
3. The appliance is not correctly installed and is not safe to use.	Gas	Low	15/10/20	3. The appliance is not correctly installed and is not safe to use.																												
4. The appliance is not correctly installed and is not safe to use.	Gas	Low	15/10/20	4. The appliance is not correctly installed and is not safe to use.																												
5. The appliance is not correctly installed and is not safe to use.	Gas	Low	15/10/20	5. The appliance is not correctly installed and is not safe to use.																												
<p><b>GAS USER'S RESPONSIBLE PERSON ACKNOWLEDGEMENT</b></p> <p>I have read and understood the above notice and I agree to the terms and conditions of the notice and I agree to pay for the cost of the gas safety check and any necessary repairs and to ensure that the gas supply is safe and that I comply with the Gas Safety (Installation and Use) Regulations 1998.</p> <p>Signature of Gas User's Responsible Person: _____                      Date: _____</p> <p>I have read and understood the above notice and I agree to the terms and conditions of the notice and I agree to pay for the cost of the gas safety check and any necessary repairs and to ensure that the gas supply is safe and that I comply with the Gas Safety (Installation and Use) Regulations 1998.</p> <p>Signature of Gas User's Responsible Person: _____                      Date: _____</p>																																



**663029 Danger do not use pad**

## PH091 Arctic Gas Safety / Landlord Certificate Pad.

- New multi use record of all gas work. 3in1 official record of gas work, combining the Landlords/Homeowners Record, Gas Safety inspection and service check list.
- Sequentially numbered.
- Pad of 25 A4 forms in triplicate.
- Complies with the Gas Safety Installation and Use Regulations.



**PH091 Gas safety / landlord certificate landscape**

## Plumbing Inspection Safety Record Pad.

- Check list for noting condition of plumbing fittings.
- Ideal for estate agency / housing associations work.
- Pad of 25 A4 forms in duplicate.
- Complies with the Gas Safety Installation and Use Regulations.



**663017 Plumbing inspection safety record pad**

**663017B Bulk pack of 5 pads**

# Tags & Labels



## Installed/serviced by tags/labels.

- Tags strung ready for use.
- Easy peel and self adhesive.

**663020** Pack of 10 tags  
**663022** Pack of 10 labels



## Warning unsafe appliance tags/labels.

- Tags strung ready for use.
- Easy peel and self adhesive.

**663021** Pack of 10 tags  
**663023** Pack of 10 labels



## Gas emergency control labels.

- Easy peel and self adhesive.

**663024** Pack of 10 labels



## Warning fire guard labels.

- Easy peel and self adhesive.


**663025** Pack of 10 labels



## Important do not block labels.

- Easy peel and self adhesive.

**663026** Pack of 10 labels



## Electrical bonding labels.

- Easy peel and self adhesive.
- May be used with the Hayes Warning / Advice notice.

**663027** Pack of 10 labels



## Warning keep doors closed labels.

- Easy peel and self adhesive.


**663028** Pack of 10 labels



## Warning un-commissioned appliance tags/labels.

- Tags strung ready for use.
- Easy peel and self adhesive.

**663050** Pack of 10 tags  
**663052** Pack of 10 labels



## Gas emergency isolation valve labels.

- Easy peel and self adhesive.

**663053** Pack of 10 labels



## Danger do not use labels.

- Can be used as a tag, 10 zip ties included.
- Easy peel and self adhesive.

**663060** Pack of 10 labels



# General Tapes

## Standard PTFE Tape 12mm x 5m.

- Non-flammable thread sealant.
- Resistant to acids, alkalis and solvents.
- Suitable for use with oxygen and drinking water.

**662016** Standard PTFE tape

## Gas PTFE Tape.

- EN specification PTFE thread seal tape.
- High density.
- Conforms to EN751.3 GRp specification.
- Also conforms to BS5292 and BS6974.
- For all threads up to 50mm.

**662014** Gas PTFE tape

## Infill Plate Tape Double Sided Foam Tape.

- Gas foam infill plate tape.
- Service temperature range -20°C to +75°C.
- 12mm wide x 1.5mm thick x 3m.
- Double sided foam pressure fixing between a gas fire closure plate surround face.
- Supplied 2 rolls per pack.

**662015** Infill plate tape

## Aluminium Foil Tape 50mm x 45m

- Recommended where a moisture barrier is required.
- Use in any situation where long life and great resistance is needed.
- 50mm wide x 45m.

**662021** Aluminium foil tape

## Boiler Casing Foam Single Sided Foam Tape.

- High tack positioning adhesive.
- Also general appliance sealing.
- 12mm x 12mm x 4m.
- Used to take up gaps between gas fire closure plate and surrounding face.

**662019** Boiler casing foam tape

## Identification Tapes 50mm x 33m.

- The identification tapes shown here are printed with the basic identification colours as emphasised by the health and safety regulations.


**662030** 'GAS' black/yellow

**662031** 'LPG' black/yellow





# General Tapes



## Hazard Warning Tape.

- Mark and highlight floor areas, pipes, workstation and walkways.
- Heavy duty.
- Abrasion resistant.
- Tear proof.
- Strong adhesion.

**ATAPE24** Black/yellow tape

**ATAPE25** Red/white tape



## General Purpose Sealing Cloth Tape.

- Service temperature range -20°C to 60°C.
- 50mm wide x 50m.

*Can be used for: jointing, sealing, repairing, bundling and joining polythene sheeting etc.*

**662020** General purpose tape

**662020-PRE** Premium purpose tape

## Silicone Repair Tape.

- Available in black.

## An Excellent Electrical Insulator up to 8000v!

*Incredible Silicone Self Fusing Tape can be used to repair almost anything. Withstands extreme temperatures from -65°C to 260°C and withstands pressure up to 700psi. Also resists petrol, oils, acids, solvents, salt water and UV rays.*



**662018** Silicone repair tape

## RSX15 Anti-Corrosion Tape.

- Corrosion protection for: oil, gas, water and waste pipelines, buried and exposed pipework, pipeline joints and fittings, valves, couplings, flanges. Also tie bars, rods, cables and structural steelwork.
- Resistant to mineral acids, alkalis, salts and bacterial attack.
- Remain flexible and highly impermeable to water vapour.
- Conforms to BGC/PS/CW2.



**662024** 50mm tape

**662025** 75mm tape

**662026** 100mm tape




# Identification Tapes

## PVC Electrical insulation tapes.

- Flame retardant.
- Self extinguishing.
- Wide range of colour.
- RoHs compliant.
- Water and UV resistant.
- Non corrosive adhesive.

*Ideal for most electrical insulation work and colour coding.  
Manufactured to BS EN 60454 / Type 2 spec.*



<b>662050R</b>	<b>Red tape</b>
<b>662050Y</b>	<b>Yellow tape</b>
<b>662050YG</b>	<b>Green/ yellow tape</b>
<b>662050BK</b>	<b>Black tape</b>
<b>662050G</b>	<b>Grey tape</b>

## PRS10 issue 2 closure plate tape.

- Meets requirements of 10.3.2.1A.
- Service Temp 5 to 100°C.
- Complies with British Gas sealing tape.
- Specifications (PRS10) for gas fire closure plate fitting.

*A specially manufactured tape for the secure and safe sealing of Gas Fire back plates.*



<b>662011</b>	<b>50mm x 10m tape</b>
<b>662012</b>	<b>50mm x 25m tape</b>

## Identification Tapes 38mm x 33mm.

*The identification tapes shown below are printed with the basic identification colours as emphasised by the Health and Safety Regulations.*



**662032** Arrows black/yellow



**662035** Cold water



**662038** Heating



**662041** Danger do not use



**662033** Arrows black/green



**662036** Gas



**662039** Domestic hot water



**662042** Unsafe appliance



**662034** Domestic cold water



**662037** On-off



**662040** Hot water



**662043** Work in progress

# Vortex - Soldering & Brazing

Vortex gases offer superior performance versus traditional  
Mapp & Propane products.

## Happy Carriers:



Vortex unique non-hazardous formulations are accepted by all major couriers.

## Happy Insurers:

Pallet of Vortex gas unlike other gases can be bulk stored without concern.



## Propane:



**5%**

Hotter

**50%**

Faster

*Than other Propane style gases*

## Map-X:



**10%**

Hotter

**60%**

Faster

*Than other Mapp style gases.*

# Vortex - Soldering & Brazing

Vortex Map-X Gas formula is designed to burn at a higher temperature than traditional propane or butane gases.

Suitable for all soldering and brazing applications.

Vortex propane gas is cooler than Vortex Map-X, which makes it ideal for everyday plumbing work and soldering fittings.

VG1	Map-X Gas
VG2	Propane Gas



## VT3 Brazing Torch and Gas.

The new VT3 kit comes with three quick swap interchangeable burner tubes.

- 1x Standard Vortex burner tube for general purpose work.
- 1x Cyclone tube for a more concentrated, high temperature work
- 1x Fine Flame tube which is designed for precision work such as soldering lead flashing.

Supplied with either one can of Map-X or one can of Propane, call our sales office for details.

VT3GB0XM	Brazing torch box with Map-X gas
VT3GB0XP	Brazing torch box with Propane gas

# Vortex - Soldering & Brazing

## 3 in 1 Brazing Torch

### VT2 Brazing Torch

The VT2 is the newest generation of our fully adjustable torch which comes complete with two interchangeable burner tubes.

- Additional fine flame burner tube is also available to purchase separately.
- Stainless steel burner head with swivel adjuster collar.
- Flame lock, flame regulator and safety lock.
- Instant Piezo ignition.
- Compatible with most gas cylinders.
- Standard CGA600 thread.

1x Super Cyclone burner tube for general purpose work

• 1x Cyclone burner tube, designed for concentrated, higher temperature.

• Fine Flame Precision burner tube, Available separately (VT2C).

Easy interchangeable connection.

Economical rubberised grip.

Safety lock.

Aluminium lightweight holding.

Standard CGA 600 thread.  
Compatible with most gas cylinders.

**Anti Flare  
Function**

(can be used at  
any angle)

VT2	Vortex brazing torch
VT2C	Fine flame burner tube

# Vortex - Soldering & Brazing



Steel wool & Carbide abrasive strips also available on page ...



## Vortex Hot Bag.

- 1x Arctic 15" tool bag.
- 1x Vortex VT2 brazing torch.
- 1x Vortex Map-X Gas or Propane Gas.
- 1x Arctic steel wool pads x8.
- 1x Vortex solder mat.
- 1x Pack of 10 silicone carbide abrasive strips.



ATBG1	Vortex 15" tool bag
HOTBAGP	Vortex hot bag Propane gas
HOTBAGM	Vortex hot bag Map-X gas

## Vortex 1200°C Flame Barrier Solder Mat.

- 8" x 12" - white silica front with grey silicone backing.
- Withstands temp up to 1200°C.
- Touch, easy clean and water resistant.



Grey Silicone backing



664078 VT 1200 thermacarb mat

## Vortex 600°C Soldering Mat Asbestos Free.

- 10" x 10"
- Withstands temp up to 600°C.
- Asbestos free.
- Flexible & double sided.



664075 VT 600 soldering mat

## Vortex 1400°C Thermacarb High Temp Solder Mat.

- 10" x 10" - Heavy duty.
- Withstands temp up to 1400°C.
- Thermacarb 1400°C non-woven needle pinch felt, prevents burn damage.



664077FB VT1400 Thermacarb mat

# Washer Kits

## Fibre Washer Kit.

- 270 x red Fibre Washers.  
(7 sizes: 9 x 6.4mm, 12.6 x 8.3mm, 16 x 10mm, 15.5 x 11.5mm, 19 x 13.5mm, 22 x 14.6mm, 22 x 17mm).
- 35 x fibre washers. (3 sizes: 1", 1/2", 3/4").
- 15 x ball valve seating washers. (2 sizes: 1/2", 3/4").
- 10 x top body washers. (2 sizes: no.3, no.4).



**FWKIT 330 Pieces**

## Tap Washer Kit.

- 55 x Vacca washer flat. (4 sizes: 3/8", 1/2", 5/8", 3/4").
- 15 x Vacca washer dome. (2 sizes: 1/2", 3/4").
- 30 x dome delta / arm washers. (2 sizes: 1/2", 3/4").
- 20 x tantofex tap washer. (2 sizes: 1/2", 3/4").
- 50 x Cap & lining washer fibre. (2 sizes: 1/2", 3/4").



**TWKIT 170 Pieces**

## Ball Valve Washer Kit.

- 20 x black ball tap washers. (2 sizes: 1/2"x1/8", 3/4"x1/8").
- 40 x red ball tap washers. (2 sizes: 1/2"x1/8", 3/4"x1/8").
- 3 x high pressure seats white.
- 3 x low pressure seats red.
- 20 x fibre washer ball seat (1/2").
- 10 x cotton pins (2 sizes: 1/8"x 7/8", 7/8"x 3/16").
- 5 x diaphragm washer (1 1/4").
- 2 x armstrong diaphragm washer.
- 2 x Torbeck diaphragm washer.
- 1 x fluid master seal.



**BVKIT 106 Pieces**

## Fibre and Rubber Washer Kit.

- 30 x fibre washer Y.I.F (1/2").
- 20 x MT cock washer (1/2").
- 20 x fibre ball valve seat washer (1/2").
- 10 x rubber bottle trap washer. (2 sizes: 1 1/4", 1 1/2").
- 50 x cap & lining washers. (2 sizes: 1/2", 3/4").
- 20 x rubber shower flex washer (1/2").
- 10 x washing machine hose washers (3/4").
- 35 x fibre Flexi tap con washers. (2 sizes: 1/2", 3/4").
- 15 x compression olives. (2 sizes: 15, 22mm).



**FRWKIT 210 Pieces**



# Washer Kits

## Popular Plumbers Washer Kit - 144pcs

- 12pc 16.5\* 6mm.
- 12pc 19.5\* 5mm.
- 12pc 15.5\* 4mm.
- 12pc 12\* 4mm.
- 12pc 32\* 5mm.
- 12pc 19\* 10mm.
- 12pc 19\* 11mm.
- 12pc 24\* 15mm.
- 12pc 22\* 12mm.
- 12pc 18\* 15mm.
- 12pc 24\* 20mm.



**557000** 144 Pieces

## Popular Plumbers O Rings Kit - 144pcs

- 12pc 22\* 1.8mm.
- 12pc 14\* 2.65mm.
- 12pc 24\* 1.8mm.
- 12pc 26\* 2.65mm.
- 12pc 27\* 2.65mm.
- 12pc 32\* 2.65mm.
- 12pc 30\* 3.5mm.
- 12pc 22\* 2.65mm.
- 24pc 29\* 2.65mm.
- 12pc 29\* 3.5mm.
- 12pc 33\* 1.8mm.



**557001** 144 Pieces

## Washer Box.

- Small and practical.
- Portable tool case for accessories.
- 21mm Removable dividers.
- Integral handle and two clips.
- Size: 312 x 238mm x 51mm.



**664133** Washer box

## O Ring Service Kit - Metric.

- 30 sizes.
- 386 Pieces.
- BS metric 4518.



**PHRINGMET** 386 pc O ring set - Metric

## O Ring Service Kit - Imperial.

- 30 sizes.
- 382 Pieces.



**PHRINGIMP** 382 pc O ring set - Imperial

## Imperial / Metric O-Ring Assortment Cases.

- 18 Universal O-Ring sizes in one sturdy case.
- Nitrile rings resist heat, most petroleum and silicone fluids, hydraulic and non-aromatic fuels and solvents.

**225pcs Sets**



### Metric O-Ring Sizes:

20 x (3 x 1, 4 x 1, 4.5 x 1, 5 x 2, 6 x 2, 6 x 2.5, 6 x 3, 7 x 2 and 8 x 2mm)  
5 x (9 x 2, 10 x 2, 12 x 3, 13 x 3, 14 x 2.5, 17 x 2.5, 18 x 4, 20 x 2 and 22 x 2mm).

### Imperial O-Ring Sizes:

10 x (3/32 x 15/64, 3/8 x 1/2, 5/8 x 3/4, 3/8 x 9/16, 7/16 x 5/8, 1/2 x 11/16, 9/16 x 3/4, 5/8 x 13/16, 11/16 x 7/8, 3/4 x 15/16, 3/4 x 1 and 13/16 x 11/16"), 20 x (1/8 x 1/4, 5/32 x 9/32 and 3/16 x 5/16") and 15 x (7/32 x 11/32, 1/4 x 3/8 and 5/16 x 7/16").



**BOXM** 225 Piece set - Metric

**BOXP** 225 Piece set - Imperial

# SPLIT KLICK CENTRALISING WASHERS


Saves Time & Money

Strong, Long Lasting Fit

Centralises Taps With No Mess

## Split Klick™ 1 - Top Hat Washers

- Replace old top hat washers without disconnecting pipe-work.
- Gives a much strong and long lasting fit.
- Suitable for both 1/2" and 3/4" taps.
- No need to disconnect water supply or tap.



## Fitting Instructions



- 1** Loosen the retaining back nut and cut away the damaged conventional top hat washer.

- 2** Without turning off the water supply or disconnecting the tap, simply open the SPLITKLICK Top Hat Washer and position it around tap stem.



- 3** Once in position, click the SPLITKLICK Top Hat Washer together and retighten the back nut.



SK1/001	Single
SK1/002	Twin pack
SK1/010	10 pack
SK1/050	50 pack

# SplitKlick Washers


## Split Klick™ 2 - Centralising Washers.

- Centralises taps with no mess.
- Easy and quick to fit.
- Suitable for both 1/2" and 3/4" taps.

## Fitting Instructions



- 1** When fitting taps onto ceramic baths and basins, a major problem is positioning the tap centrally and getting a solid fit.



- 2** Simply slide the SPLITKLICK Centralising Washer up the stem of the tap and tighten the back nut...



- 3** ... the patented 'tabs' will be guided into place, automatically centralising the tap.



SK2/001	Single
SK2/002	Twin pack
SK2/010	10 pack
SK2/050	50 pack

## Split Klick™ 3 - Monobloc Washer Single Bar Fixing.

- Saves time when installing Monobloc taps.
- Eliminates 'slip' during installation.
- Automatically centralises the tap.
- Stops future movement of the tap.



SK3/001	Single
SK3/005	5 pack
SK3/050	50 pack

## Split Klick™ 4 - Monobloc Washer Double Bar Fixing.



SK4/001	Single
SK4/005	5 pack
SK4/050	50 pack





# Washers

## Poly Washers.

- W11** 1" tank
- W12** 1.1/4" basin
- W13** 1.1/4" sink
- W14** 1.1/2" sink
- W28** 1/2" pillar tap
- W29** 3/4" pillar tap



5 PACK

## Holdtite Flat Tap Washers.

- W5** 1/2"
- W6** 3/4"
- W7** 3/8"
- W20** 5/8" 2 pack



5 PACK

## Flexible Tap Connector Washers.

- W31** 1/2"
- W32** 3/4"



10 PACK

## Prestex Washers.

- W23** 1/2"
- W24** 3/4"



5 PACK

## Fibre Pillar Tap Washers.

- W8** 1/2"
- W10** 3/4"



2 PACK

## Delta Tap Washers.

- W21** 1/2"
- W22** 3/4"



5 PACK

## Ballvalve Seating Washers.

- W33** 1/2"x1/8" high pressure
- W34** 1/2"x1/4" low pressure



5 PACK

## 1/2" Ballvalve Rubber Washers.

- W3** 1/2" Black
- W17** 1/2" Red



5 PACK

## MT Draw Off Tap Washers.

- W27** 14 x 4 x 2.75mm



5 PACK

## 1/2" Shower Hose Washers.

- W25** 1/2"



5 PACK

## 3/4" Washing Machine Washers.

- W26** 3/4"



5 PACK

## Hushflow Washer.

- W16** Hushflow



SINGLE

## 1/2" Ballvalve Seating Washers.

- W4** 1/2"



5 PACK

## 1/2" Pegler Washers.

- W9** 1/2"



5 PACK

## Fibre Pump Washers.

- W15** 44.50 x 31.60 x 1.50mm



2 PACK

## Oval Syphon Dia. Washers.

- W18** 5"



5 PACK

## Round Syphon Dia. Washers.


- W19** 4.12"



5 PACK

## Ball Valve Repair Kit.

- W35** Repair kit



## Siamp Diaphragm Washer.

- W1** Siamp diaphragm



SINGLE

## 1.1/4" Ballvalve Diaphragm Washer.

- W2** 1.1/4"



5 PACK

## Universal Top Hat Washer.

- W30** Top hat



5 PACK

# Fix it Fast Range

## Quick Blow Glass Fuses.



3 PACK

556022	32mm 3A
556023	32mm 1A
556024	32mm 2A
556025	32mm 500mA
556026	32mm 1.5mA

## Quick Blow Fuses



3 PACK

556021	20mm 2A
556072	20mm 500mA
556020	20mm 1mA

## Cable Ties.

- 4.8mm x 200mm.
- pack size 100.



100 PACK

666095	100 Cable ties
--------	----------------

## Fibre Washers.



556012	3/4" - 6pack
556012-B50	3/4" - 50pack
556013	1" - 3pack
556013-B50	1" - 50pack

## Fibre Washers 1/2"



8 PACK

556067	1/2" - 8pack
--------	--------------

## Fibre Washers Diverter Valve Pack.



556027	Diverter valve pack
--------	---------------------

## Meter Washers.



556016	3/4" - 6pack
556016-B50	3/4" - 50pack
556017	1" - 6pack
556017-B50	1" - 50pack

## S/ Tap Pozi Steel Screw.



30 PACK

556041	1/2"x8 - 30pack
556042	3/4"x8 - 30pack

## Hose Clips.

- 18mm - 25mm.
- Pack of 2.



2 PACK

556018	Hose clips x2
--------	---------------

## Sealing Brass Disks.



556028	1" Meter - 3pack
556028-B50	1" Meter - 50pack
556029	3/4" Meter - 4pack
556029-B50	3/4" Meter - 50pack

## Olive (Pilot Tubes)



6 PACK

556068	4mm - 6pack
556069	6mm - 6pack

## Plastic Meter Box Keys.



2 PACK

66044	Meter box keys x2
-------	-------------------

# Fix it Fast Range

Spire Nut No.8 Dished



556030 Pack of 5

Spire Nut No.8 Folded



556031 Pack of 5

Spire Nut No.8 U-Nut



556036 Pack of 5

Spire Nut No.8 Angle Nut



556037 Pack of 5

Blue Insulated Ring



556074 Pack of 20

Blue Butt Connector



556075 Pack of 15

Red Push-On Male Connector



556076 Pack of 15

Red Push-On Male Connector



556077 Pack of 15

Red Ignition Lead Connector Female



556078 Pack of 10

Steel Earthing Clamp



556083 Single

Analyzer Test Hole Covers



556055 Pack of 12

C/F Full Nuts M4 BZP



556091 Pack of 30

C/F Full Nuts M5 BZP



556092 Pack of 30

Electrical Connector & Socket



556093 3 Way

556094 5 Way




# Brushes & Abrasives

## HayesUK Waterproof Abrasive Cloth Strips 180 Grit.

- Longer lasting, waterproof, non clogging, silicone carbide abrasive strips.
- Webbed design is ideal for cleaning copper tubes before soldering and roughing up plastic pipes before jointing.
- Dimensions 38mm x 250mm.
- Medium grade - 180 grit.

**BEST SELLER!**



**10 Pack**



**662100** Waterproof abrasive cloth strips 180 grit

## HayesUK Waterproof Abrasive Cloth.

- Webbed silicone abrasive that lasts longer, doesn't clog up, washable and waterproof.
- Dimensions 38mm x 5m.
- Medium Grade - 180 grit.

**5m Roll**



**662102** Waterproof abrasive cloth 180grit (38mm x 5m)

## HayesUK Nylon Abrasive Pads.

- Helps remove corrosion, oil and grease.
- Can be used wet or dry.
- Size: 160mm x 60mm.
- 8mm Thickness.

**10 Pack**



**662104** HayesUK nylon abrasive pads - 10pack

## HayesUK Nylon Abrasive Strips.

- For cleaning, polishing, rust removal, scrubbing and blending. (50mm x 250mm).
- Longer lasting.
- Doesn't break up.
- No splinters.
- Washable.
- Less waste.
- Doesn't rust.

**5 Pack**



**662105** HayesUK nylon abrasive strips - 5pack

# Brushes & Abrasives

## HayesUK Steel Wool Roll.

- 0.45Kg Roll.
- Medium Grade.



**WB28** Medium grade steel wool roll

## HayesUK Steel Wool Pads.


- Medium grade.
- Multi use.



**WB8** Medium grade steel wool 8 pack

## HayesUK Heat Exchanger Cleaning Blade 200mm/400mm Double.

- For removal of flue gas deposits from heat exchange fins.
- A velco cleaning surface reduces the risk of damage during cleaning.
- Available in 200mm or 400mm lengths.



**664150** Heat exchanger cleaning blade 200mm

**664151** Heat exchanger cleaning blade 400mm double

## HayesUK Wire Brass Brushes.

- Specially shaped durable handle.
- Wire brass head.



**BRASSBRUSH** HayesUK brass brush

**NYLONBRUSH** HayesUK nylon brush

## Copper Fitting Cleaning Brush.

- 10mm Brush.
- 15mm Brush.
- 22mm Brush.
- 28mm Brush.

**4  
Sizes**



**664112** 22mm brush

**664113** 10mm brush

**664114** 15mm brush

**664116** 28mm brush

# Brushes & Abrasives

## HayesUK Quad Brush 4 in 1 Pipe Cleaning Brush.

- Unique 4 in 1 wire brush is both light and ergonomic.
- Cleans both internal and external 15mm & 22mm copper pipes.



Cleans internal  
22mm



Cleans external  
22mm



Cleans external  
15mm



Cleans internal  
15mm



**66060** Quad brush 4in1 pipe cleaning brush

## HayesUK Flux Brushes.

- Specially shaped for applying flux or glue onto joints and threads.
- Size: 200mm x 12mm.

**BEST SELLER!**



**66054** Set of 3 brushes

**66055** Flux brushes tub of 25

# Brushes & Abrasives



## HayesUK 3pc Flue Brushes.

- 1 x 2" diameter nylon brush, 16" long with loop handle.
- 1 x 2" x 5/8" flat brush 16" long with loop handle.
- 1 x 5/8" diameter brush with 16" loop handle.

**664105 HayesUK flue brushes ( set of 3)**



## HayesUK Premium - 7pc Flue Brush Set.

- 1 x 305mm (12") handle.
- 1 x 305mm (12") handle extension rod.
- 1 x brush head, nylon, 15mm dia x 150mm long.
- 1 x brush head, nylon, 25mm dia x 72mm long.
- 1 x brush head, nylon, 50mm dia x 150mm long.
- 1 x brush head, steel, 20mm dia x 56mm long.
- 1 x brush head, soft bronze, 15mm dia x 56mm long.

**664109 HayesUK flue brushes - premium (set of 7)**



## HayesUK 7pc Domestic Flue Brushes.

- 1 x 305mm (12") handle.
- 1 x 125mm (5") handle.
- 1 x 305mm (12") extension rod.
- 1 x brush elliptical head, nylon, 50mm dia x 305mm long.
- 1 x brush head, nylon, 50mm dia x 203mm long.
- 1 x brush head, nylon, 50mm dia x 12.5mm long.
- 1 x 12" flat cleaning blade.

**664107 HayesUK flue brushes - domestic (set of 7)**



## HayesUK 9pc Flue Brushes Industrial / Commercial.

- 1 x 305mm (12") handle.
- 1 x 125mm (5") handle.
- 1 x 305mm (12") extension rod.
- 1 x brush elliptical head, nylon, 85mm dia x 305mm long.
- 1 x brush head, nylon, 85mm dia x 305mm long.
- 1 x brush head, nylon, 65mm dia x 241mm long.
- 1 x brush head, stainless, 50mm dia x 240mm long.
- 1 x brush head, nylon, 25mm dia x 203mm long.
- 1 x 12" flat cleaning blade.

**664108 HayesUK flue brushes - industrial / commercial (set of 9)**

# Access Panels

## Arctic Access Panel

A simple, low cost, high quality solution to provide protected openings in ceilings and walls for access to building engineering services. The injection moulded slim profile produces a lightweight solution, enabling an easy fit installation into all types of wall or ceiling construction.

### Key Features:

- UV stable ABS.
- Held closed by a snap friction catch.
- Can be fastened easily into position with a suitable glue.
- Can be over-painted to match surface.
- Sizes from 150mm to 560mm.
- Building Regulations Compliant.

APS100	100mm x 150mm
APS150	150mm x 230mm
APS200	200mm x 200mm
APS300	300mm x 300mm
APS350	350mm x 350mm
APS560	560mm x 560mm

**“Building regulations part J specifies that “flue systems MUST be visually inspected as part of every Gas Safety Check”.**



## Arctic Fire Rated Access Panels.

The panels consist of 10mm powder coated zinc steel with a slim profile, producing a lightweight, robust panel where access to building services is required. The metal frame holds a flush metal door through simple concealed hinges and is held closed with a lock. Certified to Building Regulations Approved Document J:2010

### Key Features:

- Composed of precision welded one-hour fire rated steel.
- Tested to B.S.476: Part 22:1987.
- Concealed hinges.
- Powder-coated in white RAL 9010 with 20% gloss.
- Panels can be over painted on site if required.
- Secure key lockable versions available. (optional extra)

FRPS1	300mm x 300mm
FRPS2	450mm x 450mm
FRPS3	600mm x 600mm



# Lighting



## Arctic LMP60 Aluminium Pocket Hand Torch.

- New Arctic Pocket Hand Torch.
- New chip on board (COB) technology.
- Robust aluminium housing.
- Super bright 130 Lumens.
- 3 x AAA batteries included.
- 180° swivel clip for easier use.
- Compact size only 160 x 15 x 28mm.
- 12pcs per display box.

*Pocket clip with integral magnet for hand free use!*



**LMP60 Penlight (COB) - 12pcs per display box**

## Arctic 8 LED Pocket Inspection Lamp.

- 3 x AAA batteries included.
- Swivel pocket clip with integrated magnet for hands free use.
- Can be positioned at any angle on a magnetic surface.
- Ideal for working in confined spaces.
- Comes packaged in an attractive, self-standing CDU.
- 12pcs per display box.



**RIL50 Arctic 8 LED pocket lamp**

## Arctic Multi Angle Flip 18 LED Hand Lamp Torch.

- 3 x 1.5AA batteries included.
- Multi angle positioning.
- Magnet on rear for hands-free use.
- Automatic on/off switch.
- Integrated hanging hook.
- Compact size - ideal for smaller working spaces.



**RRL400 Arctic multi flip LED hand lamp/torch**




# Lighting

## Arctic LMP450 Work light.

- New High Power 3W COB (Chip on Board) Technology.
- Powerful magnet on the back.
- Strong Hanging hook with 360o rotation.
- Power Bank function.
- Accessories USB Cable, AC Adaptor, 12v DC adaptor.

*Mobile Phone  
Charger Feature !*



**LMP450** Worklight with mobile phone charge feature

## Arctic High Beam LED Head Lamp.

- 3 x AAA batteries included.
- All weather proof.
- 90° angle tilt.
- 3 lighting functions: high beam, low beam, strobe.
- 50 Lumens.
- 8 hour battery life.
- Comes packaged in a self standing CDU.



**LMP90** Arctic high beam LED head lamp

## Heavy Duty Rubber Torch.

- 3 super bright LED's.
- Batteries included.
- Tough, shockproof, weather and corrosion proof.
- 100,000 hours LED burn time.
- Comes packaged in a self standing CDU.
- 8 per CDU.



**LMP48** Arctic small heavy duty torch

**LMP49** Arctic large heavy duty torch

# Lighting

## Arctic Mixed Work Light Counter Display.

Arrives packed in a counter display includes:

- 4 x LMP150 Work Light.
- 4 x LMP200 Work Light.
- 4 x LMP250 Work Light.

## NEW COB TECHNOLOGY



LOW COST

**LDB1000 Arctic mixed work light counter display**

## LMP150 Work Light.

3 x AA batteries included.



## FEATURES:

-  → 3W high power COB LED on the face (300 lumen).
-  → Strong hanging hook at the top.
-  → 5 Super bright LED lights on top.
-  → 2 Powerful magnets on the base.

**LMP150 LMP150 work light**

# Lighting

## LMP200 Work Light.

### FEATURES:



3W high power COB LED on the face (300 lumen).



5 Super bright LED lights on the base.



Strong metal hanging hook.



90° pivoting and folding function.

**LMP200** LMP200 work light

3 x AA batteries included.



## LMP250 Work Light.

### FEATURES:



3W high power COB LED on the face (300 lumen).



Strong metal hanging hook.



Powerful magnet on the back.

**LMP250** LMP250 work light

3 x AA batteries included, with anti-slip rubber finish.




# Servicing & Specialist Tools

## HayesUK U-Flow - Flow Measure.

- Unique exclusive product to Arctic Hayes.
- New innovative design.
- Simple and easy to use.
- Measures in gallons & litres.
- Rebut & Heat resistant.
- Flow measure range - (1.5 gallon & 4-22 Litres).

**EXCLUSIVE!**

**NEW**



Totally clear and stable readings.



Measure water flow of domestic appliances to ensure a sufficient flow rate.



Can use in conjunction with 998731 Stem Thermometer.



Stylish counter display unit.

888000 HayesUK U-flow- flow measure

# Servicing & Specialist Tools

## Flow Measure ABS.

Used to measure the water flow rate. This is a vital piece of equipment when preparing for a new installation.

- Made from tough ABS with gallon and litre scales.
- Dual scale ABS flow measure (½ - 5 gallon & 2 - 22L).
- Robust, heat resistant.



**664069** Flow measure ABS

## Triple Kit Wet/Dry Pressure & Flow.

- 0 to 10 Bar water pressure gauge with 54mm dial.
- Brass fittings.
- Rubber tap connector to fit most taps.
- Safety chain.
- Carry case.

*"Ideal for pressure readings prior to the installation of appliances, water flow measure with dual scale, 2 to 22 litres and 1/2 to 5 gallons per minute. Made from tough ABS with easy to read scales. For checking water flow when commissioning appliances. Dry pipe test gauge with 0 to 4 Bar dial fitted with drag pointer. Uses 15mm speed-fit connector, simple and easy to use. Fitted with Schrader valve for connecting to a pump (not supplied)"*



**664056** Triple kit wet/dry pressure & flow

## Pressure and Flow Measures.

Combined flow and pressure test kit comprising of:

- 0 to 10 Bar water pressure gauge.
- Dual scale ABS flow measure ( ½ - 5 gallon & 2 - 22L).
- Protective carry case.



**664064** Pressure and flow test

# Servicing & Specialist Tools



## Mains Water Pressure Gauge.

- Used for testing mains water pressure prior to installation alignment.
- The push on connector fits most 0.5" and 0.75" taps and comes complete with a safety chain.
- Available in three pressure ranges.

*"Tap/pipe connected water pressure gauge for quick pressure readings prior to the installation of appliances. Robust 54mm dial gauge with brass fittings, rubber tap connector to fit most taps and fitted safety chain.*

**664060 0-6bar/0-80psi push on connector**

**664061 0-10bar/0-140psi push on connector**

## Rigid Dry Pipe Pressure Test Gauge.

- For testing of pipework prior to commissioning.
- Complete with Schrader valve and 15mm push-fit fittings.
- Maximum 4 Bar.



**664045 Rigid dry pipe pressure test gauge**

## Pressure Test Nipples.

- 1/8" BSP Pressure Test Nipples (pack of 3) - 664040.
- These brass nipples facilitate the checking of pressure and the setting of governors.
- A small hole restricts the gas flow during the removal of the screw and the fitting of the hose.



**664040 PT nipples - 3 pack**

**664040-U PT nipples - each**

## HayesUK Replacement U-Gauge Hose.

- Silicone clear tube 4mm bore - 2m long.
- Neoprene & rubber hoses are 1/4" Bore, 1/16" Wall and available in 2 & 20m lengths.
- Rubber hose is suitable for use with natural gas but not L.P.G.
- Neoprene suitable for natural & LPG gas.
- Suitable for use with HayesUK u-gauges and manoflex gauges



**664048 Silicone tube 2m clear**

**664050 Rubber hose 2m orange**

**664054 Rubber hose 20m orange**

**664051 Neoprene hose 2m black**

**664053 Neoprene hose 20m black**

## HayesUK 10m Drain Down Hose with Thumbclip.

- 10m length of red natural rubber hose.
- Internal diameter: 1/2" outer diameter 3/4" (12.7mm ID x 19.05mm OD).
- Complete with thumb screw hose clip.
- 2 x reusable velcro ties - to help keep neat and tidy when storing.



**664047 HayesUK 10m drain down hose**

**664047-15 HayesUK 15m drain down hose**



# Servicing & Specialist Tools

## Premium U-Gauge.

Supplied in a heavy duty case for added protection. This unit comes complete with a suction cup, hanging ring and a choice of glass or plastic tube. A spring loaded cap prevents loss of water and protects nipples.



- 664020 Premium glass U-gauge**
- 664021 Premium plastic U-gauge**
- 664025 Spare glass tube**
- 664026 Spare plastic tube**

## Easy View Plastic U Gauge.

A clear lid makes this U Gauge easy to view, protects the scale and is always ready to use. Zeroing could not be simpler, the shape of the gauge has been designed to make it easier to read with a fuller view of the scale.

- Available in two sizes:  
30 Mbar and 60 Mbar.



- 664035 Easy view U-gauge 30Mbar**
- 664036 Easy view U-gauge 60Mbar**

## Manoflex Gauge.

This range consists of five flexible gauges with a dual scale in wg. and Mbars which remains rigid in use. These are all supplied with a non-spill sealing cap and are fitted with zero adjusting screw and hanging hook.



- 664030 12"/30 Mbar**
- 664031 18"/45 Mbar**
- 664032 24"/60 Mbar**
- 664033 36"/90 Mbar**
- 664034 48"/120 Mbar**

## Manometer Fluid.

- 60ml bottle, fills up to 24"/60bar gauge.
- Contains De-ionised water wetting agent.
- Algacide anti-foaming agent.
- Anti-standing agent.
- For use with any manoflex gauges and u-gauges.
- Not to be taken internally.

- 664018 Manometer fluid 60ml**



# Servicing & Specialist Tools

**NEW**



## DT1 Radiator Draining Kit.


- 1 x Draining tray.
- 4 x Water diverting collars.
- 4 x Reusable sealing strips.
- 1 x Water resistant barrier gel (sufficient for 6 - 8 applications) .
- Helps to avoid unnecessary mess, damaged floors and carpets.
- Step by step detailed instructions included.
- Perfect for professional use or DIY
- Universal application for 8, 10, 15 and 22mm pipework.



*Tidy way of  
draining down a  
system with  
no spillages.*




*Also great  
for restricted  
access to pipes.*



**DT1 Radiator draining kit**

## HayesUK LeakMate.

- Seals pipes, all in one tool:  
3/8" (10mm).  
1/2" (15mm).  
3/4" (22mm).
- Maximum working pressure: 140PSI (10Bar).
- WRAS approved material used for rubber seals.
- A reusable temporary seal for pipework.
- LeakMate seals completely around pipe in seconds.
- Simple and easy to install, allowing for little disruption, and no need for emergency calls.



**664134 HayesUK leakmate**

## Rapid Radiator Draining Kit.

- Takes under 5 minutes to attach the kit.
- Clean and quick.
- With any other method it would take 45mins to drain a radiator with the Radrain it takes under 15mins.
- Drains into reuseable strong plastic bag.
- The bag can then be disconnected and drained easily
- Robust, long lasting clamp.
- Drain bag holds approx 15 litres of water.



**664131 Rapid Radrain kit**

**664132 Rapid Radrain 2pc replacement bags**

# Servicing & Specialist Tools

## Gas Pressure Test Tee Kit with Pump & Hose.

- 3 way pressure test tee with pump & hose.
- This unit consists of a 1/4" BSPT fitting on a 3 way test tee with 200mm of hose and a hand pump.
- Used to pressurise and check the soundness of gas pipework in conjunction with a U-Gauge.



**664043 Gas pressure test tee kit**

## Hayes UK Pressure Vessel Adaptors.

- Help access those difficult to reach pressure vessel valves.
- To be used in conjunction with 221002 Hayes pressure Vessel Pump.
- 180mm.



**221000 HayesUK pressure vessel angled adaptor**

## Hayes UK Pressure Vessel Expansion Service Kit.

### Includes:

- Pressure Vessel Angle Adaptor-Short 180mm.
- Valve core remover tool.
- 3x spare valve cores.
- To be used in conjunction with 221002 Hayes Pressure Vessel Pump.



**221004 HayesUK pressure vessel service kit**

## HayesUK Pressure Vessel Long Adaptor - 1100mm.

- Helps access those difficult to reach pressure vessel valves.
- Long 1100mm.
- To be used in conjunction with 221002 Hayes Pressure Vessel Pump.



**221001 HayesUK pressure vessel long adaptor**

## HayesUK Pressure Vessel Hand Pump - 3m Hose.

- For pressurising header tanks.
- Free standing.
- 3 metre extended hose.
- Schrader valve.
- Heavy duty design.



**221002 HayesUK Pressure vessel hand pump-3m hose**

# Servicing & Specialist Tools

## Temporary Heavy Duty Continuity Bond.

- Provide a temporary continuity to earth when disconnecting or connecting gas pipes.
- 1.2m cable for pipes up to 25mm dia. rated to 150A.
- Manufactured using flexible multi-strand 10mm cable to conform to current Gas Safety Regulations.
- Heavy-duty crocodile clips.
- British Gas specification.



664015-BG Temp continuity bond 10mm 1.2m

## Temporary Economy Continuity Bond.

- To provide a temporary continuity to earth when disconnecting or connecting gas pipes.
- O.D.1.33mm (one piece copper diameter).
- Copper shares: 7 wires.
- PVC cable O.D.: 8mm.
- Cable length: 1.2m cable coloured green and yellow.
- Length: 1.42m (with clamp).

NEW  
IMPROVED  
STRENGTH  
CLIPS



664016 Eco temp continuity bond 8mm 1.2m

## Long Reach Screwdrivers.

- Set of 2 Long Reach Screwdrivers.
- Slotted and PZD.
- 300mm long reach.
- Chrome vanadium steel blade.
- Twin density handle for better grip.



66008 Long reach screwdrivers

## Screwgrab Friction Gel.

- Helps remove or tighten stripped screws.
- Works instantly.
- Non - Toxic, Non - Corrosive.
- Increases torque by 800%.
- Easy to use.
- Wipes clean.

*Tools 'grab' to remove deformed screwheads or rounded hexes and sockets*

INCREASES  
TORQUE  
BY 800%



665199 Screwgrab friction gel 15ml

## Arctic Fixed Basin Wrench.

- Length 250mm.
- Fits 1/2" & 3/4" back nuts.



BW Arctic basin wrench

## Telescopic Inspection Mirror.

- Inspection mirror for use on boiler and installation work where access is difficult.
- Ideal for checking pilot lights or internal components.
- Telescopic inspection mirror 38mm diameter incorporates a uni-directional head with a 7 stage telescopic handle with pocket clip.



664106 Telescopic inspection mirror

## Telescopic Magnetic Pick Up Tool.

- Pocket clip.
- Strong magnet.
- Telescopic.

NEW



664000 Magnetic pick up tool

# Servicing & Specialist Tools

## HayesUK Cooker Stability Chain Quick Release.

- Chain assembly as used by British Gas.
- Specification for installation of domestic gas cooking appliances (1st, 2nd & 3rd family) illustrated in BS6172.
- Fitted with snap hook for quick release (40cm/16" long).
- Complete with wall plug.



**663100 Hayes cooker stability chain-quick release**

## HayesUK Cooker Restraining Chain (1m).

- Links may be removed to reduce length.



**663102 Hayes cooker restraining chain (1m)**

## 3 Monobloc Spanner Set with Tommy Bar.

- Chrome vanadium steel spanner.
- Chrome plated matt finish.
- Six sizes: 8mm to 13mm inclusive.
- Stepped Tommy bar.



**66061 3 monoblock spanner set**

## Stop Cock 35" Multi Purpose Key.

- Heavy duty 4 in 1 key fits 1/2" & 3/4" taps and square head.
- Length 900mm/35"
- Cast iron head, steel stem and handle, zinc plated for corrosion resistance.



**66001 Stop cock 35" multi purpose key**

## HayesUK Cooker Stability Bracket.

- Zinc plated steel stability bracket.
- Complete with one set screw, nut, washer & instruction for fitting as specified in BS 6172.



**663101 HayesUK cooker stability bracket**

## Multi Purpose Plumbing Key Stainless Steel.

- 1/2" air vents and air vent pins.
- 1/2" iron plugs.
- Holds new sink & basin wastes whilst fitting.
- Radiator valves 1/2" hexagonal nut and internal lug types.
- Tank connectors 28mm, 22mm & 15mm external and internal lug type.



**66010 Multi purpose plumbing key**

# Servicing & Specialist Tools

## Radiator Valve Change Kit.

- Used for changing radiator valves without draining down.
- The kit comprises 2x rubber bungs and radiator air bleed key.
- For use on 15mm & 22mm pipework.



664130 Radiator valve change kit

## Brass Quad Key - 4 in 1 Tool.

- Multi purpose radiator and meter key.
- 4 in 1 key fits three sizes of lock-shield radiator valve (1/2", 3/4" & 1") but also has a meter box key for opening both gas & electric meter boxes.



66022 Quad key - 4 in 1 tool



## Brass Meter Key.

A durable brass meter box key that opens both gas and electric meter boxes.

664125 Brass meter box key



## Radiator Bleed Brass Key.

Brass radiator air vent keys with easy to turn clock key type handle for releasing air from water filled radiators.

66058 Radiator brass bleed key



## Manhole Cover Lift Keys.

- Added flexibility for lifting stopcock and manhole covers up to 30kg.
- Corrosion resistant zinc plated steel.

66035 Manhole cover keys



# Servicing & Specialist Tools

## BUNGEECLIC - Securing Kit.

Suitable for cars, home, leisure and trailers

Kit Contains:

- 2 x J hooks.
- 2 x Locking hooks.
- 1 x Straight connector.
- 1 x 90cm Bungee cord.
- 1 x 60cm Bungee cord.
- 1 x 30cm Bungee cord.



**BUNG1** Bungee kit

## Ratchet Strap with S Hook.

- Folds away neatly for easy storage.
- Firmly secure an object with two S-hook anchor points.
- Unload fast and quick release button.
- Tested to EN121 95-2 standards.
- Dimensions: 5m long x 25mm wide.
- Max working load: 260kg used as belt, 130kg used as strap.



**RLS11** Ratchet strap 2 x S hooks

## Ratchet Strap Open End.

Suitable for cars, home, leisure and trailers

- Easy to fit in just four movements.
- Unload fast and quick release button.
- Unique storage position keeps ratchet and strap neatly together.
- Tested to EN121 95-2 standards.
- Dimensions: 5m long x 25mm wide.
- Max working load 260kg.



**RLS12** Ratchet strap open end

# Stove Maintenance

## PH Stove Glass Cleaner.

- Dissolves soot, tar and creosote.
- Removes burnt on residue.
- For best results use on cold glass.
- Complete glass renovation by using in conjunction with Arctic Glass Polish.



**SGC1** Stove glass cleaner 250ml bottle

## PH Stove Glass Polish.

- Suitable for use on all types of stove.
- Ideal for restoration and cleaning.
- Non-corrosive.
- For optimum results, use after cleaning stove glass with Arctic Stove Glass Cleaner (SGC1).



**SGP1** Stove glass polish 250ml bottle

## PH Stove Glass Renovation Kit.

- One 250ml bottle of Stove Glass Cleaner.
- One 250ml bottle of Stove Glass Polish.
- Suitable for all stoves.
- Cleans and restores glass and ceramic.
- Non-corrosive.



**SGK1** Stove glass care kit

# Heat Resistant Products

## High Temperature Paint. Matt Black.

- Withstands temperature up to 650°C.
- Low odour.
- Even coverage.
- Fast drying.
- Gives a tough, durable coating with matt finish.
- Use on stoves, fireplaces, pipes, flues, coals and BBQs.
- Petrol and oil resistant when cured.
- Black in colour.

Ideal for use  
on coals!



HTP1 High temp paint spray 300ml can

## Arctic Radiator Paint.

- Ideal for interior use on radiator surfaces.
- Excellent smooth coverage.
- Rust resistant enamel.
- No primer needed.
- Quick and easy paint coverage for radiators.
- Provides a fast, dry finish that will not yellow over time.
- White in colour.

NO PRIMER  
NEEDED



HTP2 Arctic radiator paint

## Professional Sealant Gun C4.

- Sturdy skeleton gun with hexagonal rod, re-enforced ring and hook end.
- Holds up to 400ml cartridges.



665216 Professional sealant gun C4

# Heat Resistant Products



## Fire Cement.

- Easy to use material.
- Provides extremely tight joints to fumes and smoke.
- When allowed to dry and exposed to heat, it strengthens and becomes a very hard seal.
- Very strong properties of adhesive even at very high temperatures.
- Can be used on a variety of surfaces wherever there is high amount of heat.

## Available in 2 Sizes:

- 2kg and 300ml Cartridge.

<b>665204</b>	<b>Vitcas fire cement - buff 2kg tub</b>
<b>665205</b>	<b>Everbuild fire cement - buff 300ml cartridge</b>
<b>665206</b>	<b>Vitcas fire cement - black 2kg tub</b>
<b>665207</b>	<b>Vitcas fire cement - black 300ml cartridge</b>



## Vitcas Rope Seal Adhesive.

*Rope Seal Adhesive is a specifically formulated high temperature adhesive designed for fixing thermal rope / tape and ceramic fibre seal to oven, stove and boiler doors.*

- Easy to use liquid adhesive - water clean up.
- Temperature resistant up to 1000°C.
- Adheres to most glass, metal, fibre rope, ceramic materials.
- Use with HayesUK Braided Glass Yarn.

<b>661014</b>	<b>Fixing adhesive for glass yarn - 125ml</b>
---------------	---

## HayesUK Braided Glass Yarn.

- Asbestos free braided glass yarn.
- A high temperature sealing yarn for use in flues, boilers, stoves ovens and other heating applications.
- Maximum working temperature 55°C.
- Various sizes available.

<b>661020</b>	<b>Glass yarn 6mm x 5m</b>
<b>661021</b>	<b>Glass yarn 6mm x 10m</b>
<b>661022</b>	<b>Glass yarn 10mm x 5m</b>
<b>661023</b>	<b>Glass yarn 10mm x 10m</b>
<b>661024</b>	<b>Glass yarn 12mm x 5m</b>



# Dust Sheets

## HayesUK Cotton Twill Dust Sheets.

Heat quality cotton twill quality dust sheets provide excellent protection to furniture, floors, carpets and workspaces.

- 100% natural cotton.
- Machine Washable.
- Reusable.
- Highly absorbent.
- Drapes well.
- Environmentally friendly.
- Multi purpose.
- Professional quality.
- Excellent protection.



**AD62822 HayesUK bronze - 12' x9' 1.4Kg**

**AD62824 HayesUK gold - 12' x9' 2.2Kg**

## Calico Dust Sheet with Carrying Straps.

- Heavy Duty Calico Dust Sheet.
- Size - 9ft x 9ft.
- Easy to carry and store.
- Carry strap keeps sheet neat and tidy when not in use.
- Includes material swatch attached to display box.
- Durable and reusable.
- Machine washable.
- Display unit of 9.



*Includes tidy straps  
and shoulder strap!*



**NEW**



**666099 Calico dust sheet with carrying straps**

# Dust Sheets



## HayesUK Stair Runner Cotton Dust Sheet Bronze.

- Medium duty, ideal for protecting stair and hall ways.
- 100% natural cotton.
- Reusable and durable.
- Suitable for home based or industrial applications.
- Machine washable.
- Environment friendly.
- Sizes: 24' x 3' / 7.2m x 0.9m.

*"Use in conjunction with 666030 Stair Rods, See Page 79"*

**666009 Stair runner - 24' x 3'**

## HayesUK Mini Dust Sheets.

- Trade quality cotton twill mini dust sheet.
- Reusable.
- Drapes well.
- Multi-purpose.
- Machine washable.
- Highly absorbent.
- Water and paint resistant.
- Polythene backing.
- Size: 6' x 3' / 1.8 x 0.9m.



**AD62840 HayesUK mini dust sheet - 6'x3'**

## HayesUK Cotton Dust sheets.

- Heavy duty 100% cotton.
- For covering all furniture & floors.
- Durable and washable.
- Reusable.
- Size: 4' x 4' / 1.2m x 1.2m.



**666010 Cotton dustsheet 4'x4'**

## HayesUK Professional Heavy Duty Calico Cotton Dust sheets.

- Heavy duty 100% cotton.
- Durable and washable.
- Size: 12' x 9' / 3.6m x 2.8m.



**666012 Cotton dustsheet 12'x9'**

## HayesUK Laminated Dust Sheet Bronze.

- Reusable, drapes well
- Multi purpose, machine washable.
- Highly absorbent, water and paint resistant.
- Polythene backing, size: 12' x 9' / 3.6m x 2.8m.



**666013 HayesUK laminated dust sheet - bronze 12'x9'**



# Floor Protection

## Waterproof Floor Protector.

*Multi Purpose Heavy Duty Waterproof sheeting for protecting floors and surfaces.*

- Convenient size, can be cut with scissors.
- Home decorating & DIY purpose.
- Made from recycled polythene.
- Sizes: 4' x 8' / 1.2m x 2.4m 150mu.



**666027 Waterproof floor protector - 4'x8'**

## Stair Rods.

- Set of 14 spring loaded rods.
- Handy bag with shoulder straps.
- Stair rods can be used time and time again.
- Hold dust sheets and other types of sheeting into the foot well of each stair.

*"Use in conjunction with 666009 Stair Runner, See Page 78"*

**NEW**



**666030 Stair rods set of 14**

## Self Adhesive Carpet Protector.

- Self adhesive.
- Ideal for home decorating & DIY purpose.
- Super tough polythene film.
- Protects carpets from dirt & spillages.
- Easy peel leaves no adhesive residue.
- Size: 520mm x 100m.
- Do not use on hard floors.



**666019 Self adhesive carpet protector**

# First Aid



**NEW**



## Vehicle First Aid Kit.

- 1 x First aid guidance leaflet.
- 1 x Content list.
- 1 x Trauma dressing 10 x 10cm.
- 1 x Emergency First Aid sterile dressing 12 x 12cm.
- 1 x Triangular Non-sterile bandage 90 x 90 x 130cm.
- 10 x Sterile cleansing wipes.
- 10 x Waterproof adhesive plasters.
- 2 x Nitrile disposable gloves.
- 1 x Resuscitation face shield.
- 1 x Foil blanket.
- 1 x Adherent dressing 10 x 8cm.
- 2 x Burn dressing 10 x 10cm.
- 1 x Clothing cutter scissors.
- CDU of 6 units.

*“Complies to BS 8599-2 Standards”*

**994020 Vehicle first aid kit**

## 1-10 Employee Statutory First Aid Kit 11-20 Employee Statutory First Aid Kit.

Contents	1-10 Persons	11-20 Persons
• First aid kit guidance leaflet.	1	1
• Sterile wash proof plasters.	20	40
• Sterile eye pad with bandage.	2	4
• Triangular bandages.	4	6
• Safety pins.	6	12
• Sterile dressings with pad (medium).	6	9
• Sterile dressings with pad (large).	2	3
• Moist wipes.	10	10
• Disposable gloves (pair).	1	2

*Fully stocked and compliant with Health and Safety regulations, durable hinged case, contents clearly identified on back of case in English, French, German, Dutch, Portuguese, Italian and Spanish.*



**994010 1-10 employee statutory first aid kit**

**994050 11-20 employee statutory first aid kit**

## 1- Man Statutory First Aid Kit.

- 1 x First aid guidance leaflet.
- 6 x Sterile wash-proof plasters.
- 2 x Triangular bandages.
- 6 x Safety pins.
- 1 x Sterile dressing with pad (large).
- 4 x Moist wipes.
- 1 x Disposable gloves (pair).



**994001 1 man statutory first aid kit**

# Fire Extinguishers

## ABC Dry Power Extinguisher.

- A combination of Mono Ammonium Phosphate and Ammonium Sulphate.
- Approved and certified to BS EN3.
- Kite-marked.
- Safe for use on electrical equipment.
- Suitable for multi-risk environment A,B & C fire classification.
- Aluminium lightweight body with secure transport bracket.



**999001** 1Kg ABC dry powder extinguisher

**999002** 2Kg ABC dry powder extinguisher

## Fire Blankets BS EN 1869:1997 KM.

- 300g cloth.
- Environmentally friendly, water based coating.
- The suppleness and strength of the blanket ensures user confidence as it is well insulated, yet easily drapes over the fire.
- Full traceability through individual blanket batch numbering.
- Flush end caps for easy cleaning.
- All blankets comply with the latest European Standard.



**997120** 1.2m x 1.2m fire blanket

# Hygiene



## HayesUK Heavy Duty Hand Cleaning Wipes.

*Formulated for heavy duty cleaning with no water required. These multi purpose wipes are highly absorbent and textured to remove paint, oil, grease, sealants, fillers and adhesives!*

- Wipe size: 200mm x 240mm.
- 80 wipe tub.

**445033** Heavy duty cleaning wipes



## Industrial Hand Wipes.

*The Big Wipes advanced hi-tech cleaning formula means they're unique in their ability to clean a vast range of "nasty" substances from hands, tools and surfaces including:*

- Grease.
- Oil and water based paints and coatings.
- PUR and instant grab adhesives.
- EPOXY fillers and grouts.
- 80 wipe tub.

**PHWIPES** Industrial hand wipes

## Heavy Duty Rubble Sacks.

- Heavy duty.
- 500 Gauge.
- 100 Bags per box.
- 500mm x 800mm.



**998734** Rubble sack - 500 x 800 - 500g

## Polishing Cloths.

- Cotton/mixed fibre stockinette cloth roll.
- Smooth, multi purpose cloth.
- 750g.



**AWC1** Polishing cloth 750g

## Black Rubble Sacks.

- Heavy duty rubble sack (10 on a roll).
- Colour: grey.
- Size: 500 x 760mm.
- Gauge: 440g/110mu.



**BRS1** Black rubble sacks roll of 10

# Hygiene

## Plumb Pads.

- High quality, super absorbent core.
- Absorbs up to 2 litres of water.
- Multi purpose.
- Available in packs of 2 or 25.



**NEW**



**445025 Plumb Pad- pack of 2**

**445026 Plumb Pad- pack of 25**

## Blue Paper Roll.

- 3ply.
- 100 sheets per roll.
- Highly absorbent.
- Heavy duty.
- Each sheet measures approx. 25cm x 37cm.

**BEST  
SELLER**



**445031 Blue paper roll 3ply (100 sheets)**

**445034 2ply 195 x 15cm - 6 pack (large roll)**

## OptiBox Dispenser Blue Paper Roll.

- Large centre feed roll.
- 500 sheets.
- Cardboard dispensing box to reduce waste.
- 2ply 250mm x 190mm.



**445028 Blue paper roll 2ply**

## Basic Coloured Industrial Rags.

- Durable and reusable.
- Mixture of cotton rich material.
- Ideal for heavy industrial cleaning.
- Cost effective cleaning solution.
- NOT recommended for polishing.



**RAG1 10kg industrial rags**

## White Cotton 'Rags in a Bag'

- Absorbent.
- Durable and reusable.
- Manufactured from Poly Cotton sheeting and shirts.



**RAG2 10kg high quality rags**

# Spill Kits



## 15L Maintenance Spill Kit.

- 15 x Absorbent Maintenance Pads 500 x 400mm
- 1 x Absorbent Sock 80mm x 1200mm
- 2 x Robust bags & Cable Ties
- Guideline/report sheet
- Absorbs Non-Aggressive oils, water, water based fluids.

- 445003** 15L Maintenance spill kit
- 445004** 30L Maintenance spill kit

## 15L Chemical Spill Kit.

- 15 x Absorbent Chemical Pads 500 x 400mm
- 1 x Absorbent Sock 80mm x 1200mm
- 2 x Robust bags & Cable Ties
- Guideline/report sheet
- Absorbs Acids, Caustic, Bleaches, Detergents, Liquids



- 445001** 15L Chemical spill kit
- 445002** 30L Chemical spill kit



## 15L Oil Spill Kit.

- 15 x Absorbent Pads 500 x 400mm
- 1 x Absorbent Sock 80mm x 1200mm
- 2 x Robust bags & Cable Ties
- Guideline/report sheet
- Absorbs Oils, Fuels, Liquid Grease's, Fatty Oils.

- 445005** 15L Oil spill kit
- 445006** 30L Oil spill kit



# Personal Protection

## Heat Resistant Gloves.

- A heavy weight, ambidextrous knitted 13" gauntlet.
- Incorporates a separate heavy knitted cotton lining attached to the inside for added insulation.
- Extended cuff for additional protection to the wrist.
- Cut level 5 protection.
- Large size only.

**NEW**


Heat protection up to 350°C

**445039 Heat resistant gloves**

## Puggy PU Coated Handling Glove.

- Nylon glove.
- Polyurethane palm coated.
- Machine knitted.
- Integral elasticated wrist.
- Glove rating 4131.
- Large size only.

**Best Seller**


**445036 Puggy PU coated handling gloves**

## PVC Knitwist Safety Glove.

- Fully coated PVC glove.
- Stockinette liner.
- Elasticated cuff.
- Cat II EN388.
- Glove rating 4111.
- Large size only.



**445038 PVC knitwist safety gloves**

# Personal Protection



## Nitrile Disposable Gloves.

- Powder free Nitrile gloves.
- High quality disposable products.
- Liquid proof.
- Ideal for general lightweight handling including foodstuff.
- Oil resistant.
- Box 100.
- Sizes available: S, M, L, XL.

**445044S Nitrile disposable gloves box of 100 (S)**

**445044M Nitrile disposable gloves box of 100 (M)**

**445044 L Nitrile disposable gloves box of 100 (L)**

**445044XL Nitrile disposable gloves box of 100 (XL)**



## Disposable Vinyl Gloves.

- Pre powdered vinyl disposable gloves.
- AQL 1.5 - EN455-1/2/3.
- 100% synthetic PVC, contains no Latex/Protein.
- Ambidextrous, easy to pull on beaded cuff.
- Medical grade.
- Also suitable for food use.
- Box 100.
- Sizes available: S, M, L, XL.

**445035S Vinyl disposable gloves box of 100 (S)**

**445035M Vinyl disposable gloves box of 100 (M)**

**445035 L Vinyl disposable gloves box of 100 (L)**

**445035XL Vinyl disposable gloves box of 100 (XL)**



## Latex Gloves.

- Convenient dispenser box.
- Pre-powdered non-sterile latex gloves.
- Box of 100.
- Sizes available: S, M, L, XL.

**445030S Latex disposable gloves box of 100 (S)**

**445030M Latex disposable gloves box of 100 (M)**

**445030 L Latex disposable gloves box of 100 (L)**

**445030XL Latex disposable gloves box of 100 (XL)**

# Personal Protection

## Overshoe / Carpet Protectors.

- High quality overshoes.
- Elasticated for extra grip around shoes.
- Anti-slip textured surface at the bottom.
- Waterproof.
- 100 per pack.
- Ideal for decorating to protect carpets.



**445040** Overshoes / carpet protectors

## Premium Re-usable Non-slip Overshoe.

- Non - slip.
- Type 5 & 6.
- Anti - static.
- One size fits all (16").



**10  
Pairs**

**7775-NON** Premium re-useable non-slip overshoe

## Nuisance Dust Mask.

- This dust mask features a compact design easily worn with glasses and goggles.
- Low breathing resistance and non-irritating to the skin.
- The soft, flexible nose-piece permits individual facial adjustments.
- Provides relief from coarse non-toxic or nuisance dust.
- Non - rated.

**445020** Nuisance dust mask

**6  
Pack**



## Valved Dust Mask FFP3.

- Polypropylene outer layer provides smooth lining and avoids loose fibres.
- Adjustable head strap ensures the best facial seal with minimum leakage.
- Contour design ensures the compatibility of glasses, goggles and reduces fogging.
- Protection level FFP3 with exhalation valve.

**445023** Valved dust mask FFP3

**5  
Pack**



## Safety Helmet.

- Plastic 6 point suspension harness.
- Supplied complete with sweatband.
- Slip-ratchet headband adjustment slots for attachments.
- Colours: White, Red and Blue.



**445041** Safety helmet

## Nevada Safety Glasses.

- Ultra light weight.
- 10 Curve single poly carbonate lens spectacle.
- Scratch resistant lens.
- Fully adjustable side arms with Temple Ratchet.
- Ultra soft nose-bridge, adjustable neck cord.
- Conforms to EN166 1.F and ANSI Z87.1.



**445037** Nevada safety glasses

## Safety Goggles.

- Comfortable.
- Light weight with direct vent.
- Polycarbonate lens with PVC frame.



**445010** Safety goggles

# Winter Products

ADDITIONAL  
SAFETY  
FEATURES



## HayesUK 2000W Fan Heater (2.0kw).

- 2 heat settings 1000W , 2000W.
- Cool/warm/hot heater settings.
- Power indicator light.
- Adjustable thermostat.
- Thermal automatic cut-out.
- Overheating protection.
- Safety thermal fuse built in.
- Dual thermal automatic cut out.
- Integral carry handle.
- Ideal for temporary heating for councils, housing associations and social housing.
- Certified to European Standards.
- This is not to be used as a primary heating source.



998770 HayesUK 2Kw fan heater

## HayesUK 2000W Convector Heater (2.0kw).



- Adjustable thermostat.
- On-Off control.
- Floor standing or wall mountable.
- Thermostatic on/off control.
- Anti-frost setting.
- Resettable overheat cut-out.
- Ideal for temporary heating for councils, housing associations and social housing.
- Certified to European Standards.
- This is not to be used as a primary heating source.

998730 HayesUK 2Kw Convector heater

# Winter Products

## Multi Function Compact Snow Shovel (3 in1).

- Large snow shovel.
- Ice scraper.
- Brush.
- Ideal for car or van.



**1104GR** 3in1 snow shovel

## Winter Pack - 3pc.

- 1 x 300ml De-Icer spray.
- 1 x 500ml Screen wash.
- 1 x Easy grip ice scraper.



**WGP100** Winter pack

## Thermal Vest Long & Short Sleeved.

- Size: S-XXL.
- Colours: White or Light blue.
- High performance thermal fabric.
- Good insulation against cold conditions.
- Lightweight, comfortable material.

## Thermal Long Johns.

- Sizes: S- XXL.
- Colours: White or Light blue.
- High performance thermal fabric.
- Good insulation against cold conditions.
- Lightweight, comfortable material.



**9286LS** Long sleeve

**9286SS** Short sleeve

**9284** Thermal long john

# Winter Products

## Thinsulate Thermal Gloves Thinsulate Fingerless Gloves.

- Material micro fibre 40gram Thinsulate lining.
- For high activity levels.
- Traps and holds body heat.
- Black.



5920BK Thermal gloves

6474BK Fingerless gloves

## Thinsulate Thermal Ski Hat.

- Material micro fibre 3M Thinsulate lining.
- Excellent Comfort.
- Superior active-breathing performance.
- Effective even when wet.
- Dries quickly.
- Great give away.



ADD YOUR  
COMPANY LOGO.

5945BK Thermal ski hat

## Thermal Socks.

- Material micro fibre 40gram Thinsulate lining.
- Pack of 3 pair.
- One size 6 - 11.
- Comfortable and warm.
- Holds in heat.
- One size fits all.



4551 Thermal socks

FREE  
When ordering  
AHWINTSTD1.



## Winter Counter Display Free when bought with the below.

- Arrives packed in a counter display.
- 12 x Thinsulate thermal men's full finger gloves.
- 6 x Thinsulate thermal men's fingerless gloves.
- 12 x Thinsulate thermal winter hat.
- 12 x Thinsulate thermal men's socks.

AHWINTSTD1 Winterwear CDU



# Workwear

## Classic T-Shirt.

- 180 - 190gsm.
- 100% cotton.
- Crew neck.
- Reactive dyed.
- Taped shoulder to shoulder.
- Twin needle stitching on neck and shoulders.
- Sizes: XS-4XL.
- 16 Colours Available.



ADD YOUR  
COMPANY LOGO.

6640 Classic T-shirt

## Classic Polo Shirt.

- 50% polyester, 50% cotton 200gsm.
- Reactive dyed.
- Knitted collar.
- Taped neck.
- Hennaed sleeve and bottom.
- 3 Button placket.
- Unisex.
- Sizes: XS - 4XL.
- 15 Colours available.



ADD YOUR  
COMPANY LOGO.

6641 Classic polo

## Classic Sweatshirt.

- 50% polyester, 50% cotton 300gsm.
- Reactive dyed.
- Set-in sleeve.
- Lycra ribbed cuffs, welt and neck.
- Twin needle stitching at neck, shoulders, arm holes and sleeves.
- Sizes: XS - 4XL.
- 15 Colours available.



ADD YOUR  
COMPANY LOGO.

6642 Classic sweatshirt

## Premium Fleece Jacket.

- Cadet style collar.
- Elasticated pull cords and toggles.
- Twin needle stitching.
- Elasticated cuffs.
- Full self coloured zip.
- 2 self covered zipped pockets.
- Reactive dyed.
- 100% polyester super anti-pill micro fleece 380gsm.
- Sizes: XS - 4XL.
- 7 Colours available.



ADD YOUR  
COMPANY LOGO.

5645 Premium fleece jacket

## Classic Hoodie.

- Fabric 50% polyester, 50% cotton 300gsm.
- Reactive dyed.
- Lycra ribbed cuffs and welt.
- Twin needle stitching and taped neck.
- Front pouch pocket.
- Double fabric hood with self coloured cord.
- Brushed effect for superior comfort and look.
- Sizes: XS - 4XL.
- 22 Colours available.



ADD YOUR  
COMPANY LOGO.

6647 Classic hoodie

## Selkirk Softshell.

- Waterproof, windproof & breathable fleece lined.
- High stretch fabric.
- Adjustable cuffs.
- Zip fastening front pockets.
- Sizes: S - 3XL.
- Black, Navy.



ADD YOUR  
COMPANY LOGO.

6676 Selkirk softshell

# Workwear

## Pro Work Jacket.

- Bomber style work jacket.
- 330GSM hardwearing polyester/cotton.
- Tufftex tear resistant trim to shoulders and arms.
- Reflective trim.
- Fleece lined collar.
- Internal pocket.
- Size: M - 3XL.
- Black and Navy.



ADD YOUR  
COMPANY LOGO.

**6674 Pro work jacket**

## Tuff Stuff Pro Work Trousers.

- 330gsm polyester/cotton fabric.
- Triple stitched.
- Double thickness on back pockets.
- Tuck away nail pockets.
- Knee pad pockets.
- Mobile phone pocket.
- Waist size: 28" - 44" leg : reg: 30" tall: 32.5"
- Black, Navy, Grey, Stone.



ADD YOUR  
COMPANY LOGO.

**6975 Pro work trousers**

## Kneepads.

- E20 High elastic Eva.
- Twenty piece segment design.
- Increased comfort and flexibility.
- One size.



**6603KNP Knee pads**

## Hi Vis Bomber Jacket.

- PU coated polyester EN471 Class 3.
- Orange material certified to GO/RT 3279.
- Quilted lining with heavy weight polyester filling.
- Concealed hood.
- Two-way heavy duty zipfront with storm flap and security pocket.
- 2 lower pockets with flaps.
- Inside breast pocket.
- Knitted storm cuffs.
- Fully taped seams.
- Size: S - 4XL.
- Yellow and orange.



ADD YOUR  
COMPANY LOGO.

**7726 Hi Vis bomber jacket**

## Hi Vis Traffic Jacket.

- Conforms to EN471 Class 3.
- Orange material certified to GO/RT 3279.
- PU coated polyester. Quilted lining with heavyweight polyester filling.
- Two-way heavy duty zip front with storm flap.
- Inside breast pocket.
- 2 lower pockets with flap and security pocket.
- Knitted storm cuffs.
- Concealed hood.
- Internal 'wicking' strip.
- Sizes: S - 5XL.
- Yellow and orange.



ADD YOUR  
COMPANY LOGO.

**5668 Hi Vis traffic jacket**

## Hi Vis Waistcoat.

- Conforms to EN471 Class 2.
- 100% polyester tricot waistcoat.
- Sizes: S - 4XL.
- Yellow, orange.



ADD YOUR  
COMPANY LOGO.

**5673 Hi Vis waistcoat**

## Garment Personalisation.

Arctic Hayes Ltd, offers a full-in-house embroidery and print service. Doing all the work in house it enables us to maintain quality and service to give you what you want and when. Our services include embroidery or print of you existing logo or we can design you something new based on your brief. We can supply embroidery or print single or multi-colour to the majority of garments at a very competitive rate. \*£100 min order on embroidery/print garments, otherwise £10.00 small order surcharge.

# Product index

**Part No. Description. Page.**

## Pipe Freeze.

AS1	ARCTIC SPRAY REGULAR CAN 200ml	4
AS2	ARCTIC SPRAY LARGE CAN 415ml	4
ASMO1	FREEZE JACKET 8-28MM	4
ASK1	ARCTIC SPRAY KIT 8-15MM	5
ASK2	ARCTIC SPRAY KIT 8-28MM	5
ASK3	ARCTIC SPRAY KIT 8-28MM WITH ADDITIONAL CAN	5
ELITE1	ARCTIC ELITE FREEZING SYSTEM 8-35MM KIT	6
ELITE820	ARCTIC ELITE FREEZING SYSTEM 8-20MM JACKET	6
ELITE2235	ARCTIC ELITE FREEZING SYSTEM 22-35MM JACKET	6
PG01	POLAR PROFESSIONAL PIPE FREEZE 700G	7
PSPRO	PROFESSIONAL PIPE FREEZE 8-22MM KIT	8
PSCOM	COMMERCIAL PIPE FREEZE 8-35MM KIT	8
PSCOM+	COMMERCIAL PLUS PIPE FREEZE 8-35MM KIT	8
PP4	PORTER 4 EMPTY CASE	8
PP4/4	PORTER 4 WITH 4 X PG01	8
PSSOLO	POLAR STARTER KIT	9
PSIND	INDUSTRIAL PIPE FREEZE 8-61MM KIT	9
PSWA	UTILITY PIPE FREEZE 8-35MM KIT	9
TIES200	100 X SPARE TIES	11
NTB04	REPLACEMENT NYLON TUBE	11
ETC04	T-PEICE	11
SCALE	POLAR DOSING SCALE	11
VPOL	POLAR VALVE	11
VSK	POLAR VALVE SERVICE KIT	11
MUFF0	FREEZING JACKET 8-15MM	11
MUFF1	FREEZING JACKET 15-22MM	11
MUFF2	FREEZING JACKET 28-35MM	11
MUFF3	FREEZING JACKET 35-42MM	11
MUFF4	FREEZING JACKET 42-61MM	11
AE61/1	ELECTRIC INDUSTRIAL 110V 600W	13
AE61/2	ELECTRIC INDUSTRIAL 240V 600W	13
AE28/2	ELECTRIC DOMESTIC 240V 280W	13
ARCEL/110	ELECTRIC COMMERCIAL 110V 350W	13
ARCEL/220	ELECTRIC COMMERCIAL 240V 350W	13
AE28/M	ELECTRIC MINI 230V 450W	13
FC200	ELECTRIC FREEZE CREAM	13

## Smoke Products.

333000	HAYESUK STRIKES SMOKE MATCHES 25	14
333050	HAYESUK STRIKES SMOKE MATCHES 50	14
333075	HAYESUK STRIKES SMOKE MATCHES 75	14
33300B	HAYESUK STRIKES SMOKE MATCHES 100	14
333012	CDU STAND (72 X 333012B)	14
333012B	HAYESUK STRIKES SMOKE MATCHES BOX 12	14
338001	HAYESUK SMOKE PLUME KIT	14
338000	HAYESUK SMOKE PLUME ONLY	14
333113	SMOKE STICK KIT3 - SMOKE PEN & 3 SMOKE STICKS	15
333110	SMOKE STICK KIT6 - SMOKE PEN & 6 SMOKE STICKS	15
333103	SMOKE STICK REFILL PACK OF 3	15
333100	SMOKE STICK REFILL PACK OF 6	15
337001	FP POWDER SMOKE	15
338002	FP POWDER SMOKE PUMP	15
333003	HAYESUK CLASSIC 3 - 10 PACK	16
333003C	HAYESUK CLASSIC 3 - 50 TUB	16
333003B	HAYESUK CLASSIC 3 - 100 TUB	16
334003	HAYESUK CLASSIC 3 - 10 PACK (ORANGE)	16
334003C	HAYESUK CLASSIC 3 - 50 TUB (ORANGE)	16
334003B	HAYESUK CLASSIC 3 - 100 TUB (ORANGE)	16
333009	HAYESUK CLASSIC 9 - 10 PACK	16
333009C	HAYESUK CLASSIC 9 - 25 TUB	16
333009B	HAYESUK CLASSIC 9 - 50 TUB	16
334009	HAYESUK CLASSIC 9 - 10 PACK (ORANGE)	16
334009B	HAYESUK CLASSIC 9 - 50 TUB (ORANGE)	16
333009S	SUPER SIX CARTRIDGES - 6 PACK	16
334009S	SUPER SIX CARTRIDGES - 6 PACK (ORANGE)	16

## Smoke Products.

333018	HAYESUK CLASSIC 18 - 5 PACK	17
334018	HAYESUK CLASSIC 18 - 5 PACK (ORANGE)	17
333060	HAYESUK CLASSIC 60 - 5 PACK	17
334060	HAYESUK CLASSIC 60 - 5 PACK (ORANGE)	17
333430	HAYESUK CLASSIC 430 - SINGLE	17
334430	HAYESUK CLASSIC 430 - SINGLE (ORANGE)	17
PHB006	PH SMOKE 5G STANDARD SMOKE - TUB OF 6	18
PH625	PH SMOKE 5G STANDARD SMOKE - TUB OF 50	18
PH007	PH SMOKE 5G STANDARD SMOKE - TUB OF 100	18
PH001	PH SMOKE 13G STANDARD SMOKE - TUB OF 6	18
PH008	PH SMOKE 13G STANDARD SMOKE - TUB OF 50	18
PH118	PH SMOKE 13G STANDARD SMOKE - TUB OF 100	18
PH001C	PH SMOKE 13G COLOURED SMOKE - TUB OF 6	18
PH030	PH SMOKE 5G ENCAPSULATED SMOKE - TUB OF 10	19
PH530	PH SMOKE 5G ENCAPSULATED SMOKE - TUB OF 50	19
PH130	PH SMOKE 5G ENCAPSULATED SMOKE - TUB OF 100	19
PH025	PH SMOKE 8G ENCAPSULATED SMOKE - TUB OF 10	19
PH525	PH SMOKE 8G ENCAPSULATED SMOKE - TUB OF 50	19
PH125	PH SMOKE 8G ENCAPSULATED SMOKE - TUB OF 100	19
PH025C	COLOURED 8G ENCAPSULATED SMOKE - TUB OF 50	19
PH125C	COLOURED 8G ENCAPSULATED SMOKE - TUB OF 100	19
PH018	PH DRAIN TESTER PACK OF 6	19
PH018S	PH DRAIN TESTER SINGLE	19
PHSPHS	SMOKE PELLET & MATCH HOLDER	19

## Aerosols & Grease.

664010C	HAYESUK LEAK DETECTION SPRAY	20
664012	HAYESUK LEAK DETECTION FLUID (BRUSH)	20
664011	HAYESUK LEAK DETECTION FLUID (SPRAY)	20
664011-500	HAYESUK LEAK DETECTION FLUID (SPRAY)	20
663013C	HAYESUK AIR DUSTER (INVERTIBLE)	20
664017	HAYESUK AIR DUSTER	20
665014	HAYESUK GAS COCK GREASE 100G TUBE	21
665022	HAYESUK GAS HEAT SINK COMPOUND 100G TUBE	21
665016	HAYESUK GAS SILICONE GREASE 100G TUBE	21
665016-TUB	HAYESUK GAS SILICONE TUB 100G	21
665017	HAYESUK GAS SILICONE TUB 500G	21
PH020	PH GAS LEAK DETECTOR 400ML CAN	22
PH026	PH GAS LEAK DETECTOR 250ML BOTTLE (BRUSH)	22
PH026A	PH GAS LEAK DETECTOR 250ML BOTTLE (SPRAY)	22
PH029	PH PROFESSIONAL AIR DUSTER 150ML CAN	22
PH0294	PH PROFESSIONAL AIR DUSTER 400ML CAN	22
PH040	PH PROFESSIONAL SILICONE SPRAY	22
AEP1	AEROSOL SPRAY PACK	23
AEP2	LEAK DETECTION SPRAY PACK	23
CI/400	CRACK-IT FREEZE RELEASE SPRAY 400ML CAN	24
MS150	MAINTENANCE SPRAY 150ML CAN	24
PH055	ZING GALVANISING SPRAY	25
PH060	RED OXIDE PRIMER	25
HTP1	HIGH TEMP PAINT MATT BLACK	25
HTP2	ARCTIC RADIATOR PAINT	25

## Testing.

998725	HAYESUK TC-9218 THERMOMETER KIT	26
998724	HAYESUK IR99 (3 IN 1) THERMOMETER	26
998731	HAYESUK STEM THERMOMETER	27
998738	HAYESUK D7810 MINI INFRA RED THERMOMETER	27
998761	HAYESUK DT3610B SINGLE INPUT THERMOMETER	27
998752	HAYESUK 3630K DIFFERENTIAL THERMOMETER	27
998753	HAYESUK 3630K DIFFERENTIAL THERMOMETER KIT	27
998728	HAYESUK 1M THERMOCOUPLE PROBE K-TYPE	28
8115	HAYESUK HEAVY DUTY SURFACE PROBE K-TYPE	28
8125	HAYESUK VELCRO PIPE STRAP PROBE K-TYPE	28

# Product index

## Part No. Description Page.

### Testing.

998726	HAYESUK STANDARD AIR/LIQUID PROBE K-TYPE	28
8161	HAYESUK PIPE CLAMP PROBE TCP100 K-TYPE	28
998727	HAYESUK STANDARD SURFACE PROBE K-TYPE	28
998673	HAYESUK DIGITAL DIFFERENTIAL PRESSURE METER	29
998721	HAYESUK C383 COMBUSTIBLE GAS LEAK DETECTOR	29
998718	HAYESUK DT9902 ANALOGUE VOLTAGE/CONT TESTER	30
998723	HAYESUK DT9121 VOLTAGE/CONT INDICATOR	30
664072	HAYESUK MULTI FUNCTION SCREWDRIVER	30
998715	HAYESUK AC9 VOLTAGE DETECTOR WITH TORCH	30
998722	HAYESUK DT914 STANDARD MULTIMETER WITH TEMP	31
8051	HAYESUK DT9918 PROFESSIONAL MULTIMETER	31
998780	HAYESUK FUSED MULTIMETER TEST LEADS	31
998716	HAYESUK DT118 (3 IN 1) AUTO RANGING MULTIMETER	32
8053	HAYESUK DT3343 PRO DIGITAL CLAMP METER	32
998782	HAYESUK FC31 (3 IN 1) MINI AC CLAMP METER	32
998783	HAYESUK DT-618 DIGITAL THERMO-ANEMOMETER	33
998739	HAYESUK LAZER DISTANCE MEASURE	33
998735	HAYESUK TM136 DIGITAL STOPWATCH	33
RBS200	ARCTIC 9.8MM BORESCOPE CAMERA	33

### Carbon Monoxide & Smoke.

COA2	SLEEPSAFE CARBON MONOXIDE ALARM 6 YEAR	35
COA7	SLEEPSAFE CARBON MONOXIDE ALARM 7 YEAR	35
COA10	SLEEPSAFE CARBON MONOXIDE ALARM 10 YEAR	36
PC01	SLEEPSAFE PERSONAL CO ALARM	36
PH019HC	SLEEPSAFE CO DETECTOR SINGLE PACK	36
PH019AC	SLEEPSAFE CO DETECTOR TWIN PACK	36
SA1	SLEEPSAFE SMOKE ALARM	37
COS1	SLEEPSAFE DUAL ALARM	37
PH043A	SLEEPSAFE SMOKE ALARM TESTER	37
PHC0520	SLEEPSAFE CO ALARM TESTER	37

### Report pads, Tags, labels & Tapes.

663010-NUM	UK GAS SAFETY/LANDLORDS/SERVICE PAD	38
663011	ELECTRICAL BONDING REPORT PAD	38
663014	NON DOMESTIC GAS PIPEWORK PAD	38
663014B	NON DOMESTIC GAS PIPEWORK PAD BULK PACK OF 5	38
663029	DANGER DO NOT USE PAD	39
PH091	ARCTIC GAS SAFETY/LANDLORD CERTIFICATE	39
663017	PLUMBING INSPECTION SAFETY RECORD PAD	39
663017B	PLUMBING INSPECTION SAFETY RECORD PAD PACK OF 5	39
663020	INSTALLED/SERVICED BY - 10 TAGS	40
663022	INSTALLED/SERVICED BY - 10 LABELS	40
663021	WARNING UNSAFE APPLIANCE-10 TAGS	40
663023	WARNING UNSAFE APPLIANCE-10 LABELS	40
663024	GAS EMERGENCY CONTROL- 10 LABELS	40
663025	WARNING FIRE GUARD - 10 LABELS	40
663026	IMPORTANT DO NOT BLOCK - 10 LABELS	40
663027	ELECTRICAL BONDING - 10 LABELS	40
663028	WARNING KEEP DOORS CLOSED - 10 LABELS	40
663050	WARNING UN-COMMISSIONED APPLIANCE - 10 TAGS	40
663052	WARNING UN-COMMISSIONED APPLIANCE - 10 LABELS	40
663053	GAS EMERGENCY ISOLATION VALVE - 10 LABELS	40
663060	DANGER DO NOT USE - 10 LABELS	40
662016	STANDARD PTFE TAPE	41
662014	GAS PTFE TAPE	41
662015	INFILL PLATE TAPE DOUBLE SIDED FOAM TAPE	41
662021	ALUMINIUM FOIL TAPE	41
662019	BOILER CASING FOAM SINGLE SIDED FOAM TAPE	41
662030	IDENTIFICATION TAPE - GAS	41
662031	IDENTIFICATION TAPE - LPG	41
ATAPE24	HAZARD WARNING TAPE - BLACK/YELLOW	42
ATAPE25	HAZARD WARNING TAPE - RED/WHITE	42

### Report pads, Tags, labels & Tapes.

662020	GENERAL PURPOSE SEALING CLOTH TAPE	42
662020-PRE	PREMIUM PURPOSE SEALING CLOTH TAPE	42
662018	SILICONES REPAIR TAPE	42
662024	RSX15 ANTI-CORROSION TAPE - 50MM	42
662025	RSX15 ANTI-CORROSION TAPE - 75MM	42
662026	RSX15 ANTI-CORROSION TAPE - 100MM	42
662050R	PVC ELECTRICAL INSULATION TAPE - RED	43
662050Y	PVC ELECTRICAL INSULATION TAPE - YELLOW	43
662050YG	PVC ELECTRICAL INSULATION TAPE - GREEN/YELLOW	43
662050BK	PVC ELECTRICAL INSULATION TAPE - BLACK	43
662050G	PVC ELECTRICAL INSULATION TAPE - GREY	43
662011	PRS 10 ISSUE 2 CLOSURE PLATE TAPE - 50MM X 10M	43
662012	PRS 10 ISSUE 2 CLOSURE PLATE TAPE - 50MM X 25M	43
662032	IDENTIFICATION TAPE - ARROWS BLACK/YELLOW	43
662033	IDENTIFICATION TAPE - ARROW BLACK/GREEN	43
662034	IDENTIFICATION TAPE - DOMESTIC COLD WATER	43
662035	IDENTIFICATION TAPE - COLD WATER	43
662036	IDENTIFICATION TAPE - GAS	43
662037	IDENTIFICATION TAPE - ON-OFF	43
662038	IDENTIFICATION TAPE - HEATING	43
662039	IDENTIFICATION TAPE - DOMESTIC HOT WATER	43
662040	IDENTIFICATION TAPE - HOT WATER	43
662041	IDENTIFICATION TAPE - DANGER DO NOT USE	43
662042	IDENTIFICATION TAPE - UNSAFE APPLIANCE	43
662043	IDENTIFICATION TAPE - WORK IN PROGRESS	43

### Soldering & Brazing.

VG1	MAP-X GAS	45
VG2	PROPANE GAS	45
VT3GBOXM	BRAZING TORCH BOX WITH MAPP GAS	45
VT3GBOXP	BRAZING TORCH BOX WITH PROPANE GAS	45
VT2	VORTEX BRAZING TORCH	46
VT2C	VORTEX FINE BURNER TUBE	46
ATBG1	VORTEX 15" TOOL BAG	47
HOTBAGP	VORTEX HOT BAG PROPANE GAS	47
HOTBAGM	VORTEX HOT BAG MAPP GAS	47
664078	VORTEX FLAME BARRIER SOLDER MAT	47
664075	VORTEX SOLDERING MAT	47
664077FB	VORTEX THERMACARB HIGH TEMP SOLDER MAT	47

### Fix It Fast / Washer Kits.

FWKIT	FIBRE WASHER KIT	48
TKWIT	TAP WASHER KIT	48
BVKIT	BALL VALVE WASHER KIT	48
FRWKIT	FIBRE & RUBBER WASHER KIT	48
557000	POPULAR PLUMBERS WASHER KIT	49
557001	POPULAR PLUMBERS O RINGS KIT	49
664133	WASHER BOX	49
PHRINGMET	O RING SERVICE KIT - METRIC	49
PHRINGIMP	O RING SERVICE KIT - IMPERIAL	49
BOXM	METRIC O RING ASSORTMENT CASES	49
BOXP	IMPERIAL O RING ASSORTMENT CASES	49
SK1/001	SPLIT KLICK 1 - SINGLE	50
SK1/002	SPLIT KLICK 1 - TWIN PACK	50
SK1/010	SPLIT KLICK 1 - 10 PACK	50
SK1/050	SPLIT KLICK 1 - 50 PACK	50
SK2/001	SPLIT KLICK 2 - SINGLE	51
SK2/002	SPLIT KLICK 2 - TWIN PACK	51
SK2/010	SPLIT KLICK 2 - 10 PACK	51
SK2/050	SPLIT KLICK 2 - 50 PACK	51
SK3/001	SPLIT KLICK 3 - SINGLE	51
SK3/005	SPLIT KLICK 3 - 5 PACK	51
SK3/050	SPLIT KLICK 3 - 50 PACK	51

# Product index

## Part No. Description. Page.

### Fix It Fast / Washer Kits.

SK4/001	SPLIT KLICK 4 - SINGLE	51
SK4/005	SPLIT KLICK 4 - 5 PACK	51
SK4/050	SPLIT KLICK 4 - 50 PACK	51
W11	POLY WASHER - 1" TANK	52
W12	POLY WASHER - 1.1/4" BASIN	52
W13	POLY WASHER - 1.1/4" SINK	52
W14	POLY WASHER - 1.1/2" SINK	52
W28	POLY WASHER - 1/2" PILLAR TAP	52
W29	POLY WASHER - 3/4" PILLAR TAP	52
W23	PRESTEX WASHER - 1/2"	52
W24	PRESTEX WASHER - 3/4"	52
W33	BALLVALVE SEATING WASHERS HIGH PRESSURE	52
W34	BALLVALVE SEATING WASHERS LOW PRESSURE	52
W25	SHOWER HOSE WASHER	52
W4	BALLVALVE SEATING WASHER	52
W18	OVAL SYPHON DIA WASHER	52
W1	SIAMP DIAPHRAGM WASHER	52
W5	HOLDTITE FLAT TOP WASHER - 1/2"	52
W6	HOLDTITE FLAT TOP WASHER - 3/4"	52
W7	HOLDTITE FLAT TOP WASHER - 3/8"	52
W20	HOLDTITE FLAT TOP WASHER - 5/8"	52
W8	FIBRE PILLAR TAP WASHER - 1/2"	52
W10	FIBRE PILLAR TAP WASHER - 3/4"	52
W3	BALLVALVE RUBBER WASHER - 1/2" BLACK	52
W17	BALLVALVE RUBBER WASHER - 1/2" RED	52
W26	WASHING MACHINE WASHERS - 3/4"	52
W9	PEGLER WASHER - 1/2"	52
W19	ROUND SYPHON DIA WASHER - 4.12"	52
W2	BALLVALVE DIAPHRAGM WASHER - 1.1/4"	52
W31	FLEXIBLE TAP CONNECTOR WASHER - 1/2"	52
W32	FLEXIBLE TAP CONNECTOR WASHER - 3/4"	52
W21	DELTA TAP WASHER - 1/2"	52
W22	DELTA TAP WASHER - 3/4"	52
W27	MT DRAW OFF TAP WASHERS	52
W16	HUSHFLOW WASHER	52
W15	FIBRE WASHER	52
W35	BALL VALVE REPAIR KIT	52
W30	UNIVERSAL TOP HAT WASHER	52
556022	QUICK BLOW GLASS FUSE- 32MM 3A	53
556023	QUICK BLOW GLASS FUSE- 32MM 1A	53
556024	QUICK BLOW GLASS FUSE- 32MM 2A	53
556025	QUICK BLOW GLASS FUSE- 32MM 500mA	53
556026	QUICK BLOW GLASS FUSE- 32MM 1.5mA	53
556021	QUICK BLOW FUSES - 20MM 2A	53
556072	QUICK BLOW FUSES - 20MM 500mA	53
556020	QUICK BLOW FUSES - 20MM 1mA	53
666095	CABLE TIES - 100	53
556012	FIBRE WASHERS - 3/4" PACK OF 6	53
556012-B50	FIBRE WASHERS - 3/4" PACK OF 50	53
556013	FIBRE WASHERS - 1" PACK OF 3	53
556013-B50	FIBRE WASHERS - 1" PACK OF 50	53
556067	FIBRE WASHERS 1/2" PACK OF 8	53
556027	FIBRE WASHERS DIVERTER VALVE PACK	53
556016	METER WASHERS - 3/4" PACK OF 6	53
556016-B50	METER WASHERS - 3/4" PACK OF 50	53
556017	METER WASHERS - 1" PACK OF 6	53
556017-B5	METER WASHERS - 1" PACK OF 50	53
556041	S/TAP POZI STEEL SCREW- 1/2" X 8 PACK OF 30	53
556042	S/TAP POZI STEEL SCREW- 3/4" X 8 PACK OF 30	53
556018	HOSE CLIPS	53
556028	SEALING BRASS DISKS - 1" METER PACK OF 3	53
556028-B50	SEALING BRASS DISKS - 1" METER PACK OF 50	53
556029	SEALING BRASS DISKS - 3/4" METER PACK OF 4	53
556029-B50	SEALING BRASS DISKS - 3/4" METER PACK OF 50	53
556068	OLIVE (PILOT TUBES) 4MM PACK OF 6	53
556069	OLIVE (PILOT TUBES) 6MM PACK OF 6	53

### Fix it Fast / Washer Kits

66044	PLASTIC METER BOX KEYS	53
556030	SPIRE NUT NO.8 DISHED	54
556031	SPIRE NUT NO.8 FOLDED	54
556036	SPIRE NUT NO.8 U-NUT	54
556037	SPIRE NUT NO.8 ANGLE NUT	54
556074	BLUE INSULATED RING	54
556075	BLUE BUTT CONNECTOR	54
556076	RED PUSH-ON MALE CONNECTOR	54
556077	RED PUSH-ON FEMALE CONNECTOR	54
556078	RED IGNITION LEAD CONNECTOR FEMALE	54
556083	STEEL EARTHING CLAMP	54
556055	ANALYZER TEST HOLE COVERS	54
556091	C/F FULL NUT M4 BZP	54
556092	C/F FULL NUTS M5 BZP	54
556093	ELECTRICAL CONNECTOR & SOCKET 3 WAY	54
556094	ELECTRICAL CONNECTOR & SOCKET 5 WAY	54

### Brushes & Abrasives.

662100	HAYESUK WATERPROOF ABRASIVE CLOTH STRIPS	55
662102	HAYESUK WATERPROOF ABRASIVE CLOTH	55
662104	HAYESUK NYLON ABRASIVE PADS	55
662105	HAYESUK NYLON ABRASIVE STRIPS	55
WB28	HAYESUK STEEL WOOL ROLL	56
WB8	HAYESUK STEEL WOOL PADS	56
664150	HAYESUK HEAT EXCHANGE CLEANING BLADE - 200MM	56
664151	HAYESUK HEAT EXCHANGE CLEANING BLADE - 400MM	56
BRASSBRUSH	HAYESUK WIRE BRASS BRUSH	56
NYLONBRUSH	HAYESUK WIRE NYLON BRUSH	56
664112	COPPER FITTING CLEANING BRUSH - 22MM	56
664113	COPPER FITTING CLEANING BRUSH - 10MM	56
664114	COPPER FITTING CLEANING BRUSH - 15MM	56
664116	COPPER FITTING CLEANING BRUSH - 28MM	56
66066	HAYESUK QUAD (4 IN 1) PIPE CLEANING BRUSH	57
66054	HAYESUK FLUX BRUSHES SET OF 3	57
66055	HAYESUK FLUX BRUSHES TUB OF 25	57
664105	HAYESUK 3PCS FLUE BRUSHES	58
664109	HAYESUK PREMIUM 7PCS FLUE BRUSHES	58
664107	HAYESUK DOMESTIC 7PCS FLUE BRUSHES	58
664108	HAYESUK INDUSTRIAL/COM 7PCS FLUE BRUSHES	58

### Access Panels.

APS100	ACCESS PANEL 100MM X 150MM	59
APS150	ACCESS PANEL 150MM X 230MM	59
APS200	ACCESS PANEL 200MM X 200MM	59
APS300	ACCESS PANEL 300MM X 300MM	59
APS350	ACCESS PANEL 350MM X 350MM	59
APS560	ACCESS PANEL 560MM X 560MM	59
FRP51	FIRE RATED ACCESS PANEL 300MM X 300MM	59
FRP52	FIRE RATED ACCESS PANEL 450MM X 450MM	59
FRP53	FIRE RATED ACCESS PANEL 600MM X 600MM	59

### Lighting.

LMP60	ARCTIC ALUMINIUM POCKET HAND TORCH	60
RIL50	ARCTIC 8 LED POCKET INSPECTION LAMP	60
RRL400	ARCTIC MULTI ANGLE FLIP 18 LED HAND LAMP	60
LMP450	ARCTIC LMP450 WORK LIGHT	61
LMP90	ARCTIC HIGH BEAM LEAD HEAD LAMP	61
LMP48	ARCTIC SMALL RUBBER TORCH	61
LMP49	ARCTIC LARGE RUBBER TORCH	61
LDB1000	ARCTIC MIXED WORK LIGHT COUNTER DISPLAY	62
LMP150	ARCTIC LMP150 WORK LIGHT	62
LMP200	ARCTIC LMP200 WORK LIGHT	63
LMP250	ARCTIC LMP250 WORK LIGHT	63

# Product index

Part No.	Description.	Page.			
<b>Servicing &amp; Specialist tools.</b>			<b>Stove Maintenance &amp; heat resistant products.</b>		
888000	HAYESUK U-FLOW MEASURE	64	665204	VITCAS FIRE CEMENT 2KG TUB	76
664069	FLOW MEASURE ABS	65	665205	EVERBUILD FIRE CEMENT 300ML CARTRIDGE	76
664056	TRIPLE KIT WET/DRY PRESSURE & FLOW	65	665206	VITCAS FIRE CEMENT 2KG TUB - BLACK	76
664064	PRESSURE & FLOW MEASURE KIT	65	665207	VITCAS FIRE CEMENT 300ML CARTRIDGE - BLACK	76
664060	MAINS WATER PRESSURE GUAGE 0-6BAR	66	661014	VITCAS ROPE SEAL ADHESIVE	76
664061	MAINS WATER PRESSURE GUAGE 0-10BAR	66	661020	HAYESUK BRAIDED GLASS YARN 6MM X 5M	76
664045	RIGID DRY PIPE PRESSURE TEST GUAGE	66	661021	HAYESUK BRAIDED GLASS YARN 6MM X 10M	76
664040	PRESSURE TEST NIPPLE - PACK OF 3	66	661022	HAYESUK BRAIDED GLASS YARN 10MM X 5M	76
664040-U	PRESSURE TEST NIPPLE - SINGLE	66	661023	HAYESUK BRAIDED GLASS YARN 10MM X 10M	76
664048	HAYESUK REPLACEMENT U-GAUGE HOSE SILICONE	66	661024	HAYESUK BRAIDED GLASS YARN 12MM X 5M	76
664050	HAYESUK REPLACEMENT U-GAUGE HOSE RUBBER 2M	66	<b>Dust Sheets.</b>		
664054	HAYESUK REPLACEMENT U-GAUGE HOSE RUBBER 20M	66	AD62822	HAYESUK COTTON TWILL BRONZE	77
664051	HAYESUK REPLACEMENT U-GAUGE HOSE NEOPRENE 2M	66	AD62824	HAYESUK COTTON TWILL GOLD	77
664053	HAYESUK REPLACEMENT U-GAUGE HOSE NEOPRENE 20M	66	666099	CALICO DUST SHEET WITH CARRYING STRAPS	77
664047	HAYESUK DRAIN DOWN HOSE WITH THUMBCLIP - 10M	66	666009	HAYESUK STAIR RUNNER COTTON DUST SHEET	78
664047-15	HAYESUK DRAIN DOWN HOSE WITH THUMBCLIP - 15M	66	AD62840	HAYESUK MINI DUST SHEET	78
664020	PREMIUM GLASS U-GAUGE	67	666010	HAYESUK COTTON DUST SHEET	78
664021	PREMIUM PLASTIC U-GAUGE	67	666012	HAYESUK PROFESSIONAL HEAVY DUTY DUST SHEET	78
664025	SPARE GLASS TUBE U-GAUGE	67	666013	HAYESUK LAMINATED DUST SHEET	78
664026	SPARE PLASTIC TUBE U-GAUGE	67	666027	WATERPROOF FLOOR PROTECTOR	79
664035	EASY VIEW U-GAUGE 30 MBAR	67	666030	STAIR RODS	79
664036	EASY VIEW U-GAUGE 60 MBAR	67	666019	SELF ADHESIVE CARPET PROTECTOR	79
664030	MANOFLEW GAUGE 12"/30 MBAR	67	<b>First Aid.</b>		
664031	MANOFLEW GAUGE 18"/45 MBAR	67	994020	VEHICLE FIRST AID KIT	80
664032	MANOFLEW GAUGE 24"/60 MBAR	67	994010	1-10 EMPLOYEE STATUTORY FIRST AID KIT	80
664033	MANOFLEW GAUGE 36"/90 MBAR	67	994050	11-20 EMPLOYEE STATUTORY FIRST AID KIT	80
664034	MANOFLEW GAUGE 48"/120 MBAR	67	994001	1 MAN STATUTORY FIRST AID KIT	80
664018	MANOMETER FLUID	67	999001	ABC DRY POWER EXTINGUISHER 1KG	81
DT1	RADIATOR DRAINING KIT	68	999002	ABC DRY POWER EXTINGUISHER 2KG	81
664134	HAYESUK LEAKMATE	68	997120	FIRE BLANKET	81
664131	RAPID RADRAIN KIT	68	445033	HAYESUK HEAVY DUTY HAND CLEANING WIPES	82
664132	RAPID RADRAIN 2PC REPLACEMENT BAGS	68	PHWIPES	INDUSTRIAL HAND WIPES	82
664043	GAS PRESSURE TEST TEE KIT WITH PUMP & HOSE	69	998734	HEAVY DUTY RUBBLE SACKS	83
221000	HAYESUK PRESSURE VESSEL ADAPTORS	69	AWC1	POLISHING CLOTHS	82
221004	HAYESUK PRESSURE VESSEL EXPANSION SERVICE KIT	69	BRS1	BLACK RUBBLE SACKS	82
221001	HAYESUK PRESSURE VESSEL LONG ADAPTOR	69	445025	PLUMB PADS PACK OF 2	83
221002	HAYESUK PRESSURE VESSEL HAND PUMP	69	445026	PLUMB PADS PACK OF 25	83
664015-BG	TEMPORARY HEAVY DUTY CONTINUITY BOND	70	445031	BLUE PAPER ROLL 3PLY	83
66008	LONG REACH SCREWDRIVERS	70	445034	BLUE PAPER ROLL 2PLY	83
664106	TELESCOPIC INSPECTION MIRROR	70	445028	OPTIBOX DISPENSER BLUE PAPER ROLL	83
664016	TEMPORARY ECONOMY CONTINUITY BOND	70	RAG1	BASIC COLOURED INDUSTRIAL RAGS	83
665199	SCREWGRAB FRICTION GEL	70	RAG2	WHITE COTTON 'RAGS IN A BAG'	83
BW	ARCTIC FIXED BASIN WRENCH	70	445003	MAINTENANCE SPILL KIT 15L	84
664000	TELESCOPIC MAGNETIC PICK UP TOOL	70	445004	MAINTENANCE SPILL KIT 30L	84
663100	HAYESUK COOKER STABILITY CHAIN QUICK RELEASE	71	445001	CHEMICAL SPILL KIT 15L	84
66061	3 MONOBLOC SPANNER SET WITH TOMMY BAR	71	445002	CHEMICAL SPILL KIT 30L	84
66001	STOP COCK 35" MULTI PURPOSE KEY	71	445005	OIL SPILL KIT 15L	84
663102	HAYESUK COOKER RESTRAINING CHAIN	71	445006	OIL SPILL KIT 30L	84
663101	HAYESUK COOKER STABILITY BRACKET	71	<b>PPE.</b>		
66010	MULTI PURPOSE PLUMBING KEY STAINLESS STEEL	71	445039	HEAT RESISTANT GLOVES	85
664130	RADIATOR VALVE CHANGE KIT	72	445036	PUGGY PU COATED HANDLING GLOVE	85
66022	BRASS QUAD KEY (4 IN 1) TOOL	72	445038	PVC KNITWIST SAFETY GLOVE	85
664125	BRASS METER KEY	72	445044S	NITRILE DISPOSABLE GLOVES SMALL	86
66058	RADIATOR BLEED BRASS KEY	72	445044M	NITRILE DISPOSABLE GLOVES MEDIUM	86
66035	MANHOLE COVER LIFT KEY	72	445044L	NITRILE DISPOSABLE GLOVES LARGE	86
BUNG1	BUNGEELIC - SECURING KIT	73	445044XL	NITRILE DISPOSABLE GLOVES EXTRA LARGE	86
RLS11	RATCHET STRAP WITH S HOOK	73	445035S	DISPOSABLE VINYL GLOVES SMALL	86
RLS12	RATCHET STRAP OPEN END	73	445035M	DISPOSABLE VINYL GLOVES MEDIUM	86
<b>Stove Maintenance &amp; heat resistant products.</b>			445035L	DISPOSABLE VINYL GLOVES LARGE	86
SGC1	PH STOVE GLASS CLEANER	74	445035XL	DISPOSABLE VINYL GLOVES EXTRA LARGE	86
SGP1	PH STOVE GLASS POLISH	74			
SGK1	PH STOVE GLASS RENOVATION KIT	74			
HTP1	HIGH TEMP PAINT MATT BLACK	75			
HTP2	ARCTIC RADIATOR PAINT	75			
665216	PROFESSIONAL SEALANT GUN C4	75			



# Product index

Part No.	Description.	Page.
<b><u>PPE.</u></b>		
445030S	LATEX DISPOSABLE GLOVES SMALL	86
445030M	LATEX DISPOSABLE GLOVES MEDIUM	86
445030	LATEX DISPOSABLE GLOVES LARGE	86
445030XL	LATEX DISPOSABLE GLOVES EXTRA LARGE	86
445040	OVERSHOE / CARPET PROTECTORS	87
7775-NON	PREMIUM RE-USEABLE NON-SLIP OVERSHOES	87
445020	NUISANCE DUST MASK	87
445023	VALVED DUST MASK FFP3	87
445041	SAFETY HELMET	87
445037	NEVADA SAFETY GLASSES	87
445010	SAFETY GOGGLES	87

Part No.	Description.	Page.
<b><u>Winter / Workwear.</u></b>		

998770	HAYESUK 2000W FAN HEATER	88
998730	HAYESUK 2000W CONVECTOR HEATER	88
1104GR	MULTI FUNCTION COMPACT SNOW SHOVEL	89
WGP100	WINTER PACK	89
9286LS	THERMAL VEST LONG SLEEVE	89
9286SS	THERMAL VEST SHORT SLEEVE	89
9284	THERMAL LONG JOHNS	89
5920BK	THINSULATE THERMAL GLOVES	90
6474BK	THINSULATE FINGERLESS THERMAL GLOVES	90
5945BK	THINSULATE THERMAL SKI HAT	90
4551	THERMAL SOCKS	90
AHWINTSTD1	WINTER COUNTER DISPLAY UNIT	90
6640	CLASSIC T-SHIRT	91
6641	CLASSIC POLO SHIRT	91
6642	CLASSIC SWEATSHIRT	91
5645	PREMIUM FLEECE JACKET	91
6647	CLASSIC HOODIE	91
6676	SELKIRK SOFTSHELL	91
6674	PRO WORK JACKET	92
6975	TUFF STUFF PRO WORK TROUSERS	92
6603KNP	KNEEPADS	92
7726	HI VIS BOMBER JACKET	92
5668	HI VIS TRAFFIC JACKET	92
5673	HI VIS WAISTCOAT	92

With the Premier Stand you can mix and match stock offering. You get a FREE stand and product delivery.

Proven, Sales uplift of  
up to  
**60%**

**UPLIFT YOUR  
SALES TODAY!  
INTRODUCE A  
PREMIER STAND.**



**Arctic Hayes Ltd  
Glover Way  
Leeds  
LS11 5JP**

**United Kingdom**

**Tel: +44(0) 113 271 5245**

**Fax: +44(0) 113 271 5779**

**Visit us online at: [www.arctic-hayes.com](http://www.arctic-hayes.com)**