



Polystatic Mops PCM403, PSM400

Dust care and control is fundamental to the majority of public area cleaning programmes, as is spot cleaning when appropriate.

The PolyStatic DISPOSABLE mop system, offers the best of both worlds whilst being fully cost controlled.

The PolyStatic dusters cling to the special PolyMop 40cm cleaning head, held firmly in place by our special Xtra Grip Dust mop holder. The mops are 100% polyester, generating electrostatic precipitation by the movement over the surface being cleaned, the more you use it the better it works. It really does act as a dust magnet which is exactly what you want. Eventually the mop will be dirty and need replacing, just throw away the old and put on the new.

The PolyStatic system has equally been extended to spot cleaning where damp cleaning is necessary to ensure the removal of marks such as coffee spills, soft drinks, wet feet, etc, something MORE than just dust.



PolyStatic is our original electrostatic dust control material, 100% polyester, no added chemical impregnations and the more you use it the better it works but with no chemical residue left on the floor surface.

For dust control sweeping the PolyMop holder is both efficient and exceptionally convenient, anybody can use one anytime, so as and when time permits clean, dust free floors are quick and easy to achieve and are really an extra bonus for everybody.

Standard Specification

Model Bottle Pad Size Mop Type Fixing Weight Dimensions (H)

PCM403 - 400mm PolyStatic Velcro 1.1kg 1400mmm

See page 26-27 for full mop kits, holders and mops

Spraymop Master smm40v, smm40P

There are an increasing number of applications for spot or maintenance mopping, dedicated to keeping a visually good appearance to floor surfaces in high profile environments.

The Spraymop Master starts with pre-wetting the clean mop before use and simply using the on-board liquid spray system to maintain the level of dampness needed for the specific application.

The correct flat mopping technique is to always work backwards toward the exit so as not to immediately walk over the newly cleaned surface. The SprayMop sprays behind the mop head (so it is absorbed as it passes over the liquid). This is the correct way to spot clean.

Two systems are available for either Velcro (SSM-40V) or pocket (SMN-40P), Nylostripe mop heads both achieving the same high standard of performance.



Simple detachable bottle for easy filling

SMM40

See page 26-27 for full mop kits, holders and mops

Multi//10pmm30

Super clean floors... twice as fast... not to mention walls or even ceilings.

Yes the professional MultiMop is one of the simplest, most effective smaller area mopping systems you will ever use but, like all the best ideas, it is the totally thoughtful design concept that makes it so outstanding.

A unique giant 35cm (14") sponge mop that will really out perform the rest. The sponge absorbs more than 10 times its own weight in liquid so you can really put plenty down and pick it all up again and to cap it all, its very operational design makes it virtually self cleaning.

The 30 litre pail runs on 4 twin-wheel castors, so no more lifting buckets all the time - where you and your mop go, the bucket goes with you... on its wheels. This is professional convenience mopping.





Easy Velcro mop attachment



Colour coded buckets



Folding press and self cleaning system

Standard Specification						
Model	Capacity	Pad Size	Mop Type	Castors	Dimensions High (WxLxH	
MM30	30L	350mm	Sponge	4x50mm	340x475x320mm	



The HB1812 represents a super compact, truly professional dual compartment mopping unit.

Our unique parabolic separator allows a generous 18 litre front clean water container and 12 litre dirty water section to the rear.

The 60% / 40% split in container capacity is genuinely practical, allowing larger areas to be cleaned before emptying and refilling is required.

For smaller applications the separator may be reversed and the press placed in its lower mounting position, resulting in a truly extra compact system. In the event of a single 30 litre bucket requirement, the parabolic separator can be easily removed.



Folding sturdy handle



Parabolic water separator

Colour coded buckets	
Dimensions Low (WxLxH)	
240×475×2000mm	







Mop Kit DTK1

See page 26-27 for full mop kits, holders and mops

MM30

Mid**O****D**MMT1616 & B, MMT1616K & B

The MidMop is always on hand and easily stored, the compact design provides a go anywhere twin bucket mopping system.

What is important about the MidMop design is that the mop press is conveniently mounted in the middle and above the clean and dirty water buckets with the very real advantage that you have full access to both buckets all of the time but, equally, the press is in the optimum position to be used without continuously bending down.

An additional advantage of the mid-mounting is that both of the 16 litre pails can be removed and replaced without moving the mop press.

The integrated water diverter ensures all dirty water is directed into the red dirty water bucket at all times ensuring a good and adequate mop rinsing facility before using the blue clean water bucket.

When a mopping system is easy to use with everything in its place it plays a major part in improving the standard.

MMT1616B


The RIGHT EQUIPMENT for the RIGHT JOB is the RIGHT WAY to go.

MMT1616 MMT1616B MMT1616K MMT1616KB

Mid/Op Create the unit you need

A range of accessories allow the user to create a MidMop unit that precisely suits the environment to be cleaned.





2 5L Swing Pail extra storage

Flat Mop stand neat and tidy

Automatic water separation

Internal water discharge diverter keeps your clean water... clean, as it should be. Dirty water is simply diverted to the 16L red dirty bucket. The new Nylo Twin 40 Flat mop is reversible so can be used on both sides giving two mops in one. The 5L Swing Pail can be added to carry those extra cleaning essentials creating a versatile cleaning system.

The clever on-board mop storage keeps everything neat and tidy when in transit and when stored. Suitable for Kentucky or Flat mops the Midmop is ready to work. Access to both buckets is easy whichever mop you choose to use.

Compatible with Kentucky or flat mops







See page 26-27 for full mop kits, holders and mops

Twin 100 TM2815, TM2815W

The TwinMop series was a world first, being compact in size, robust in construction and incorporating our unique AWS (Automatic Water Separation) system.

AWS means you only work from the front, oversize, 28 litre, clean water bucket, with dirty water automatically discharged into the rear, red dirty water pail.

The 2815W has all the features of the 2815 but incorporates a clever on-board 30 litre lidded waste bin and deep storage tray allowing increased scope within the cleaning regime.








Optional All-terrain fixed transit wheels

TM2815



AWS - Automatic water separation







See page 26-27 for full mop kits, holders and mops

	Standard Specification							
Model	Model Capacity Capacity Caddy Pres		Press	Waste	Castors	Weight	Dimensions (WxLxH)	
TM2815	28L	15L	4L	Allmops	-	4x75mm	14kg	410x800x1250mm
TM2815W	28L	15L	10L	Allmops	30L	4x75mm	17kg	410x800x1125mm

Versa 1/100 vm/2222, 2215W, VMM2214



Optional 6 litre pail and caddies

Optional Twin 5 litre swing pails

The VersaMop chassis is a rugged Structofoam concept, but by virtue of its designed simplicity it is able to accept three different cleaning systems as standard.

The VersaMop chassis is compact in design and strong in construction but equally important, it is designed to accommodate 3 full size mopping kits to cover larger areas totally without compromise.

Additional optional accessories are easily added transforming the unit into a comprehensive cleaning module with on board waste and storage facilities as required.

The VMV2222 with the Allmops press provides a full 22 litre dual bucket system suitable for both Kentucky and Flat mops.

for Pocket or Velcro mops.

The VMM2214 MopMatic System allows for pre-prepared or pre-impregnated mops to be used and disposed of after use.

The VMV2215 incorporates our Wide Press System







VMM2214 MopMatic model with optional AK1 kit and 5L

swing pails

VMV2222 Allmops press model with optional AK1 kit

Optional mop kits

See page 26-27 for full mop kits, holders and mops

VMV2222 Allmops Press

VMV2222 Base Specification				
Capacity Clean	22L			
Capacity Dirty	22L			
Press	Allmops			
Castors	4x75mm			
Dimensions (WxLxH)	530x810x870mm			
Optional Mop Kits	DTK1, 2, 11			


VMW2215 Wide Press

VMW2215 Base Specification					
Capacity Clean	15L				
Capacity Dirty	22L Wide				
Press					
Castors	4x75mm				
Dimensions (WxLxH)	530x810x870mm				
Optional Mop Kits	DTK2, 4				



VMM2214 Base Specification				
Capacity Clean	14L-20/24 mops			
Capacity Dirty	22L-14/12 mops			
Press	-			
Castors	4x75mm			
Dimensions (WxLxH)	530x810x870mm			
Optional Mop Kits	DTK2			





NPTSystem NPT1405, NPT1415, NPT1605

The NPT janitorial trolley design has never been better and simpler in design or construction.

Small NPT1405

The NPT1405 is the extra compact trolley designed to provide full mopping and waste facilities together with our added twin 5 litre swing and removable pail modules and the quick-fit lidded waste system accepts universal 120 litre (700mm x 1100mm) Poly waste bags.

The universal mopping system incorporates our Allmops press, which can be used with both Kentucky or Flat mops, together with generous twin 17 litre coloured coded pails.



Medium NPT1415

The mopping system is second to none with our Allmops press and 17 litre colour coded mopping pails, allowing the use of both Kentucky or Flat mop systems. The quick-fit waste system accepts universal 120 litre (700mm x 1100mm) Poly Waste bags. The two top pails are a generous 6 litre capacity.

The storage trays themselves are designed to accept a series of useful hooks and attachments (see accessory catalogue).



Rotating buffer protectors



Large NPT1605

The NPT1605 is the larger model within the NPT range, providing all the features of the NPT1415 but with yet more additional storage capacity and twin 10 litre, colour coded top pails on board as standard. A twin 17 litre colour coded mopping system for Kentucky or Flat mops. The quick-fit waste system allows use of universal 120 litre (700mm x 1100mm)







Accessory hooks (1415/1605)





See page 26-27 for full mon kits	holders and mons

Standard Specification							
Model	Press	Capacity Clean	Capacity Dirty	Waste	Pails	Castor Size	Dimensions (WxLxH)
NPT1405	Allmops	Allmops 17L 17L 120L 2x	2x5L		570x780x580mm		
NPT1415			120L	120L 2x6L	4x100	570x1090x580mm	
NPT1605					2x10L		570x1090x580mm

Versa Clean von 1404, von 1414

The VersaClean program of janitorial trolleys is just about as classic as you can get, providing a full range of sizes, small, medium large and AT (all terrain).

All models are available with optional kits suitable for Allmops Press, wide press or MopMatic and supported by a comprehensive range of mop systems and accessories to suit all needs. The important part of any cleaning concept is to be sure that the size, the facilities and the function are exactly right for the specific application.



Standard Universal Dual Waste System 120L / 2x70L



The VCN1404 is the smallest most compact model shown here with BK2 and DTK1 kits.




Optional mop kits









See page 26-27 for full mop kits, holders and mops.



5L Swing pail

VCN1404 Basic

VCN1404 Base Specification					
Capacity Clean	-				
Capacity Dirty	-				
Press	-				
Pails	2x5L				
Waste Capacity	120L 2x70				
Castors	4x75mm				
Shelves	-				
Dimensions (WxLxH)	530x1500x980mm				
Optional Mop Kits	-				



+ BK2 kit Allmops Press

VCN1404 with BK2 Specification						
Capacity Clean	22L					
Capacity Dirty	22L					
Press	Allmops					
Pails	2x5L					
Waste Capacity	120L 2x70					
Castors	4x75mm					
Shelves	-					
Dimensions (WxLxH)	530x1500x980mn					
Optional Mop Kits	DTK1, 2, 11					
	Capacity Clean Capacity Dirty Press Pails Waste Capacity Castors Shelves Dimensions (WxLxH)					



+ BK3 kit Wide Pres

BK3 Specification		
15L		
22L		
Wide		
2x5L		
120L 2x70		
4x75mm		
-		
530x1500x980mm		
DTK2, 4		



+ BK10 kit MopMatic

VCN1404 with BK10 Specification						
Capacity Clean	10/12 Mops					
Capacity Dirty	20/24 Mops					
Press	-					
Pails	2x5L					
Waste Capacity	120L 2x70					
Castors	4x75mm					
Shelves	-					
Dimensions (WxLxH)	530x1500x980mm					
Ontional Mon Kits	DTK2					



VCN1414 Basic

VCN1414 Base Specification	
Capacity Clean	-
Capacity Dirty	-
Press	-
Pails	2x6L
Waste Capacity	120L 2x70
Castors	4x100mm
Shelves	3x5L
Dimensions (WxLxH)	550x1310x1070mm









+ BK3 kit Wide Pres

VCN1414 with BK3 Specification	
Capacity Clean	15L
Capacity Dirty	22L
Press	Wide
Pails	2x6L
Waste Capacity	120L 2x70
Castors	4x1005mm
Shelves	3x5L
Dimensions (WxLxH)	550x1310x1070n
Optional Mop Kits	DTK2, 4



+ RK10 kit MonMetic

VCN1414 with BK10 Specification	
Capacity Clean	10/12 Mops
Capacity Dirty	20/24 Mops
Press	-
Pails	2x6L
Waste Capacity	120L 2x70
Castors	4x100mm
Shelves	3x5L
Dimensions (WxLxH)	550x1310x1070mm
Optional Mop Kits	DTK2



Versa Clean vcn1604, vcn1606 Twin Box

The VersaClean 1604 series is, without doubt, the most complete and popular model within the VCN range.

Plenty of storage capacity, a choice of mopping kits and available in both the fully open and also the twin box closed drawer design, which is favoured in many high profile areas allowing for more discreet storage of the cleaning materials but with instant access.



Optional 5 litre Swing pails



Standard Universal Dual Waste System 120L / 2x70L



Optional coverall waste bag cover



option

VCN1604



VCN1606 Twin Box with optional coverall waste bag





Versa Clean vcn1804, 1806 Twin Box

The VCN-1804/1806 models have been developed from the ground up, giving priority to exceptional mobility, constructional integrity and usability.

The fundamental difference between the 1804 and 1806 is the change between "Open" design and "Closed" design to cater for a number of higher profile applications where a more enclosed look to the trolley is considered an advantage without loss of usability.

The construction of both models is our well established Structofoam specification equipped with 200mm (8") heavy duty super quiet castors equally suitable for outside use, rotating corner buffers and soft side wall protection.



VCN1804 with BK2 Specification	
Capacity Clean	22L
Capacity Dirty	22L
Press	Allmops
Pails	4x5L
Waste Capacity	120L 2x70
Castors	4x200mm
Shelves	3x10L
Dimensions (WxLxH)	550x1310x1215mm
Optional Mop kits	DTK1, 2, 11

VCN1804 with	VCN1804 with BK3 Specification	
Capacity Clean	15L	
Capacity Dirty	22L	
Press	Wide	
Pails	4x5L	
Waste Capacity	120L 2x70	
Castors	4x200mm	
Shelves	3x10L	
Dimensions (WxLxH)	550x1310x1215mm	
Optional Mop kits	DTK2, 4	

VCN1804 with	BK3 Specification	
pacity Clean	15L	
pacity Dirty	22L	
Press	Wide	
Pails	4x5L	
ste Capacity	120L 2x70	
Castors	4x200mm	
Shelves	3x10L	
sions (WxLxH)	550x1310x1215mm	
onal Mop kits	DTK2, 4	

The 1806 system uses sliding Drawer type containers of a generous size and capacity allowing easy access to

Optional Coverall waste bag cover

VCN1804 with BK10 Specification	
Capacity Clean	10/12 Mops
Capacity Dirty	20/24 Mops
Press	-
Pails	4x5L
Waste Capacity	120L 2x70
Castors	4x200mm
Shelves	3x10L
Dimensions (WxLxH)	550x1310x1215mm
Optional Mop kits	DTK2



the contents at all times from either side of the trolley.

s (WxLxH) 550x1310x11215mn

VCN1806 Base Specification
Capacity Clean _
Capacity Dirty _
Press -
Pails 4x5L
Boxes 2x34L
Waste Capacity 120L 2x70
Castors 4x200mm
Shelves 1x10L
Dimensions (WxLxH) 550x1310x11215mr
Optional Mop Kits _

VCN1806 with BK2 Specification	
Capacity Clean	22L
Capacity Dirty	22L
Press	Allmops
Pails	4x5L
Boxes	2x34L
Waste Capacity	120L 2x70
Castors	4x200mm
Shelves	1x10L
Dimensions (WxLxH)	550x1310x1215mm
Optional Mop kits	DTK1, 2, 11

VCN1806 with BK3 Specification	
Capacity Clean	15L
Capacity Dirty	22L
Press	Wide
Pails	4x5L
Boxes	2x34L
Waste Capacity	120L 2x70
Castors	4x200mm
Shelves	1x10L
Dimensions (WxLxH)	550x1310x215mi
Optional Mop kits	DTK2, 4

VCN1806 with BK10 Specification	
Capacity Clean	10/12 Mops
Capacity Dirty	20/24 Mops
Press	-
Pails	4x5L
Boxes	2x34L
Waste Capacity	120L 2x70
Castors	4x200mm
Shelves	1x10L
Dimensions (WxLxH)	550x1310x215mm
Optional Mop kits	DTK2



See page 26-27 for full mop kits,

Versa Clean SPN 1804, SPN 1806 Twin Box Battery Power

We have taken three of our most popular trolleys and added our 24V PowerDrive technology, resulting in easy drive models that will seriously improve operator efficiency especially where long hours and heavy loads are involved.

The VCN1804 is an all terrain, heavy duty Structofoam janitorial trolley, built to work hard, for long hours in big areas. This is for this reason that we selected this model to become the SPN1804 and to be equipped with the ServoPower 24V PowerDrive system, bringing the highest degree of convenience and operational efficiency when required, with a "runtime" of 3 hours or 10 miles between battery charges and a user friendly, simple, forward and reverse, single button control module.









SPN1804 Basic

SPN1804 Base Specification	
Motor / Power	100W / 24V
Speed	4km/h
Capacity Clean	-
Capacity Dirty	-
Press	-
Pails	4x5L
Waste Capacity	1x100L
Castors	4x200mm
Shelves	3x10L
Dimensions (WxLxH)	665x1580x1215miii



+ BK2 kit Allmops Press

31 N 1004 With DRZ Kit Specification					
Motor / Power	100W / 24V				
Speed	4km/h				
Capacity Clean	22L				
Capacity Dirty	22L				
Press	All-mops				
Pails	4x5L				
Waste Capacity	1x100L				
Castors	4x200mm				
Shelves	3x10L				
Dimensions (WxLxH)	665x1580x1215mm				
Optional Mop Kits	DTK1, 2, 11				



+ BK3 kit Wide Press

SPN1804 with BK3Kit Specification				
Motor / Power	100W / 24V			
Speed	4km/h			
Capacity Clean	22L			
Capacity Dirty	15L			
Press	Wide			
Pails	4x5L			
Waste Capacity	1x100L			
Castors	4x200mm			
Shelves	3x10L			
Dimensions (WxLxH)	665x1580x1215mm			
Optional Mop Kits	DTK2, 4			



SPN1804 with BK	10 Kit Specification		
Motor / Power	100W / 24V		
Speed	4km/h		
Capacity Clean	10/12 Mops		
Capacity Dirty	20/24 Mops		
Press	-		
Pails	4x5L		
Waste Capacity	1x100L		
Castors	4x200mm		
Shelves	3x10L		
Dimensions (WxLxH)	665x1580x1215mr		
Optional Mop Kits	DTK2		



SPN 1806 Twin Box Basic

SPN1806 Ba	se Specification	
Motor / Power	100W / 24V	
Speed	4km/h	
Capacity Clean	-	
Capacity Dirty	-	
Press	-	
Pails	4x5L	
Boxes	2x32L	_
Waste Capacity	1x100L	1
Castors	4x200mm	
Shelves	3x10L	
Dimensions (WxLxH)	665x1580x1215mm	



SPN1806 with BK2 kit Specification					
Motor / Power	100W / 24V				
Speed	4km/h				
Capacity Clean	22L				
Capacity Dirty	22L				
Press	All-mops				
Pails	4x5L				
Boxes	2x32L				
Waste Capacity	1x100L				
Castors	4x200mm				
Shelves	3x10L				
Dimensions (WxLxH)	665x1580x1215mn				
Optional Mop Kits	DTK1, 2, 11				



+ BK3 kit Wide Press

SPN1806 with BK3 Kit Specification			
Motor / Power	100W / 24V		
Speed	4km/h		
Capacity Clean	22L		
Capacity Dirty	15L		
Press	All-mops		
Pails	4x5L		
Boxes	2x32L		
Waste Capacity	1x100L		
Castors	4x200mm		
Shelves	3x10L		
Dimensions (WxLxH)	665x1580x1215mm		
Optional Mop Kits	DTK2, 4		



SPN1806 with BK10 Kit Specification					
Motor / Power	100W / 24V				
Speed	4km/h				
Capacity Clean	10/12 Mops				
Capacity Dirty	20/24 Mops				
Press	-				
Pails	4x5L				
Boxes	2x32L				
Waste Capacity	1x100L				
Castors	4x200mm				
Shelves	3x10L				
Weight 63kg					
Dimensions (WxLxH)	665x1580x1215mm				
Optional Mop Kits	DTK2				



Mopping Kits BK2, BK3, BK10

Mopping, incorporating today's advanced technology, is both effective and efficient.

It is imperative you select the correct mopping kit and mop design to suit the individual application. The type of floor to be mopped and the frequency of floor maintenance are crucial in the selection procedure and time spent in reviewing the options is time well spent.

Allmops Allmops Press Kit BK2

This kit incorporates the unique, patented Allmops Press unit and twin 22 litre red

and blue clean and dirty water pails.

It is vitally important to decide between Kentucky Mopping and Flat Mopping at the very onset of the equipment selection. The press design is such as to accommodate both 400gr/450gr Kentucky Mops or our range of 40cm Flat Mops with equally good results in use.



Hang on mop



Kentucky mop



Wide press Kit BK3

The wide press is designed to be used exclusively with our Flat Mopping Systems.

By virtue of the unique power press operational concept this is just about the most convenient and effective wide press design available, and can be used with our full range of Pocket or Velcro backed mop heads.





MopMatic Kit BK10 MopMatic is a unique mop preparation system, allowing operators to have an almost constant supply of ready to use pre-prepared mops. Load the mop box with 10 Pour the solution into the automatic dispensing Snap on lid and leave for 15 minutes. Remove lid, take one mop head and attach 6 After use place and replace lid ... then turn over and leave for another 15 After use place dirty mops in red bucket to mop, replace lid... Red bucket can hold approximately



20-25 dirty mops with or without net insert.

25

24 Select the actual mop kit to be used from our selection on page 26.


Mop Holders DTK1, DTK2, DTK11, DTK4

Firstly choose a mopping system that suits your needs and the areas to be cleaned.

advantage of being fully self-contained and self-cleaning. Kentucky mops for floor washing plenty of water down and plenty up again.

SprayMops for spot cleaning smaller areas with the big

Flat mops for high efficiency fast floor cleaning, covering large areas in double quick time.



SpinTec colour coded rotating system on all models





Hang-on Twin mop system



DTK1

DTK2

DTK11

DTK4

Velcro mop system

Mops

DTK1 Kentucky Mop Set With 1 x Bactiguard 400g Mop PN:629332

DTK2 Pocket Mop Set

DTK11 Twin Mop Set
C/W 1 x Nylostripe 40cm Mop PN:900536

DTK4 Velcro Mop Set

DTK2T Telescopic Mop Handle

Over the years substantial improvements have been achieved not only in the fabric and efficiency of mop heads but also in the applications and mopping techniques.

The PolyStatic Disposable Mop System provides an answer to electrostatic dust control and general floor maintenance. Used more and more as a daily discipline and equally used damp for spot removal where appropriate.

As far as fabric mops are concerned the specific individual requirements must be taken into account in the selection of the appropriate specification for the floor areas to be maintained. The Kentucky mop is long established and used extensively in warmer climates. The Loop Pocket or Velcro Flat mop provides all the convenience of flat mopping with a moderate water-holding capacity.

The Nylostripe Microfibre mop represents the best of all worlds with good water-holding capacity and excellent cleaning performance by virtue of the active nylon cleaning bar design, allowing floors to be cleaned quicker, with less liquid, thus providing a shorter drying

Polystatic Disposable Mop Dusters 1. Pack of 50 Polystatic Mop **Dusters** P/N:629811

- 2. Polystatic Mop Gripper Pad P/N:629810
- 3. Carton of 400 Polystatic Mop Dusters (8 x 50) C/W with Gripper Pad x2 P/N:629844
- 4. Carton of 400 Polystatic Mop **Dusters (8 x 50)** P/N:629812



Kentucky Mops



Monsoon 400g Loop and Web Kentucky Mop White (10 Pk) PN:627574



Monsoon Bactiguard 400g loop and web Kentucky mop Green (10 Pk) PN:627575



Pocket Mops



Slalom 40cm Pocket Loop Mop Fits DTK2 (10 Pk) PN:627576



Nylostripe Microfibre Mop (10 Pk) available in:

Blue PN:629089 Red PN:629270 Green PN:629271 Yellow PN:629272 Fits DTK2



Slalom 40cm Pocket MopMatic **Vertical Nylostripe Microfibre**

(10 Pk) available in: Blue PN:629199 Red PN:629273 Green PN:629274 Yellow PN:629275 Fits DTK2

Velcro Mops



Slalom 40cm Velcro Loop Mop Fits DTK4 (10 Pack) PN:627756



Slalom 40cm Velcro **Nylostripe Microfibre Mop**

(10 Pk) available in: Blue PN:629201 Red PN:629282 Green PN:629283 Yellow PN:629284 Fits DTK4



Vertical Nylostripe Microfibre

Red PN:629282 Green PN:629283 Yellow PN:629284 Fits DTK4

Hang-on Mops





Slalom 40cm Hang-on **Nylostripe Microfibre Mop**

(10 Pk) available in: Blue PN:629868 Red PN:629869 Green PN:629870 Yellow PN:629871 Fits DTK11



NuClean NC3000 & AT, NC4000 & AT

A highly compact professional cleaning system, with a range of 4 'Lock on' detachable modules.

A major advantage of the NuClean system is the easily detachable, and conversely attachable, professional, independent mopping units able to be used in either mode but with added manoeuvrability and usability in detached operation - especially in congested areas.

In addition to the detachable modules for both Allmops Press and Wide Press systems there are two detachable waste modules of 120 litre and 240 litre capacity.

Non-detachable kits are also available where removable units are not required allowing the trolleys to be customised to suit the needs of each application.

NC4000AT

NC3000 NC3000 with NCK100 NCK100 Optional NCK200 Standard Specification Model Waste Pails Drawers Castors AT Castors Dimensions (Wal.81)

650x860x1080mm

650x860x1080mm

4x200mm

NCK100/200 & AT, NCK300/400 & AT



Model	Capacity Clean	Capacity Dirty	Press	Waste Capacity	Castors	AT Castors	Dimensions (WxLxH)	
NCK100 & AT	15L	22L	Allmops	-			62Ev660v4000mm	
NCK200 & AT	15L	22L	Wide	-	4.75	475	4 000	635x660x1090mm
NCK300 & AT	-	-	-	120L 2x70 4x75mm	4x200mm	495x660x1090mm		
NCK400 & AT	-	-	-	2x120L			580x660x1090mm	

Simple and quick 4 point attachment system



NCK300 & AT 120 litre Waste Kit Detachable 120 litre or twin 70 litre waste unit.

NCK400 & AT 240L Waste Kit Detachable 240 litre waste unit.

NCK800 SprayMop Mopping Kit

On-board Kits

The NCK800 is an exceptional spot cleaning system with Nylostripe cleaning performance and built-in pump-action reservoir.




NCK500 120 litre Waste Kit The NCK500 compact

The NCK500 compact 120 Litre 'On-board' waste module.



MopMatic Kits

Single (NCK600) or Twin (NCK700), the MopMatic MopBox system provides up to 20/24 perimpregnated mop heads.



NCK900 allows additional pails and a 30 litre BioBox waste unit to be fitted.

NC4000 & AT

ProCare PC 100 & AT, PC 200 & AT

Not only looking after public places and spaces but also looking after the public.

The ProCare models are designed to provide all the basic features and facilities to support a dedicated programme of maintenance in larger open areas such as airports, bus stations, railway stations, exhibition halls, etc, where continuous use by the public generates the need for a well-disciplined maintenance procedure in order to LOOK CLEAN at all times.





Coverall waste bag system



Large storage capacity

The PC100 module is compact and designed to be selectively equipped in order to be a self-contained

mobile work station.

Standard Specification					
Model	Drawers	Waste	Pails	Castor Size	Dimensions (WxLxH)
PC100		120L / 2x70L	4x5L	125mm	665x1157x1249mm
PC100AT	1x35L			200mm	665x1157x1308mm
PC200				125mm	665x1495x1250mm
PC200AT				200mm	665x 1495x1316mm

PC200 & AT

The PC200 is of larger proportions and designed to be equipped with a range of on board mopping facilities or the detachable MidMop twin 16 litre mobile mopping unit which can be used conveniently independent of the PC200 "Mother Ship".





BK4 Allmops Press Kit Twin 22 litre mopping kit includes clean and dirty water buckets and highly efficient Allmops press.



BK5 Wide Press Kit

Flat press mopping kit comprises a wide 22 litre red dirty water and rinse bucket and matching 15 litre blue clean water facility.



MM1616

MM1616 MidMop Kit Can be used ON or OFF board. Suitable for Kentucky or Flat mops.







NuBagnsx240, llt200, NBT200

NX1001N, NX1501N, NX1002N, NX2001N, NX2401N



Twin Sax (NSX240) A compact mobile twin 120 litre waste trolley, fully lidded providing excellent capacity for normal waste collection and disposal.

Twin Linen (LLT200) The same Structofoam chassis and lidded superstructure but designed to take two full 100 Litre washable linen laundry bags. Bags can be easily colour coded.

Twin Bags (NBT200) There are 101 applications where mobile bags are required, especially within the hotel and care-home

Big Bags (NB3002) For large laundry volumes the NB-3002 has a 200 litre and 100 litre bag (300 litre) to which can also be added a further 2 x 100 litre bag extensions, providing upto 500 litre in 4 detachable bags.

Big in use, small in storage, the Servo-X trolley range will always find favour in the many locations where space is at an absolute premium.

All Servo-X trolleys can be easily folded for storage and the laundry bags themselves can be removed, incorporating drag handles and our top closure system.

Servo-X uses all the same bag sizes as NuKeeper and NuBag units, providing total uniformity and allowing a fully integrated and co-ordinated professional approach to system planning.



NBT200		
	tandard Specificati	
l Castors	Waste	Dimensions (WxLxH)
40	2x120L	580x780x965mm
00 4x75mm	0.4001	COOKI COXOCOIIIII
00	2x100L	580x780x860mm
02 4x200mm	1x200+1x100L	665x1110x1115mm

NX1002 200L Nukeeper nkc10 & AT, NkS11FF, NkS12FF

The NuKeeper Compact 10 is a genuine exercise in downsizing from the outside without downsizing the inside.

The NKC10 provides a full 10 room capacity both in terms of clean linen and towels but, equally, with two full capacity 100 litre laundry bag extensions as standard.

The NuKeeper single module is based on the full NuKeeper Structofoam All Terrain chassis incorporating large full size 200mm soft ride castors and all around soft bump and corner protection. The storage compartment is generous in capacity incorporating our unique FlexiFront cover, a 100 litre in-situ laundry bag and an optional second can be added as required.







NCK10 Top storage trays



Optional Spraymop tray kit



Easily locates back or front



Flexi-Front

The NuKeeper flexi-front pull through system is classic in both design and use. Always there when you want it, equally not there when you don't.

NKC10



NKC10AT

NKC10AT Base Specification			
Waste Capacity 2x100L			
Drawers	-		
Castors	4x200mm		
Dimensions (WxLxH)	665x1360x 1115mm		



NKS11FF

NKS11FF Base Specification	
Waste Capacity	1x100L
Drawers	3x10L
Castors	4x200mm
Dimensions (WxLxH)	665x1100x 1430mm



NKS12FF

NKS12FF Base Specification	
Waste Capacity	2x100L
Drawers	3x10L
Castors	4x200mm
Dimensions (WxLxH)	665x1490x 1430mm
	,



36 FF = Fabric front LS = Long shelf

NUKCEPEL NKL15/16/17FF & LS, SPL17FF

NKT20/21/22/FF & LS, SPT22FF

The most generous model in the NuKeeper range providing plenty of shelf space and internal drawer storage.

The three sided panel style is neat, tidy and professional which is complemented by the simple Numatic original pull through front cover system, it stores in the back out of sight during use but is instantly available when needed.

All NuKeeper modules are available with short or long shelf interiors and can all be equipped with one or two on board 100 litre laundry bag extensions. For larger areas used often for extended hours, battery powered models have proven to be of great value and cost effective.











ServoPower 24V PowerDrive System

The SPT22FF model is equipped with our ServoPower 24V PowerDrive system, with easy to use single button forward and reverse operation and 3 hours or 10 miles runtime between charges which, in many cases, means up to 1 week.



NKL15FF & LS

NKL15FF Base Specification	
Waste Capacity	-
Drawers	3x6L
Castors	4x200mm
Dimensions (WxLxH)	665x1100x 1115mm
NKL15FFLS Base Specification	
Waste Capacity	-
Castors	4x200mm
Dimensions (WxLxH)	665x1100x 1115mm



NKL16FF & LS

NKL16FF Base Specification	
Waste Capacity	1x100L
Drawers	3x6L
Castors	4x200mm
Dimensions (WxLxH)	665x1490x 1115mm
NKL16FFLS Base Specification	
Waste Capacity	1x100L
Castors	4x200mm
Dimensions (WxLxH)	665x1490x 1115mm



NKT20FF & LS

NKT20FF Base Specification	
Waste Capacity	-
Drawers	5x6L
Castors	4x200mm
Dimensions (WxLxH)	665x1100x 1435mm
NKT20FFLS Base Specification	
Waste Capacity	2x100L
Castors	4x200mm
Dimensions (WxLxH)	665x1100x 1435mm



NKT21FF & LS

NKT21FF Base Specification	
Waste capacity	
Drawers	5x6L
Castors	4x200mm
Dimensions (WxLxH)	665x1100x 1435mm
NKT21FFLS Base S	Specification
Waste capacity	2x100L
Castors	4x200mm
Dimensions (WxLxH)	665x1490x 1435mm



NKL17FF&LS

NKL17FF Base Specification	
Waste Capacity	2x100L
Drawers	3x6L
Castors	4x200mm
Dimensions (WxLxH)	665x1870x 1115mm
NKL17FFLS Base Specification	
Waste Capacity	2x100L
Castors	4x200mm
Dimensions (WxLxH)	665x1870x 1115mm



SPL17FF

SPL17FF Base Specification	
Motor / Power	100W / 24V
Speed	4km/h forward 2.5km/h reverse
Waste Capacity	2x100L
Drawers	5x6L
Castors	4x200mm
Weight	71.5kg
Dimensions (WxLxH)	665x1880x 1115mm



NKT22FF & LS





SPT22FF

	SPT22FF Base Specification	
	Motor / Power	100W / 24V
À	Speed	4km/h forward 2.5km/h reverse
	Waste capacity	2x100L
	Drawers	5x6L
	Castors	4x200mm
	Weight	79kg
	Dimensions (WxLxH)	665x1880x 1435mm



38 FF = Fabric front LS = Long shelf



Numatic International Limited,

Chard, Somerset, TA20 2GB, UNITED KINGDOM

Tel: 01460 68600 Fax: 01460 68458

www.numatic.co.uk



Numatic International S.A.S,

13/17 rue du Valengelier, EAE la Tuilerie, 77500 Chelles, FRANCE

Tel: 01 64 72 61 61 Fax: 01 64 72 61 62

www.numatic.fr



Numatic International BV

BeNeLux Distribution Numatic International BV Postbus 101 2400 AC Alphen aan den Rijn NEDERLAND

Tel: 0172 467 999 Fax: 0172 467 970

www.numatic.nl



Numatic International GMBH

Fränkische Straße 15-19, 30455 Hannover DEUTSCHLAND

Tel: 05 11 98 42 16 0 Fax: 05 11 98 42 16 20

www.numatic.de



Numatic International Schweiz AG.

Sihlbruggstraße 142 6340 Baar, SCHWEIZ

Tel: 041 768 07 60 Fax: 041 768 07 69

www.numatic.ch



Numatic International ULDA

Centro de Negócios da Maia Rua Albino José Domingues n.º 581 4470 - 034 Maia PORTUGAL

Tel: 351 220 047 700 www.numatic.pt



Numatic International (Pty.) Ltd.

16th & Pharmaceutical Roads, Midrand, Gauteng, S.A. 1685.

Tel: 0861 686 284 Fax: 0861 686 329 www.numatic.co.za

