Two Valve Manifold



2VTEVO



Two Valve Manifold Remote Mount (Pipe to Pipe)

The 2VTEVO has a threaded vertical port inlet and female outlet. The vent/test connection is positioned on the front side. The venting bonnet is positioned on the right hand side and the isolating bonnet is positioned on the left hand side.




Specifications (Standard Version):

Specifications (Standard Version):				
Body Material	Stainless Steel 316			
Stem Material	Stainless Steel 316			
Valve Assembly	Stainless Steel 316			
T-Bar Handle	Stainless Steel 304			
Maximum working	6000 PSI			
Pressure				
Maximum Working	240°C			
Temperature				
Packing	PTFE			
Stem Type	(CT) Conical Metal Tip			
Drain Port	1/4" NPT (female), stainless steel			
	316 drain plug provided			









Other combination sizes available on request. Please contact EVO Instrumentation for further details.

Note: Drawings are not to scale. All Dimensions are in mm.

Body Material	Stem Type	Stem Packing	Size = Inlet x Outlet	Connections	Thread Sizes
Carbon Steel	CT	PTFE	1/4" x 1/4"	Male x Female	NPT
Stainless Steel 316	DS	Grafoil	3/8" x 3/8"	Female x Female	BSP
Stainless Steel 304			1/2" x 1/2"	Female x Male	BSPT
Stainless Steel 316L			3/4" x 3/4"	Socket Weld	
Monel 400					
Monel 500					
Hastelloy C					

Options:

Various options are available:

- Compliance to NACE standard
- Oxygen service valves are supplied cleaned, degreased and suitably packed.
- Material test certificate*
- Hydro test certificate
- Anti-tamper bonnet

*Material test certificates will be provided for wetted parts only with chemical composition testing. For others, please consult EVO Instrumentation. Full details available on request.

EVO Instrumentation reserves all rights to make modifications to the product. Minimum order quantities may apply on non-stock items.

EVO Instrumentation Ltd, 3la Coppice Trading Estate, Off Stourport Road, Kidderminster, Worcs, DY11 7QY, Tel: 01562 741212 Fax: 01562 741666 Email: sales@evoinstrumentation.co.uk

Web: www.evoinstrumentation.co.uk Reg no: 1916635 England



