

St. Vincent National Wildlife Refuge includes the 12,300 acre, undeveloped, St. Vincent Island and an 86 acre mainland tract in Franklin County, Florida, as well as the 45 acre Pig Island in St. Joe Bay, Gulf County, Florida. The diversity in habitats fosters a diversity of bird species. The triangular-shaped St. Vincent Island is wider (four miles) than most other barrier islands in the area. The nine miles of Gulf beaches are good for observation of shorebirds, gulls, terns, and fish eating raptors such as Bald Eagles and Ospreys.

Large expanses of both salt and fresh water marshes and bayous provide good viewing of many species of water birds, including divers, waders, shorebirds and ducks. The interior ridge and swale system provides habitat for a wide variety of passerines and raptors. The oak ridges along the Gulf provide excellent habitat for neotropical migrants. In addition, the refuge represents the western limit of breeding range for American Oystercatchers, Scott's Seaside Sparrows and Boat-tailed Grackles in Florida

The seasons bring about marked changes in both species and abundance of birdlife. Best opportunities for observing the greatest variety and number of birds occur during the fall and spring. Waterfowl are most easily seen on the refuge from mid-November through late December. Shorebirds are most common during late spring and early fall.

Bald Eagle and shorebird nesting areas are posted and closed to the public. Please honor these signs. Enjoy your visit!





Seasonal appearance

SP-Spring: March - May

S-Summer: June - August

F-Fall: September - November

W -Winter: December - February

Seasonal abundance

**a**-abundant A common species which is very

numerous

**c**-common Certain to be seen or heard in suitable

habitat

**u**-uncommon Present, but not certain to be seen

o-occasional Seen only a few times during a season

r-rare Seen at intervals of 2 to 5 years

x-accidental Generally considered out of species

normal range

\* Has nested on refuge

+ No longer occur on refuge

@ Exotic species not native to the area

|  | SP           | S | F | W |
|--|--------------|---|---|---|
| Waterfowl                                  |              |   |   |   |
| Snow Goose                                 |              |   | u | 0 |
| Canada Goose                               | $\mathbf{r}$ |   | r | r |
| Wood Duck*                                 | c            | c | a | a |
| Gadwall                                    | u            |   | u | u |
| American Wigeon                            | u            |   | u | u |
| American Black Duck                        | $\mathbf{r}$ |   | r | 0 |
| Mallard                                    | 0            |   | 0 | u |
| Mottled Duck                               |              | r | r | r |
| Blue-winged Teal                           | c            | u | c | u |
| Northern Shoveler                          | u            |   | u | u |
| Northern Pintail                           | O            |   | 0 | 0 |
| Green-winged Teal                          | c            |   | c | c |
| Canvasback                                 | 0            |   | 0 | 0 |
| Redhead                                    | u            |   | u | u |
| Ring-necked Duck                           | u            |   | u | u |
| Greater Scaup                              | 0            | r | 0 | 0 |
| Lesser Scaup                               | c            | 0 | c | c |
| Surf Scoter                                | u            |   | 0 | u |
| White-winged Scoter                        | u            |   | 0 | u |
| Black Scoter                               | u            |   | 0 | u |
| Bufflehead                                 | c            |   | c | c |
| Common Goldeneye                           | u            |   | u | u |
| Hooded Merganser                           | u            |   | c | c |
| Red-breasted Merganser                     | c            | 0 | c | c |
| Ruddy Duck                                 | 0            |   | 0 | 0 |
| Gallinaceous birds (Quails, Turkeys, and A | Allies)      |   |   |   |
| Wild Turkey*                               | r            | r | r | r |
| Northern Bobwhite*                         | r            | r | r | r |
|  | •            | - | • | 1 |
| Loons                                      |              |   |   |   |
| Red-Throated Loon                          |              |   |   | r |
| Common Loon                                | c            | r | u | c |
| Crahas                                     |              |   |   |   |
| Grebes Pied-billed Grebe*                  |              |   |   |   |
| <u> </u>                                   | u            | r | 0 | u |
| Horned Grebe                               | u            | r | 0 | u |
| Gannets, Pelicans, and Allies              |              |   |   |   |
| Brown Booby                                |              | X |   |   |
| Northern Gannet                            | u            | r | 0 | u |
| American White Pelican                     | u            | r | 0 | u |
| Brown Pelican                              | a            | a | a | a |
| Double-crested Cormorant                   | a            | c | a | a |
| Anhinga*                                   | c            | c | c | c |
| Magnificent Frigatebird                    | 0            | 0 | 0 |   |
| Herene Envete and Allies                   |              |   |   |   |
| Herons, Egrets, and Allies                 | _            |   | _ |   |
| American Bittern                           | 0            | r | 0 | 0 |
| Least Bittern*                             | c            | c | u | r |
| Great Blue Heron*                          | С            | С | c | c |

|                                       | SP           | S      | F      | W      |
|---------------------------------------|--------------|--------|--------|--------|
| Great White Heron                     | 21           | X      | •      | • •    |
| Great Egret*                          | a            | a      | a      | a      |
| Snowy Egret*                          | a            | a      | a      | a      |
| Little Blue Heron*                    | c            | c      | c      | c      |
| Tricolored Heron*                     | c            | c      | c      | c      |
| Reddish Egret                         | 0            | u      | u      | 0      |
| Cattle Egret*                         | c            | c      | c      | r      |
| Green Heron*                          | c            | c      | u      | u      |
| Green HeronBlack-crowned Night-Heron* | c            |        |        | c      |
| Black-crowned Night-Heron*            | u            | u<br>u | u<br>r | r      |
| lbises, Spoonsbills, and Storks       |              |        |        |        |
| White Ibis                            | u            | u      | u      | .u     |
| Glossy Ibis*                          | 0            | 0      | c      | 0      |
| Roseate Spoonbill                     | r            | r      | r      |        |
| Wood Stork                            | u            | u      | u      | O      |
| Violence Heady and Allice             |              |        |        |        |
| Vultures, Hawks, and Allies           |              |        |        |        |
| Black Vulture                         | 0            | 0      | 0      | 0      |
| Turkey Vulture                        | c            | c      | c      | c      |
| Osprey*                               | c            | c      | u      | 0      |
| American Swallow-tailed Kite*         | u            | u      |        |        |
| Mississippi Kite                      | $\mathbf{r}$ | r      | r      |        |
| Bald Eagle*                           | c            | u      | c      | c      |
| Northern Harrier                      | u            | r      | u      | u      |
| Sharp-shinned Hawk                    | 0            | r      | u      | u      |
| Cooper's Hawk                         | O            | r      | u      | 0      |
| Red-shouldered Hawk*                  | c            | c      | c      | c      |
| Broad-winged Hawk                     | 0            | 0      | u      |        |
| Red-tailed Hawk*                      | u            | u      | c      | c      |
| Golden Eagle                          | $\mathbf{r}$ |        | r      | r      |
| ——American Kestrel*                   | u            |        | u      | u      |
| Merlin                                | 0            |        | 0      | 0      |
| Peregrine Falcon                      | r            |        | 0      | 0      |
| Rails, Gallinules, Coots and Cranes   |              |        |        |        |
| Yellow Rail                           | r            |        |        |        |
| Black Rail*                           | 0            | r      | r      | 0      |
| Clapper Rail*                         | c            | c      | c      | c      |
| King Rail                             |              |        |        |        |
| Ning Itan<br>Virginia Rail            | u<br>u       | u      | u<br>u | u<br>u |
| Sora                                  | c            | r      | c      | c      |
| Sora<br>Purple Gallinule*             |              |        |        |        |
| Common Moorhen*                       | 0            | u      | 0      | r      |
| Common Moornen<br>American Coot       | c            | a      | a      | 0      |
|                                       | c            | 0      | С      | c      |
| Sandhill Crane                        | r            |        | 0      | 0      |
| Shorebirds                            |              |        |        |        |
| Black-bellied Plover                  | $\mathbf{c}$ | u      | c      | c      |
| American Golden Plover                | r            |        | r      |        |
| Snowy Plover*                         | u            | u      | u      | u      |
| Wilson's Plover*                      | 0            | 0      | 0      | r      |
| <del></del>                           |              |        |        |        |

|  | SP                  | S   | F         | W |
|--|---------------------|-----|-----------|---|
| Semipalmated Plover                              | c                   | u   | c         | c |
| Piping Plover                                    | 0                   | r   | 0         | 0 |
| Killdeer   | u                   | r   | u         | u |
| American Oystercatcher*                          | u                   | u   | u         | u |
| Black-necked Stilt*                              | 0                   | 0   | 0         |   |
| American Avocet                                  | 0                   | 0   | 0         | 0 |
| Greater Yellowlegs                               | u                   | 0   | u         | 0 |
| Lesser Yellowlegs                                | u                   | 0   | u         | 0 |
| Solitary Sandpiper                               | 0                   | 0   | 0         | _ |
| Willet*  | c                   | c   | a         | a |
| Spotted Sandpiper                                | u                   | u   | u         | 0 |
| Whimbrel   | 0                   | 0   | 0         | r |
| Long-billed Curlew                               | r                   | , i | r         | r |
| Marbled Godwit                                   | 0                   | r   | 0         | r |
| Ruddy Turnstone                                  | c                   | u   | c         | u |
| Red Knot   | u                   | u   | u         | u |
| Sanderling                                       | c                   | c   | c         | c |
| Semipalmated Sandpiper                           | u                   | 0   | u         | Ü |
| Western Sandpiper                                | u                   | 0   | c         | 0 |
| Least Sandpiper                                  | c                   | c   | c         | c |
| White-rumped Sandpiper                           | 0                   | r   | 0         | r |
| Baird's Sandpiper                                | $\ddot{\mathbf{r}}$ | -   | Ü         | - |
| Pectoral Sandpiper                               | 0                   | r   | 0         | r |
| Dunlin   | c                   | r   | u         | c |
| Stilt Sandpiper                                  | 0                   | 0   | 0         | r |
| Stift Sandpiper<br>Buff-breasted Sandpiper       | 0                   | r   | 0         | 1 |
| Ban breasted Sandpiper<br>Short-billed Dowitcher | u                   | 0   | 0         | u |
| Wilson's Snipe                                   | 0                   | Ü   | u         | 0 |
| American Woodcock                                | 0                   |     | 0         | 0 |
| Wilson's Phalarope                               | $\dot{\mathbf{r}}$  | r   | $^{ m c}$ | Ü |
|  | _                   | _   | _         |   |
| Gulls, Terns, and Skimmers                       |                     |     |           |   |
| Laughing Gull                                    | a                   | a   | a         | c |
| Bonaparte's Gull                                 | u                   |     | 0         | u |
| Ring-billed Gull                                 | c                   | O   | c         | c |
| Herring Gull                                     | u                   | O   | u         | u |
| Great Black-backed Gull                          | $\mathbf{r}$        |     |           | r |
| Gull-billed Tern*                                | 0                   | 0   | 0         |   |
| Caspian Tern*                                    | u                   | u   | u         | u |
| Royal Tern                                       | c                   | c   | c         | u |
| Sandwich Tern                                    | u                   | c   | u         | r |
| Common Tern                                      | u                   | u   | u         | r |
| Forster's Tern                                   | c                   | c   | c         | c |
| Least Tern*                                      | c                   | c   | u         |   |
| Sooty Tern                                       |                     | X   | X         |   |
| Black Tern                                       | 0                   | u   | 0         |   |
| Black Skimmer                                    | c                   | u   | c         | c |
| B: 1B  |                     |     |           |   |
| Pigeons and Doves                                |                     |     |           |   |
| Rock Pigeon*@                                    | r                   | r   | r         | r |
| Eurasian Collared-Dove*@                         | 0                   | 0   | 0         | 0 |
| White-winged Dove                                | r                   | r   | 0         | 0 |
|  |                     |     |           |   |

|   | SP           | S      | F                | W      |
|---|--------------|--------|------------------|--------|
| Mourning Dove*                                | u            | u      | c                | u      |
| Common Ground-Dove*                           | u            | u      | u                | u      |
| Overland                                      |              |        |                  |        |
| Cuckoos Black-billed Cuckoo                   | 70           | 7.0    | 7.0              |        |
| Yellow-billed Cuckoo*                         | r<br>u       | r<br>u | r<br>u           |        |
| Groove-billed Ani                             | и            | и      | r                | r      |
|   |              |        | -                | 1      |
| 0wls  |              |        |                  |        |
| Barn Owl*                                     | r            | r      | r                | r      |
| Eastern Screech-Owl*                          | u            | u      | u                | u      |
| Great Horned Owl*                             | u            | u      | u                | u      |
| Barred Owl                                    | $\mathbf{r}$ | r      | r                | r      |
|   |              |        |                  |        |
| Nightjars                                     |              |        |                  |        |
| Lesser Nighthawk                              |              |        |                  | r      |
| Common Nighthawk* Chuck-will's-widow*         | u            | u      | u                |        |
| Whip-poor-will                                | c<br>0       | c      | u<br>o           | u      |
| winp-poor-win                                 | U            |        | U                | и      |
| Swifts and Hummingbirds                       |              |        |                  |        |
| Chimney Swift*                                | u            | u      | u                |        |
| Ruby-throated Hummingbird*                    | u            | 0      | u                |        |
| <i>,</i>                                      |              |        |                  |        |
| Kingfishers                                   |              |        |                  |        |
| Belted Kingfisher                             | c            | u      | c                | c      |
|   |              |        |                  |        |
| Woodpeckers                                   |              |        |                  |        |
| Red-headed Woodpecker*                        | 0            | 0      | 0                | 0      |
| Red-bellied Woodpecker*                       | c            | c      | c                | c      |
| Yellow-bellied Sapsucker                      | u            |        | u                | u      |
| Downy Woodpecker*<br>Hairy Woodpecker         | u<br>r       | u<br>r | u<br>r           | u<br>r |
| Red-cockaded Woodpecker                       | +            | +      | +                | +      |
| Northern Flicker                              | ů            | 0      | u                | u      |
| Pileated Woodpecker*                          | u            | u      | u                | u      |
|   |              |        |                  |        |
| Flycatchers                                   |              |        |                  |        |
| Eastern Wood-Pewee                            | u            | u      | u                |        |
| Acadian Flycatcher                            | 0            | 0      | 0                |        |
| Willow Flycatcher                             | $\mathbf{r}$ |        |                  |        |
| Eastern Phoebe                                | u            |        | c                | c      |
| Vermilion Flycatcher                          |              | _      | _                | r      |
| Great Crested Flycatcher*<br>Western Kingbird | c            | C      | 0                | 70     |
| Western Kingbird*                             | r<br>c       | r<br>c | $^{ m r}_{ m c}$ | r      |
| Gray Kingbird                                 | $^{ m c}$    | r      | r                |        |
| Scissor-tailed Flycatcher                     | 1            | 1      | r                |        |
|   |              |        | -                |        |
| Shrikes                                       |              |        |                  |        |
| Loggerhead Shrike                             | r            | r      | r                | r      |
|   |              |        |                  |        |
|   |              |        |                  |        |

| Vireos                           | SP           | S | F | W  |
|----------------------------------|--------------|---|---|----|
| White-eyed Vireo*                | c            | c | c | u  |
| Blue-headed Vireo                | u            | C | u | u  |
| Yellow-throated Vireo*           | u            | u | u | C. |
| Philadelphia Vireo               | r            | и | и |    |
| Red-eyed Vireo*                  | c            | c | c |    |
| Black-whiskered Vireo            | r            |   |   |    |
| Jays and Crows                   |              |   |   |    |
| Blue Jay*                        | u            | u | u | u  |
| American Crow                    | 0            | 0 | u | u  |
| Fish Crow*                       | c            | c | c | u  |
| Martins and Swallows             |              |   |   |    |
| Purple Martin*                   | u            | u | 0 | 0  |
| Tree Swallow                     | a            | u | a | a  |
| Northern Rough-winged Swallow*   | 0            | 0 | 0 | r  |
| Bank Swallow                     | 0            | 0 | 0 |    |
| Cliff Swallow*                   | $\mathbf{r}$ | r | r |    |
| Cave Swallow                     | $\mathbf{r}$ |   |   |    |
| Barn Swallow*                    | c            | С | С | r  |
| Chickadees and Titmice           |              |   |   |    |
| Carolina Chickadee*              | $\mathbf{c}$ | c | c | c  |
| Tufted Titmouse*                 | u            | u | u | u  |
| Nuthatchers                      |              |   |   |    |
| Brown-headed Nuthatch*           | u            | u | u | u  |
| Creepers                         |              |   |   |    |
| Brown Creeper                    |              |   |   | r  |
| Wrens                            |              |   |   |    |
| Carolina Wren*                   | c            | c | c | c  |
| House Wren                       | 0            |   | u | u  |
| Sedge Wren                       | u            |   | u | u  |
| Marsh Wren*                      | u            | u | c | С  |
| Kinglets and Gnatcatchers        |              |   |   |    |
| Golden-crowned Kinglet           | $\mathbf{r}$ |   | r | r  |
| Ruby-crowned Kinglet             | c            |   | c | c  |
| Blue-gray Gnatcatcher*           | c            | С | c | u  |
| Bluebirds, Thrushers, and Robins |              |   |   |    |
| Eastern Bluebird*                | u            | r | u | u  |
| Veery                            | u            |   | u |    |
| Gray-cheeked Thrush              | 0            |   | u |    |
| Swainson's Thrush                | 0            |   | u |    |
| Hermit Thrush                    | 0            |   | u | u  |
| Wood Thrush                      | u            | r | 0 |    |
| American Robin                   | a            |   | c | a  |
|                                  |              |   |   |    |

|   | SP           | S  | F | W |
|---|--------------|----|---|---|
| Mimicthrushes                           |              |    |   |   |
| Gray Catbird                            | c            |    | a | c |
| Northern Mockingbird*                   | c            | c  | c | c |
| Brown Thrasher*                         | u            | u  | c | u |
| Starlings                               |              |    |   |   |
| European Starling*@                     | 0            | О  | 0 | 0 |
| Pipits                                  |              |    |   |   |
| American Pipit                          |              |    | 0 | r |
| Waxwings                                |              |    |   |   |
| Cedar Waxwing                           | u            |    | u | u |
| Warblers                                |              |    |   |   |
| Blue-winged Warbler                     | r            | r  | r |   |
| Tennessee Warbler                       | r            | 1  | u |   |
| Orange-crowned Warbler                  | u            |    | u | u |
| Northern Parula*                        | a            | a  | a | 0 |
| Yellow Warbler                          |              |    |   | U |
| Tenow Warbier<br>Chestnut-sided Warbler | 0            | 0  | 0 |   |
|   | r            | 70 | 0 |   |
| Magnolia Warbler                        | r            | r  | u |   |
| Cape May Warbler                        | u            |    | _ |   |
| Black-throated Blue Warbler             | 0            |    | 0 |   |
| Yellow-rumped Warbler                   | a            |    | a | a |
| Black-throated Green Warbler            | 0            |    | 0 |   |
| Blackburnian Warbler                    | $\mathbf{r}$ |    | О | • |
| Yellow-throated Warbler*                | c            | c  | u | О |
| Pine Warbler*                           | a            | a  | a | a |
| Prairie Warbler                         | u            | 0  | u | r |
| Palm Warbler                            | u            |    | u | u |
| Bay-breasted Warbler                    | r            |    | u |   |
| Blackpoll Warbler                       | u            |    | О |   |
| Black-and-white Warbler                 | u            | 0  | u | O |
| American Redstart                       | 0            | r  | u |   |
| Prothonotary Warbler*                   | u            | u  | 0 |   |
| Worm-eating Warbler                     | 0            | r  | u |   |
| Ovenbird                                | 0            |    | u | r |
| Northern Waterthrush                    | u            | r  | u |   |
| Louisiana Waterthrush                   | r            | r  | r |   |
| Common Yellowthroat*                    | c            | c  | c | c |
| Hooded Warbler                          | u            | u  | u | · |
| Wilson's Warbler                        | и            | и  | r | r |
| Yellow-breasted Chat*                   | u            | u  | r | 1 |
| Tonogore                                |              |    |   |   |
| Tanagers                                |              |    | _ |   |
| Summer Tanager*                         | c            | c  | c |   |
| Scarlet Tanager                         | 0            |    | 0 |   |
|   |              |    |   |   |
|   |              |    |   |   |
|   |              |    |   |   |

|  | SP           | S | F | W   |
|--|--------------|---|---|-----|
| Sparrows                               |              |   |   |     |
| Eastern Towhee*                        | a            | a | a | a   |
| Bachman's Sparrow                      | u            | u | 0 | 0   |
| Chipping Sparrow                       | u            |   | u | u   |
| Field Sparrow                          | u            |   | u | u   |
| Vesper Sparrow                         | $\mathbf{r}$ | r |   | r   |
| Lark Sparrow                           | $\mathbf{r}$ |   | r | r   |
| Savannah Sparrow                       | u            |   | u | u   |
| Nelson's Sharp-tailed Sparrow          | u            |   | u | u   |
| Saltmarsh Sharp-tailed Sparrow         |              |   |   | r   |
| Seaside Sparrow*                       | c            | u | u | u   |
| Song Sparrow                           | u            |   | u | u   |
| Swamp Sparrow                          | c            |   | c | c   |
| White-throated Sparrow                 | u            |   | u | u   |
| White-crowned Sparrow                  | 0            |   | 0 | 0   |
| Dark-eyed Junco                        | $\mathbf{r}$ |   | 0 | 0   |
| Cardinals and Grosbeaks                |              |   |   |     |
| Northern Cardinal*                     | c            | c | c | c   |
| Rose-breasted Grosbeak                 | u            |   | u |     |
| Blue Grosbeak                          | c            | u | u |     |
| Indigo Bunting                         | c            | 0 | u |     |
| Painted Bunting                        | $\mathbf{r}$ |   | r |     |
| Blackbirds, Crackles, Cowbirds, adn Or | rioles       |   |   |     |
| Bobolink                               | u            |   | 0 |     |
| Red-winged Blackbird*                  | a            | a | a | a   |
| Eastern Meadowlark                     | u            | 0 | u | u   |
| —Common Grackle*                       | c            | c | c | c   |
| Boat-tailed Grackle*                   | a            | a | a | a   |
| Shiny Cowbird                          | r            | r |   |     |
| Brown-headed Cowbird*                  | c            | u | u | u   |
| Orchard Oriole*                        | c            | u | 0 |     |
| Baltimore Oriole                       | r            |   | u |     |
| Finches                                |              |   |   |     |
| Pine Siskin                            |              |   |   | 7.0 |
|  | r            |   | r | r   |
| American Goldfinch                     | 0            |   | 0 | 0   |

**Ethics for Birdwatching** 

Take care not to disturb nesting birds, exposing eggs and young to extreme temperatures and predation.

Disturb wintering wildlife as little as possible, particularly during critical feeding and resting periods. They need all of their energy reserves to withstand the stresses of harsh weather and migration.

Do not litter! Many birds die when they become entangled in fishing lines, six-pack rings and other trash, or when they mistake garbage for food.

## Sighting Notes Name of Observer: Species: Number: Location: Habitat: Distance to Bird(s): Date/Time Seen: Weather: Other Observers: Signature: Address:

**NOTES:** Description of bird, calls, behavior, optical equipment, experience, etc.

We appreciate your help in updating our records by reporting any rare, accidental, unlisted birds, or other notable observations to the refuge office.

St. Vincent National Wildlife Refuge P. O. Box 447

Apalachicola, FL 32329-0447

Phone: 850/653 8808

Email: saintvincent@fws.gov

U.S. Fish & Wildlife Service 1 800/344 WILD

August 2006





This list is in accordance with the American Ornithological Union Checklist as amended. It includes 269 species and was prepared by Robin Rickel Vroegop and Thomas E. Lewis. We thank reviewers Jack Dozier, John Murphy, Barbara Stedman, and Richard West.

We dedicate this brochure in memory of Jack Dozier, one of Florida's finest birders.