


UNIKA


Laminate and Wood Flooring Accessories



PERFECTLY FINISHED LAMINATE FLOORING

UNIKA

Laminate and Wood Flooring Accessories



Contents

2-3 Tools for Laying

4-7 Glues, Fillers and Repairs

8-9 HDF Profiles, Scotia etc


10-11 Aluminium Profiles

12 Cleaning

13-17 Solid Wood Products

18-19 Other Accessories

20 Point of Sale Display



Tools for Laying



Solid Wood Floor Fitting Kit


Unika Solid Wood Fitting Kit includes a Professional Push Block – heavy duty for pushing together timber floor panels, Professional Pull Bar – heavy duty for fitting panels around the perimeter of the room, 100 Spacers and PVA Spatula for removing any unwanted glue.



Floor Fitting Kit - Suitable for 'Click' and Glued Flooring

Unika Floor Fitting Kit includes a tough hammering block, 20 spacers, a PVA spatula and a pull bar, necessary for the perfect installation of laminate and timber flooring.

Each kit is individually packed with a hanging slot for display.



Tension Strap

Unika Tension Strap is specially designed to ensure several rows of floor panels at a time are tight and in position.

We recommend that you use 3-4 Tension Straps on a standard floor to guarantee no open joints.



Professional Pull Bar

Professional pull bar will ensure the last floor panels are tight and in position.

This heavy duty professional pull bar is designed for constant use on timber and laminate flooring.



Professional Push Block

Professional nylon push block is designed for pushing laminate and timber floor panels together.

The professional push block will reduce the risk of any damage to the panels and it is designed for every day use by professional floor fitters.



Jigsaw Blades

Down cutting jigsaw blades for splinter free cuts in laminate worktops and flooring

- ▶ Use on straight, fine cuts in
 - Hardwood
 - Softwood
 - Plywood
 - Laminate
 - Plastics
- Suitable for cutting 4-30mm thickness.
- ▶ Suitable for AEG, Bosch, Dewalt, Hitachi, Festool, Elu, Makita, Metabo & Atlas-Copco Jigsaws
- ▶ Clean splinter free cut
- ▶ 75mm teeth length
- ▶ 2.5mm progressively spaced HCS ground and taper ground teeth.



Mitre Snips

Mitre Snips are easy to use cutters for scotia and door trims

Select the angle for your mitre on the guide, line up and cut. Mitre Snips will cut 45° - 120°

Glues, Fillers & Repairs



ColorFill®

Unika ColorFill is specifically designed to repair laminate and melamine flooring simply and effectively.

ColorFill is an easy to use self setting material which requires no mixing. ColorFill is applied using a spatula and is touch dry in one hour, after this it is waterproof and resistant to all household detergents and cleaners. If used properly ColorFill provides a permanent repair.

ColorFill is available bulk packed, or in blisterpacks which are very popular with flooring retailers.

ColorFill blisterpacks come with a 25g tube of ColorFill reparer plus 20mls solvent cleaner forming a kit which is suitable for sale to the consumer.

fact
250+ colours
to suit all popular
laminate finishes



tip

To find the correct ColorFill to match your flooring, use the ColorFill database found on the Unika website www.unika.co.uk or call our sales office.

Blistercards are multilingual and can be printed with the flooring company's own logo etc. dependent on minimum order quantities.

The colours have been specifically developed to match all popular flooring finishes and the range is continually updated to keep up with the latest trends.

Unika manufactures over 250 colours as standard and will exactly match your entire flooring range.

For the flooring installer a ColorFill fitters kit is available which holds 20 colours plus solvent and a soft edged stainless steel spatula. ColorFill fitters kits contain only the colours you choose for example your full range.



ColorSealant®

Unika ColorSealant is a waterbased acrylic gap filler and sealant designed specifically for the installation of laminate and timber flooring. ColorSealant is ideal for filling gaps between flooring and walls or skirting boards and acts as an expansion mechanism allowing the floor to expand and contract. ColorSealant is also ideal for filling general gaps where flooring planks are cut to fit around difficult obstacles such as fireplaces, doorways etc.

ColorSealant is available in a wide range of colours designed to match the most popular laminate and woodgrain finishes. The range is under constant development to exactly match the latest in flooring trends. ColorSealant is available to match your entire flooring range.

Available in a 310ml cartridge ColorSealant is waterproof once fully cured. It can be over painted and lacquered when dry.



PVA D3 Adhesive

Unika PVA D3 is manufactured to EN204 (D3) standards and has been tested by FIRA to these standards.

PVA D3 has been specially formulated for tongue and groove flooring, flows easily, dries clear and is waterproof once dry.

PVA D3 is available in 500g bottles with a stepped applicator.



Glues, Fillers & Repairs

6

MultiFix Supa

Unika MultiFix Supa is an instant grab, high strength adhesive specifically designed to fix scotia, skirting, architrave and dado rail to walls.

It has excellent adhesive and gap filling properties and will work well on uneven surfaces.

It is compatible with most building materials including:

Wood, plywood, hardboard, chipboard, brick, concrete, stone, breeze block, sandcement screeds, ceramics, laminated plastic, rigid insulation (except polystyrene), GRP and metal.

Use it to:

Fix batterns, window sills, coving, plasterboard, edge strips, stair nosings, wall and floor boards, window frames, partitions and repair loose tiles.



ClicSeal

Protects laminate floor joints from water damage

ClicSeal is a joint sealer designed to protect the core of 'click' flooring from moisture and water damage. It will prevent joint swelling and opening.

ClicSeal can be used with all glueless flooring - laminate and engineered wood floors and it is ideal for kitchens, bathrooms and entrances.

ClicSeal does not have to be used on the whole floor but can be used just in those areas where water is likely to be splashed.

One tube of ClicSeal is sufficient for 10m² of flooring.

ClicSeal®

fact

One tube of ClicSeal is sufficient for 10m² of flooring.

7



FloorBond

FloorBond is a solvent and water free wood floor adhesive using the latest MS Polymer technology. Water Free 100% means it can be stored frost free for example over night in a van in winter. Solvent Free 100% means it doesn't need any special disposal requirements by the fitter.

Floor Bond is free from isocyanates which means it is a safer, greener product.

It has an EC-1 label which means it has very low emissions and can be used anywhere.

FloorBond is a one component product which is ready to use and requires no mixing or preparation. Easy to apply with cartridge gun

It has a high final bond strength according to EN14293 standards and remains permanently elastic which is important for allowing the floor to expand and contract. It is suitable for under floor heating.



HDF Profiles

Scotia, Skirting & Architrave

HDF Floor Profiles

Unika HDF flooring profiles are designed specifically for use with laminate flooring. Manufactured using high grade HDF they are covered with a very high wear continuous laminate.

Unika offers three profile shapes to suit all laminate flooring installation requirements:

Styles to suit all laminate flooring applications



Threshold Profile:

For use between two laminate floors.

Available in 900mm & 2700mm lengths.



Ramp Profile:

For use between laminate and carpet/vinyl.

Available in 900mm & 2700mm lengths.



End Profile:

Used to bridge the expansion gap between laminate floors and patio doors, fireplaces etc.

Available in 2700mm lengths..



fact

Tough, high wear laminate finish

Colour Range

Unika HDF Floor Profiles are available in a range of twenty one wood finishes which complement Unika's skirting, architrave and scotia mouldings. Unika HDF Floor Profiles match the most popular laminate flooring finishes and include: Merbau, Walnut, Dark Cherry, Cherry, Oak, Light Oak, Antique Oak, Harvest Oak, Rustic Oak, White Oak, Natural Oak, Beech, Light Beech, Maple, Birch, Red Alder, Wenge, Sand, Anthracite, Cream and Chestnut.

Installation

To fix an HDF Profile in place, simply:

1. Measure and carefully cut the profile to the correct length.
2. Fix the plastic base channel to the floor allowing 8/10mm from the laminate for expansion.
3. Carefully tap the profile into place.

All Unika HDF Floor Profiles are individually shrink wrapped with a descriptive label and packed in boxes or tubes of 20 to make handling easy.

Punch and rivet fittings are also supplied



Scotia

A range of scotia designed to cover the expansion gap between the floor and skirting will ensure a perfect finish to all laminate floors.

Scotia is available in 2440mm lengths with a radius of 15mm. Unika scotia is manufactured using foils to match the most popular laminate finishes. There are 21 colours in the range and new designs are being added on an ongoing basis.



fact

Available in a wide range of colours



Skirting & Architrave


This range has been designed to complement all popular flooring finishes and also exactly match in colour the Unika Scotia range.

Unika Skirting & Architrave is available in a range of 13 colours: Maple, Beech, Light Beech, Oak, Cherry, Dark Cherry, Merbau, White Oak, Red Alder, Antique Oak, Natural Oak, Wenge and White.

Unika Skirting is 115mm in height and Architrave is 70mm in height.

Aluminium Profiles

Profile A




Laminate to Laminate Profile 32mm

This profile will bridge differences in height up to 6mm.

Available in 90cm & 270cm lengths.

Colours: Gold, Silver, Bronze, Beech, Oak, Maple.

Profile B




Laminate to Carpet or Linoleum Profile 38mm

This profile will allow for differences in height of between 4mm to 15mm.

Available in 90cm & 270cm lengths.

Colours: Gold, Silver, Bronze, Beech, Oak, Maple.

Profile E




Stair Nosing for Laminate

The stair nosing profile is designed for use with laminate floors which are between 8 & 9mm thick. This profile will work only on square stairs.

Available in 100cm, 125cm & 250cm lengths.

Colours: Gold, Silver, Bronze.

Profile F




Edge Profile for Flooring 7 to 9mm

This profile will bridge the expansion gap between laminate floors and patio doors, fireplaces etc.

Available in 90cm & 270cm lengths.

Colours: Gold, Silver, Bronze, Beech, Oak, Maple.

Profile L



Laminate to Carpet Z-style Profile 27.8mm.

This profile is for laminate & carpet up to 9 mm thick.

Z-Style flexibility allows you to join a wide range of floor levels.


Available in 270cm lengths.

Colour: Gold.

fact

Aluminium Profiles are available in a range of x6 finishes

Profile X - Self Adhesive



Threshold Profile


This profile is for two laminate floors of similar height.

It is suitable for differences in height up to 9mm.

Available in 90cm lengths.

Colours: Gold & Silver

Profile Y - Self Adhesive



Ramp Profile

This profile is for two floors of different height.

It is suitable for differences in height up to 14mm.

Available in 90cm lengths.

Colours: Gold & Silver

Aluminium Floor Profiles

Unika Aluminium flooring profiles are designed for use exclusively with laminate flooring. There are no face fixings so customer safety is improved and a smooth finish is guaranteed.

Unika floor profiles are extremely hard wearing and are manufactured to the highest specifications. There are 7 profile shapes available.

In addition to the standard silver and gold anodised finishes Unika also offers a dark bronze, beech, oak and maple. The wood finishes are manufactured using the latest foil technology and are extremely hard wearing.

Unika wood profiles have a high tolerance to household cleaning products and conform to DIN standards.



fact

7 profile shapes accommodate almost all installation requirements

Manufactured to the highest standards - extremely hardwearing

Cleaning

Easyshine

Easyshine wood and laminate floor cleaner enables you to clean wood (varnished) and laminate floors safely, with no build up of polish.

It is available in a 500ml spray and is ready to use with no mixing or diluting necessary. It dries to a sparkling shine.



EasyClean Dual purpose mop

Unika EasyClean can be used on any type of floor covering – wood, laminate, tiles, linoleum etc.

EasyClean enables a thorough wash without any risk of damage. It will prevent excessive water on wood and laminate floors, which can cause damage through joint opening.

The cotton fibres remove dust and loose dirt and the tough sponge strips when wet will give a thorough clean.



fact
EasyClean mop is machine washable and has a telescopic handle and quick release mop holder

Solid Wood Products




Unika solid wood floor accessories are designed for use on laminate and timber flooring. Unika only uses environmentally suitable timber species in the manufacture of these items.

Made from solid wood in a range of species they will match popular floor finishes and add the finishing touches to your room enhancing the natural beauty of your hardwood or semi solid floor.

Solid Wood Profiles

Unika Solid Wood Floor Profiles are specifically designed for use with wood veneer, solid wood and engineered wood floors and are manufactured to the highest quality standards.

Unika Solid Wood Floor Profiles can be used on floors with a finished thickness of between 9mm and 22mm.



Solid Wood Profiles and Scotia

fact
Beautifully made to complement your floor

Solid Wood Products

14

Unika offers seven solid wood profiles to suit all wood flooring requirements.



Threshold Profile

Ramp Profile
to suit 13-17mm flooringRamp Profile
to suit 18-22mm flooring

Semi Ramp Profile



2 in 1 Profile



Edge Profile



Solid Wood Stair Nosing

Threshold Profile

- ▶ For use between two floors of the same height.
- ▶ Available in 900mm and 2700mm lengths.

Ramp Profile

- ▶ To suit 13-17mm flooring
- ▶ For use between wood floors and carpet or vinyl.
- ▶ Available in 900mm and 2700mm lengths.

Ramp Profile

- ▶ To suit 18-22mm flooring
- ▶ For use between wood floors and carpet or vinyl
- ▶ Available in 900mm and 2700mm lengths.

Semi Ramp Profile

- ▶ To suit 15-18mm flooring
- ▶ For use between wood floors and carpet
- ▶ Available in 900mm and 2700mm lengths.

2 in 1 Profile

- ▶ Suitable for height differences up to 6mm
- ▶ Use as a Threshold Profile and a Semi-Ramp Profile.
- ▶ Available in 900mm and 2700mm lengths.

Edge Profile

- ▶ Use between wood floors and patio doors, fireplaces etc.
- ▶ Use as a perimeter profile to cover the expansion gap around the edge of your floor. This would be an alternative to using scotia.
- ▶ Available in 2700mm lengths.

Solid Wood Stair Nosing

- ▶ Use on all flooring thicknesses.
- ▶ Use on square stairs.
- ▶ Available in 1000mm and 2700mm lengths.

fact

Specially designed for easy installation

Range of Species

American White Oak (available in lacquered and unlacquered)

European Oak (lacquered)

Canadian Maple (lacquered)

Beech (lacquered)

Kempas (Stained Tulipwood – lacquered)

Dark Cherry (Stained Tulipwood – lacquered)

Merbau (Stained Tulipwood – lacquered)

Walnut (lacquered)

Walnut (Stained Tulipwood – lacquered)

Carina Birch (Stained Tulipwood – lacquered)

Ash (lacquered)


All species are FAS grade

15




Installation

To fix a solid wood profile in place, simply:




Measure and carefully cut the profile to length

Example shows Edge Profile



Fix the plastic base channel to the floor.

Allow 15mm from the wood for expansion.



Carefully tap the profile into place.

All Unika Solid Wood Profiles are individually shrink wrapped with a descriptive label and packed into tubes of 10 to make handling easy.

Screws and plug fittings are also supplied.

1
2
3

Solid Wood Products

16



Solid Wood Scotia

To complement the floor profile range Unika offers a range of Solid Wood Scotia designed to cover the expansion gap between the floor and skirting. This will ensure a perfect finish to all veneer, engineered and solid wood floors.

Solid Wood Scotia is available in 2.4 metre lengths with a radius of 20mm. This radius is sufficient to cover the expansion gap set by the majority of solid wood flooring manufacturers. Solid Wood Scotia can be pinned or glued to skirting and is easily mitred.

Produced from the same timber used in the profile range, Solid Wood Scotia is available in the following species:

tip For the perfect finish, cover expansion gaps with solid wood scotia



Solid Wood Skirting

Solid wood skirting is available in American White Oak lacquered and unlacquered.

Skirting Size:

▶ 120mm x 20mm x 2400mm

Please note timber is a natural product and may contain some defects.

Range of Species

American White Oak (available in lacquered and unlacquered)

European Oak (lacquered)

Canadian Maple (lacquered)

Beech (lacquered)

Kempas (Stained Tulipwood – lacquered)

Dark Cherry (Stained Tulipwood – lacquered)

Merbau (Stained Tulipwood – lacquered)

Walnut (lacquered)

Walnut (Stained Tulipwood – lacquered)

Carina Birch (Stained Tulipwood – lacquered)

Ash (lacquered)

17




Solid Wood Pipe Roses

Unika solid wood pipe roses are designed to cover unsightly expansion holes around pipes. They are quick and easy to put together, two dowels are included in each rose pack.

Solid Wood pipe roses are available in 15mm diameter.

Pipe roses are available in the following species:

Beech, Oak, Maple, Merbau, Cherry, Walnut, Birch, Kempas, Antique Oak, Smoked Oak and White.



Solid Wood Wall & Floor Door Stops

Unika Solid wood door stops are designed to complement all hardwood and laminate flooring. All door stops are easy to install and fittings are provided.

Door stops are available in a range of species to suit Beech, Oak, Maple, Merbau and Cherry flooring.




Solid Wood Door Wedges

Solid Wood Door Wedges with cork base are available in Beech, Oak, Maple, Merbau & Cherry.

Contemporary Door Stops

Unika's Contemporary Door Stop range is designed for use with all types of flooring. Floor and Wall door stops are available in a range of three finishes, Chrome, Stainless Steel and Brass.

All Door Stops are easy to install and fittings are provided.



Floor Protectors

Unika Floor protectors are hard wearing self adhesive pads 6mm thick, designed for all types of furniture, table legs, chairs etc. Floor Protectors will reduce noise and prevent damage on laminate and timber floors.

Floor protectors are available in four sizes: 17mm, 22mm, 28mm diameter also 120mm x 80mm pads which can be cut to any size.

fact
Helps minimise wear and tear on your floor



fact
All castors come packed in 4's with a hanging slot for display

Castor Cups - Wooden, Plastic and Rubber

Castor Cups are designed to be used under sofas, tables and all types of furniture. Manufactured in hardwearing plastic with a cork base or solid wood with a rubber base, they will offer protection to any laminate and wood flooring.

Non slip rubber cups are available in 38mm and 44mm diameter and are designed for use under washing machines and fridges.

All Castors come packed in 4's with a hanging slot for display.



Heating Pipe Roses

Unika plastic pipe roses are designed to cover unsightly expansion holes around pipes.

Heating pipe roses are 15mm diameter and come in a range of plain colours to suit Red Alder, Maple, Birch, Beech, Oak, Merbau, Cherry and White.

High profile product display stands



Flooring Product Display



Solid Wood Profile and Scotia Display



Solid Wood Profile Display



Aluminium Profile Display



HDF Profile Display



HDF Profile and Scotia Display

Unika offers a range of display stands which help promote the product at the point of sale.

fact
Unika display stands can be individually branded according to customer requirements depending on the initial order size.



UNIKA



UNIKA COLOR PRODUCTS LTD

Unika House, New York Way, New York Industrial Park,
Newcastle upon Tyne, U.K. NE27 0QF

Telephone: +44 (0) 191 259 0033 Fax: +44 (0) 191 257 4525
Email: sales@unika.co.uk www.unika.co.uk

UNIKA COLOUR PRODUCTS B.V.

Rumpsterweg 14,
NL-3981 AK Bunnik, Holland.

Telephone: (31) (0) 30-267 11 11 Fax: (31) (0) 30 267 11 12
Email: info@unika-co.nl www.unika.co.uk