



NINGBO **PROSOUND** ELECTRONICS

Consumer Tech Catalogue

Ningbo Factory and Office address:
1288 Zhongshan East Road, Fenghua District,
315500 Ningbo, China
Tel:(86)574-88929772
Fax:(86)574-88925704
email: alexis@prosound-audio.com

Shanghai office address:
82 Wuyuan Road, 200336 Shanghai, China
Tel: (86)2164400159
email:guillaume@prosound-audio.com

CONTENT

• Who we are	01-02
• Our Services	03-04
• Certificates	05-06
• Bluetooth speakers	07-20
• Cables introduction	21-22
• Lightning-USB	23-27
• USB-USB C	28-32
• USB-MICRO USB	33-35
• AUX Cable	36-43
• HDMI	44
• CAT7	45
• CAT5	46
• AV Cable	47-48
• Speaker Cable	49
• Cables Packaging	50-51



WHO WE ARE

Established in 1989 in Ningbo, China, Ningbo Prosound Electronics Co., Ltd is a privately held professional OEM/ODM manufacturer of consumer tech and car audio products. Products include speakers, cables and other accessories.

Our products are sold the world over with main markets being the United States and Europe. We supply the largest chain stores in the world through our existing customer base and have the know how to supply good prices, on time delivery and quality products for all our customer needs.

We offer a dedicated on site R&D team with extensive experience in manufacturing and product development, covering all aspects needed to research consumer tech products, from design, mechanical engineering, through electronics, software and audio engineering. The majority of our customers work on custom projects with us.

Quality and reliability are our strongest focus, we implement it within all our departments with a fully integrated ERP and CRM system providing reliability and consistency for faster analysis and developments.

Our factory offers 9200 square meters of production floor with about 300 employees and 30 dedicated production lines with an annual output of about US\$20 million in exports.

Finally our factory carry ISO9001 and ISO14001 certificates and has the ability to pass audits from retailers and customers alike.





OUR SERVICES

We offer full development of products from concept to production with our 5 cores development services: Design
- Mechanical - Electronics - Software - Audio.

All these services are in house and in our factory, not at a separate office in another location. This allows our engineering team to be fully knowledgeable and involved with the production constraints of the products we develop.

Standard development from the ground up include our regular speakers, cables, accessories and packaging but also custom projects in other fields that involve different materials and know how such as:

- Products involving plastic injection, metal, wood.
- Products involving electronics and software development
- Assembly of in house produced parts or outsourced parts
- different packaging types (plastic, carton, wood or other types)
- audio products

Over the years we have worked on customs projects such as: Metal mounts for flat screen TV, custom medical grade plastic containers, Metal body electronic cigarettes, electronic house security devices, amplifiers, Wood floor mats, branded plastic spoons and others.

CERTIFICATES



ENVIRONMENTAL MANAGEMENT
SYSTEM CERTIFICATE



QUALITY MANAGEMENT SYSTEM
CERTIFICATE



CERTIFICATES



With decades of audio development experience, our factory offers dedicated off shelves and customs wireless speakers to our customers around the world to satisfy their requirements in prices, quality and design. Here is a sampling of our in-house designs available on the market.

Hexa Pocket size Bluetooth Speaker

Our entry level speaker, the HEXA is our go anywhere speaker with a full range of functions including handsfree capabilities. It's unique trendy design and great price makes it the perfect speaker for large distribution customers

1 full range 40mm NdFeB Neodymium Driver

Impedance 4ohm / 1x3W Power rating

Frequency: 200Hz-20KHz

2.1 Bluetooth version with HSP/HFP/A2DP/AVRCP Profiles

10 meters Bluetooth wireless range

400mAH Polymer Lithium battery

3.7 Voltage / 1.30h charging time

5 hours Play time at 70% volume

Microphone with Handsfree calls function

Battery level indicator on Apple devices

1 meter auxiliary Cable

1 meter charging USB to Micro USB cable

Includes CE, FCC, UN and other certificates

154g net weight

68.5x64x61mm product dimensions

Double Blister (Suggested packaging)

80x67x160mm suggested packaging dimensions

375x360x190mm (Suggested packaging)

20 PCS per master carton

4.5kgs NW per Master Carton

5.1kgs GW per Master Carton



COLORS EXAMPLES



PACKAGING EXAMPLES



K1

The K1 is the have it all speaker. great sound, full suite of functions and an impressive list of accessories are just the tip of the iceberg for this shiny little beast. And did we mention it is waterproof too?

- 1 full range 45mm NdFeB Neodymium Driver
- Impedance 4ohm / 1x6W Power rating
- Frequency: 200Hz-20KHz
- 2.1 Bluetooth version with HSP/HFP/A2DP/ARVCP Profiles
- 10 meters Bluetooth wireless range
- 800mAH Polymer Lithium battery
- 3.7 Voltage / 2h charging time
- 8 hours Play time at 70% volume
- IPX6 Waterproof rating
- Microphone with Handsfree calls function
- Battery level indicator on Apple devices
- 1 meter auxiliary Cable / 1 meter charging USB to Micro USB cable
- 1 suction cup with thread / 1bike mount with thread
- 1 carrying bag / 1 carabineer
- Includes CE, FCC, UN and other certificates
- 125 gr net weight / 32.1x61.5x100.4mm product dimensions
- 110x45x122mm suggested packaging dimensions
- 255x245x280mm (Suggested packaging) / 20 PCS per master carton
- 4 kgs NW per Master Carton / 5 kgs GW per Master Carton



COLORS EXAMPLES






KOI Waterproof Bluetooth Speaker

For the adventurous, The Koi has it all for the outdoorsy, waterproof, mounting accessories for the bathroom and the bike, full sets of functions for control and handsfree calls and finally a great sound and shock proof design, what else do you need?

- 1 full range 45mm NdFeB Neodymium Driver
- Impedance 4ohm / 1x5W Power rating
- Frequency: 200Hz-20KHz
- 2.1 Bluetooth version with HSP/HFP/A2DP/ARVCP Profiles
- 10 meters Bluetooth wireless range / 800mAH Polymer Lithium battery
- 3.7 Voltage / 2h charging time / 8 hours Play time at 70% volume
- IPX6 Waterproof rating
- Microphone with Handsfree calls function
- Battery level indicator on Apple devices
- 1 meter auxiliary Cable / 1 meter charging USB to Micro USB cable
- 1 suction cup with thread / 1bike mount with thread
- 1 carrying bag / 1 carabineer
- Includes CE, FCC, UN and other certificates
- 136.5g net weight / 102X64X48.5mm product dimensions
- PET box+ blister card (Suggested packaging)
- 110x75x160mm suggested packaging dimensions
- 410x320x255mm (Suggested packaging) / 20 PCS per master carton
- 6.6kgs NW per Master Carton / 7.66kgs GW per Master Carton



COLORS EXAMPLES





MUZ



COLORS EXAMPLES

The MUZ is our classic dual driver speaker for all occasions. Perfect for home or on the move occasions, it comes with handsfree capabilities and a great sound. Along with it's silicon cover for shock absorption and it's cool design it's small enough to go everywhere while giving a great sound with it's added passive rear facing radiator.

2 full range 40mm NdFeB Neodymium Driver and one passive
Impedance 4ohm / 2x3W Power rating

Frequency: 200Hz-20KHz

3.0 Bluetooth version with HSP/HFP/A2DP/ARVCP Profiles

10 meters Bluetooth wireless range

800mAH Polymer Lithium battery / 3.7 Voltage

2h charging time / 8 hours Play time at 70% volume

Microphone with Handsfree calls function

Battery level indicator on Apple devices

1 meter auxiliary Cable

Includes CE, FCC, UN and other certificates

265g net weight

110*62*63mm product dimensions

PP and PMMA plastic case with carton sleeve insert (Suggested packaging)

152x72x100mm suggested packaging dimensions

430x330x230mm (Suggested packaging)

20 PCS per master carton

8.5kgs NW per Master Carton / 9.8kgs GW per Master Carton



PACKAGING EXAMPLE



TOASTER



COLORS EXAMPLES

For the Retro lover, the Toaster is a classic updated design that offers portability while giving a great sound. With 12W of power and 2.1 design, its warm and clear sound will fill a room or patio with envy with its sound and classic design.

- Comes with Handsfree functions for a sweet little extra!
- 2 full range 50mm NdFeB Neodymium Driver and one passive
- Impedance 4ohm / 2x6W Power rating
- Frequency: 150Hz-20KHz
- 4.0 Bluetooth version with HSP/HFP/A2DP/ARVCP Profiles
- 10 meters Bluetooth wireless range
- 1100mAh Polymer Lithium battery
- 7.4 Voltage / 2h charging time
- 8 hours Play time at 70% volume
- Microphone with Handsfree calls function
- Battery level indicator on Apple devices
- Includes CE, FCC, UN and other certificates / 500g net weight
- 159*75*85mm product dimensions
- PP and PMMA plastic case with carton
- Sleeve insert (Suggested packaging)
- 220x85x120mm suggested packaging dimensions
- 495x485x145mm (Suggested packaging)
- 10 PCS per master carton
- 8.2kgs NW per Master Carton / 9.6kgs GW per Master Carton



PACKAGING EXAMPLE



AS



For the serious connoisseur, the 12W AS is our flagship speaker with its fiber reinforced cabinet, silicon cover and aluminum front and back dust cover. Large and powerful drivers and passive radiator fine tuned for the demanding ears of the audiophile. Its minimalist design and single aluminum button control will please the design aficionado too!

- 2 full range 50mm NdFeB Neodymium Driver
- Impedance 4ohm / 2x6W Power rating
- Frequency: 100Hz-20KHz
- 4.0 Bluetooth version with HSP/HFP/A2DP/ARVCP Profiles
- 10 meters Bluetooth wireless range
- 1600mAh Polymer Lithium battery
- 7.4 Voltage / 2h charging time
- 10 hours Play time at 70% volume
- Battery level indicator on Apple devices



PACKAGING EXAMPLE

COLORS EXAMPLES



- 1 meter auxiliary Cable / 1 meter charging USB to Micro USB cable
- Includes CE, FCC, UN and other certificates
- 506g net weight / 202X89X40mm product dimensions
- full color printing box (Suggested packaging)
- 390x140x60mm suggested packaging dimensions
- 500x425x280mm (Suggested packaging)
- 9 PCS per master carton
- 8.5 kgs NW per Master Carton / 10.5 kgs GW per Master Carton




With Decades of experience producing cables our factory offers off shelves and customs cables for home and mobile applications. Here is a sampling of our in-house designs available on the market.

Lightning-USB

L2USB-02

- Lightning to USB 2.0 cable. PVC Connectors
- MFI certified
- Environmentally friendly TPE
- Highly flexible insulation for better cable management
- Tin Plated 99.99% OFC copper strands channels
- Laser-welded connector
- 480 Mbps data transfer
- Up to 3A of power output
- Any length available

A:USB A
B:LIGHTNING



Lightning-USB

L2USB-04

- Lightning to USB 2.0 cable. PVC and ABS Connectors
- MFI certified
- Environmentally friendly TPE
- Highly flexible insulation for better cable management
- Tin Plated 99.99% OFC copper strands channels
- Laser-welded connector
- 480 Mbps data transfer
- Up to 3A of power output
- Any length available

A:USB A
B:LIGHTNING





Lightning-USB

L2USB-05

Lightning to USB 2.0 cable. PVC Connectors, w/ Nylon braiding
 MFI certified
 environmentally friendly TPE
 Double-braided nylon jacket for long lasting construction
 highly flexible insulation for better cable management
 Tin Plated 99.99% OFC copper strands channels
 Laser-welded connector
 480 Mbps data transfer
 up to 3A of power output
 any length available

COLORS EXAMPLES



A:USB A
B:LIGHTNING




Lightning-USB

L2USB-06


Lightning to USB 2.0 cable. PVC and ABS Connectors, w/ Nylon braiding
 MFI certified
 Environmentally friendly TPE
 Double-braided nylon jacket for long lasting construction
 Highly flexible insulation for better cable management
 Tin Plated 99.99% OFC copper strands channels
 Laser-welded connector
 480 Mbps data transfer
 Up to 3A of power output
 Any length available

A:USB A
B:LIGHTNING



COLORS EXAMPLES





Lightning-USB


L2USB-07

Lightning to USB 2.0 cable. PVC Connectors. Flat jacket
 MFI certified
 Environmentally friendly TPE
 Highly flexible insulation for better cable management
 Tin Plated 99.99% OFC copper strands channels
 Laser-welded connector
 480 Mbps data transfer
 Up to 3A of power output
 Any length available

COLORS EXAMPLES



A:USB A
 B:LIGHTNING



USB-USB C

USB2USBC-01

USB C to USB 2.0 cable. PVC Connectors
 USB C reversible connector
 Highly flexible insulation for better cable management
 99.99% OFC copper strands channels
 480 Mbps data transfer
 Up to 3A of power output

A:USB A
 B:USB C



COLORS EXAMPLES



USB-USB C

USB2USBC-02

USB C to USB 2.0 cable. PVC and ABS Connectors
 USB C reversible connector
 Highly flexible insulation for better cable management
 99.99% OFC copper strands channels
 480 Mbps data transfer
 Up to 3A of power output
 Any length available



A:USB A
 B:USB C



COLORS EXAMPLES



USB-USB C

USB2USBC-03


USB C to USB 2.0 cable. PVC Connectors, w/ Nylon braiding
 USB C reversible connector
 Double-braided nylon jacket for long lasting construction
 Highly flexible insulation for better cable management
 99.99% OFC copper strands channels
 480 Mbps data transfer
 Up to 3A of power output
 Any length available



COLORS EXAMPLES




A:USB A
 B:USB C



USB-USB C

USB2USBC-04

USB C to USB 2.0 cable. PVC and ABS Connectors, w/ Nylon braiding
 USB C reversible connector
 Double-braided nylon jacket for long lasting construction
 Highly flexible insulation for better cable management
 99.99% OFC copper strands channels
 480 Mbps data transfer
 Up to 3A of power output




COLORS EXAMPLES



USB-USB C

USB2USBC-05


USB C to USB 2.0 cable. PVC Connectors, Flat jacket cable
 USB C reversible connector
 Highly flexible insulation for better cable management
 99.99% OFC copper strands channels
 480 Mbps data transfer
 Up to 3A of power output
 Any length available



COLORS EXAMPLES




A:USB A
B:USB C



USB-MICRO USB

USB2MICRO-01

USB 2.0 to Micro USB Flat jacket
 480 Mbps data transfer
 Tangle free design
 Highly flexible insulation for better cable management
 99.99% OFC copper strands channels
 Up to 3A of power output
 Any length available



USB-MICRO USB

USB2MICRO-02

USB 2.0 to Micro USB Round jacke
 480 Mbps data transfer
 Highly flexible insulation for better cable management
 99.99% OFC copper strands channels
 Up to 3A of power output
 Any length available

A: USB A
B: MICRO USB




COLORS EXAMPLES



A: USB A
B: MICRO USB

COLORS EXAMPLES





USB-MICRO USB

USB2MICRO-03

USB 2.0 to Micro USB Round jacket w/ Nylon braiding
480 Mbps data transfer
Double-braided nylon jacket for long lasting construction
Highly flexible insulation for better cable management
99.99% OFC copper strands channels
Up to 3A of power output
Any length available

COLORS EXAMPLES



A: USB A
B: MICRO USB



AUX CABLE

AUX-01

AUX 3.5mm male to male Flat jacket cable
Tangle free design
Highly flexible insulation for better cable management
99.99% OFC copper strands channels
Any length available

COLORS EXAMPLES



AUX CABLE

AUX-02

AUX 3.5mm male to 90 degree male Flat jacket cable
Tangle free design
Highly flexible insulation for better cable management
99.99% OFC copper strands channels
90 degree connector for easier connection
Any length available



COLORS EXAMPLES



AUX CABLE

AUX-03

AUX 3.5mm male to male Round jacket w/Nylon braiding cable
Highly flexible insulation for better cable management
Double-braided nylon jacket for long lasting construction
99.99% OFC copper strands channels
Any length available



COLORS EXAMPLES



AUX CABLE

AUX-04

AUX 3.5mm male to 90 degree male Round jacket w/
Nylon braiding cable
Highly flexible insulation for better cable management
Double-braided nylon jacket for long lasting construction
99.99% OFC copper strands channels
90 degree connector for easier connection
Any length available



COLORS EXAMPLES



AUX CABLE

AUX-05

AUX 3.5mm male to male Round jacket cable
Highly flexible insulation for better cable management
99.99% OFC copper strands channels
Any length available

COLORS EXAMPLES



AUX CABLE

AUX-06

AUX 3.5mm male to 90 degree male Round jacket cable
Highly flexible insulation for better cable management
99.99% OFC copper strands channels
Any length available



COLORS EXAMPLES



AUX CABLE

AUX-07

AUX 3.5mm male to male Round jacket w/ Nylon braiding
cable
METAL CONNECTOR



MICAUX-01

Microphone AUX 3.5mm male to male flat cable
METAL CONNECTOR
Volume and pick up controls
Highly flexible insulation for better cable management
99.99% OFC copper strands channels
Tangle free design
Any length available

AUX CABLE

AUX-08

SPLIT AUX 1 Male to 2 Female



AUX-09

Retractable AUX cable



HDMI

HDMI-01

HDMI 1.4 cable. Standard Round jacket
Highly flexible insulation for better cable management
Built in Strain relief
Ultra HD Type
Supports 4K @ 60hz
Higher bandwidth - up to a full 18Gbps
99.99% OFC copper strands channels
Any length available



HDMI-02

HDMI 1.4 cable. Flat jacket
Highly flexible insulation for better cable management
Built in Strain relief
Ultra HD Type
Supports 4K @ 60hz
Higher bandwidth - up to a full 18Gbps
99.99% OFC copper strands channels
Any length available



CAT7

CAT7-01

CAT 7 cable
Highly flexible insulation for better cable management
99.99% OFC copper strands channels
Any length available

COLORS EXAMPLES



CAT5

CAT5-01

CAT 5 cable
Highly flexible insulation for better cable management
99.99% OFC copper strands channels
Any length available

COLORS EXAMPLES



AV CABLE

RCAA-01

RCA Audio cable, PVC connectors
Highly flexible insulation for better cable management
99.99% OFC copper strands channels
Any length available



RCAA-02

RCA Audio cable, single shielded, brass metal connectors
Highly flexible insulation for better cable management
99.99% OFC copper strands channels
Any length available



RCAV-02

RCA video cable, single shielded, brass metal connectors
Highly flexible insulation for better cable management
99.99% OFC copper strands channels
Any length available



AV CABLE

RCAV-01

RCA video cable, PVC connectors
Highly flexible insulation for better cable management
99.99% OFC copper strands channels
Any length available

SPEAKER CABLE

SPK-01

Speaker cable, flat profile.

99.999% Oxygen Free Copper (OFC) or Copper Clad Aluminum (CCA) strands

Highly flexible insulation for better cable management

Clear Channel marking

Any Length, Gauge and specifications available



SPK-02

Speaker cable, Round profile

99.999% Oxygen Free Copper (OFC) or Copper Clad Aluminum (CCA) strands

Highly flexible insulation for better cable management

Clear Channel marking

Any Length, Gauge and specifications available





NINGBO **PROSOUND**
ELECTRONICS