



Our enterprise has passed the ISO9001:2015 quality control system authentication which was awarded by German Rhine TUV.

www.liri-tents.com
www.liri-structure.com

2017

Add: No.7 Dongfu Street, Xinqing Science & Technology Industrial Park, Doumen, Zhuhai, Guangdong, China
Zip:519100
Tel:+86-756-6250688
Email:liri@liri-tents.com



Leading Brand of Tent in China
National High-tech Enterprises



LIRI TENT 2017 CATALOG

**Aluminum and PVC Structure Tent
Manufacture, Sales, and Rental**

LIRI TENT TECHNOLOGY CO., LTD




Company Introduction

Established in 1997, Liri Tent Technology Co.,Ltd. (Zhuhai) is the first and largest tent company in China. Liri Tent has been devoting itself to the design, manufacture, sales and rental of high-quality aluminum-PVC clear span structure tent systems. With the large scale production and advanced CNC machining, Liri Tent is able to provide tents from 3m to 80m width in various designs and shapes, including A shape tents, high peak tents, dome tents, curved tents, polygonal tents, double decker tents, and multi-sides tents, etc.

Based on its superior production techniques, Liri Tent has awarded the sole "High-tech Enterprise" in the tent industry in China. With over 20 years of endeavor and persistence, Liri Tent has gained a total asset of 200 million RMB with 121,600 square meters factory area, and nearly 500 employees. Liri Tent consistently performs as one of the top tents suppliers, whose products have been exported to about 120 countries.

Thank you for choosing LIRI !



Partner:



No part of this publication may be copied, duplicated or communicated in any means, electronic or mechanical, including photocopying, facsimile or by any such like systems without permission from the publisher. All rights reserved. (LIRI TENT)



Leading Brand of Tent in China


design portable elegant
 strength portable breathtaking
 versatility affordable quality
 multi-functional accessorize
 durable expandable beauty
 abaptable satisfaction

Directory

Company Introduction
 Directory
 Certificates
 Material Processing
 Product Category

P 01-02
 P 03-04
 P 05-06
 P 07-12
 P 13-14

- Gazebo Tent P 15-16
- Pagoda Tent P 17-18
- Mini Pagoda Tent P 19-20
- Pinnacle Tent P 21-22
- Modular Square P 23-24
- Mini Party Tent P 25-26
- Dome Mini Party Tent P 27-28
- New Party Tent P 29-30
- New Holiday Tent P 31-32
- Event Tent P 33-34
- Speedy Tent P 35-36
- Warehouse Tent P 37-40
- Polygon Steel Structure P 41-42
- Half Dome Tent P 43-44
- Big Tent P 45-48
- Arcum Tent P 49-52
- Curve Tent P 53-56
- Double Decker P 57-60
- High Peak Tent P 61-64
- Multi-sides Tent P 65-70
- Church Tent P 71-72
- Polygon Tent P 73-74
- Cube Structure Tent P 75-76
- Sport Event Tent P 77-78
- Hangar Tent P 79-80
- Military Hangar Tent P 81-82
- Carport Tent P 83-84
- Military Tent P 85-86
- Half Sphere Tent P 87-88



Reference Cases
 Accessories
 LIRI History

P 89-114
 P 115-120
 P 121-122

Certificates

As the pioneer in tent industry, Liri Tent has gained certificates from international testing organizations, and owns dozens of national invention patents.
As the company with a good reputation, Liri Tent has fulfill its social responsibility by making donation to the disaster areas during earthquake.



➤ **Why**
Choose
LIRI?



First



Established in 1997. Liri Tent was the first tent manufacturer in China .

Largest



Liri Tent is the largest tent manufacturer in China. The factory covers 121,600sqm.

Most



The most reliable tent supplier in China, whose products have been exported to over 120 countries.

No.1



Keep being the No. 1 tent exporter in China !

Professional



We are more concerned about the quality and after-sales service than you.

Creative



With the core technologies in tent industry, Liri Tent obtained dozens of national invention patents.



All CNC Aluminum Processing Line

Computerized Numerical Control Machining Center



CNC Fabric Cutting Machine



Automatical Washing Machine for PVC Fabrics



Liri is the Pioneer of CNC application in Automatial drilling and cutting of aluminum alloy.
Improve Manufacturing Accuracy and Quality.

Liri was the first to introduce CNC fabric cutting machine to improve efficiency and accracy in China tent industry. This machine is capable of carving rarious graphics on fabric, such as customized logos, shapes, lines.


The Unique Factory in China who has Imported Automatical Washing Machine from Germany. Realization of Automatical Washing for PVC Fabrics, Dramatic Improvement of Productivity.

High Quality Tent comes from Details


PVC Fabric

- Weight: 850g/m²
- Thickness: 0.65mm
- Block-out
- Double sides thickened acrylic surface / PVC surface.
- Self-cleaning, mould-proof
- Anti-UV
- Flame retardant to DIN4102.B1.M2, and CFM / NFPA701

Waterproof PVC-coated Polyester Textile



Serge Ferrari Liri Tent collaborate with Serge Ferrari to build the top tent products



Aluminum Alloy

- Premium aluminum alloy code 6061 / T6, 6082 / T6
- Hardness 15HW
- Anodized layer thickness $\geq 10\mu\text{m}$ - $15\mu\text{m}$
- Aluminum alloy plug-in connectors innovation, more precise, less weight, same support, longer lifespan.



Certificates

Liri is the tent research & development center in China. We have independently develop many tentage products in addition, gain national invention patents accordingly in both appearance and functional. The U.S. and Australia structural Engineering certificates were acquired.

The leading Brand of Clear Span Tent in China

FAQ

• Can you print our logos on the tent?

Yes, customized logos can be printed on the tent fabric according to your requirements.

• Is that factory price?

Yes, we assure you all prices are based on factory. Adding 10%~30% middlemen profit.



• Does your tents be able to installed repeatedly? What is the life span?

Our tents can be assembled and dismantled easily and repeatedly with small transportation size. The lifespan of aluminium framework can reach 15-20 years, and 5-8 years for PVC fabrics depending on different conditions of usage.

• What documents are available?

A full range documents, including structural drawings, packing list, installation manual and relative certificates can be provided. Further more, customs declaration is provided. This is an one-stop service for you.

• LIRI Order Process

1. Contact with LIRI sale team
2. Provide size and usage information to Liri Sale team
3. Liri sale team will Offer design and quote
4. Confirm design and quote
5. Confirm all details and sign a contract
6. Deposit Payment
7. Confirm 3D drawing
8. Start production (Lead time 25 days)
9. Track production and feedback
10. Finish Production
11. Inspect tent quality
12. Balance payment
13. Arrange shipment \nearrow Yes (LRI Arrange) \searrow No (Arangge by buyer)
14. Guide installation \nearrow Yes (arrange skilled supervisor) \searrow No (Set up by buyer)
15. Offer After-sale service and follow up for 5 years

Product Category

		
Gazebo Tent 3m-6m width > P 15	Pagoda Tent 3m-10m width > P 17	
		
Pinnacle Tent 3m-6m width > P 21	Modular Pyramid 5m-10m width > P 23	Mini Party Tent 3m-8m width > P 25
		
Dome Mini Party Tent 3m-8m width > P 27	New Party Tent 3m-12m width > P 29	New Holiday Tent 6m-15m width > P 31
		
Event Tent 8m-18m width > P 33	Speedy Tent 15m-25m width > P 35	Warehouse Tent 5m-30m width > P 37
		
Polygon Steel Structure 15m-30m width > P 41	Half Dome Tent 4m width > P 43	Big Tent 10m-60m width > P 45

Clear-span Structure Systems

With its various and flexible features, Liri clear span structure tents are able to create special and fashionable atmosphere for all kinds of business exhibitions, product launches and promotions, and advertising campaigns. You will enjoy your activities along with our

excellent and guaranteed service which is always professional, efficient, accurate, reliable, exclusive and thoughtful.

					
Arcum Tent 6m-40m width > P 49	Curve Tent 15m-40m width > P 53	Double Decker 10m-40m width > P 57	High Peak Tent 6m-40m width > P 61	Multi-sides Tent 6m-30m width > P 65	
					
Church Tent 10m-25m width > P 71	Polygon Tent 10m-60m width > P 73	Cube Structure Tent 10m-30m width > P 75	Sport Event Tent 10m width > P 77	Hangar Tent 20m width > P 79	Military Hangar Tent 20 width > P 81
					
Carport Tent 5.5m width > P 83	Military Tent 3m-60m width > P 85	Half Sphere Tent 3m-50m width > P 87			


Gazebo Tent Series

Patent number: ZL201520411066.X

The standard Gazebo Tent with the side height of 2.5m is available in 3x3m, 4x4m, 5x5m and 6x6m. All the framework and junctions are made of aluminum alloy. It is easy to assemble the roof cover because it uses eyelets and sliding plastic resin balls to fix it. Gazebo Tents can be used as a single unit or combined by a rain gutter to make a larger space and a special structure style.



Optional Accessories for Gazebo Tents



System Features

- Easy to assemble and dismantle
- Windload capability: 80km/h
- Aluminum tube frame: strong and durable
- Galvanized steel connection pieces
- No machinery required for installation
- Single unit but also can be combined by a rain gutter to form a special structure style



Type: GAZ	Span Width	Eave Height	Ridge Height	Main Profile
	3m / 4m / 5m / 6m	2.5m	3.88m / 4.28m / 4.7m / 5.1m	85×72×2.5mm (For 3m/4m) 102×72×2.5mm (For 5m/6m)
Type: N-GAZ	Span Width	Eave Height	Ridge Height	Main Profile
	3m / 4m / 5m / 6m	2.5m	3.88m / 4.28m / 4.7m / 5.1m	65×65×2.5mm


Pagoda Tent Series

The standard Pagoda Tent series are available in 3x3m, 4x4m, 5x5m and 6x6m. The side height is 2.5m, This type of Pagoda Tent adopts a 3 channel 65x65x2.5mm aluminum alloy main profile. The standard 8x8m and 10x10m Pagoda with a 2.6 side height adopts a 4 channel 122x68x3mm aluminum alloy main profile. Wind load capability is 80km/h (0.3kn/m²). Pagoda Tents can be used as a single unit or combined to enlarge space and become a special structure style with a rain gutter.



System Features

- Elegant high peak roof line
- Easy to assemble and dismantle
- No machinery required
- Patented roof cover fixing solution of aluminum tube Exclusive by Liri Tent
- The new roof cover fixing reduces the assemble time and physical effort preventing keder slipping mostly
- Single unit but can be combined by a rain gutter to make a larger space and a special structure style




Optional Accessories for Pagoda Tents



Type: PAG	Span Width	Eave Height	Ridge Height	Main Profile
	3m / 4m / 5m / 6m / 8m / 10m	2.5m(For 3-6m) 2.6m (For 8m,10m)	4.3m / 4.8m / 5.43m / 5.92m / 5.36m / 6.38m	65×65×2.5mm (For 3-6m) 122×68×3mm (For 8m,10m)
Type: N-PAG	Span Width	Eave Height	Ridge Height	Main Profile
	3m / 4m / 5m / 6m	2.5m(For 3-6m)	4.3m / 4.8m / 5.43m / 5.92m	65×65×2.5mm (For 3-6m) 68×68×2.5mm

The new Pagoda tent fixing mode has obtained patent certificate.
Patent number: ZL201220590888.5



Mini Pagoda Tent Series


Patent Number: ZL201220590888.5

The Mini Pagoda Tent is different from the traditional European tent because of its simple interior structure. Size available are 2x2m, 2.5x2.5m and 3x3m, the eave height is 2.3m. The tent frameworks (upright supports and roof beams) are manufactured with 55x55x2mm three-channel high strength extruded and anodized Aluminum (6061/T6), and the PVC covers use double PVC-coated polyester textile which is flame retardant in accordance to industry standards.




System Features

- Elegant high peak roof line
- Easy to assemble and dismantle
- Patented roof cover fixing solution of aluminum tube Exclusive by Liri Tent
- No machinery required
- Single unit but can be combined by a rain gutter to make a larger space and a special structure style



Optional Accessories for Mini Pagoda Tents




Type: M-PAG	Span Width	Eave Height	Ridge Height	Main Profile
	2m / 2.5m / 3m	2.3m	3.65m / 3.93m / 4.12m	55x55x2mm

Pinnacle Tent Series

The Pinnacle Tent series are available in 3x3m, 4x4m, 5x5m and 6x6m with a standard side height of 2.5m. The frame work of the Pinnacle Tent adopts the 3 channel 65x65x2.5mm aluminum alloy and it can resist the wind speed of 80km/h (0.3kn/m2). The fabric is opaque 850g/sqm PVC and the roof cover is fixed on four upright supports.



Optional Accessories for Pinnacle Tents



System Features

- Easier and faster assembling and dismantling than the Pagoda Tent
- Less volume because of its simple interior design
- No machinery required for installation
- Galvanized steel connection pieces
- Full line accessories



Type: PIN	Span Width	Eave Height	Ridge Height	Main Profile
	3m / 4m / 5m / 6m	2.5m	3.98m / 4.58m / 5m / 5.43m	65×65×2.5mm


Module Square Tent Series

The purlins also work as rain gutters, water from the top will be released from the upright supports, avoiding rains pouring down from the roofs directly, it's a humanized design. Multi-form of connecting, shoulder by shoulder connecting, four tents square connecting, random connecting(customized connecting). Shared upright supports and purlins, seamless connection, extendable unlimitedly. This extendable design makes the Modular Tent be a perfect solution for temporary exhibition hall, mobile office, VIP lounge, multi-functional suites, etc.




System Features


- Purlins work as rain gutters as well, which means tent roof will drain through the upright supports instead of the eave
- Sharing upright supports and purlins, seamless connecting, unlimitedly extendable.
- Easy to assemble and dismantle
- No machinery required for installation



Optional Accessories for Modular Pyramid



Connection of the Modular Pyramid




Type:MP	Span Width	Eave Height	Ridge Height	Main Profile
	5m / 6m / 8m / 10m	3m	5.6m / 5.8m / 6.5m / 7.5m	150×150×2.5m
Type:MD	Span Width	Eave Height	Ridge Height	Main Profile
	5m / 6m	3m	3.9m / 4.2m	150×150×2.5m
Type:MC	Span Width	Eave Height	Ridge Height	Main Profile
	5m / 6m	3m	3.3m / 3.4m	150×150×2.5m

Mini Party Tent Series

The Mini Party Tent series adopts aluminum profile 71x36x2.5mm. Clear span sizes are available in 3m, 4m, 5m, 6m and 8m. The side height is 2.6m and each modular bay section is 3m. It is an improved design compared with the old Party Tent series, which adopts bar tensioning system instead of elastic rope to fix the roof cover eave. The bar tensioning system improves the tightness of the structure, meanwhile, it provides better appearance of the tent. The frame of this series is lighter, which makes it be easier to assemble, dismantle and transport.



Optional Accessories for Mini Party Tents



System Features

- Bar tensioning system
- Easy to assemble and dismantle without machinery
- Exquisite size, strong and flexible
- Full line accessories available
- Aluminum clear span structure




Type: MPT	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	3m / 4m / 5m / 6m / 8m	2.6m	3.2m / 3.4m / 3.6m / 3.8m / 4.2m /	3m	71x36x2.5mm (2-channel)

Dome Mini Party Tent Series

The span widths of Dome Mini Party Tent series are available in 3m, 4m, 5m, 6m and 8m. The standard eave height is 2.6m. The length has no limit, which can be increased or decreased by 3m bay distance. The main profile (upright support and roof beam) is 71x36x2.5mm. The design is advanced, safe and reliable, which can resist 80km/h wind speed (0.3kn/m²). It is an ideal solution of walkway passage.




Optional Accessories for Dome Mini Party Tents



System Features

- Fine shape with a dome roof line
- Flexible connection with any position on another tent
- Excellent walkway solution
- Easy to set up and dismantle without machinery
- Aluminium clear span structure
- No exterior guy lines required




Type:DMPT	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	3m / 4m / 5m / 6m / 8m	2.6m	3.0m / 3.2m / 3.4m / 3.6m / 4.0m	3m	71x36x2.5mm (4-channel)

New Party Tent Series

The New Party Tent Series is much stronger than the old design Party Tent Series. The sizes are available in 3m, 4m, 5m, 6m, 8m, 9m, 10m and 12m with the side height 2.6m. The bay distance is 3m and the upright supports and roof beams are all made of 100x48x3mm four channels reinforced aluminum alloy.



Optional Accessories for New Party Tents



System Features

- Four-channel aluminum frame
- Galvanized steel connection pieces
- Bar tensioning roof system
- Interchangeable parts between different sizes
- No fork lift or crane required for installation
- No exterior guy lines required
- Full line accessories




Type:NPT	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	3m / 4m / 5m / 6m / 8m / 9m / 10m / 12m	2.6m	3.16m / 3.35m / 3.52m / 3.71m / 4.05m / 4.24m / 4.4m / 4.76m	3m	100x48x3mm (4-channel)

New Holiday Tent Series

Holiday Tent Series are available in clear-span widths of 6m, 9m, 10m, 12m and 15m with a standard side height of 2.6m. Holiday Tent Series are modular structures and each bay distance is 3m. The main frameworks (upright support and roof beam) are made of 4 channels 120x68x3mm hard pressed extruded aluminum.




Optional Accessories for New Holiday Tents



System Features

- Four-channel aluminum Frame
- Galvanized steel connection pieces
- Kedered fabric system
- Bar tensioning system
- Interchangeable parts between different sizes
- No exterior guy lines required
- Full line accessories




Type:NHT	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	3m / 6m / 9m / 10m / 12m / 15m	3m	3.54m / 4.05m / 4.6m / 4.75m / 5.1m / 5.67m	3m	122x68x3.0mm (4 - channel)

Event Tent Series

The main frameworks (upright support and roof beam) of Event Tent series are 4-channel profile size of 152x119x3.5mm hard pressed extruded aluminum. Span widths are available in 8m, 10m, 12m, 15m, 16m and 18m with an eave height of 3.3m, each bay distance is 5m.



Optional Accessories for Event Tents



System Features

- Four-channel aluminum frame
- Galvanized steel connection pieces
- Kedered fabric system
- Bar tensioning roof system
- Interchangeable parts between different sizes
- No exterior guy lines required
- Full line accessories




Type:ET	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	8m / 10m / 12m / 15m / 16m / 18m	3.3m	4.53m / 4.85m / 5.16m / 5.62m / 5.72m / 6.01m	5m	152×119×3.5mm (4-channel)

Speedy Tent Series

The Speedy Tent Series are available in clear-span widths of 15m to 25m with a standard side height of 3.3m and 4m. The bay distance of the Speedy Tent is 5m. The main frameworks of tent are in 4 channels 180x80x3mm hard pressed aluminum alloy.



Optional Accessories for Speedy Tents



System Features

- Four-channel aluminum frame
- Galvanized steel connection pieces
- Kedered fabric system
- Bar tensioning system
- Easy assemble and dismantle, no need big crane for installation
- Less total volume, easy transport and storage
- High quality aluminum insert connector



Type:LS	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	15m / 20m / 25m	3.3m	5.78m / 6.48m / 7.18m	5m	180x80x3mm (4-channel)
		4m	6.38m / 7.08m / 7.78m		


Warehouse Tent Series

Liri Warehouse Tent Series are designed in accordance with the International Building Code. It can meet the requirement of semi-permanent uses by strengthening the framework of the whole structure to achieve wind Loading of 120km/hr, and snow Load for the enhanced model. Span widths are available from 5m to 30m.



System Features


- Four-channel aluminum Frame
- Galvanized steel connection pieces
- Steel sandwich panel walling choice
- Inflatable roof system available
- Manual / Auto rolling doors
- Heightened and widened entrance available.
- Enhanced model with wind Loading of 120km/h



Warehouse Tent Series



Optional Accessories for Warehouse Tents



Type:WSBT	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	5m / 7.5m / 10m / 12m	4.2m	5.05m / 5.46m / 5.84m / 6.16m	5m	204×120×4mm (4 - channel)
Type:WSEBT	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	10m / 15m / 20m	5.2m	6.8m / 7.6m / 8.4m	5m	256 ×121×5mm (4-channel)


Type:WSTH	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	20m / 25m	5.2m	8.4m / 9.2m	5m	300×120×5mm (4 - channel)
Type:WSLH	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	30m	5.2m	10m	5m	350×120×5mm (4 - channel)

Polygon Steel Structure Series

This Polygon Steel Structure Series adopts Q235 high-strength steel for its frame. The sizes are available 15m, 20m, 25m and 30m. The bay distance is 4m. A perfect interior space can be provided. Wind resistance is over 120km/h(0.5kn/m). The structure system is strong, anti-corrosion and rustless.




Optional Accessories for Polygon Steel Structure



System Features

- Q235 high-strength steel for frame
- Heavy snow loading and wind resistance
- Anti-corrosion and rustless
- Standardized, modularized structure, fast installation
- German standard DIN4102 B1,M2 and US CFM701
- Full line accessories
- Easy storage and transportation
- Environmentally friendly building materials



Type: PSST	Span Width	Eave Height	Ridge Height	Bay Distance
	15m / 20m	4m	7.64m / 8.82m	4m
	25m / 30m	5m	9.8m / 10.83m	

Half Dome Tent Series

Patent number: ZL201520433470.7

Half Dome Tents are available in HDT4x3m and HDT4x5m models. The HDT structure has an eave height of 2.6m and ridge height of 3.84m. The aluminum main profile size is 100x48x3mm. With its eye-catching shape and extension front eave, the Half Dome Tent is perfect for promotions and retail shops.



Optional Accessories for Half Dome Tents



System Features

- Sizes available 4x3m, 4x5m
- Extendable by every 3m or 5m bay
- Large size front banner
- Perfect choice for promotions and retail shops
- Easy to set up and dismantle, portable
- Durable, wind resistant and flame retardant with certificates



Type:HDT	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	3m / 4m / 5m	2.6m	3.48m / 3.84m / 4.2m	3m	100x48x3mm (4 - channel)


Big Tent Series

The Big Tent series can be divided into 6 types, including BT (span width from 10m to 25m, main profile size 204×120×4mm), BTA (span width from 10m to 25m, main profile size 204×110×4mm), EBT (span width 20m to 30m, main profile size 256×121×5mm), TH (span width of 30m, 40m, main profile size 300×120×5mm), LH (span width from 30m to 60m, main profile size 350×120×5mm), HH (span width from 40m to 60m, main profile size 400×120×6/7 mm).



System Features

- Four-channel aluminum frame
- Galvanized steel connection pieces
- Kedered fabric system
- Bar tensioning roof system
- Interchangeable parts between sizes
- Wind loading 100km/h
- Full line accessories





Big Tent Series

The standard eave height of Big Tent series is 4m. The modular design enables the tent to increase or decrease its length by 5m bay basis. Full line accessories are compatible with this series. Customized design is available.



Optional Accessories for Big Tents




BT	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	10m / 12m / 15m / 20m / 21m / 25m	3.88m	5.53m / 5.83m / 6.3m / 7.1m / 7.25m / 7.88m	5m	204×120×4mm (4 - channel)

BTA	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	10m / 12m / 15m / 20m / 21m / 25m	3.88m	5.53m / 5.83m / 6.3m / 7.1m / 7.25m / 7.88m	5m	204×110×4mm (4 - channel)

EBT	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	20m / 25m / 30m	3.88m	7.2m / 8.0m / 8.9m	5m	256×121×5mm (4 - channel)

TH	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	30m / 40m	3.88m	8.9m / 10.5m	5m	300×120×5mm (4 - channel)

LH	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	30m / 40m / 50m / 60m	3.88m	8.9m / 10.5m / 12m / 13.6m	5m	350×120×5mm (4 - channel)

HH	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	40m / 50m / 55m / 60m	5m	11.5m / 13m / 14.0m / 14.6m	5m	400×120×6/7mm (4 - channel)

Arcum Tent Series

Patent number: ZL201120399888.2

The design of this artistic roof line has brought both of the exterior and interior appearance of tent to the upper level. Span widths are available from 6m to 25m in this series, with a standard eave height of 4m.



System Features


- Exquisite roof line design
- Flexible to convert to dome tent or regular A frame tent.
- Compatible with Full range of accessories
- Eave extension provides extra exterior space
- Modular system, able to flexibl extend and move
- Various sizes are available



Arcum Tent Series



Optional Accessories for Arcum Tents



Type:DNPT	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	6m / 8m / 9m / 10m / 12m	2.6m	3.48m / 3.82m / 4.0m / 4.18m / 4.52m	3m	100×48×3mm (4 - channel)

Type:DNHT	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	6m / 9m / 10m / 12m / 15m	3m	3.88m / 4.4m / 4.6m / 4.95m / 5.4m	3m	122×68×3mm (4 - channel)

Type:DET	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	10m / 12m / 15m	3.23m	4.5m / 4.82m / 5.33m	5m	152×119×3.5mm (4 - channel)

Type:ABT	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	15m / 20m / 25m	3.88m	5.73m / 6.53m / 7.33m	5m	204×120×4mm (4 - channel)

Type:DBT	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	10m / 15m / 20m / 25m	3.88m	4.94m / 5.73m / 6.53m / 7.33m	5m	204×120×4mm (4 - channel)

Type:AEBT	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	15m / 20m / 25m / 30m	3.92m	5.55m / 6.33m / 7.15m / 7.87m	5m	256×121×5mm (4 - channel)

Type:ATH	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	15m / 20m / 25m / 30m / 40m	3.92m	5.4m / 6.3m / 7.15m / 7.87m / 9.6m	5m	300×120×5mm (4 - channel)


Curve Tent Series

There are 3 types for Curve Tent Series. It includes CBT (span from 15m to 25m, main profile size 204x120x4mm), CEBT (span from 15m to 30m, main profile size 256x121x5mm), and CTH (span from 20m to 40m, main profile size 300x125x5/8mm). With its curved roof design, Curve Tent Series has the capability of snowload. It's a good solution for semi-permanent function.



System Features

- Distinctive shape with high roof space
- Clear span design 100% interior space available
- Can be constructed for temporary or permanent
- Excell Performance in snow load
Excellent
- Modular system able to flexibly extend and move




Curve Tent Series


The standard eave height of Curve Tent series is 4m. The modular design enables it to increase or decrease the length by 5m bay basis. Full line accessories are compatible with this series of both industrial use or event and exhibition.



Optional Accessories for Curve tents



Type:CBT	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	12m / 15m / 20m / 25m	3.87m	6.93m / 8m / 8.8m / 9.9m	5m	204×120×4mm (4 - channel)

Type:CEBT	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	15m / 20m / 25m / 30m	3.89m	7.8m / 8.9m / 10m / 11.2m	5m	256×121×5mm (4 - channel)

Type:CTH	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	20m / 25m / 30m / 40m	3.89m	8.9m / 10m / 11.2m / 13.5m	5m	300×120×5mm (4 - channel)

Double Decker Series

Patent number: ZL201520503051.6, ZL201520433483.4

Double Decker is a two storey clear span structure. It is a revolutionary breakthrough of the regular tent, which allows a 200% usage of the ground. Meanwhile, it enables the partition of the interior Space easily for multi-function. From the upper level of the structure, a wider view is provided.




System Features

- Extraordinary two floors design, Get 200% usage of the ground
- Provide a splendid view from the upper level
- Exterior / interior stairs and corridors
- Various sizes available
- Bar tensioning roof system
- Full line accessories



Optional Accessories for Double Decker




Type:DDS	Span Width	Eave Height	Ridge Height	First Floor Height	Bay Distance	Main Profile
	10m / 15m / 20m / 25m / 30m / 40m	6.75m	8.50m / 9.34m / 10.17m / 11m / 11.75m / 13.5m	3.21m	5m	300×120×5mm
Type:ADDS	Span Width	Eave Height	Ridge Height	First Floor Height	Bay Distance	Main Profile
	15m / 20m / 25m	6.75m	8.1m / 8.9m / 9.84m	3.21m	5m	300×120×5mm

Double Decker Series

The Cube Structure Double Decker Structure is an upgrade of the Double Decker structure with the inflatable roof. Compare to the regular A shape structure, the roof alteration brings the appearance of the tent to the higher level. The parapet provides space for advertisement. The extraordinary design will attract all the attention during any event.



Optional Accessories for Cube Structure Double Decker



Type:CSD	span width	Eave height	Ridge height	First Floor Height	Bay distance	Main profile
	10m / 15m / 20m / 25m / 30m / 40m	8m	8.54m / 8.89m / 9.2m / 9.5m / 9.8m / 10m	4m	5m	300×120×5mm


High Peak Tent Series

The High Peak Tent always is an eye-catching structure of its bell-shaped roof line. Clear span width of this series has a wide range from 6m to 40m. High Peak unit is able to join with the regular A-shape unit, and multi-sides unit to form a mixed tent.



System Features


- Eye-catching appearance with peak roof line
- Flexible to connect with A frame and polygon units
- Compatible with full range of accessories
- Clear span design, 100% interior space available
- Various sizes available
- Bar tensioning system



High Peak Tent Series



Optional Accessories for High Peak Tents



Type:NPT-HP	Span Width	Eave Height	Ridge Height	Peak Height	Bay Distance	Main Profile
	6m / 8m / 9m / 10m / 12m	2.6m	3.71m / 4.05m / 4.24m / 4.4m / 4.76m	5.18m / 5.66m / 5.83m / 6m / 6.55m	3m	100×48×3mm (4 - channel)

Type:WT-HP	Span Width	Eave Height	Ridge Height	Peak Height	Bay Distance	Main Profile
	8m / 9m / 10m / 12m	2.6m	4.08m / 4.23m / 4.4m / 4.78m	6m / 6.2m / 6.4m / 6.8m	5m	122×68×3mm (4 - channel)

Type:ET-HP	Span Width	Eave Height	Ridge Height	Peak Height	Bay Distance	Main Profile
	10m / 12m / 15m	3.3m	4.85m / 5.2m / 5.6m	7.9m / 8.2m / 8.9m	5m	152×119×3.5mm (4 - channel)

Type:GT-HP	Span Width	Eave Height	Ridge Height	Peak Height	Bay Distance	Main Profile
	10m / 12m / 15m	3m	4.85m / 5.2m / 5.6m	7.1m / 8.1m / 8.9m	5m	166×88×3mm (4 - channel)

Type:BT-HP	Span Width	Eave Height	Ridge Height	Peak Height	Bay Distance	Main Profile
	15m / 20m / 25m	3.88m	7.1m / 7.88m / 7.9m	9.6m / 10.48m / 11.5m	5m	204×120×4mm (4 - channel)

Type:TH-HP	Span Width	Eave Height	Ridge Height	Peak Height	Bay Distance	Main Profile
	30m / 40m	5m	9.88m / 11.48m	13.68m / 15.2m	5m	300×120×5mm (4 - channel)


Multi-sides Tent Series

There are diamind roof and high peak roof designs for Multri-sides tent Series. Clear span width has a wide range from 6m to 35m. Full line accessories are compatible for this series.



System Features





- Attractive shape design
- Various sizes available
- Flexible to connect to regular A frame or high peak units
- Durable, wind resistant, flame retardant with according certificates
- Clear span design without extra interior poles
- Full range of accessories compatible



Multi-sides Tent Series

Multi-sides units are able to be joint with the regular A-shape units and high peak unit to form a mixed tent.


> Hexagonal High Peak Tent

Type:PT-HEX-HP	Span Width	Eave Height	Ridge Height	Side Length	Main Profile
	6m / 8m	2.6m	5.18m / 5.58m	3m / 4m	82×48×3mm (2 - channel)
Type:NPT-HEX-HP	Span Width	Eave Height	Ridge Height	Side Length	Main Profile
	6m / 8m / 9m / 10m	2.6m	5.18m / 5.66m / 5.83m / 6.0m	3m / 4m / 4.5m / 5.3m	100×48×3mm (4 - channel)
Type:WT-HEX-HP	Span Width	Eave Height	Ridge Height	Side Length	Main Profile
	10m / 12m	2.6m	6.4m / 6.8m	5m / 6m	122×68×3mm (4 - channel)
Type:GT-HEX-HP	Span Width	Eave Height	Ridge Height	Side Length	Main Profile
	10m / 12m	3m	6.8m / 8.46m	5m / 6m	166×88×3mm (4 - channel)

> Hexagonal Tent

Type:NPT-HEX	Span Width	Eave Height	Ridge Height	Side Length	Main Profile
	6m / 8m / 9m / 10m	2.6m	3.71m / 4.18m / 4.24m / 4.4m	3m / 4m / 4.5m / 5m	100×48×3mm (4 - channel)
Type:WT-HEX	Span Width	Eave Height	Ridge Height	Side Length	Main Profile
	10m / 12m	2.6m	4.4m / 4.78m	5m / 6m	122×68×3mm (4 - channel)

Optional Accessories for Multi-sides Tents



> Octagonal Tent

Type:ET-OCT	Span Width	Eave Height	Ridge Height	Side Length	Main Profile
	15m	3.3m	5.62m	5.74m	152×119×3.5mm (4 - channel)
Type:GT-OCT	Span Width	Eave Height	Ridge Height	Side Length	Main Profile
	15m	3m	5.64m	5.74m	166×88×3mm (4 - channel)
Type:BT-OCT	Span Width	Eave Height	Ridge Height	Side Length	Main Profile
	15m / 20m	3.88m	6.3m / 7.1m	5.74m / 7.68m	204×120×4mm (4 - channel)

Multi-sides Tent Series

Patent number: ZL201120397706.8

➤ Decagonal Tent

Type:ET-DEC	Span Width	Eave Height	Ridge Height	Side Length	Main Profile
	16m	3.3m	5.72m	5m	152×119×3.5mm (4 - channel)
Type:CBT/DEC	Span Width	Eave Height	Ridge Height	Side Length	Main Profile
	16m / 20m / 25m	3.88m	7.8m / 8.8m / 9.9m	5m / 6.18m / 7.72m	204×120×4mm (4 - channel)
Type:BT-DEC	Span Width	Eave Height	Ridge Height	Side Length	Main Profile
	16m / 20m / 25m	3.88m	6.4m / 7.1m / 7.88m	5m / 6.18m / 7.72m	204×120×4mm (4 - channel)

➤ Dodecagonal Tent

Type:EBT-DOD	Span Width	Eave Height	Ridge Height	Side Length	Main Profile
	30m	3.88m	8.8m	7.76m	256×121×5mm (4 - channel)
Type:TH-DOD	Span Width	Eave Height	Ridge Height	Side Length	Main Profile
	30m	3.88m	8.8m	7.76m	300×120×5mm (4 - channel)


➤ Hexadecagon Tent

Type:EBT-HEXA	Span Width	Eave Height	Ridge Height	Side Length	Main Profile
	35m	3.88m	9.7m	6.82m	256×121×5mm (4 - channel)
Type:TH-HEXA	Span Width	Eave Height	Ridge Height	Side Length	Main Profile
	35m	3.88m	9.7m	6.82m	300×120×5mm (4 - channel)



Mixed Tent

Improvement and innovation are always our eternal pursuit. A variety of customized designs are available in order to meet the special requirements from clients.



* A mixed tent consists of a Multi-sides tent unit, regular A frame units and a high peak unit. Each unit can be used separately, or in different diversity combinations.

Church Tent Series

Church Tent fully reflects the flexible design of aluminum clear span structures, it offers stately grace and solemn feelings with the special exterior church shape and gable wall design. This type of tent also can be combined with our normal ones to meet more special requirements of inner space.



Optional Accessories for Church Tents



System Features

- No center pole, 100% available inner space
- Modular System being able to be flexibly extended
- Specially designed windows
- Extremely height creating sense of peace
- Durable, wind resistant, flame retardant




Type:MHT	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	10m / 15m / 20m / 25m	3.88m	11m / 13m / 14.8m / 16.2m	5m	204×120×4mm (4 - channel) For10~15m 256×121×5mm (4 - channel) For20~25m

Polygon Tent Series

Polygon Tent series is designed for the requirement of higher interior space and special appearance. Clear span widths of this series is from 10m to 60m.



Optional Accessories for Polygon Tents



System Features

- Elegant polygonal appearance
- High interior space
- Four-channel aluminium frame
- Bar tensioning roof system
- Durable, wind resistant, flame retardant with according certificates
- Modular system easy to be installation and dismantled
- Customized design for special requirements available



Type:PG	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	10m / 12m / 15m / 18m / 20m / 25m / 30m / 40m / 50m / 60m	4m	7.16m / 7.4m / 8.75m / 9.15m / 9.42m / 11.72m / 13.2m / 15.4m / 16m / 17m	5m	(10~20m): 204×120×4mm (25~30m): 256×121×5mm (40m~50m): 300×120×5mm (60m): 400×120×7mm

Cube Structure Tent Series



Patent number: ZL201520503410.8

The Cube Structure Tent series are available in clear span widths from 10m to 30m, The inflatable roof system provides heat isolation to achieve thermostatic effect.

The roof is flat with 7° roof pitch. It is worth mentioning that there is a parapet on the eave of the tent, after the improvement and innovation, the space for banner advertising is increased which allows to print advertisements on tents.





Optional Accessories for Cube Structure Tents



System Features


- Inflatable PVC fabric roof cover with heat insulation, preservation and thermostatic effect.
- Create a quiet and comfortable indoor environment
- Lower roof pitch makes the tent look like an actual building, but movable and flexible.
- Advanced in supporting facilities with lighting, drainage and collision avoidance system
- A parapet on the eave providing the platform for printing Ads



Type:CS	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	10m / 15m / 20m / 25m / 30m	5m	5.58m / 5.89m / 6.2m / 6.5m / 6.8m	5m	(10m) 204×120×4mm (4 - channel) (15m-25m) 256×121×5mm (4 - channel) (30m) 300×120×5mm (4 - channel)

Sport Event Tent Series

Sport Event Tent is a movable sports arena. It is able to provide an indoor environment at almost any place for various sports. Span widths are available from 6m to 80m in the series.




LIRI TENT



System Features

- Clear span design, 100% interior space available
- Easy to set up at all kinds of ground
- Modular system, able to flexibly extend and move
- Cost effective than fixed structure
- Customized design for field requirements available
- Durable materials of aluminum frame and PVC roof cover




Hangar Tent Series

Hangar Tent series adopt inflatable roof system and sandwich panel hardwall system to create a safe and comfortable location for aircraft storage and maintenance. Large size lifting door allows the entry and exit easily. This series is able to achieve wind loading 120km/h, snowload 25-75kg/ m².



Optional Accessories for Hangar Tents



System Features

- Durable, wind resistant, flame retardant with the according certificates
- Large size automatic / manual lifting door system
- Heavy duty sandwich panel sidewalls
- Modular system able to flexibly extend and move
- Clear span design 100% interior space usable
- 120km/h (0.7kn/m²) wind loading
- Full Line Accessories

Type:HAT	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	20m	6m	9.43m	5m	256×121×5mm (4 - channel)

Military Hangar Tent Series

Patent number: ZL201620180982.1

After the new designs of flexible gate and push-pull hangar tent, Liri Tent has developed the polygonal eyelid hangar tent in 2015. This structure adopts aluminum frame, which is sturdy and durable to resist wind loading 120km/h (0.7kn/m²) and snow loading 25-75 kg/m². Especially we add the driving system to control the movement of the frame unit and the closure and open of the PVC fabric, so that we can achieve the auto operation of the door like the eyelid.



Optional Accessories for Military Hangar Tents



System Features

- Durable, wind resistant, flame retardant with according certificates
- Large size automatic / manual lifting door system
- Heavy duty sandwich panel sidewalls
- Modular system being able to be flexibly extended and moved
- Clear span design 100% usable interior space
- 120km/h (0.7kn/m²) wind load
- Full line Accessories



Type:MHT	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	20m	4m	6m	5m	204×120×4mm (4 - channel)

Carport Tent Series

Carport Tents are available in both single wing and double wing.

A: Single Wing Carport Span: 5.5m

Length: 5.5m (for two cars)

Length: 7.5m (for three cars)

B: Double Wing Carport

Span: 11m

Length: 5.5m (for four cars)

Length: 7.5m (for six cars)




Optional Accessories for Carport Tents



System Features

- Various choices of roof material and color available
- Cost effective than fixed structure
- Modular system easy for installation and disassembly
- Various sizes available




Type:S-CP	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	5.5m	2.4m	3.3m	5.5m / 7.5m	120×120×4mm
Type:D-CP	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	11m	2.4m	3.3m	5.5m / 7.5m	120×120×4mm

Military, Ramadan, Disaster Relief Tent Series

Almost every Liri tent series is able to be used for military, Ramadan, disaster relief. The characters of clear span structure are able to meet the needs very well, like easy to assemble and disassemble, small transportation size, windload capability, 100% usage interior space, durable, and flame retardant material. Specific designs like roll up door, roll up window, mesh window make the tent more suitable for accommodation.



Optional Accessories for Military Tent Series



System Features

- Clear span design 100% Interior space usable.
- Four-channel aluminium frame
- Durable, wind resistant, flame retardant with according certificates
- Mesh window, PVC fabric rolling door
- Various sizes available
- Easy to set up and dismantle, convenient for carrying
- Customized design for special requirements available



Half Sphere Tent Series


Half Sphere Tent is called "the most spacious, lightest and most effective design", which is a rigid and stable structure.

Half Sphere Tent is made of special high-strength steel tube with zinc plated or painted. The roof cover adopts PVC fabric. The structure sizes are 8m, 10m, 15m, 20m, 25m and 30m.

Various options for configurations for Half Sphere Tent are available to make its function and uses more powerful. For example: air conditioning, floor, ceiling interior, glass doors, transparent Roof etc.




Optional Accessories for Half Sphere Tent



System Features

- the most spacious, lightest and most effective design
- rigid and stable structure
- high-strength steel tube with zinc plated or painted
- various options for configurations make its function more powerful
- unique and beautiful shape, variety of fabric design style
- the first choice for high-end customers
- perfect solution for your special events
- widely used for large scale exhibitions, celebrations and activities



Type:HST	Diameter/Ceiling Height									
	3m	2.3m	9m	4.5m	15m	6.72m	21m	10.5m	35m	14m
	4m	2.38m	10m	5m	16m	7.16m	22m	11m	40m	15m
	5m	2.9m	11m	5.5m	17m	8.5m	23m	11.5m	45m	18m
	6m	3m	12m	6m	18m	9m	24m	12m	50m	20m
	7m	3.5m	13m	5.82m	19m	9.5m	25m	12.5m	55m	22m
	8m	4m	14m	6.27m	20m	10m	30m	13m	60m	25m

➤ Reference Case



● China Import and Export Fair

● China International Aviation & Aerospace Exhibition






● 2016 East Asia Commodity Fair

● CONEXPO-CON/AGG & IFPE





● International Internet Plus Exposition

● 2016 Chinese Library Annual Conference





● 'Meet Vincent Van Gogh' Exhibition Tour

● International Horticulture Exposition 2016





● Boao International Forum for Music

● Hongkong Wine and Dine Festival






● 2016 Asian Carnival



● Transparent Tent for Banquet Event





● Clear Top Event Tent for Dior

● Huge Concert Tent in Myanmar





● Large Event Tent for Magic Show



● Outdoor Tent for Wedding Ceremony





● Hong Kong Mercedes-Benz Auto Show

● The 14th International Automotive Exhibition





● IAAF World Championships Beijing 2015


● Longines Equestrian Beijing Masters 2014-2016





● WTA Elite Trophy Zhuhai 2015-2016

● China Open 2014-2016





● European Tour–Nordea Masters



● Puerto Rico Open – PGA Tour





● 2016 JD RUNNING in Shanghai

● FIA Formula E Championship (FE)



Mobile Air Conditioning

Portable AC Units, Air Conditioners for Tent, Heaters and Coolers...




To make our customers access to one-stop shop service, LIRI TENT provides all kinds of accessories and equipments for events including tent air conditioner which can refrigerate and heat and dehumidify. To meet the need for different kinds of space, there are several options for air conditioners such as 5hp, 10hp, 15hp, 20hp, 30hp and 40hp. Unified design makes our tent air conditioner easy to operated and possible to be installed both outside and inside.



Ringlock Scaffolding Flooring



The ringlock scaffolding flooring is easy to constructed using few tools and minimal components. The unique locking system allows for easy installation and creates a stable integrated subfloor on uneven site.



Accessories for purchased

In addition to the standard accessories, we also provide other accessories as below.



● Chair



● Banquet Furnitures



● Table

Floor System



● VIP Flooring System

▲ Patent number: ZL201520411043.9



● Cassette Flooring System

Furniture System

Air-conditioning



● 5HP Air Conditioner



● Wood Grain Flooring System



● Stage Wooden Flooring System

▲ Patent number: ZL201520412756.7



● Sandwich Panel Wall



● 10HP Air Conditioner

▲ Patent number: ZL201520901555.3



● 30HP Air Conditioner

▲ Patent number: ZL201520901555.3



● Mobile toilets



● Glass Wall System



● Horizontal Glass Wall

▲ Patent number: ZL201630052014.8



● ABS Wall System

▲ Patent number: ZL201120399851.X



● Lamp



● Crystal droplight



● Hard Rain Gutter



● Soft PVC Rain Gutter



● Ramp for Glass Door

▲ Patent number: ZL201120397708.7



● Glass Walls Rack



● ABS Walls Rack



● Glass Doors Rack



● Pleated Lining



● Flat Lining



● Curtain



● Weight Cage



● Aluminum Rack



● Anchor Puller



● Double Wing Glass Door



● Double Wing Fire Door



● Sliding Door



● Roof Beam Clamp



● Weight Plate



Rack System



● Single Door



● Glass Windows



Tent Fixing Solutions



● Weight Plate System



● Expandable Bolt Fixation



● Steel Ground Anchor Fixation



- 2017:**
- LIRI TENT was given the title of "Brand Products of Guangdong Province"
 - A 50m span huge tent that with 6m eave height was provided as a temporary hall for a ground music concert
 - Magic Modular Tent was developed and put on production
 - The largest 80m span structure in the world was developed in order to meet the special requirement for super huge space from clients
 - The title of "Beauty of Made-in-China" was given to Thermo Cube Structure
 - The title of "High-Tech Product of Guangdong Province" was given to Pagoda Tent and Arcum Tent again
- 2016:**
- LIRI TENT has participated in one of the national important research and development projects -- "High Performance Textile Structure and Soft Material Fabrication and Application", LIRI is playing a key role to stimulate the frontier research of the major material of tents
 - LIRI TENT has got the certifications of quality management system ISO14001:2015, environment management system ISO14001:2004 and occupational health and safety management system OHSAS18001:2009
 - Cooperating with China Airshow for 20 years, 50m span tents, 10m span double decker tent and other sizes were provided, the total area reaches 50,000 square meters, which is the largest in the history of China Airshow
 - The exclusive tents supplier of 2016 East Asia Trade Fair, 40m span double decker arcum tents that with 8m eave height were used for exhibition halls, the total area is 20,000 square meters
 - A 30m X 60m double decker thermo roof cube structure that with 8m eave height was built as a temporary museum for the global premiere of "Meet Vincent Van Gogh"
 - The new application for modular tent structures, 30m span thermo roof cube structure was used for a temporary supermarket
 - Winning the cooperation with "Automobile Federation Formula E Championship" Hong Kong Stop, the total area for a variety of tents is 12,000 square meters
 - Building a 50m span huge tent that with the tallest eave height(10m) in China for a temporary theatre of "Magic Show"
 - 60,000 square meters tents were provided to 2016 Tangshan World Horticultural Exposition
 - LIRI TENT has acquired 8 patents in 2016, in total 23 patents till now
- 2015:**
- Liri Tent has acquired the "National High-tech Enterprises" authentication and the trademark "Liri Tent" has been awarded the "Guangdong Famous Trademark" in the same year.
 - The designated supplier of Big Tent for IAAF World Championships BEIJING 2015.
- 2014:**
- Purchase of 60,000sqm land for Liri Industrial Park expansion uses. Introduce CNC numerical control machines to the whole aluminum frame processing line. The only Chinese tent company who introduces PVC washing machine from Germany. Sponsor of China Open 2014 with a 30m x 110m Cube Double Decker Structure.

- 2013:**
- Awarded the official tent supplier and sponsor of 2013 China Grand Rally. Providing over 200,000sqm 50m width tent for port warehouse in Middle East. Providing 60m x 100m tent for concert hall in Asia, which is the largest clear span structure in the world.
 - " Outdoor Event Double Decker Tent " honored with " GMC Innovation China 2013 Innovative Product " Award
 - Zhuhai Liri Tent won the Honorable Mention in The " Beauty of Made in China" 2013—The advanced design of Clear Span Aluminum Decagonal Tent.
- 2012:**
- Independently designed and produced the Clear Roof Inflatable Warehouse tent and Double Decker Tent. The Exclusive supplier of the 9th China Airshow as well as tent supplier of the 111th China Import and Export Fair (Canton Fair). The Beijing and Guangzhou Branches were established. The leading Chinese tent company for tent export volume (information from the China Customs Statistics).
- 2011:**
- Designated tent suppliers for the 2011 Shenzhen World University Games with over 40,000m tents provided. Meanwhile, Meanwhile, LIRI Tent has provided 16,000 m² of 40x60m large tents as temporary exhibition halls for the 110th China Import and Export Fair (Canton Fair).
- 2010:**
- LIRI Tent was appointed as the exclusive tent sponsor of the 2010 Guangzhou Asian Games and provided over 60,000 m² for the event. LIRI supplied tents for the World Cup in South Africa. Independently developed and produced the Curved Tent and Arcum Tent System.
- 2008:**
- LIRI Tent factory was moved to LIRI Industrial Park and specialized in tent systems' production, sales and rental.
- 2006:**
- Independently developed and produced the Big Tent series (span: 20-30m, main frame profile size: 256x121x5mm). The Big Tent systems were used in large amounts at the 100th China Import and Export Fair (Canton Fair).
- 2002:**
- Independently developed and produced the Gala Tent series (span: 10-18m, main profile size: 166x88x3mm).
 - LIRI Tent received the import and export license in this year as well as beginning to export to developed countries and areas on a large scale.
- 1997:**
- LIRI Tent was founded. LIRI also independently developed and produced the folding advertising tent in this year. The first Chinese company to produce and design the commercial-purpose tent (Folding Tents which are used for advertisement function).

