

AT PWS WE ARE 100% COMMITTED TO OUR CUSTOMERS, PROVIDING NOT ONLY QUALITY PRODUCTS, BUT ENHANCING THE CUSTOMER EXPERIENCE THROUGH DEDICATION TO PROVIDING SOLUTIONS TO YOUR PROBLEMS USING OUR VAST KNOWLEDGE AND EXPERIENCE. OUR HONEST AND ON-TIME SERVICE COMPLETES THIS ATTRACTIVE COMPREHENSIVE PACKAGE.

WELCOMING AND PERSONA TO THE CLOTHING AND PERSONA TO PROTECTIVE EQUIPMENT CATALO SUI



OUR VISION

PWS will be the first choice partner for every customer in the UK.

UR MISSION

Align our business relationships to create a frictionless partnership with our customers.

PROMISE

- Our personal attention to you as a valued customer we provide account managers for clear communications.
- Technical back-up and product support with our expert trained advisers.
- Innovative solutions including web based IT systems.
- Excellent stock availability.
- All our products comply with European standards where applicable.
- To respond to your needs in unexpected circumstances, providing a reliable working partnership beyond your expectations.



For any enquiries call PWS on **01752 266374**



protectivewearuk.com



Email your enquiry to sales@protectivewearuk.com



or write to us at:

10 Darklake View, Estover,



MAKE LIFE **EASIER WITH MYWEB** MAKING YOUR LIFE EASIER - IT IS MORE

THAN JUST BEING ABLE TO ORDER ONLINE. MYWEB IS FOUNDED ON OUR CORE CAPABILITIES AND EXPERIENCE IN GARMENT MANAGEMENT. THE MYWEB SYSTEM FUNCTIONALLY BRINGS THIS KNOWLEDGE RIGHT TO OUR CLIENT'S FRONT DOOR AT EVERY LEVEL.

FOR MORE INFORMATION ON...

MYWEB SEE PAGES 4 & 12 MYUNIFORM SEE PAGE 44 MYSTOCKROOM SEE PAGE 132 **BESPOKE DESIGN** SEE PAGE 74 **UNIFORM DISPOSAL** SEE PAGE 171

THE FULL BENEFITS OF THIS ONLINE **ORDERING SYSTEM ARE NUMEROUS:**

- The ability to only show approved products as selected by Health & Safety Department.
- The ability to restrict colours and type of garments with company logos to those selected by your marketing department.
- Keeping consistency of your corporate image.
- Full visibility of stock levels.
- Budget control is available, restricting order value to levels selected by your finance department. Orders above budget level can be authorised by senior managers.
- Authorisation approval for order if required.
- Full order history and reporting is available 24/7

TO FIND OUT MORE ABOUT MYWEB

T: 01752 266374

E: sales@protectivewearuk.com

NEW

Having over 40 years experience in picking, packing, and dispatch systems means our customers receive a market leading delivery service from our warehouse and office complex in Plymouth. Furthermore we are constantly analysing and improving our operations to increase efficiency & enhance our cutting edge services.

We are certified to:

- ISO 9001 (Quality Management Systems),
- ISO 14001 (Environmental Management Systems) and
- ISO 45001 (Occupational Health & Safety)

..giving you the assurance you need of our commitment to our service levels, safety standards and an environmentally sustainable









SEE PAGES 144-163

FOR ANY ENQUIRIES CALL PWS ON 01752 266374

SECTION 1 BERTEE WORKWEAR SECTION 2 **REDD WORKWEAR** SECTION 3 **POLO-SHIRTS & T-SHIRTS SWEATSHIRTS & JUMPERS** SECTION 5 **TROUSERS & COVERALLS FLEECES & JACKETS** SECTION 7 **SHIRTS & BLOUSES** SECTION 8 **HI VIS WORKWEAR** SECTION 9 SPECIAL HAZARD WORKWEAR SECTION 10 **FOOTWEAR CHART** SECTION 11 HAND PROTECTION SECTION 12 **EYEWEAR** SECTION 13 **EAR PROTECTION** SECTION 14 RESPIRATORY SECTION 15 **HEAD PROTECTION** SECTION 16 **WORKPLACE SAFETY**





// BERTEE INTERACTIVE SOFTSHELL JACKET

// BERTEE PREMIUM POLYCOTTON PIQUE POLO-SHIRT

WORKWEAR WORKWEAR

COMFORTABLE, HARD WEARING, VALUE FOR MONEY WORKWEAR



THE NEW BERTEE CRAFTSMAN LITE HOLSTER POCKET RANGE, DESIGNED TO KEEP YOU COMFORTABLE...

- · Lightweight, comfortable specialist holster pocket trousers and shorts
- Constructed with lightweight ripstop polyester cotton for extra durability and snag resistance
- Fold-away holster pockets
- All seams bar tacked at stress points
- 3 panel leg design for extra manoeuvrability
- Top-entry kneepads insert pockets (trousers only)
- Cordura ® top loading adjustable kneepad pockets on trousers will fit Snickers floor layers kneepad

NOW AVAILABLE


 $\overline{\mathbf{m}}$ ECIALIST

NEW & EXCLUSIVE

CONSTRUCTED WITH RIPSTOP LIGHTWEIGHT BREATHABLE **FABRIC FOR** A COMFORTABLE FIT AND ALLOWING FREEDOM OF MOVEMENT WHILST YOU

WORK! AVAILABLE IN BLACK WITH SUBDUED CONTRAST STITCHING. PLEASE CALL US ON

01752 266 374 IF YOU WOULD LIKE TO ORDER ANOTHER COLOUR



MULTI-FUNCTION HOLSTER POCKETS

- Unique ability to permanently remove the holster pockets without affecting the integrity of the garment
- Pockets for everything including cut off or fold away holster pockets, smart phone pocket, gusseted leg and rear pockets, nammer loop, ruler pocket, pen/pencil division, velcro tool attachment positions. All pockets reinforced with Cordura®
- Reflective logo and stripes carefully positioned on one of the side pockets and behind the knees (trousers only)
- High quality YKK brass z
- Suitable for all tradesmen and related roles including electricians, plumbers, carpet or floor layers, carpenters, builders, brick layers, painters and decorators
- - Trousers: S (29"), R (31"), T (33")
 - Shorts: Above the knee plus 1" drop down leg extensions
- Lifetime Quality Guarantee
- Guaranteed against faulty zips, seams and fastenings for the lifetime of the garment.

CODE	DESCRIPTION	WAIST SIZE
CLT-2017	BERTEE Craftsman Lite Ripstop Holster Trouser	28" - 50"
BCS-834	BERTEE Coolite Holster Pocket Shorts	28" to 48"



NAVY

BERTEE TRADESMAN HOLSTER POCKET TROUSER

A versatile multi pocket style trouser.

- Bar tacked seams at all stress points
- Constructed with Carrington high quality fabric

KNEE PAD INSERT

POCKETS

DESCRIPTION

HPT-10131 Bertee Tradesman Holster Pocket Trouser

MULTI-USE SIDE

POCKETS

WAIST SIZE

- High quality Cordura® fabric (2/3x stronger)
- Side waistband elastication for comfort
- Fold-away Cordura® holster pockets
- Leg lengths: S (29"), R (31"), T (33")
- Fabric: 65% Polyester, 35% Cotton: 245gsm
- Drop down hem on all leg lengths, giving an extra 20mm when you need it

BERTEE CARGO POLYCOTTON KNEEPAD TROUSER

A versatile kneepad cargo trouser

- Lifetime Guarantee against faulty workmanship
- Bar tacked seams at all stress points
- Constructed with Carrington high quality fabric
- · Side waistband elasticated for comfort
- Internal kneepad pockets
- · Leg lengths available: S (29"), R (31"), T (33")
- Fabric: 65% Polyester, 35% Cotton: 245gsm
- · Drop down hem on all leg lengths, giving an extra 20mm when you need it





KNEE PAD INSERT POCKETS

MULTI-USE SIDE POCKETS

LUDE	DESCRIPTION	WAIST SIZE
CTR-7479	Bertee Cargo PolyCotton Kneepad Trouser	28" - 50"











PLUS

- Set budget controls for employees or departments
- See your orders have priority treatment jumping the queue
- See your own special prices
- Know stock availability
- Custom built see only the products you regularly want to order?

TO FIND OUT MORE CALL OUR FRIENDLY CUSTOMER SERVICE TEAM ON 01752 266374



BERTEE PREMIUM POLYCOTTON PIQUE POLO-SHIRT

High quality premium polo-shirt.

- Cuffed short sleeves
- · Triple stitched on all main seams for durability
- · Half moon yoke for increased strength
- Fabric: 50% Cotton, 50% Polyester: 220gsm



SIZE DESCRIPTION Bertee Premium PolyCotton Pique XS-6XL

















FOLLOW US ON LINKEDIN FOR THE LATEST NEWS






BERTEE AMPHIB BREATHABLE 3 IN 1 JACKET

High quality breathable jacket.

- Waterproof and breathable Bertex 5000/5000 fabric with TPU membrane
- Windproof fabric
- Mesh lined body
- Taped seams
- 180 grm anti-pill fleece with jersey backing
- Concealed hood with adjusters
- Velcro stormflap
- Adjustable cuffs
- 2 lower zipped handwarmer pockets with fleecy lining
- Adjustable shock corded hem
- Concealed zip entrance in lining for embroidery access
- Fleece cuffs
- 'Easy-on doff-don' feature jersey type lining makes it easier to put on and take off







BERTEE YETI FUR-LINED ZIPPED SWEATSHIRT

Comfortable and warm sweathshirt

- Luxurious warm faux fur lining
- Elasticated cuffs with thumb grip and wristband
- Inside large pocket suitable to hold a
- Well padded, taped neckline for comfort
- Half-moon yoke at neck
- Very comfortable to wear
- Durably stitched on all main seams for ultimate strength



CODE	DESCRIPTION	SIZE
FUR- 1285	Bertee Yeti fur-lined zipped sweatshirt	





- High performance 3 layer softshell fabric
- Water resistant and breathable
- Executive style
- Adjustable cuff design
 - Three external pockets with zip closures
 - Internal phone pocket
- Elasticated hem and side adjusters
- Twin stitched seams for durability
- Fabric: 92% Polyester, 8% Elastane

CODE	DESCRIPTION	SIZE
SS-642	Bertee Softshell Jacket	S-4XL





NEW & IMPROVED

protectivewearuk.com

BERTEE I SOFTSHE

Interactive zip

- Softshell Jacket
- Soft luxurious quality microfleece
- Soft cuff design: no discomfort
- Two external pockets with zip closures
- Two internal pockets
- Elasticated hem and side adjusters
- Twin stitched seams for durability
- Fabric: 100% Polyester: 300gsm

CODE	DESCRIPTION	SIZE
FLJ-532	Bertee Fleece Jacket	XS-5XL







BERTEE INTERACTIVE FLEECE JACKET

- · Brushed fleece inner
- · Half moon yoke for increased strength
- · Padded and taped neckline for comfort
- Triple stitched on all main seams
- for durability
- Fabric: 65% Polyester, 35% Cotton: 320gsm

CODE	DESCRIPTION	SIZE
RK28	Bertee Premium Drop Shoulder Sweatshirt	XS-6XL











' BERTEE SWEATSHIRT

EN STANDARDS

Flame Retardant Clothing



EN ISO 11611:2007

Protective clothing for use in welding and allied processes



EN ISO 11612:2008

Protective clothing to protect against heat and flame



IEC 61482-2:2009

Protective clothing against the thermal hazards of an electric arc requirements



EN 1149-3:2004



requirements

Measurement of Electric Discharge Prop-

erties - Material performance and design



EN 14116

Limited flame spread

EN ISO 13688:2013

Protective Clothing - General Requirements

Chemical Clothing



EN 13034 Protective clothing against liquid

Hi Vis

High Visibility Clothing - test method & requirements

Additional Protection



EN 343 Waterproofness and Water Vapour Resistance

Hand Protection



EN388:2016

Protective Gloves Against Mechanical Risks



Protective Gloves Against Thermal Risks



// REDD AGUA FR AS **POLO SHIRT**

// REDD SABA FR AS **SOFT SHELL**

// REDD NASU HIDE LEATHER **GLOVE**





and eminently practical, REDD provides a value for money alternative

to other well-known brands.

LADIES

TAAL LADIES NOMEX COVERALL/ YALI MEN'S **NOMEX COVERALL**

Inherent flame retardant, anti static, arc rated coverall.

- Effectively shields the wearer from the onset of body burns
- · Provides a high thermal protection in
- relation to their weight.
 Retains their protective performance and appearance even after 200 washes
 Contains P-140 antistatic carbon fibre
- which provides a permanent effective solution to the build up of static electric

Fabric: 93% meta-aramid, 5% para-aramid, 2% anti-static 185gsm



- EN 11612:2008 A1 B1 C1
- EN 1149-3:2004
- EN 61482-1-1
- EN 61482-1-2 Class 1

CODE	DESCRIPTION	SIZE
RDFRNXFBS	REDD TAAL FR AS Nomex Ladies Coverall	10 - 18
RDFRNXBS	REDD YALI FR AS Nomex Mens coverall	XS - 5XL











- · Provides a high thermal protection in relation to their
- Retains their protective performance and appearance even after 200 washes
- Contains P-140 antistatic carbon fibre which provides a permanent effective solution to the build up of static electric charge

93% meta-aramid, 5% para-aramid, 2% anti-static 220gsm





EN STANDARDS

- EN 11612 A1, B1, C1
- EN 1149-3
- EN 61482-1-1:2009 EN 61482-1-2:2009 Class 1









RDFRNXCTR REDD PICO FR AS Nomex Mens Cargo Trousers 30" - 56" Men: Ladies RDFRNX902 REDD EGON FR AS Nomex Mens Kneepad Trousers 28" - 56" Short (29") Reg (31") Reg (29")	CODE	DESCRIPTION	SIZE	LEG LEN	
RDFRNX902 REDD EGON FR AS Nomex Mens Kneepad Trousers 28" - 56" Short (29") Reg (31"). Reg (31").	RDFRNXCTR	REDD PICO FR AS Nomex Mens Cargo Trousers	30" - 56"	Men:	Ladies
T. I. (22.7)		'		Short (29") Reg (31"),	Short (27") Reg (29"), Tall (31")
RDFRNX905 REDD LOLO FR AS Nomex Ladies Kneepad Trousers 10 - 22 Iall (33") Iall (31")	RDFRNX905	REDD LOLO FR AS Nomex Ladies Kneepad Trousers	10 - 22	Tall (33")	



PICO NOMEX CARGO TROUSERS EGON / LOLO NOMEX KNEEPAD TROUSERS

MENS



FUJI FR AS THERMAL LONG JOHNS

ABU FR AS THERMAI LONG SLEEVE



- superior comfort Anti-bacterial finish
- Excellent moisture wicking properties

CODE	DESCRIPTION	SIZE
RDFRTH/LJ	REDD FUJI FR AS Thermal Long Johns	S-5XL

EN STANDARDS

- EN ISO 11612:2015 / A1 B1 C1 F1
- EN 1149-5: 2008
- EN 1149-3:2008
- EN ISO 13688:2013











Weight: 250 gms

- EN ISO 11612:2008 / A1 B1 C1
- EN 1149-3:2004

and protection

of movement

IEC 61482-2: 2009

CODE	DESCRIPTION	SIZE
RDFRRK14	REDD FR AS Mens Polo	S - 5XL

Inherent flame retardant, anti static, arc rat-

3 Button concealed placket, lay flat collar Raglan sleeve design for greater freedom

ed, long sleeve soft handle polo shirt.

• Soft handle fabric, longline style with shaped hem for improved coverage

· Ribbing of collar prevents curling

Fabric: 58% Nomex / 42% Viscose FR











EN STANDARDS

- EN ISO 11612:2015 / A1 B1 C1 F1
- · EN 1149-5: 2008
- EN 1149-3:2008
- EN ISO 13688:2013





Long Sleeve T-Shirt

- Raglan Sleeves
- Ribbed Cuffs
- Long Line
- Thumb Holes

Fabric: 55% Protex 43% Cotton 2% AST 280gsm

CODE	DESCRIPTION	SIZE
RDFRRK28	REDD MOTI FR AS Sweatshirt	XS-5XL







FOR ANY ENQUIRIES CALL PWS ON 01752 266374



EN STANDARDS

- EN ISO 11612:2008 / A1 B1 C1 F1
- EN 1149-5: 2008
- EN 1149-3:2008
- EN ISO 13688:2013

JANS.


SABA FR AS HV PREMIUM SOFTSHELL

REDD WORKWEAR



1 zipped chest pocket

Internal phone pocket and 2 pen pockets



· Delivering comfort through water repellant, wind













EN STANDARDS

- EN 20471 Class 3
- EN 11611 EN 11612
- EN 1149-5
- EN 61482-2
- EN 13034



- Double sided fleece for warmth and comfort.
- Elasticated cuffs.
- Concealed front zip.
- 2 front side pockets with zip closure.
- Elasticated draw cord waist adjuster.
- British Manufactured.

CODE	DESCRIPTION	SIZE
RDFRFLJ532	REDD PAGO FR AS Premium Lined Fleece	XS-5XL

EN STANDARDS

- EN ISO 11612
- EN 1149











- Unpadded lightweight jacket
- Concealed phone pocket
- Pack away hood
- Radio Loop
- Internal chest pocket
- Knitted cuff

CODE	DESCRIPTION	SIZE
RDFRWPJ	REDD FOGO FR AS HV Breathable Waterproof Jacket	XS-5XL

EN STANDARDS

- EN 14116
- EN 1149
- EN 20471 Class 3
- EN 343 3:3











- Good abrasion resistance for handling materials associated with power and hand tools
- · Made from quality, hard wearing, supple hide leather which gives good dexterity and is breathable
- Suitable for dry handling work
- · Lined for comfort and cold
- Gives protection against all thermal hazards
- Extended cuff for complete protection
- Full size range, including ladies, sizes 7 13
- Colour fast dying process

CODE	DESCRIPTION	SIZE
2036/EX	REDD NASU Lined Drivers Glove	7 - 13

EN STANDARDS

- EN388 3233A
- EN407 433221







HAVE YOU SEEN OUR FULL RANGE OF SPECIAL HAZARD WORKWEAR?

> SEE PAGES 92 - 109 FOR THE FULL RANGE



protectivewearuk.com



- Triple stitched on all main seams for durability
- Half moon yoke for increased strength
- Matching ladies available 1160-10
- Fabric: 50% Cotton, 50% Polyester: 220gsm

CODE	DESCRIPTION	SIZE
RK13	Premium 220gsm PolyCotton Pique Polo-shirt	XS-5XL





' BERTEE PREMIUM POLYCOTTON PIQUE POLO-SHIRT



- Triple stitched on all main seams for durability
- Half moon yoke for increased strength
- Matching mens available RK13
- Fabric: 50% Cotton, 50% Polyester

CODE	Ē	DESCRI	PTION				SIZE	
1160)-10	Premiui Polo-sh	m Ladies irt	220gsi	m Poly	Cotton	8-22	-
_								
NS	NS	NS	NS	NS	NS	NS	NS	







- Half moon yoke at neck for increased strength
- Cuffed sleeves with matching rod design Self coloured placket, with matching
- pearlised buttons
- Triple stitched on all main seams for ultimate strength
- Fabric: 100% 200gsm Wicking Polyester

1190-30 100% 200gsm Wicking Polyester XS - Polo-shirt	5XL















FOR ANY ENQUIRIES CALL PWS ON 01752 266374



PREMIUM WICKING POLOSHIRT

SIZE

XS-5XL

SUPER 180GSM 100%

COTTON T-SHIRT

ASH

DESCRIPTION

Note: More colours are available to order

TS-1000 Cotton T-shirt

Top quality hardwearing t-shirt.

POLOS & T-SHIRTS

PREMIUM LONG SLEEVE POLO-SHIRT

SILVERSTONE PREMIUM POLO-SHIRT

POLOS & T-SHIRTS



protectivewearuk.com

- · Triple stitched on all main seams for durability with knitted cuffs
- Half moon yoke for increased strengthFabric: 50% Cotton, 50% Polyester

COD	E	DESCRI	PTION				SIZE	
RK1	4	Premiu	m Long S	leeve	Polo-shii	rt	S-3XL	
NS	NS	NS	NS	NS	NS	NS	NS	
Black	Navy	Royal	Graphite	Ash	Bottle	Red	White	



- Taped neckline for comfort
- Half moon yoke for increased strength
- Cuffed short sleeves
- Self-colours placket, with matching pearlised buttons
- Triple stitching on all main seams for ultimate strength
- Matching Silverstone sweatshirt, softshell, and fleece available
- Fabric: 50% Polyester, 50% Cotton: 220gsm

CODE		DESCRIP	TION				SIZE	
1180	0-10	Silversto	ne Pre	mium Po	olo-shir	t	XS-	5XL
N5	NS	NS	NS	NS	NS	NS	NS	NS
Black	Black	Black	Black	Navy	Navy	Bottle	Grey	Nav



- · Inherent flame retardant, anti static, arc rated, long sleeve soft handle polo shirt.
- · Soft handle fabric, longline style with shaped hem for improved coverage and protection
- 3 Button concealed placket, lay flat collar
- · Raglan sleeve design for greater freedom of movement
- · Ribbing of collar prevents curling

58% Nomex / 42% Viscose FR

250 gms

CODE	DESCRIPTION	SIZE
RDFRRK14	REDD FR AS Mens Polo	S - 5XL









- Well designed and super lightweight and comfortable on the skin, so that it can be worn all day
- Soft handle fabric, longline style with shaped hem for improved coverage and protection
- Ribbed cuffs with thumb hole
- · Raglan sleeve design for greater freedom movement
- Anti-bacterial finish
- · Excellent moisture wicking properties

CODE	DESCRIPTION	SIZE
RDFRTH/LSTS	REDD ABU FR AS Thermal Long Sleeve T-Shirt	S-5XL











Reinforced sleeve hem for durability

- Soft, polyester viscose fibre
- Excellent insulation against cold conditions
- Lightweight material
- Fabric: 50% Cotton, 50% Polyester

CODE	DESCRIPTION	SIZE
TH/V-SS	Thermal Short Sleeve Vest	S-3XL
***************************************		***************************************









Reinforced sleeve hem for durability

- Soft, polyester viscose fibre
- Excellent insulation against cold conditions
- Lightweight material
- Fabric: 50% Cotton, 50% Polyester

CODE	DESCRIPTION	SIZE
TH/V-LS	Thermal Long Sleeve Vest	S-3XL

FOR ANY ENQUIRIES CALL PWS ON 01752 266374





30

REDD FR AS POLO SHIRT



protectivewearuk.com



- Well padded, taped neckline for comfort
- Half moon yoke at neck. Set in sleeve styling
- Triple stitched on all main seams for ultimate strength
- Fabric: 65% Polyester, 35% Cotton: 320gsm

CODE	Ξ	DESCRIF	MOIT				SIZE
1295	5-15	Silversto	one Ho	oded Sv	veatshi	rt	XS-52
N5	N5	NS	NS	NS	NS	NS	NS




SILVERSTONE HOODED SWEATSHIRT

- Elasticated cuffs, neckline and waistband
- Brushed fleece inner
- Well padded, taped neckline for comfort
- Half moon yolk at neck
- Set in sleeve styling. Ideal for corporate logos and very comfortable to wear
- Triple stitched on all main seams for ultimate strength
- Matching Silverstone Poloshirts available
- Fabric: 65% Polyester, 35% Cotton: 350qsm

CODI	Ε	DESC	RIPTIO	N			SIZE	
1290	0-15	Silve	rstone	Premiur	n Swea	tshirt	XS-5X	L
NS	NS	NS	NS	NS	NS	NS	NS	NS
Black Grey	Black Lime	Black Orange	Black Red	Navy Royal	Navy Red	Bottle Black	Grey Black	Navy Sky



SILVERSTONE PREMIUM SWEATSHIRT



· Half moon yoke for increased strength

Padded and taped neckline for comfort

Triple stitched on all main seams for durability

Fabric: 65% Polyester, 35% Cotton: 350gsm



BLACK

SIZE











FOR ANY ENQUIRIES CALL PWS ON 01752 266374



PREMIUM V-NECK SWEATSHIRT

BERTEE PREMIUM DROP SHOULDER SWEATSHIRT

• Half moon yoke for increased strength • Padded and taped neckline for comfort • Triple stitched on all main seams

• Fabric: 65% Polyester: 35% Cotton: 350gsm

Top grade sweatshirt. Brushed fleece inner

for durability

NAVY

CODE

DESCRIPTION

Royal Sky Burgundy

Premium Drop Shoulder Sweatshirt

JANS







- Set-in sleeve styling. Ideal for corporate logos
- Fabric: 50% Cotton, 50% Acrylic Blend: 275gsm

CODE	DESCRIPTION	SIZE
710M	V-neck Knitted Sweater	XS-4XL





 V-neck Ribbed neck

Tubular cuff & hem

12 gauge knit

Contrast inner neck strip

• Fabric: 60% Cotton, 40 Acrylic

DESCRIPTION



Ladies V-Neck Jumper





SIZE

XS-3XL

XS-3XL



LADIES V-NECK JUMPER

LADIES V-NECK BUTTON CARDIGAN



- Shell effect buttons
- Shaped at waist for a feminine fit
- Fabric: 50% Cotton, 50% Acrylic

CODE	DESCRIPTION	SIZE
H723	Ladies V-neck Button Cardigan	XXS-4XL















• 12 gauge knit

V-neck



• Ribbed placket, hem & cuff

• Fabric: 60% Cotton, 40 Acrylic

Contrast inner neck strip



DESCRIPTION







LADIES V-NECK CARDIGAN

LADIES CREW-NECK CARDIGAN



- Crew neck
- Ribbed neck & placket
- Tubular cuff & hem
- Contrast inner neck strip
- Fabric: 60% Cotton, 40% Acrylic
- 12 gauge knit

CODE	DESCRIPTION	SIZE
2308	Ladies Crew-neck Cardigan	XS-3XL
***************************************	***************************************	









Navy Light Royal Charcoal Fuscia Blue Blue



V neck

Long sleeve Ribbed neck, cuff & hem

12 gauge knit

Contrast inner neck strip

• Fabric: 60% Cotton, 40 Acrylic



DESCRIPTION Men's V-neck Jumper

Light Black Navy Charcoal Royal

FOR ANY ENQUIRIES CALL PWS ON 01752 266374



MEN'S V-NECK JUMPER



CARGO

TROUSER

BERTEE (KNEEPAL

TRADESMAN HOLSTER POCKET TROUSER



- Bar tacked seams at all stress points
- Constructed with Carrington high quality fabric
- Side waistband elasticated for comfort
- Internal kneepad pockets
- Durable YKK zip
- Fabric: Polycotton: 245gsm
- Leg lengths available: S (29"), R (31"), T (33")
- Black (contrast white stitching)
- Navy (Navy stitching)
- 2 Year Guarantee against faulty workmanship
- Drop down hem on all leg lengths, giving an extra 20mm when you need it

CODE	DESCRIPTION	WAIST SIZE
CTR-7479	Bertee Cargo PolyCotton Kneepad Trouser	28" - 50"




- Bar tacked seams at all stress points
- Constructed with Carrington high quality fabric
- High quality Cordura® fabric at high wear points
- Side waistband elasticated for comfort
- Fold-away Cordura® holster pockets
- Cordura® external kneepad pockets, 2-3 times more durable than most fabrics
- Durable YKK zip
- Smartphone pocket
- Gusseted leg pockets
- Fabric: Polycotton: 245qsm
- Leg lengths available: S(29"), R(31"), T(33")
- Black stitching (Black)
- Navy stitching (Navy)
- 2 Year Guarantee against faulty workmanship
- Drop down hem on all leg lengths, giving an extra 20mm when you need it

CODE	DESCRIPTION	WAIST SIZE
HPT-10131	Bertee Tradesman Holster Pocket Trouser	28" - 50"

BERTEE CRAFTSMAN LITE RIPSTOP HOLSTER TROUSER & SHORTS

- Lightweight, comfortable specialist holster pocket trousers and shorts
- Constructed with lightweight ripstop polyester cotton for extra durability and snag resistance
- Fold-away holster pockets
- · All seams bar tacked at stress points
- 3 panel leg design for extra manoeuvrability
- Top-entry kneepads insert pockets (trousers only)
- Cordura ® top loading adjustable kneepad pockets on trousers will fit Snickers floor layers kneepad



- Pockets for everything: all reinforced with Cordura®
- Reflective logo and stripes carefully positioned on one of the side pockets and behind the knees (trousers only)
- Triple stitched seams for durability
- High quality YKK brass zip
- Leg Lengths:

Trousers: S (29"), R (31"), T (33") Shorts: Above the knee plus 1" drop

down leg extensions

Lifetime Quality Guarantee

• Guaranteed against faulty zips, seams and fastenings for the lifetime of the garment.

CODE	DESCRIPTION	WAIST SIZE
CLT-2017	BERTEE Craftsman Lite Ripstop Holster Trouser	28" - 50"
BCS-834	BERTEE Coolite Holster Pocket Shorts	28" to 48"





TROUSERS & COVERALLS

JANS

CONDOR COMBAT KNEEPAD TROUSER WITH REFLECTIVE BANDS

CONDOR KNEEPAD COMBAT TROUSER



protectivewearuk.com

- Slight elastication at side of waistband very comfortable to wear
- Multiple pockets with extra strong lining including 2 front & 2 rear pockets
- Combat style leg pockets, mobile phone
- Heavy duty non-scratch fixing stud on waistband
- Triple stitched on main seams for ultimate strength
- Leg lengths: S (29"), R (32"), T (35")

Fabric: 65% Polyester, 35% Cotton: 245gsm

CODE		DESCRIP1	TION				WAIST SIZE
2500	-15.0	Condor K	neepa	d Comb	at Trous	er	28"-52"
NS	NS	NS	NS	NS	NS	NS	
Black	Bottle	Burgundy	Royal Blue	Red	Graphite	Navy	



- Slight elastication at side of waistband very comfortable to wear
- Multiple pockets with extra strong lining including 2 front & 2 rear pockets
- Combat style leg pockets, mobile phone pocket on thigh
- Heavy duty non-scratch fixing stud on waistband
- Triple stitched on main seams for ultimate strength
- Leg lengths: R (29"), T (31")
- Fabric: 65% Polyester, 35% Cotton: 245gsm

1 - di C d Kd	
2560-15 Ladies Condor Kneepad 6-24 Combat Trouser	



- Internal kneepad pockets
- Slight elastication at sides of waistband
- Multiple pockets with extra strong lining including 2 front & 2 rear pockets
- Combat style leg pockets, mobile phone pocket on thigh
- Heavy duty non-scratch fixing stud on waistband
- Triple stitched on main seams for ultimate strength
- One Hi Vis 50 mm reflective band on each leg (2505-15)
- Two Hi Vis 50 mm reflective band on each leg (2510-15)
- Leg lengths: S (29"), R (32"), T (35")
- Fabric: 65% Polyester, 35% Cotton: 245qsm

CODE	DESCRIPTION	WAIST SIZE
2505-15	Condor Combat Kneepad Trouser with Reflective Bands (Single Band)	28"-52"
2510-15	Condor Combat Kneepad Trouser with Reflective Bands (Double Band)	28"-52"















VULTURE BALLISTIC TROUSER

Multiple pockets with extra strong lining including 2 front & 2 rear pockets Combat style leg pockets, mobile phone

pocket on thigh

- The Ballistic Fabric conforms to EN388, Cut Level 2 offering greater protection for the wearer.
- High quality brass YKK zip
- Leg lengths: S (29"), R (32"), T (35")
- Fabric: 65% Polyester, 35% Cotton: 245gsm

CODE	DESCRIPTION	WAIST SIZE
3700	Vulture Ballistic Trouser	28"-52"









LADIES CONDOR KNEEPAD COMBAT TROUSER



- Easy to wear 'Jeans' styling
- Multiple pockets with extra strong lining, including two front and two rear pockets, combat leg and
- Heavy duty non-scratch fixing stud on waistband
- Triple Stitched on all main seams for ultimate
- Fabric: 65% Cotton, 35% Polyester: 245gsm

CODE	DESCRIPTION	WAIST SIZE
2000-15	Sparrowhawk Combat Shorts	28"-52"













SPARROWHAWK COMBAT SHORTS

- Hip and rule pockets
- Multi layered thigh pocket with mobile phone pocket
- Elasticated back waist
- Leg lengths: R(31") T(33")
- Fabric: 100% Cotton: 305gsm

CODE	DESCRIPTION	SIZE
S817	Painters Cotton Kneepad Cotton Cargo Trouser	S-3XL
	•	







PAINTERS COTTON KNEEPAD CARGO TROUSER

· Hook and bar fastening with zip fly 7 belt loops

- 2 side swing pockets
- Single rear welted pocket
- Self fabric pocket bags
- Leg length: Reg, Tall
- Fabric: Polycotton: 245qsm

CODE	DESCRIPTION	SIZE
W500	PolyCotton Work Trouser	72cm-140cm




















FOR ANY ENQUIRIES CALL PWS ON 01752 266374



POLYCOTTON WORK TROUSER



EASY SEARCH

SYSTEM



2. ACCURATELY Avoiding sizing input errors

SAVING TIME, MONEY & STRESS

INTERESTED?

CALL OUR MANPACK SPECIALIST ON

01752 266374 TO FIND OUT MORE.

All this without having to directly get involved - just sit back and relax take control!

MY UNIFORM

UNIFORM CHAOS?

USE OUR

NO STRESS SYSTEM

and our system will

3. EFFICIENTLY

Receive your orders packed by employee name

Ensure all garments have approved before confirmation.

PLACE &

RECEIVE YOUR CORPORATE

> CLOTHING ORDERS:

> > 1. EASILY

4. WITH

CONTROL

Control quantity of

garments per person.

correct logo designs.

Ensure all orders are

Be able to restrict garment

styles and colours available.

sizing data.

Without the difficulty

of collation of garment



protectivewearuk.com

POLYCOTTON BOILERSUIT



- Reinforced knee pouches for insert knee pads
- Metal zip, with studded over placket + Two zipped chest pockets
- Tool pocket and rule pocket
- Two swing pockets with side access
- Full back elastication and an action back
- Leg lengths: R (32"), T (35")
- Fabric: 65% Polyester, 35% Cotton: 300gsm

CODE		DESCR	IPTION				SIZE	
WD48	339		Redhav		Cotton		36"-54"	
	NS	NS	NS	NS	NS	NS		
Navy	Black	Spruce	Orange	Red	Royal Blue	White		

PAINTERS POLYCOTTON BIB & BRACE



- Zip with placket
- Two side pockets
- Rule pocket
- Knee pad pocket
- Large back patch pockets
- Access slits with press studs
- Fabric: Polycotton: 245gsm

CODE	DESCRIPTION	SIZE
WD650	Painters PolyCotton Bib & Brace	32"-52"



CONTRACTORS POLYCOTTON BOILERSUIT



- Two chest pockets
- Rule pocket
- Elasticated waist
- Fabric: 65% Polyester, 35% Cotton: 210gsm

77R/P Contractors PolyCotton Boilersuit 36"-6	60"







JANS.

THERMAL LONG JOHNS

COMFORTABLE WALKING SOCK

TROUSERS & COVERALLS

protectivewearuk.com

Comfortable Polycotton

- Brushed fabric
- Fabric: 50% Cotton, 50% Polyester: 200gsm

ODE	TH/P
DESCRIPTION	Thermal Long Johns
SIZE	S-XXL









- · Comfortable on the skin
- · Soft handle fabric
- Front fly
- · Elasticated ankle band for superior comfort
- · Anti-bacterial finish
- · Excellent moisture wicking properties

CODE	RDFRTH/LJ
DESCRIPTION	REDD FUJI FR AS Thermal Long Johns
SIZE	S-5XL









Durable comfort sock M (Sz 6-8) - L (Sz 9-10.5)

CODE Long Wool Polyamide Loop Pile DESCRIPTION

Walking Sock



- Tough, long lasting
- High density foam knee pad
- Single strap design for extra comfort

CODE	DESCRIPTION
NA380000	High Density Foam Knee Pad with Single Strap







- · The ultimate in knee protection and wearer comfort
- Ergonimcally designed providing durability and protection
- Compressed Evazote soft foam knee pad
- Fits all Mascot ® and REDD Products with knee pockets

CODE	DESCRIPTION
418 (S156)	Classic Foam Knee Pad Pocket Inserts







- Superior comfort
- Fits all Mascot ® Products with knee pockets
- Can be trimmed to fit into smaller knee pad insert pockets
- Extra large knee pad for added comfort

CODE	DESCRIPTION
718-100	Waterloo Deluxe Kneepad



WATERLOO DELUXE KNEEPAD

SMS fabric

- Breathable and liquid repellent
- Elasticated waist, cuffs, ankles and hood
- Type 5 & 6 for dust and splash protection

CODE	PG6/30
DESCRIPTION	Disposable Coverall Type 5 & 6
SIZE	M - XXL
EN STDS	EN 13982-1 Type 5 EN 13034 Type 6 EN 1073-2 EN 1149 -5



- · Lightweight disposable chemical suit for protection against splashes and sprays of hazardous chemicals in type 3 and type 4
- Stitched and PE taped seams
- Coverall with hood, knee padding, double layer flaps and double zippers.
- Adhesive tape on outer flap.
- Elasticated hood opening, cuffs and ankles.

CODE	PG6/56WS
DESCRIPTION	Chemical Disposable Coverall Type 3 & 4
SIZE	S - XXXL
EN STDS	EN 13688:2013 EN14605 EN13982-1 EN14126 EN13034 EN1149-5 EN 1073-2

· High levels of abrasion and tear resistance

EN13982-1 Type 5.

EN13034 Type 6

Tyvek Disposable Coverall Type

FOR ANY ENQUIRIES CALL PWS ON 01752 266374

TYB/WH

M - XXXL

EN1073-2 EN 1149-1



DESCRIPTION

SIZE

EN STDS



DISPOSABLE CHEMICAL I

JANS

SMS GP TYPE 5/6 COVERALL

protectivewearuk.com

TYVEK DISPOSABLE COVERALL TYPE 5/6

CLASSIC FOAM KNEE PAD





- Mesh lined upper body
- Windproof fabric/taped seams
- Concealed hood with adjuster
- Studded stormflap
- Adjustable cuffs
 - 2 lower pockets with zipped handwarmers and 2 lower cargo pockets
 - Internal security pocket
- Zipped chest pocket
- Adjustable shockcord waist and hem

CODE	DESCRIPTION	SIZE	
TRA122	Regatta Mens Benson II Breathable Waterproof Jacket	S-4XL	
NS			



REGATTA MENS BENSON II BREATHABLE WATERPROO





- Waterproof
- Welded seams
- · Fully elasticated waist
- Stud adjustable ankle
- Fabric: Tricot knit with breathable PU coating: 185gsm

CODE	DESCRIPTION	SIZE
TRW356	Stormflex Waterproof PU Transfer Coated Trouser	S-3XL

FOR ANY ENQUIRIES CALL PWS ON 01752 266374












TORMFLEX WATERPROOF PURANSFER COATED TROUSER







BERTEE AMPHIB BREATHABLE 3 IN 1 **JACKET**

High quality breathable jacket.

- Waterproof and breathable Bertex 5000/5000 fabric with TPU membrane
- Windproof fabric
- Mesh lined body
- Taped seams
- 180 grm anti-pill fleece with jersey
- Concealed hood with adjusters
- Velcro stormflap
- Adjustable cuffs
- 2 lower zipped handwarmer pockets with fleecy lining
- Adjustable shock corded hem
- Concealed zip entrance in lining for embroidery access
- Fleece cuffs
- 'Easy-on doff-don' feature jersey type lining makes it easier to put on and take



CODE	DESCRIPTION	SIZE
WPJ-130	Bertee Amphib Breathable 3 in 1 Jacket	S-XXXL







BERTEE YETI FUR-LINED ZIPPED SWEATSHIRT

- Luxurious warm faux fur lining
- Inside large pocket suitable to hold a
- Well padded, taped neckline for comfort
- Very comfortable to wear
- ultimate strength



Comfortable and warm sweathshirt





- Half-moon yoke at neck
- Durably stitched on all main seams for



CODE	DESCRIPTION	SIZE
FUR- 1285	Bertee Yeti fur-lined zipped sweatshirt	XS-4XL





- Fleece lined with taped seams and stormflap
- Windproof fabric with Thermo-Guard insulation in sleeves
- Adjustable cuffs
 - Lower patch security pockets and 2 lower zipped pockets
- Fabric: Waterproof Hydrafort 5000 polyester fabric

CODE	DESCRIPTION	SIZE
TRW297	Dover Fleece-Lined Jacket	XS-4XL













• Durable water repellent finish

- Part mesh, part polyester lining
- taped seams
- Elasticated and drawcord waist
- Zip opening at ankle
- Available in Short, Reg and Tall leg
- Fabric: Isotex 5000 Waterproof Fabric

CODE	DESCRIPTION	SIZE
RMW244	Chandler Waterproof Breathable Overtrouser	S-3XL







OVERTROUSER

KEEP UP TO DATE. CHECK OUT OUR WEBSITE...

FOR ANY ENQUIRIES CALL PWS ON 01752 266374

> Visit protectivewearuk.com





BERTEE INTERACTIVE FLEECE JACKET

The superior quality fleece.

- Soft luxurious quality fleece
- Soft cuff design: no discomfort
- Two internal pockets, and two external pockets with zip closures
- Interactive zip

BLACK

- Elasticated hem and side adjusters
- Twin stitched seams for durability
- Fabric: 100% Polyester: 300gsm



XS-5XL

Bertee Interactive

Fleece Jacket

FLJ-532

Navy Black



- Soft cuff design for more wearer comfort
- Two external pockets with zip closures, two internal pockets
- Elasticated hem with side adjusters
- Twin needle stitched seams for durability
- Classic and comfortable medium weight fleece jacket
- Matching ladies fleece 3260-30 available
- Fabric: 100% Polyester: 300gsm

3200-30 Albatros Classic Fleece XS-5XL	CODE	DESCRIPTION	SIZE
	3200-30	Albatros Classic Fleece	XS-5XL



Soft luxurious microfleece

- Soft cuff design for more wearer comfort
- Two external pockets with zip closures, two internal pockets
- Elasticated hem with side adjusters
- Twin needle stitched seams for durability
- Classic and comfortable medium weight fleece jacket
- Matching mens fleece 3200-30 available
- Fabric: 100% Polyester: 300gsm

CODE	DESCRIPTION	SIZE
3260-30	Albatros Ladies Classic Fleece	8-22







JANS

SILVERSTONE PREMIUM FLEECE

Elasticated cuffs, neckline and waistband Brushed fleece inner Well padded, taped neckline for comfort

NEW & MPROVED

3 LAYER

BLACK

S-4XL

BERTEE INTERACTIVE SOFTSHELL JACKET

• High performance 3 layer softshell fabric

• Three external pockets with zip closures

A unique quality softshell jacket.

• Water resistant and breathable

• Twin stitched seams for durability · Elasticated hem and side adjusters • Fabric: 92% Polyester, 8% Elastane

 Interactive zip Adjustable cuff design

· Internal phone pocket

DESCRIPTION

Softshell Jacket

SS-642

Bertee Interactive 2 Layer

Half moon yolk at neck Set in sleeve styling. Ideal for corporate logos

Triple stitched on all main seams for ultimate strength

 Matching Silverstone Polo-Shirts, Sweatshirt, and Softshells available

• Fabric: 100% Polyester

CODE	DESCRIPTION	SIZE
3180-30	Silverstone Premium Fleece	XS-5XL

IS	NS	NS	NS	NS	NS	NS	NS	N5
ey		Black Orange	Black Red	Navy Royal	Navy Red	Bottle Black	Grey Black	Navy Sky



- Top specification water resistant and breathable
- Very smart corporate appearance

High performance technical fabric

- Very comfortable to wear
- Adjustable cuff design causes no discomfort
- Three external pockets with zip closures Internal mobile phone and twin pen pocket
- Elasticated hem with side adjusters
- Twin needle stitched seams for durability
- Matching ladies 4260-50 available
- Fabric: 92% Polyester, 8% Elastane

CODE	DESCRIPTION	SIZE
4200-50	Tern Softshell Jacket	XS-7XL













TERN SOFTSHELL Jacket



- Top specification water resistant and breathable.
- Very smart corporate appearance
- Very comfortable to wear
- Adjustable cuff design causes no discomfort
- Three external pockets with zip closures
- Internal mobile phone and twin pen pocket
- Elasticated hem with side adjusters
- Twin needle stitched seams for durability
- Matching mens 4200-50 available Fabric: 92% Polyester, 8% Elastane

CODE	DESCRIPTION	SIZE
4260-50	Ladies Tern Softshell Jacket	8-22

FOR ANY ENQUIRIES CALL PWS ON 01752 266374



















NAVY

JANS

protectivewearuk.com



- · Luxurious soft feel fabric
- Double stitched seams
- Deep cut armholes
- Full front zip fastening
- Fabric: Outer: 100% Micro Polyester, **Insulation:** 200gsm Polyester Fibre

CODE	DESCRIPTION	SIZE
TRA786	PolyCotton Quilted Bodywarmer	S-4XL









SILVERSTONE SOFTSHELL JACKET

• High performance technical fabric • Water resistant and breathable • Very smart corporate appearance • Adjustable cuff design - causes no

• Three external pockets with zip closures · Internal mobile phone and twin pen pocket • Twin needle stitched seams for durability • Fabric: 92% Polyester, 8% Elastane

The stylish softshell jacket.

wearer discomfort

DESCRIPTION SIZE 4280-50 Silverstone Softshell Jacket XS-5XL













- Adjustable side straps with stud fastening and self-colouring binding
- Fabric: 65% Polyester, 35% Cotton: 245gsm

CODE	DESCRIPTION	SIZE
RK100	PolyCotton Tabard with Pocket	S-XXL

















- Soft collar with button up neck
- Hard wearing PolyCotton mix fabric
- Bust darts for a better shape
- Curved hem
- Fabric: 65% Polyester, 35% Cotton: 105gsm

CODE	DESCRIPTION	ON				SIZE	
5460-15	The Essent	tial Long	Sleeve	Blous	е	6-30	
NS NS	NS NS	NS	NS	NS	NS	NS	NS
			143	143	143	143	143





CODE DESCRIPTION

- Regular body fit with a generous cut
- Classic collar
- Chest pocket
- Matching long sleeve men's shirts available
- Fabric: 65% Polyester, 35% Cotton: 105gsm

540	0-15	The E	ssential	Short	t Sleeve	Shirt		14"-2	3"
NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
Black	Graphite	Lilac	Maroon	Mid	Purple	Royal	White	Sky	Teal



- Smart classic styling Regular body fit with a generous cut
- Classic collar
- Chest pocket
- Matching short sleeve men's shirts available
- Fabric: 65% Polyester, 35% Cotton: 105gsm

CODE	DESCRIPTIO	N		SIZE
5410-15	The Essent	ial Long Sleev	e Shirt	14"-23"
NS NS	NS NS	NS NS	NS NS	NS NS
Black Graphite	Lilac Maroon	Mid Purple	Royal White	Sky Teal

FOR ANY ENQUIRIES CALL PWS ON 01752 266374



SENTIAL LONG SHIRT THE ESSE SLEEVE

THE ESSENTIAL SHORT SLEEVE SHIRT

(1)

0

(3)

0

(0)

THE ESSENTIAL SHORT SLEEVE BLOUSE

Curved hem

Great value blouse that performs perfectly.

• Fabric: 65% Polyester, 35% Cotton: 105qsm

SKY

SIZE

• Soft collar with button up neck

DESCRIPTION

The Essential Short Sleeve Blouse 6-30

NS NS NS NS NS Black Graphite Lilac Maroon Mid Purple Royal White Sky Teal Blue Blue

• Hard wearing polycotton mix fabric Bust darts for a better shape



- · Buttoned down, fused stand up collar
- Centre back pleat
- Chest pocket
- One button adjustable cuff with cufflink option
- Rounded hem

CORPORATE SHORT SLEEVE OXFORD SHIRT

· Buttoned down, fused stand up collar

• Fabric: 85% Cotton, 15% Polyester: 125gsm

Smart corporate shirt.

• Centre back pleat

 Chest pocket Rounded hem Spare buttons

LEMON

KK109

Royal Charcoal White

DESCRIPTION

Corporate Short Sleeve

*Colour available in 14", and 21"-23".

SIZE

14.5"-20"

- Spare buttons
- Fabric: 85% Cotton, 15% Polyester: 125gsm

CODE	DESCR	IPTION	l			SIZE	
KK105	Corpor Oxford		ng Slee	eve		14.5"-20"	
NS	NS NS	NS	NS		NS	NS	
Black Bo	ottle Burgundy	Silver Grey	Lemon	Light Blue	Midnight Navy	Red	
NS	NS						

Royal Charcoal White Blue *Colour available in 14", and 21"-23".



CORPORATE LONG SLEEVE OXFORD SHIRT

Buttoned down, fused stand up collar

- Darts to front and back
- Rounded hem
- Spare buttons
- Fabric: 85% Cotton, 15% Polyester: 125gsm

COD	E	DESC	RIPTION	1			SI	ZE	
KK7	01		rate Sl s Blous		Sleeve		6-	20	
NS	NS	NS	NS	NS	NS	NS	NS	NS	
Black*	Dark Purple	Lemon	Light Blue**	Lilac	Midnight Navy	Red*	Royal Blue	Charcoal	White

*Colour available in sizes 22-26 **Colour available in sizes 22-28



CORPORATE SHORT SLEEVE LADIES OXFORD BLOUSE

- Fused stand up collarPrincess seaming to front and back
- Rounded hem
- Spare buttons
- Three button cuff
- Fabric: 85% Cotton, 15% Polyester: 125gsm

Corporate Long Sleeve 6-20	CODE	DESCRIPTION	SIZE
Ladies Blouse	KK702	Corporate Long Sleeve Ladies Blouse	6-20













*Colour available in sizes 22-26 **Colour available in sizes 22-28



CORPORATE LONG SLEEVE LADIES BLOUSE

LIGHT BLUE






- Chest pocket
- Darted back panel
- Fused stand up collar
- Rounded hem
- Spare buttons
- Two button cuff
- Fabric: 70% Cotton, 30% Polyester: 135gsm

CODE	DESCRIPTION	SIZE
KK184	Slim Fit Oxford Classic Long Sleeve Shirt	14"- 18"





CLASSIC LONG
SLEEVE MENS SHIRT




- Button down collar
- Fused stand up collar
- Rounded hem
- Spare buttons
- Fabric: 85/15 mercerised cotton polyester

CODE	DESCRIPTION	SIZE
KK187	Tailored Fit Premium Oxford Short Sleeve Shirt	14.5" - 19.5"



TAILORED FIT PREMIUM OXFORD SHORT SLEEVE SHIRT





- Button down collar
- Fused stand up collar
- Rounded hem
- Spare buttons
- Fabric: 85/15 mercerised cotton polyester
- 125gsm

KK188 Tailored Fit Premium Oxford 14.5" - 19.5"	
Long Sleeve Shirt	













TAILORED FIT PREMIUM OXFORD LONG SLEEVE SHIRT



LIGHT BLUE

CLASSIC

SLIM FIT OXFORD CLASSIC SHORT SLEEVE SHIRT

• Fabric: 70% Cotton, 30% Polyester: 135gsm

Buttoned down collar shirt.

• Fused stand up collar · Rounded hem • Spare buttons Two button cuff

 Chest pocket Darted back panel

WHITE

Light Blue

White

DESCRIPTION

Slim Fit Oxford Classic Short Sleeve 14"-18"





- Length: 144cm
- A high class wrap tie to complete the corporate look

CODE	DESCRIPTION
T101	Premier Polyester Standard Tie



PREMIER POLYESTER CLIP-ON TIE



- Clip on function reduced risk of choking in event
- Fabric: 100% Polyester

CODE	DESCRIPTION
T100	Premier Polyester Clip-on Tie










THE TRIED AND TESTED EXCLUSIVE BERTEE RANGE

> SEE PAGES 6-17 FOR THE FULL RANGE





CUSTOM UNIFORM

EPS





FIVE SIMPLE STEPS

TO CREATING YOUR CUSTOM MADE COMPANY UNIFORM

CREATE YOUR OWN CUSTOM COLOUR GARMENTS

For a minimum of 250 pieces per style we can pantone match fabric to your specified colour.

PRINTING AND EMBROIDERY

We use the highest quality printing and embroidery equipment to ensure we accurately represent your logo and branding. The resulting finish is second to none.



STEP ONE

Choose your style! Polos, t - shirts, sweatshirts and rugby shirts.



STEP TWO

Select your design options. For cuffs, collars, sleeves, body, hem and pockets.



STEP THREE

Decide your colour combinations. Up to 19 standard colour options plus pantone colour matching for quantities over 250 per style.




STEP FOUR

Choose your branding type. From quality embroidery to flexible transfers, we can offer a range of finishes.



STEP FIVE

Call us on 01752 266374 now for a free no obligation consultation or email **sales@protectivewearuk.com** with your enquiry.



LOW GARMENT ORDERING QUANTITIES

For standard colour options we can manufacture quantities as low as 100 items per style and 5 items per size with no maximum volume limits.

RAPID SAMPLE GARMENT

The design of your choice using standard stock colour fabrics will be with you to evaluate within 12 working days.

FAST DELIVERY TIMES

Short lead times using our specialist manufacturer in Europe, which was specifically set-up for bespoke manufacturing.

FOR ANY ENQUIRIES CALL PWS ON 01752 266374

OEKO-TEX APPROVED MATERIALS

OEKO-TEX ensures skin friendly garments using materials and components that are free from harmful chemicals and substances.

ETHICAL SOURCING

Manufactured in Europe in accordance with all current European labour regulations, controlling working conditions for employees.

HIGHEST QUALITY

Focused on top-end design and materials, and always employing noble fabrics with excellent finishing. Our manufacturing plant has been manufacturing garments for over 20 years.



There are three classes of high visible garment based on the total area of fluorescent material and retroreflective tape.



CLASS 1 Minimum level of protection required for any persons working on a private road or to be used in conjunction with a higher classed garment. Must incorporate a minimum of 0.14 m² of background material and 0.10 m² of retroreflective material. (2 metres of 5 cm wide reflective tape).



CLASS 2 Required for any persons working on or near A and B class roads, also for delivery drivers. Must incorporate a minimum of 0.50 m² of background material and 0.13 m² of retro-reflective material. (2.60 metres of 5cm wide reflective tape).



CLASS 3 Highest level of protection - required for any persons working on or near motorways, dual-carriage ways or airports. Must incorporate a minimum of 0.80 m² of background material and 0.20 m² of retroreflective materials. (4 metres of 5cm wide reflective tape).

with the jacket.



RIS-3279-TOM Issue 1 has replaced GO/RT 3279. Railway Industry Standard (RIS) sets out the minimum specification for high visibility warning clothing in the Rail Industry.



- Limited Flame Spread materials, material assemblies and clothing

This standard intends to protect workers against occasional and brief contact with small igniting flames in circumstances where there is no significant flame hazard and without the presence of another type of

Index 1 - garments should not be worn close to the skin Index 2 & 3 - garments can be worn close to the skin



EN343 Is the European Standard that specifies requirements and test methods applicable to the materials and seams of protective clothing against the influence of precipitation e. g. rain, snowflakes, fog and ground humidity.

Waterproofness and water vapour resistance are the essential properties to be tested.

There are 3 classes of waterproof level; Class 3 being the highest level of waterproof protection.

There are 3 classes of breathable level; Class 3 being the highest level of breathable protection.









Velcro fasteningConforms to EN ISO 20471 Class 2

• Fabric: 100% Polyester

CODE	DESCRIPTION	SIZE
FJ16	Polyester Waistcoat	S-6XL





Velcro fasteningConforms to EN ISO 20471 Class 3

• Fabric: 100% Polyester

CODE	DESCRIPTION	Size
FJ15	Polyester Long Sleeve Waistcoat	S-6XL









Zip fastening

2 front pockets

1 ID pocket

Double pen pocket Mobile phone pouch

Conforms to EN ISO 20471 Class 3


• Fabric: 100% Polyester

CODE	DESCRIPTION	Size
1251	Executive Long Sleeve Waistcoat Hi Vis Yellow	XS-6XL
1261	Executive Long Sleeve Waistcoat Hi Vis Orange	XS-6XL













HI VIS ORANGE

SIZE

EXECUTIVE ZIP FRONT HI VIS WAISTCOAT

1151 Executive Zip Front Hi Vis Waistcoat Yellow S-6XL 1161 Executive Zip Front Hi Vis Waistcoat Orange S-6XL

HI VIS YELLOW

CODE DESCRIPTION





- · Interactive quilt lined
- Waterproof
- Elasticated arm holes
- Mobile phone pocket
- Fleece lined collar
- Front storage pockets
- Hand-warmer pockets
- EN ISO 20471 Class 2
- Hi Vis Orange Conforms to GO/RT 3279
- Fabric: 300D PU coated polyester

CODE	DESCRIPTION	SIZE
B1316	PU Coated Waterproof Padded Bodywarmer	S-6XL













- Two reflective bands around body and one over each shoulder
- Soft-knitted collar & cuffs
- EN ISO 20471 Class 2
- Hi Vis Orange conforms to GO/RT 3279
- Fabric: 100% Polyester: 150qsm

CODE	DESCRIPTION	SIZE
HYV834	Polyester Sportech T-Shirt	XS-5XL











TAKE A LOOK AT THE FULL RANGE ON OUR WEBSITE...

FOR ANY ENQUIRIES CALL PWS ON 01752 266374





RT22



DESCRIPTION



Polyester Sportech Polo

P18 DAY Polyester Sportech Polo Hi Vis Yellow XS-6XL

XS-5XL

HI VIS POLYESTER SPORTECH POLO-SHIRT



HI VIS SWEATSHIRT



CODE	DESCRIPTION	SIZE
BSSEN	Hi Vis Sweatshirt	S-5XL









- EN ISO 20471 Class 3
- Hi Vis Orange conforms to GO/RT 3279
- Comfortable lightweight bird eye knit highly breathable fabric
- Fabric: 100% Polyester: 175gsm

CODE	DESCRIPTION	SIZE
BPKSLSEN	Long Sleeve Sportech Hi Vis Polo-Shirt	S-4XL









- FR knitted collar with double raised rib detail for a more professional look
- Concealed 3 button placket
- Set in sleeve design for optimum fit Elasticated knitted FR cuffs
- EN ISO 20471 Class 3
- Fabric: 60% Protal, 38% Cotton, 2% antistatic: 230gsm

CODE	DESCRIPTION	SIZE
PWS3305286	FR AS ARC Hi-Viz Long Sleeve Poloshirt	S-3XL









HI VIS TWO TONE POLYESTER FLEECE



CODE	DESCRIPTION	SIZE
2066i	Hi Vis Two Tone Hi Vis Orange/Grey Polyester Fleece	S-4XL
2061i	Polyester Railtrack Hi Vis Yellow/Grey Polyester Fleece	S-4XL







Conforms to EN ISO 20471 Class 3

Concealed drawstring hood

Mobile phone pocket

Fleece lined collar

Fabric: 100% Polyester: 190gsm

B1305 Hi Vis Waterproof Bomber Jacket S-6XL	CODE	DESCRIPTION	SIZE
	B1305		S-6XL









Adjustable shock corded hem

- Lower panels are darker colour fabric to prevent darkening of Hi Vis fabric Breathable and shower proof lightweight
- non membrane softshell fabric
- EN ISO 20471 Class 3
- Fabric: 100% Polyester

CODE	DESCRIPTION	SIZE
TRA649	Hi Vis Two Tone Softshell Jacket	S-3XL







· Internal micro-fleece

- Zipped front pockets with pullers
- Semi-concealed zipped chest pocket with puller Shock-Cord hem adjuster

- Cuff-adjuster Fabric: 100% Stretch Polyester
- EN ISO 20471 Class 3
- Hi Vis Orange conforms to GO/RT 3279

CODE	DESCRIPTION	SIZE
2100i	Hi Vis Two Tone 3-Layer Softshell Hi Vis Yellow/Grey	S-4XL
2110i	Hi Vis 3-Layer Softshell Hi Vis Orange	S-4XL













Executive quilt lined

- Waterproof
- Conforms to EN ISO 20471 Class 3
- Concealed drawstring hood
- Knitted storm cuffs and studded flap
- Internal breast pocket and 2 lower pockets with flaps
- Fully taped seams
 - Fabric: 100% Polyester: 210gsm

CODE	DESCRIPTION	SIZE
BS301	Hi Vis PU Coated Waterproof Padded Jacket	XS-6XL













- Knitted storm cuffs
- Two way main zip, with studded storm flap
- Conforms to EN ISO 20471 Class 3
- Fabric: PU coated polyester: 190gsm

CODE	DESCRIPTION	SIZE
5466	Hi Vis Waterproof Contrast Traffic Jacket	S-3XL







S WATERPROOF



- · Will accept an FLJ-532 Bertee fleece jacket liner
- V-shaped drop tail back
- Two way main zip with double storm flap
- Chin protector
- 1 Internal pocket, and 1 internal zipped patch pocket
- Large velcro fastened bellow front pockets
- 3 panel hood
- EN ISO 20471 Class 3
- Hi Vis Orange conforms to GO/RT 3279
 Fabric: Breathable 2-Layer Laminated polyester

CODE	DESCRIPTION	SIZE
1816-i	Hi Vis Breathable Mesh Lined Waterproof Jacket Hi Vis Yellow	S-6XL
1826-i	Hi Vis Breathable Mesh Lined Waterproof Jacket Hi Vis Orange	S-6XL















HI VIS PU COATED TWO TONE WATERPROOF PADDED JACKET

CODE	DESCRIPTION	SIZE
A1308	PU Coated Two Tone Waterproof Padded Jacket Hi Vis Yellow/Navy	S-6XL
A1306	PU Coated Waterproof Jacket Hi Vis Orange GO/RT 3279	S-5XL





0

FRWS

HI VIS PU COATED WATERPROOF CARGO TROUSERS

HI VIS WORKWEAR



- Elasticated waist with shock cord adjuster
- Velcro fastened cargo pockets
- Lower leg zip opening with velcro fastened storm flap
- Side pocket access
- Hi Vis Orange conforms to GO/RT 3279
- EN ISO 20471 Class 1
- Fabric: 2-Layer laminated polyester

CODE	DESCRIPTION	SIZE
1355	PU Coated Waterproof Cargo Trousers Hi Vis Yellow	S-6XL
1365	PU Coated Waterproof Cargo Trousers Hi Vis Orange	S-6XL










HI VIS PU TRANSFER COATED UNLINED JACKET/TROUSERS



- Versatile Waterproof Jacket
- Studded storm flap and welded seams
- Two large front pockets and pack-away hood
- Versatile Waterproof Trousers
- Elasticated waist
- Adjustable hem
- Jacket: EN ISO 20471 Class 3
- Trouser: EN ISO 20471 20471 Class 1
- Fabric: Transfer coated stretchy and durable polyurethane: 185gsm

CODE	DESCRIPTION	SIZE
PUJ471	PU Transfer Coated Unlined Jacket	XS-5XL
PUT471	PU Transfer Coated Unlined Trouser	XS-5XL





- 2 side pockets with storm flaps
- Fully taped seams
- EN ISO 20471 Class 1
- · Fabric: PVC Coated Polyester

CODE	DESCRIPTION	SIZE
HY0800	PU Coated Waterproof Trousers	S-4XL







protectivewearuk.com

JANS

- Water repellent and stain resistant coating
- Triple stitched seams
- Internal kneepad pockets
- Cargo pockets
- EN ISO 20471 Class 1
- Hi Vis Orange conforms to GO/RT 3279
- Leg lengths: Short, Reg, Tall
- Fabric: 80% Polyester, 20% Cotton: 280gsm

CODE	DESCRIPTION	WAIST SIZE
1381	Hi Vis PolyCotton Cargo Trouser Hi Vis Yellow	28" - 54"
1383	Hi Vis PolyCotton Cargo Trouser Hi Vis Orange	28" - 54"











TAKE A LOOK AT OUR FULL RANGE ON OUR WEBSITE...



protectivewearuk.com

HI VIS E GO/RT



- Concealed detachable hood
- Stain resistant finish
- Fleece lined collar
- EN ISO 20471 Class 3
- Conforms to GO/RT 3279
- Fabric: 100% Polyester: 190gsm

CODE	DESCRIPTION	SIZE
RT62	Hi Vis Breathable GO/RT Jacket	S-3XL













- Retromax FR reflective tape
- EN14116 Index 1: Protective Clothing: Protection against Heat and Flame - Limited Flame Spread
- EN 20471 Class 2
- Fabric: EN 14116 Knitted Polyester

CODE	DESCRIPTION	SIZE
W08-0	Limited Flame Spread Waistcoat	S-5XL







- Pull-Apart Garment Protection Against Moving Parts: Quick release front, sides and shoulders
- Velcro fastening
- EN ISO 20471 Člass 2
- Conforms to GO/RT 3279
- Fabric: 100% polyester

CODE	DESCRIPTION	SIZE
FJ14/OBRV	Polyester Railtrack Hi Vis Orange Waistcoat	S-3XL







WE'RE NOT JUST UNIFORM EXPERTS

VIEW OUR PPE AND CLEANING RANGES ONLINE TODAY!

PERSONAL PROTECTIVE EQUIPMENT

FOOTWEAR

Safety · Clothing · Cleaning

HEARING PROTECTION

EYE & FACE PROTECTION

GLOVES

SIGNS

HEAD PROTECTION



VISIT US ONLINE TODAY AT PROTECTIVEWEARUK.COM TO FIND OUT MORE.

PROFESSIONAL CLEANING RANGE

CLEANING CHEMICALS

CLEANING EQUIPMENT

(NS) ITEM NOT STOCKED

EN STANDARDS

Flame Retardant Clothing



EN ISO 11611:2015 Protective clothing for use in welding and allied

Class 1 - less hazardous, lower levels of spatter & radiant heat Class 2 - more hazardous, higher levels of spatter & radiant heat



EN ISO 11612:2015 Protective clothing to protect against heat and flame

A1 + A2 Limited Flame Spread B Convective Heat - 3 levels Radiant Heat - 4 levels D Molten Aluminium Splash - 3 levels E Molten Iron Splash - 3 levels F Contact Heat - 3 levels



IEC 61482-2:2009 Protective clothing against the thermal hazards of an electric arc - requirements

EN 61482-1-2 Box Test Method

Class 1 - is to a current of 4kA arc Class 2 - is to a current of 7kA arc

EN 61482-1-1 Open Arc Method



EN 1149-5:2008 Protective clothing - Electrostatic properties

Part 5.- Material performance and design requirements

EN 1149-3:2004

Measurement of Electric Discharge Properties



EN 14116 Protective Clothing: Protection against Heat and Flame - Limited Flame Spread materials, material assemblies and clothing

Index 1 - garments should not be worn close to the skin Index 2 & 3 - garments can be worn close to the skin

EN 13506 Optional heat & flame 4 second test

Chemical Clothing



EN 13034 Protective clothing against liquid chemicals

Additional Protection



EN 343 Waterproofness and Water Vapour Resistance



EN ISO 20471:2013 High Visibility Clothing

There are three classes of high visible garment based on the total area of fluorescent material and retro-reflective tape.



CLASS 1 Minimum level of protection required for any persons working on a private road or to be used in conjunction with a higher classed garment. Must incorporate a minimum of 0.14 m² of background material and 0.10 m² of retroreflective material. (2 metres of 5 cm wide reflective tape).



CLASS 2 Required for any persons working on or near A and B class roads, also for delivery drivers. Must incorporate a minimum of 0.50 m² of background material and 0.13 m² of retro-reflective material. (2.60 metres of 5cm wide reflective tape).



CLASS 3 Highest level of protection - required for any persons working on or near motorways, dualcarriage ways or airports. Must incorporate a minimum of 0.80 m² of background material and 0.20 m² of retroreflective materials. (4 metres of 5cm wide reflective tape).

* Trousers must be worn in conjunction with the jacket.



RIS-3279-TOM Rail Industry Standard for High Visibility Clothing

EN ISO 13688:2013

Protective Clothing - General



// REDD

// PROGARM

//PWS SPECIAL HAZARD





YALI MEN'S NOMEX COVERALL

TAAL LADIES NOMEX COVERALL

protectivewearuk.com









Retains their protective performance and appearance even after 200 washes

Contains P-140 antistatic carbon fibre which provides a permanent effective solution to the build up of static electric charge

Fabric: 93% meta-aramid, 5% para-aramid, 2% anti-static 185qsm

CODE	DESCRIPTION	SIZE
RDFRNXBS	REDD YALI FR AS Nomex Mens coverall	XS - 5XL

CODE	DESCRIPTION	SIZE
RDFRNXFBS	REDD TAAL FR AS Nomex	10 - 18

Inherent flame retardant, anti static, arc rated, long

58 % Nomex / 42% Viscose FR

improved coverage and protection 3 Button concealed placket, lay flat collar

Ribbing of collar prevents curling

• Soft handle fabric, longline style with shaped hem for

Raglan sleeve design for greater freedom of movement





sleeve soft handle polo shirt.

250 gms



EN 11612:2008 A1 B1 C1

SIZE S - 5XL

- EN 1149-3:2004
- EN 61482-1-1
- EN 61482-1-2 Class 1

on the skin, so that it can be worn all day · Soft handle fabric, front fly, elasticated ankle band for superior comfort

· Well designed and super lightweight and comfortable

- Anti-bacterial finish
- Excellent moisture wicking properties

CODE	DESCRIPTION	SIZE
RDFRTH/LJ	REDD FUJI FR AS Thermal Long Johns	S-5XL

• Well designed and super lightweight and comfortable on the skin, so that it can be worn all day

improved coverage and protection Ribbed cuffs with thumb hole

• Excellent moisture wicking properties

DESCRIPTION

Anti-bacterial finish

Soft handle fabric, longline style with shaped hem for

Raglan sleeve design for greater freedom movement

S-5XL

REDD ABU FR AS Thermal

Long Sleeve T-Shirt







EN STANDARDS

- EN ISO 11612:2015 / A1 B1 C1 F1
- EN 1149-5: 2008
- EN ISO 13688:2013
- EN 1149-3:2008



EN STANDARDS

- EN ISO 11612:2015 / A1 B1 C1 F1
- EN 1149-3:2008
- EN ISO 13688:2013

The MOTI Sweatshirt has been crafted with REDD technology, offering a light, comfortable and anti-bacterial material whilst giving a high level of protection against heat and flames.

- Raglan Sleeves
- Ribbed Cuffs
- Long Line
- Thumb Holes

Fabric: 55% Protex 43% Cotton 2% AST 280gsm

CODE	DESCRIPTION	SIZE
RDFRRK28	REDD MOTI FR AS Sweatshirt	XS-5XL







FOR ANY ENQUIRIES CALL PWS ON 01752 266374



EN STANDARDS

- EN ISO 11612:2008 / A1 B1 C1 F1
- EN 1149-5: 2008
- EN 1149-3:2008
- EN ISO 13688:2013



REDD FR AS POLO



LADIES

MENS

EN STANDARDS

- EN ISO 11612:2008 / A1 B1 C1
- EN 1149-3:2004
- IEC 61482-2: 2009





RDFRNXRK14





DESCRIPTION

REDD FR AS Men's Polo







SABA

/ PAGO LINED FLEECE

protectivewearuk.com



- Delivering comfort through water repellant, wind resistant 2-layer softshell fabric and a storm flap.
- 2 external zipped lower pockets
- · 1 zipped chest pocket
- Internal phone pocket and 2 pen pockets

CODE	DESCRIPTION	
RDFRASSS	REDD SABA FR AS HV Premium Softshell	S-6XL















- · EN 20471 Class 3
- EN 11611 EN 11612
- EN 1149-5
- EN 61482-2
- EN 13034
- Double sided fleece for warmth and comfort.
- Elasticated cuffs.
- Concealed front zip.
- 2 front side pockets with zip closure.
- Elasticated draw cord waist adjuster.
- British Manufactured



CODE	DESCRIPTION	SIZE
RDFRFLJ532	REDD PAGO FR AS Premium Lined Fleece	XS-5XL

EN STANDARDS

- · EN ISO 11612
- EN 1149















- Concealed phone pocket
- Pack away hood
- Radio Loop
- Internal chest pocket
- Knitted cuff

CODE	DESCRIPTION	SIZE
RDFRWPJ	REDD FOGO FR AS HV Breathable Waterproof Jacket	XS-5XL

EN STANDARDS

- · EN 14116
- EN 1149
- EN 20471 Class 3
- EN 343 3:3











- · Effectively shields the wearer from the onset of body
- · Provides a high thermal protection in relation to their
- Retains their protective performance and appearance even after 200 washes
- Contains P-140 antistatic carbon fibre which provides a permanent effective solution to the build up of static electric charge

93% meta-aramid, 5% para-aramid, 2% anti-static 220qsm





protectivewearuk.com

EN STANDARDS

- EN 11612 A1, B1, C1
- EN 1149-3
- EN 61482-1-1:2009 EN 61482-1-2:2009 Class 1









DESCRIPTION	SIZE	LEG LEN	GTHS
REDD PICO FR AS Nomex Mens Cargo Trousers	30" - 56"	Men:	Ladies
REDD EGON FR AS Nomex Mens Kneepad Trousers	28" - 56"	Short (29") Reg (31"),	Short (27") Reg (29"),
REDD LOLO FR AS Nomex Ladies Kneepad Trousers	10 - 22	Tall (33")	Tall (31")

PICO NOMEX CARGO TROUSERS EGON / LOLO NOMEX KNEEPAD TROUSERS

JANS

CODE

RDFRNXCTR RDFRNX902 RDFRNX905

FOGO WATERPROOF JACKET

protectivewearuk.com

PROGARM® CLOTHING

There is no goal more important than to offer garments that provide the ultimate protection from risks and hazards in which the wearers have to work.

With this is mind, ProGARM® has developed a reputation for innovative Flame Resistant Garments in designs and fabrics that workers want to wear.

Each product is the result of extensive inhouse development in addition to feedback from end users about the features needed to set a good garment apart from the bad.

Every detail of a ProGARM® garment is carefully considered – from the super soft VXS+ fabric offering comfort previously unheard of in Flame Resistant fabrics to the zippers, the reflective tapes and even the threads. ProGARM® is the brand you and your workforce need for consistent, reliable protection day-in and day-out.

Mandarin Collar - maximum neck protection

- Kneepad pockets wear with kneepads for extra comfort
- Chest Pockets with zippers secure storage
- Gas monitor loop secure fixing point
- SafetylCON™ on arm visual EN Norm icon system
- 5 cm FR AS reflective tape double stitched for
- Phone pocket on sleeve with flap safe and secure
- Velcro® secured cuff tabs close fit around wrist or
- Side access pockets with flaps with entry inside coverall
- ThermSAFE™ plastic FR zipper CE certified
- Internal elastic 2 Point adjustable waistband ensures close fit
- Triple stitched side seams lifetime quality assurance
- Easy-stretch™ side panels maximum wear comfort
- · Action back for improved comfort

EN STANDARDS

- EN ISO 11612: 2008
- EN ISO 11611: 2015
- EN 1149-5: 2008
- EN ISO 20471:2013
- IEC 61482-2: 2009
- Fabric tested to BS EN 13034: 2005

CODE	DESCRIPTION	SIZE
6444	ProGARM® 6444 Coverall	38" - 60" Reg Leg (31"/80 cm) 40" - 52" Tall Leg (33"/85 cm)

















- Good abrasion resistance for handling materials associated with power and hand tools
- Made from quality, hard wearing, supple hide leather which gives good dexterity and is breathable
- Suitable for dry handling work
- Lined for comfort and cold
- Gives protection against all thermal hazards
- Extended cuff for complete protection
- Full size range, including ladies, sizes 7 13
- Colour fast dying process

-	CODE	DESCRIPTION	SIZE
-	2036/EX	REDD NASU Lined Drivers Glove	7 - 13

EN STANDARDS

- EN388 3233A
- EN407 433221





FOR ANY ENQUIRIES CALL PWS ON 01752 266374



NASU HIDE LEATHER GLOVE

J. P. WS



EN STANDARDS

- EN ISO 11612: 2015 EN ISO 11611: 2007
- EN 1149-5: 2008
- IEC 61482-2: 2009
- Fabric tested to BS EN 13034: 2005

- Mandarin Collar maximum neck protection
- Easy-Seal chest pocket flaps not metal
- Gas monitor loop secure fixing point
- SafetyICON™ on arm visual EN Norm icon system
- 5 cm FR AS reflective tape double stitched for
- Phone pocket on sleeve with flap safe
- Velcro® secured cuff tabs close fit around wrist
- Side access pockets with flaps protects from
- ThermSAFE™ plastic FR zipper CE certified
- Extended back protection when bending over
- Triple stitched side seams lifetime quality assurance
- Easy-stretch™ side panels maximum wear comfort

CODE	DESCRIPTION	SIZE
5808	ProGARM® 5808 Jacket	S - 4XL













EN STANDARDS

- EN ISO 11612: 2015
- EN ISO 11611: 2007
- EN 1149-5: 2008
- IEC 61482-2: 2009
- Fabric tested to BS EN 13034: 2005

- 5 cm FR AS reflective tape double stitched for
- Kneepad pockets wear with kneepads for extra comfort
- Combat pocket with flap safe storage space
- Mobile phone pocket keep your phone safe
- Side access pockets with flaps -protects from debris entry
- ThermSAFÉ™ plastic FR zipper CE certified
- SafetylCON™ on leg pocket visual EN Norm
- Two rear pockets with flaps secure storage space
- Triple stitched side seams lifetime quality assurance
- Reinforced crotch improved longevity
- ThermSAFE™ Jeans button Jeans style fastening

CODE	DESCRIPTION	SIZE
5816	ProGARM® 5816 Trouser	30" - 52" Reg Leg (32"/81 cm) 30" - 44" Tall Leg (34"/86 cm) 32" - 42" Short Leg (30"/76 cm)











- Mandarin Collar maximum neck protection
- Kneepad pockets wear with kneepads for
- Chest Pockets with zippers secure storage
- Gas monitor loop secure fixing point
- SafetyICON™ on arm visual EN Norm icon system
- 5 cm FR AS reflective tape double stitched for
- Phone pocket on sleeve with flap safe and secure
- Velcro® secured cuff tabs close fit around wrist or gloves
- Side access pockets with flaps with entry inside coverall
- ThermSAFE™ plastic FR zipper CE certified
- Internal elastic 2 Point adjustable waistband ensures close fit
- Triple stitched side seams Lifetime quality assurance
- Easy-stretch™ side panels maximum wear comfort
- Action back for improved comfort

CODE	DESCRIPTION	SIZE
6100	ProGARM® 6100 Coverall	S - 4 XL, Reg Leg (31"/80 cm) M - 2XL, Tall Leg (33"/85 cm) Short leg by rehemming



Mandarin Collar - maximum neck protection

- Kneepad pockets wear with kneepads for extra protection
- Chest pockets with flaps secure storage
- Gas monitor loop secure fixing point
- SafetyICON™ on arm visual EN Standard
- 5 cm FR AS reflective tape double stitched for
- Phone pocket on sleeve with flap safe and secure
- Velcro® secured cuff tabs close fit around wrist
- Side access pockets with entry inside coverall
- ThermSAFE™ plastic FR zipper CE certified
- Internal elastic 2Point adjustable waistband ensures close fit
- Triple stitched side seams lifetime quality assurance
- Easy-stretch™ side panels maximum wear comfort

CODE	DESCRIPTION	SIZE
4690	ProGARM® 4690 Coverall	S-4XL, Regular leg (31"/80cm) M-2XL Tall leg (33"/85cm)















FOR ANY ENQUIRIES CALL PWS ON 01752 266374



PROGARM® 5816 TROUSER

OGARM® 90 POLOSHIRT

PR(52)

JANS



EN STANDARDS

- EN ISO 11612: 2015
- EN ISO 11611: 2015
- EN 1149-5: 2008
- IEC 61482-2: 2009
- EN ISO 20471: 2013
- GO/RT 3279 Compliant

- Mandarin Collar maximum neck protection
- Vertical chest pocket with zipper discreet design
- Gas monitor loop secure fixing point
- SafetyICON™ on arm visual EN Norm icon system
- 5 cm FR AS reflective tape double stitched for
- Phone pocket on sleeve with flap safe and secure
- Velcro® secured cuff tabs close fit around wrist
- Side access pockets with flaps protects from debris entry
- ThermSAFÉ™ plastic FR zipper CE certified
- Extended back protection when bending over
- Triple stitched side seams lifetime quality
- Easy-stretch™ side panels maximum wear comfort

CODE	DESCRIPTION	SIZE
4608	ProGARM® 4608 Jacket	S - 4XL















- Combat pocket with flap safe storage space
- Kneepad pockets wear with kneepads for extra comfort
- Mobile phone pocket keep your phone safe
- Side access pockets with flaps -protects from
- Extra wide belt look at rear prevents belt riding up
- ThermSAFE™ plastic FR zipper CE certified
- SafetyICON™ on leg pocket visual EN Norm icon system
- Rear pockets with flap secure storage space
- Triple stitched side seams lifetime quality assurance
- Reinforced crotch improved longevity
- 7 cm wide reflective tape Class 2 Hi-Visibility certification
- ThermSAFE™ Jeans button Jeans style fastening
- 5 cm FR AS reflective tape double stitched for longer life

4616 ProGARM® 30" - 54" Reg Leg (32"/81 cm) 4616 Trouser 30" - 44" Tall Leg (34"/86 cm) 32" - 42" Short Leg (30"/76 cm)	CODE	DESCRIPTION	SIZE
	4616	1100/1111	30" - 44" Tall Leg (34"/86 cm)















- VXS+ blend natural feel, comfortable and soft
- Breathable with good moisture management
- ThermSAFE™ plastic FR zipper CE certified
- Knitted collar with tipping ensures best appearance after washing
- Contrast colour collar stylish and practical
- Rib knit cuffs close fit
- SafetylCON™ on arm visual EN Standard icon system
- 5cm FR AS reflective tape heat applied to improve flexibility

CODE	DESCRIPTION	SIZE
5290	ProGARM® 5290 Poloshirt	S - 4XL

EN STANDARDS

- EN ISO 11612: 2015
- EN 1149-5: 2008
- IEC 61482-2: 2009
- EN ISO 20471: 2013
- GO/RT 3279 Compliant













- VXS+ blend natural feel comfortable and soft
- Breathable with good moisture management
- Round necked collar with stretch rib smart appearance
- Contrast colour collar stylish and practical
- Rib knit cuffs close fit
- 5cm stretch rib hem best fit around the waist
- SafetylCON™ on arm visual EN Standard icon system
- · Arm pocket useful pocket for phone or small items
- 5cm FR AS reflective tape heat applied to improve flexibility

CODE	DESCRIPTION	SIZE
5648	ProGARM® 5648 Sweatshirt	S - 4XL

EN STANDARDS

- EN ISO 11612: 2015
- GO/RT 3279 Compliant
- IEC 61482-2: 2009
- EN ISO 20471: 2013













FOR ANY ENQUIRIES CALL PWS ON 01752 266374



PROGARM® 1616 TROUSER

SPECIAL HAZARD WORKWEAR

EN ISO 11611: 2015

EN ISO 20471: 2013 GO/RT 3279 Compliant

• EN 1149-5: 2008 • IEC 61482-2: 2009



protectivewearuk.com



- Twin needle stitching at neck, sleeves
- FR knitted collar with double raised rib detail for a more professional look
- Concealed 3 button placket
- Set in sleeve design for optimum fit Elasticated knitted FR cuffs
- EN ISO 20471 Class 3
- Fabric: 60% Protal, 38% Cotton, 2% antistatic: 230gsm

CODE	DESCRIPTION	SIZE
PWS3305286	FR AS ARC Hi-Viz Long Sleeve Poloshirt	S-3XL



/ FR-AST HI VIS POLO SHIRT









EN STANDARDS

- EN ISO 11612: 2015
- EN 1149-5: 2008
- IEC 61482-2: 2009
- EN ISO 20471: 2013



- Elasticated waist for additional comfort
- Ripstop weave fabric with additional durability
- Two cargo pockets with mobile phone storage
- Extra wide belt loop at rear
- CE certified plastic FR zipper
- Triple stitched seams
- Reinforced crotch

EN STANDARDS

- EN ISO 11612: 2015
- EN ISO 11611: 2015
- EN 1149-5: 2008

•	IEC	61482-2:	2009

CODE	DESCRIPTION	SIZE
ABH-638	FR AS ARC Cargo Trouser	30" - 52" Reg leg (32"/81cm) 32"- 44" Tall leg (34"/86cm) 32"- 42" Short leg (30"/76cm)

LFS ANTI-STATIC SLEEVED WAISTCOAT

- Designed for multiple risk environments
- Knitted polyester
- FR Velcro fastener



EN STANDARDS

- ISO 20471 Class 3
- EN 14116: 2015 Index 1
- EN 1149-5

CODE	DESCRIPTION	SIZE
542 (Yellow) S17-0 (Orange)	LFS Anti-Static Sleeved Waistcoat	S - 6XL











Breathable fabric to draw moisture away from the Outstanding colour fastness and shrinkage results











E RESISTANT ANTI-STATIC SLEEVE T-SHIRT

FLAME RESISTANT ANTI-STATIC LONG SLEEVE **POLO SHIRT**

Convenient for cooler weather, and ideal for workers in industries exposed to heat

- 3 button placket
- Ribbed collar and cuffs
- Modaflame knit 200g
- 4.3 Cal/cm2
- CE certified
- ARC1
- 50+ UPF rated fabric to block 98% of UV rays
- Outstanding colour fastness and shrinkage results
- Breathable fabric to draw moisture away from the body keeping the wearer cool, dry and comfortable
- Inherent flame resistant qualities will not diminish with washing
- Flame resistant ribbed cuff for added safety

EN STANDARDS

- EN ISO 11612 A1, B1, C1, F1
- EN 1149-5
- IEC 61482-2

Navy Black Grey

IEC 61482-1-2 CLASS 1

CODE	DESCRIPTION	SIZE
FR10	Flame Resistant Anti-static Long Sleeve Polo Shirt	Navy: XS - 5XL Black, Grey: S - 3XL
lavy	Black Grey	Flag 4

Ideal for workers exposed to heat in their working environment. Features on this garment include raglan sleeve, round neck, ribbed collar and cuffs, making it comfortable and easy to wear

CE certified

 CE certified ARC1

and comfortable

Anti-static

with washing

contact heat

EN STANDARDS

• EN 1149-5 IEC 61482-2

50+ UPF rated fabric to block 98% of UV rays

Inherent flame resistant qualities will not diminish

SIZE

Navy Reg XS - 5XL

Black Reg S - 3XL

Grey Reg S - 3XL

Flame resistant ribbed cuff for added safety

Protection against radiant, convective and

Available in sizes up to 5XL Ribbed cuffs for warmth and comfort

DESCRIPTION

Flame Resistant

Anti-Static Long

Sleeve T-Shirt

EN ISO 11612 A1, B1, C1, F1

• IEC 61482-1-2 CLASS 1

body keeping the wearer cool, dry

- · Inherent flame resistant qualities will not diminish
- · Protection against radiant, convective and contact heat
- ARC2
- Anti-static
- 50+ UPF rated fabric to block 98% of UV rays
- Flame resistant ribbed cuff for added safety
- High cotton content for superior comfort
- Available in sizes up to 4XL
 - Ribbed hem for a comfortable fit
- Ribbed cuffs for warmth and comfort

CODE	DESCRIPTION	SIZE
FR12	Flame Resistant Anti-Static Long Sleeve Sweatshirt	Navy XS - 4XL Black L - 3XL

FOR ANY ENQUIRIES CALL PWS ON 01752 266374

EN STANDARDS

- EN ISO 11612 A1, B1, C1, F1
- EN 1149-5
- IEC 61482-2
- IEC 61482-1-2 CLASS 1











E RESISTANT ANTI-STATIC SLEEVE SWEATSHIRT

protectivewearuk.com



EN STANDARDS

- EN ISO 11612 A1 + A2, B1, C1, E1, F1
- EN ISO 11611 CLASS 1 A1 + A2



BIZWELD COVERALI

- HI-VIS

BIZFLAME RAIN UNLINED ANTISTATIC FR TROUSER



Voted the number one favourite coverall in the welding industry, our best selling Bizweld coverall is ideal for offering complete protection to workers exposed to heat. The generous fit provides comfort and allows the wearer to work unhindered whilst ample storage space, rule pocket and concealed mobile phone pocket hold equipment securely and safely.

- CE certified
- Radio loop for easy clipping of a radio
- Chest pockets with stud closure
- Concealed stud front for easy access
- Stud adjustable cuffs for a secure fit
- Rule pocket
- Available in sizes up to 6XL
- Concealed phone pocket
- ARC2
- 6 pockets for ample storage
- 50+ UPF rated fabric to block 98% of UV rays
- Certified protection against molten metal splash
- Guaranteed flame resistance for life of garment
- Dual hazard protection
- Protection against radiant, convective and contact heat
- Side elastic waist for ultimate wearer comfort
- 10 pockets for ample storage
- Hook and loop cuffs for a secure fit

CODE	DESCRIPTION	SIZE
BIZ1	Bizweld FR Coverall	Navy Reg XS - 6XL, Tall S - 5XL Red Reg XS - 5XL, Tall L - 3XL Black Reg XS - 4XL, Tall M - 3XL Orange Reg S - 4XL, Tall L - 3XL Royal Reg S - 4XL, Tall L - 3XL Green Reg S - 3XL, Tall L - XXL Grey Reg S - 3XL

Breathable and waterproof, this superb flame resistant and antistatic garment provides everything you need. The fully elasticated waistband and back waist buggy maximise comfort, the braces are fitted with a quick release buckle system

- CE certified
- Flame resistant treated waterproof fabric prevents water penetration
- Breathable fabric to draw moisture away from the body keeping the wearer cool, dry and comfortable
- Premium flame resistant reflective tape
- Taped seams to provide additional protection
- Zipped ankles for easy fitting over work boots
- Fully elasticated waistband for ultimate wearer comfort
- Ergonomic quick release buckle
- Back waist buggy for added protection

Bizflame Rain S780 Unlined - Hi-Vis Anti- static FR Trouser Orange Reg S - XXL Yellow Reg S - 4XL	COL	E	DESCRIPTION	SIZE
	578	0	Unlined - Hi-Vis Anti-	



- EN 1149-5
- EN 13034 TYPE 6
- EN ISO 14116 INDEX 1/12H/40
- EN ISO 20471 CLASS 1
- RIS-3279-TOM ISSUE 1 (Orange only)
- GO/RT 3279 ISSUE 8 (Orange only)
- EN 343 CLASS 3:3













Optimum protection is offered from this antistatic jacket. Flame resistance coupled with superb breathable and water resistant properties, means this garment meets the necessary stringent European standards.

- CE certified
- Flame resistant treated waterproof fabric prevents water penetration
- Premium flame resistant reflective tape
- Chemical resistant
- Anti-static
- Breathable fabric to draw moisture away from the body keeping the wearer cool, dry and comfortable
- Fully lined and padded to trap the heat and increase warmth
- Internal chest pocket
- Storm flap front to protect against the elements
- Pack away hood for added functionality
- Radio loop for easy clipping of a radio
- Phone pocket
- Ribbed cuffs for warmth and comfort
- 4 pockets for ample storage
- Two-way front plastic moulded zip for quick and easy access
- Available in sizes from XS to 6XL
- Lined for added warmth and comfort
- Breathable, windproof and water resistant
- Taped seams to provide additional protection

 50+ UPF rated fabric to block 98% of UV ray 	•
---	---

CODE	DESCRIPTION	SIZE
S778	Bizflame Rain Hi-Vis Antistatic FR Jacket	Yellow Reg XS - 6XL Orange Reg XS - 4XL

FOR ANY ENQUIRIES CALL PWS ON 01752 266374



EN STANDARDS

- EN ISO 14116 INDEX 3/12H/40
- EN 1149
- EN 13034 TYPE 6
- EN ISO 20471 CLASS 3 RIS-3279-TOM ISSUE 1 (Orange only)
- GO/RT 3279 ISSUE 8 (Orange only)
- EN 343 CLASS 3:1

















Email: sales@protectivewearuk.com Website: protectivewearuk.com

Safety Footwear













Code: Elaine

Sizes: 4 - 8 Code: Elenoire S3, SRC

Sizes: 4 - 7

Code: Evelyne S3, SRC

WIDE

6000000

690000000

69000000

Sizes: 5 - 12

Sizes: 4 - 13

S1P. SRA

BUDGET

S1P, SRC





WIDE **6930683**

S3. SRC

Sizes: 3 - 13

S1P. SRC



6000000











WORKWEAR **EXPERTS**





Sizes: 6 - 12 S3, SRA





Sizes: 6 - 12 S3. SRC

60000000



@@0



69306



6930

Sizes: 6-13

S3, SRC



WIDE 6000000







600000000





Ø0Ø309

600000



Ø0Ø300



Sizes: 5 - 12



606000000



Anti-Static

Anti Dig

Absorbing

600000

MODERN



6690000



6000000



600000

WADERS



Ø0Ø**3**00



60600

Fur Lined

Resistant

Larger Sizes

Metal Free

Metatarsal

Protection

MODERN





000**0**



6000000

S1P, SRA



MODERN

Code: TC350

690000 6000000e





Ø**©**⊙Ø**⊚**●



Code: Funk S3 SRC



<u>@@00@@</u>

0000









Ultra

Lightweight

Waterproof

Repellent



Resistant



200 Joules Safety Toecap



Slip Resistant







Zip Fastening

110

METAL

EN STANDARDS

The Personal Protective Equipment at Work Directive 89/656/ EEC requires employers to provide their employees with suitable Personal Protective Equipment (PPE) to carry out their work. Protective gloves are classed as PPE and must therefore be CE marked to indicate approval to the relevant standard. There are different standards to which a glove can be tested which reflect the hazard for which the glove is designed to protect against. Below is a brief explanation of these standards.

EN388:2016 Protective Gloves Against Mechanical Risks

This standard tests a glove against mechanical hazards such as abrasion, blade cut, tear and puncture. EN388: 2016 updates the existing standard (2003) with a new test method for abrasion, blade cut & impact resistance tests. A score of X means that the test was not carried out.

EN 388:2003	А	Abrasion Performance	Index 0 – 4
	В	Blade Cut Performance	Index 0 – 5
ABCD	С	Tear Performance	Index 0 – 4
EN 388:2016	D	Puncture Performance	Index 0 – 4
	Ε	Straight Blade Performance	Index A - F
	Р	Impact Performance	Р
ARCDEP			

EN407:2004 Protective Gloves Against Thermal Risks

This standard tests a glove against a variety of heat related risks. In order to claim EN407 approval a glove must pass at least one of the heat tests. It is not compulsory to take all the tests. A score of X means that the test was not carried out.

EN 407	Α	F
(8)	В	C
ABCDFG	С	C
	D	R
	F	S

А	Flammability Performance	Index 1 – 4
В	Contact Heat Performance	Index 1 – 4
С	Convective Heat Performance	Index 1 – 4
D	Radiant Heat Performance	Index 1 – 4
F	Small Molten Metal Splash Performance	Index 1 – 4
G	Large Molten Metal Splash Performance	Index 1 – 4

EN511:2006 Protective Gloves Against Cold Risks This standard tests a glove against old handling risks.

EN 511
**
**
ABC

Α	Convective Cold Performance	Index 0 – 4
В	Contact Cold Performance	Index 0 – 4
С	Water Permeability	Index 0 – 1

EN374:2003 Protective Gloves Against Chemicals and Mi-

EN 374-2





Gloves are tested against twelve test chemicals (A - L). In order to claim EN 374-3 approval to EN374 (and display the pictogram) a glove must achieve a breakthrough time >30 minutes against a minimum of three of the test chemicals. The test chemicals that the glove has passed against are then shown under the pictogram.

EN374:2016 Protective Gloves Against Chemicals and Micro-Organisms

EN374: 2016 updates the existing standard introducing three new types with new markings and adding a further 6 chemicals, highlighted in the table below.

Type	Minimum Performance Level	Minimum number of chemicals tested
А	2 (min 30 minutes breakthrough)	6
В	2 (min 30 minutes breakthrough)	3
С	1 (min 10 minutes breakthrough)	1







	CHEMICAL	CAS NO.	CLASS
А	Methanol	67-56-1	Primary alcohol
В	Acetone	67-64-1	Ketone
С	Acetonitrile	75-05-8	Nitrile compound
D	Dichloromethane	75-09-2	Chlorinated paraffin
Е	Carbone disulphide	75-15-0	Sulphur containing organic compound
F	Toluene	108-88-3	Aromatic hydrocarbon
G	Diethylamine	109-89-7	Amine
Н	Tetrahydrofurane	109-99-9	Heterocyclic and ether compound
1	Ethyl acetate	141-78-6	Ester
J	n-Heptane	142-85-5	Saturated hydrocarbon
K	Sodium hydroxide 40%	1310-73-2	Inorganic base
L	Sulphuric acid 96%	7664-93-9	Inorganic mineral acid
М	Nitric acid 65%	7697-37-2	Inorganic mineral acid
Ν	Acetic acid 99%	64-19-7	Organic acid
0	Ammonium hydroxide 25%	1336-21-6	Organic base
Р	Hydrogen peroxide 30%	7722-84-1	Peroxide
S	Hydrofluoric acid 40%	7664-39-3	Inorganic mineral acid
Т	Formaldehyde	50-00-0	Aldehyde

FOOD SAFE



European legislation requires that food contact materials shall not transfer their ingredients to food and must not modify the colour, smell, texture and taste of the food.



HAND PROTECTION

protectivewearuk.com

Extremely comfortable cut glove combining banksman requirements with cut resistance.

APPLICATIONS

- Superior wet gripBi-colour STOP/GO glove
- General purpose
- · Light duty mechanical, engineering, finishing and inspection
- Maintenance
- Logistics & warehousing
- Primary, secondary and final

EN 388

	$\overline{}$	/	
4 X	4	3	C
CODE			

CODE	TINDINI C4C/ OIL
Coating:	Palm
Colour:	Red
Liner:	Green
Sizes:	6-11
Length:	Wrist
EN388 2016:	4X43C
Silicone free:	Yes
Gauge:	13

HNBRPC4C/GR



Most dexterous lightweight cut glove which gives great protection and durability to the wearer. Multitasking glove.

APPLICATIONS

- Superior wet grip
- Mechanical risk work glove
- · Suited for medium cut risk
- Sheet metal handling
- General purpose waste material handling protection



CODE	HNBRPC4C
Coating:	Palm Coated
Colour:	Black
Liner:	Green
Sizes:	7-11
Length:	Wrist
EN388 2016:	4X42C
Silicone free:	Yes
Gauge:	18



APPLICATIONS

- Stainless steel core to thread giving superior cut resistance
- and construction

with superb grip designed for the wearer in high cut risk areas.



SANDY NITRILE EXTRA CUT F GRIP FLEX GLOVE

Look after your hands





APPLICATIONS

- General purpose
- · Low risk building work
- · Light duty mechanical, engineering, finishing and inspection
- Maintenance
- Logistics & warehousing
- Primary, secondary and final assembly



CODE	NCN-WG	
Coating:	Palm	
Colour:	Black	
Liner:	Red	
Sizes:	6 to 11	
Length:	Wrist	
Palm thickness:	1.05 mm	
EN388 2016:	4132A	
Silicone free:	Yes	
Gauge:	13	

ULTRA LIGHTWEIGHT AND **DEXTEROUS**

Superior cut resistant waterproof glove with excellent wet grip for handling glass, metal sheets & small sharp components.

APPLICATIONS

- · Glass handling
- Sheet metal handling
- Maintenance
- · General handling
- Construction
- Waste material handling



.,,		
CODE	HNBRFCD4E	
Coating:	Fully Coated	
Colour:	Black/Blue	
Liner:	Grey	
Sizes:	8-11	
Length:	Wrist	
EN388 2016:	4X42E	
Silicone free:	Yes	
Gauge:	18	

APPLICATIONS

- Finishing and inspection
- Handling of small components
- Maintenance
- Logistics and warehousing
- Using tools and instruments
- Wiring operations
- Primary, secondary and final assembly

EN 388 EN 388



CODE	34-875
Coating:	3/4 dipped
Colour:	Black
Liner:	Dark Grey
Sizes:	5 to 12
Length:	Wrist
Palm thickness:	1.00 mm
EN388 2003:	4131
EN388 2016:	4131A
Silicone free:	Yes



MAXIFLEX® ULTIMATE™ 3/4 DIPPED

APPLICATIONS

 Mechanical work glove for Precision Handling™ with cut risk in dry environ-

34-8743

Green/black

6 to 11

0.80 mm

4331

4331B

FOR ANY ENQUIRIES CALL PWS ON 01752 266374

Yes



CODE

Coating:

Colour:

Sizes:

Length:

Palm thickness:

EN388 2003

EN388 2016 Silicone free:







MAXIFLEX® PALM COATED CUT

SANDY NITRILE CUT E
W/PROOF EXTRA DEX GLOVE





Focused on innovation and quality, ATG® designs, develops and manufactures gloves that enhance the performance of the most sophisticated tool: the

ATG® stands for value for money, quality, innovation, enthusiasm and a sense of competitive

Designed and developed to be the lightest, fully breathable coated glove, MaxiFlex® Elite™ completely rewrites the rules. Weighing in at a staggering 36% less and 30% thinner than traditional foam nitrile gloves MaxiFlex® Elite™ delivers a user experience that sets game changing new standards.



APPLICATIONS

- Mechanical work glove for Precision
- Handling[™] in dry environments
- AD-APT® technology reduces sweating by 31% cooler hands versus standard
- Breathable glove

EN 388 EN 388

CODE	42-874
Coating:	Palm coated
Colour:	Grey/black
Sizes:	5 to 12
Length:	22.5 cm (Size 10)
Palm thickness:	1.00 mm
EN388 2003:	4131
EN388 2016:	4131A
Silicone free:	Yes

MAXIFLEX® ULTIMATE™ WITH AD-APT®

APPLICATIONS

- Finishing and inspection
- Handling of small components
- Maintenance
- Logistics and warehousing
- Using tools and instruments
- Wiring operations
- Primary, secondary and final assembly



CODE	34-274
Coating:	Palm
Colour:	Blue
Liner:	Blue
Sizes:	5 to 12
Length:	Wrist
Palm thickness:	0.75 mm
EN388 2003:	4121
Silicone free:	Yes



APPLICATIONS

- Mechanical work glove for Precision Handling™ in dry environments.
- · The raised dots on the MaxiFlex® Endurance™ offers increased cushioning for those doing repetitive jobs or carry heavy loads

EN 388 EN 388





CODE	34-848
Coating:	Palm
Colour:	Black
Liner:	Bright Orange
Sizes:	7 to 12
Length:	Wrist
Palm thickness:	1.00 mm
EN388 2003:	4131
EN388 2016:	4131A
Silicone free:	No

FOR ANY ENQUIRIES CALL PWS ON 01752 266374



MAXIFLEX® ENDURANCET™ WITH RAISED DOTS

JANS.





APPLICATIONS

- · Handling ceramics
- Corrugated sheets
- Non-deburred parts, glass panels, plastics injection
- Moulds, sharp edged metal sheets, small sharp components
- Logistics and warehousing
- Maintenance
- Primary, secondary and final assembly

EN 388	EN 38
4331	433

. 4	331B	

CODE	34-304
Coating:	Palm
Colour:	Grey/Black
Liner:	Green
Sizes:	7 to 11
Length:	Wrist
Palm thickness:	1.05 mm
EN388 2003:	4331
EN388 2016:	4331B
Silicone free:	No

APPLICATIONS

- · Handling ceramics, corrugated sheets, non-deburred parts, glass panels, plastics injection
- Moulds, sharp edged metal sheets, small sharp components
- Logistics and warehousing
- Primary, secondary and final assembly

EN 388 EN 388

CODE	34-305	
Coating:	3/4 dipped	
Colour:	Black	
Liner:	Green	
Sizes:	7 to 11	
Length:	Wrist	
Palm thickness:	1.05 mm	
EN388 2003:	4331	
EN388 2016:	4331B	
Silicone free:	Yes	

APPLICATIONS

- · Cut resistant work glove for Assured Protection[™] in oily or wet environ-
- Can be used to protect against contact heat up to 100°C for 15 sec
- Not to be used for protection against naked flames



CODE	34-450LP
Coating:	Palm coated knitwrist/ Leather pad
Colour:	Green/Grey
Sizes:	7 to 10
Length:	24 cm
Palm thickness:	2.50 mm
EN388 2003:	4332
EN407:	X2XXXX
Silicone free:	No



protectivewearuk.com

MAXICUT® DRY WITH LEATHER PALM

APPLICATIONS

- · Handling ceramics, corrugated sheets, non-deburred parts, glass panels, plas-
- Moulds, sharp edged metal sheets, small sharp components
- · Primary, secondary and final assembly

EN 388

EN 388

CODE	34-505
Coating:	3/4 dipped
Colour:	Black
Liner:	Indigo
Sizes:	7 to 11
Length:	Wrist
Palm thickness:	1.35 mm
EN388 2003:	4542
EN388 2016:	4443C
Silicone free:	Yes







HAND PROTECTION

J. P. WS





MaxiCu CE

protectivewearuk.com

APPLICATIONS

- Cut resistant work glove for Assured
- Protection™ in dry environments
- Sheet metal
- Broken glass handling
- Primary, secondary and final assembly
- Maintenance

EN 388 EN 388



CODE	44-3745
Coating:	Palm coated knitwrist
Colour:	Blue/Black
Sizes:	6 to 12
Length:	24 cm
Palm thickness:	1.00 mm
EN388 2003:	4542
EN388 2016:	4542C
Silicone free:	Yes

APPLICATIONS

- Engine and power train
- Gear box and transmission assembly
- Handling small castings
- Handling of small components
- Light metal fabrication and parts
- Primary, secondary and final assembly
- Shock absorber assembly
- Maintenance





4121 4121A

CODE	56-424
Coating:	Palm
Colour:	Purple/Black
Liner:	Grey
Sizes:	7 to 11
Length:	Wrist
Palm thickness:	1.30 mm
EN388 2003:	4121
EN388 2016:	4121A
Silicone free:	No

APPLICATIONS

- Engine and power train
- Gear box and transmission assembly
- Handling small castings
- Handling of small components
- Light metal fabrication and parts handling
- Primary, secondary and final assembly
- Shock absorber assembly
- Maintenance





CODE	56-425
Coating:	3/4 dipped
Colour:	Purple/Black
Liner:	Grey
Sizes:	7 to 11
Length:	Wrist
Palm thickness:	1.30 mm
EN388 2003:	4121
EN388 2016:	4121A
Silicone free:	No



MAXIDRY® 3/4 DIPPED

APPLICATIONS

- Engine and power train
- Gear box and transmission assembly
- Handling small castings
- Handling of small components
- Light metal fabrication and parts handling
- Primary, secondary and final assembly
- Shock absorber assembly
- Maintenance







FOR ANY ENQUIRIES CALL PWS ON 01752 266374



MAXIDRY® FULLY COATED

HAND PROTECTION





APPLICATIONS

- Gear box assembly
- General handling
- Handling small castings
- Handling of small components
- Light metal fabrication and parts handling
- Primary, secondary and final assembly
- Shock absorber assembly
- Maintenance

EN 374-2 EN 388





CODE	56-530
Coating:	Gauntlet - 30 cm
Colour:	Blue/Black
Liner:	White
Sizes:	7 to 11
Length:	30cm Gauntlet
Palm thickness:	1.10 mm
EN388 2003:	4121
EN374-2 2003:	Level 2
Silicone free:	Yes

APPLICATIONS

- Outdoor work
- In contact with cold water or ice
- Refrigerated facilities in the food industry, e.g. delivery vehicles and internal chill units
- Can be used for temperatures down to -10°C at high activity. Lower activity limits the thermal properties.



MaxiDr







CODE	56-451
Coating:	Fully coated knitwrist
Colour:	Purple/Black
Liner:	Dark Blue
Sizes:	7 to 11
Length:	28 cm
Palm thickness:	2.00 mm
EN388 2003:	4232
EN 511 2006:	111
EN 407 2004:	X1XXXX
Silicone free:	-

APPLICATIONS

- Cold storage
- Transport
- Construction
- Forestry
- Off-shore energy
- Airport baggage handling
- Shipping and receiving
- General handling in cold and wet conditions, building materials, timber, refuse, engineering components

X1X





CODE	30-201
Coating:	Palm
Colour:	Grey
Liner:	Bright Orange
Sizes:	6 to 11
Length:	Wrist
Palm thickness:	2.50 mm
EN388 2003:	1241
EN511 2006:	X1X
EN407:	X2XXXX
Silicone free:	No



MAXITHERM® LATEX PALM COATED

APPLICATIONS

- · Gear box assembly
- General handling
- Handling small castings
- Handling of small components
- · Light metal fabrication and parts handling
- Primary, secondary and final assembly
- Shock absorber assembly
- Maintenance

EN 374-3



AKL

1

Level 3 4121

CODE	56-630
Coating:	Gauntlet - 30 cm
Colour:	Green/black
Liner:	White
Sizes:	7 to 11
Length:	30 cm
Palm thickness:	1.10 mm
EN388 2003:	4121
EN374-3 2003:	AKL
EN374-2 2003:	Level 3
Silicone free:	Yes

FOR ANY ENQUIRIES CALL PWS ON 01752 266374





MAXIDRY® ZERO TM CUT THERMAL GLOVE

MAXIDRY® PLUS GAUNTLET

protectivewearuk.com

DISPOSAB 1

NITRILE POWDER FREE DISPOSABLE GLOVE



Agriculture, Automotive, Chemical, Food, Healthcare, Municipal services

CODE	COV-NG-101
Colour:	Blue
Sizes:	S to XXL
Length:	240 mm
Food Contact:	FDA Compliant
Box:	100



Aerospace, Automotive, Chemical, Emergency services, Food, Healthcare, Manufacturing, Municipal services, Oil & gas

CODE	ANACONDA
Colour:	Black
Sizes:	S to XXL
Length:	240 mm
Food Contact:	FDA Compliant
EN 374-1:	Liquid Proof
EN 374-2:	Level 2
Box:	50



Agriculture, Automotive, Chemical, Food Healthcare, Municipal services

CODE	BIONITRI	
Colour:	Blue	degradable
Sizes:	S to XXL	
Length:	240 mm	
Food Contact:	FDA Compliant	t
EN 374-1:	Liquid Proof	
EN 374-2:	Level 2	
Box:	50	

Place your right hand palm down on the drawing, your index finger aligned with the start of the

turquoise bar. Your glove size is the number on the RIGHT of the grey line just showing or just beneath your hand.

protectivewearuk.com



Determining and wearing the correct size of glove for your hands is essential in order for the glove to perform optimally.

For maximum dexterity and comfort, the glove must be neither too loose fitting, leading to imprecise handling; nor too tight, causing discomfort and restricting movement.

For the ideal form, fit and feel, you can use the guide below to help determine the size you require.

9 10 11 12

EN420 Sizing requirements

Glove size	Palm circumference	Palm length	Total minimum length of glove
5	127 mm	148	210
6	152 mm	160	220
7	178 mm	170	230
8	203 mm	182	240
9	229 mm	192	250
10	254 mm	204	260
11	279 mm	215	270
12	304 mm	227	280



EN STANDARDS

EN STANE	DARDS
EN166	General Specifications
EN170	Ultraviolet Filters
EN172	Sunglare Filters for Industrial Use

OPTICAL CLASS

± 0.06 dioptres – can be worn at all times

MECHANICAL RESISTANCE

	IMPACT LEVEL	MAXIMUM SPEED	TYPES OF EYE PROTECTION
A (T)	High Energy Impact	190 m/s	Faceshields/Gog- gles/ Spectacles
B (T)	Medium Ener- gy Impact	120 m/s	Faceshields/Gog- gles/ Spectacles
F (T)	Low Energy Impact	45 m/s	Faceshields/Gog- gles/ Spectacles
S (T)	Extra strong	5.1 m/s*	Faceshields/Gog- gles/ Spectacles

* Extra strong, resists a 22 mm 43 g ball falling 1.30 m at 5,1

T The letter T, immediately after the mechanical strength symbol, authorises use for high speed particles at extreme

es

LENS AND FRAME EN PRODUCT MARKINGS

	1	FT	KN
	Optical Class	Mechanical Resistance	Optional Requirements
1111	VH	166	FT
	Manufacturer Identification	Standard	Mechanical Resistance
T CA			
	KN		CE
	Optional Require	ements	CE Mark






INCREDIBLY LIGHTWEIGHT AT ONLY 22G

- Sport arms with soft flexible tips
- Available in 3 options
- Soft, flexible nose pads for day long comfort
- Clear lens conforms to EN 166 standard optional K (resistance to scratching) and N (resistance to fogging)
- High definition optics for outstanding clarity
- Microfibre pouch to protect and store

CODE Lens: Frame: Approval:	HD Blue Pearl Grey EN166 1 FT EN170 2-1.4	
Frame:	4332KN Clear Pearl Grey	
	EN166 1 FT KN EN170 2-1.2	ı
3:14 VH I FTEE		



- Optical Class 1, highest quality clear vision polycarbonate lens
- Mechanical Strength F low energy impact protectio from high speed particles
- Lightweight 23grams
- Clear or amber tinted Anti-Scratch coated wraparound single-piece lens provides uninterrupted clear vision
- · Lens shape especially designed to follow facial contours, providing a better fit
- Dual Technology Soft Grip Side Arms for extra comfort

CODE	2201
Lens:	Clear Anti-Scratch
Frame:	Black
Approval:	BS EN166 1 F:2002





CODE	2204
Lens:	Amber Anti-Scratch
Frame:	Black
Approval:	BS EN166 1 F:2002
	EN172 5-3.1



CODE	2205
Lens:	Blue Mirror Anti-Scratch
Frame:	Black
Approval:	BS EN166 1 F:2002
	EN172 5-3.1

- BETAFIT MONTANA Blue Mirror Anti-Scratch Safety Eyewear offers a blue mirror tinted lens, to reduce glare in style
- Optical Class 1, highest quality clear vision polycarbonate lens
- Mechanical Strength F low energy impact protection from high speed particles.
- Blue Mirror tinted Anti-Scratch coated, singlepiece lens
- TSR compliant anti-glare tint
- Soft-grip bi-polymer arms for optimum comfort and grip
- Eyewear retainer cord included as standard

MONTAN

- X2 Xcel Anti-Mist Safety Eyewear a close fitting single lens style offering long-life robust protection with high definition clarity
- Optical Class 1, highest quality clear vision polycarbonate lens for outstanding clarity
- Frame Mechanical Strength FT withstands low energy impact from high speed particles at extreme temperatures
- Clear Anti-Mist/Fog PC wraparound lens provides high definition clarity
- Additional UV Filter blocks harmful ultraviolet rays
- Lightweight at 23g, robust protection designed for
- Available in 5 options including gas welding lenses



CODE	4112	
Lens:	Clear Anti-Mist	
Frame:	Crystal	
Approval:	EN 166 1 FT EN 170 2-1.2	



- BETAFIT LUCERNE Anti-Mist Safety Eyewear unique style eyewear with flexible one-piece lens and suspended side arms
- Optical Class 1, highest quality clear vision polycarbonate lens
- Mechanical Strength F low energy impact protection from high speed particles
- Anti-Scratch coated, one-piece flexible lens
- Flexible super-grip side arms ensure a verv
- Suspended side arms to reduce pressure on the temples
- Soft nose bridge and brow pad for ultimate
- Eyewear retainer cord included as standard




CODE	2502
Lens:	Clear Anti-Mist
Frame:	Black
Approval:	EN 166 1 F

- BETAFIT LUCERNE Smoke-Grey tinted Safety Eyewear - smoke tinted UV400 lens offer excellent protection from bright sunlight
- UV400 Smoke-Grey tinted Anti-Scratch coated, one-piece flexible lens
- TSR compliant anti-glare tint



CODE	2503
Lens:	Smoke Grey Anti-Scratch
Frame:	Black
Approval:	EN166 1 F:2002
	EN172 5-3.1

LUCERNE



- · Lens resistant to scratching
- · Adjustable side arms
- High definition optics
- Microfibre pouch to protect and store



FOR ANY ENQUIRIES CALL PWS ON 01752 266374

CODE	4001
Lens:	Clear Anti-Scratch
Frame:	Black/Green
Approval:	EN 166 1 FT

PLUS

SAFETY FOOTWEAR triding ahead with footwear trotection.

Discuss your footwear needs today on 01752 2664

- Set budget controls for employees or departments
- See your orders have priority treatment jumping the queue
- See your own special prices
- Know stock availability
- Custom built see only the products you regularly want to order?

TO FIND OUT MORE CALL OUR FRIENDLY CUSTOMER SERVICE TEAM ON 01752 266374

MY CATALOGUE

EFFICIENT

CONTROLLED

ORDERING

PLACE & RECEIVE ORDERS FASTER, EASIER, ACCURATELY AND WITHIN BUDGET.



HIGH QUALITY SAFETY GOGGLE FOR DAY LONG COMFORT

- Optical Class 1
- Close fitting for high protection levels
- Soft face seal for superb contour fit
- Soft fabric headband
- Indirect ventilation

Eiger is a ski style safety goggle with full inner face seal offering excellent all round vision.



CODE	2802
Lens:	Clear Anti-Mist Anti-Scratch
Frame:	Orange
Approval:	EN166 1 B 3 4: 2002



- Low profile with nylon frame and SBR Foam face seal for ultimate
- Nylon Frames resistant to, liquid droplets, coarse and fine dust particles and gas.
- SBR Foam full face seal for ultimate comfort and protection
- Supplied with Microfibre storage pouch.
- Additional UV Filter blocks harmful ultraviolet rays
- Ultra-strong, adjustable elastic headband for long term strength and comfort



CODE	4832
Lens:	Clear
Frame:	Grey
Approval:	EN 166 1 BT 3 4 5
	EN170 2-1.2

- Benchmark Anti-Scratch Fog BT Goggle
- Approved to EN166 & EN170
- Full goggle protectionSoft face seal for comfort



Clear Anti-Mist Anti-Scratch
Clear
EN 166 1 BT
EN170 2-1.2

EN STANDARDS

ATTENUATION VALUES

SNR=32dB H=35dB M=30dB L=22d

PRODUCT STANDARDS

Ear muffs are tested to the relevant European Standards and are CE marked.

EN 352 Part 1 Ear muffs

EN 352 Part 3 Helmet mounted ear muffs


EN 352 Part 4 Level dependent ear muffs

These Regulations require all employers to assess the risks from the noise exposure at work and where appropriate, provide suitable and sufficient hearing protection for each employee exposed to noise at or above the lower action value.

The SNR is the number of potential decibels the hearing protection will reduce the noise level by once you have established the total noise if fitted correctly. If using the SNR to establish which hearing protector is suitable, it can be done by subtracting the SNR from the actual noise being produced. For example, if the noise level in a particular environment has an A weighted noise measurement of 110dbA, the hearing protection has an SNR of 30db, when wearing the hearing protections in the same environment the noise level will be reduced to 80db.

The importance of wearing hearing protection really only becomes apparent over a period of time, so assessing and wearing the correct hearing protection for your particular environment will minimize the risk of an individual losing their ability to hear properly in the future.

The exposure limits shown to the left are taken from requlation 4 of The Control of Noise and Work Regulations 2005, which are in turn based on a European Directive.





136

MODEL 6000/6001 (SNR 37)



Disposable foam ear plugs in 200 pair dispenser box

Option of flexible neck cord (Model 6001)

Superior attenuation SNR 37 dB High definition optics

for outstanding clarity Approved to BS EN 352-2:2002

6000 6001 with neck cord



 Toolbox pack of model 6000 ear plugs 100 pairs.

6009

 NOISEBETA XLP Foam Earplugs a low pressure foam, bell-shaped alternative to our popular Noisebeta ear plugs.

Dispenser box of 200 individually wrapped pairs

Softer and more comfortable low pressure XLP Foam for exceptional comfort

 Dispensing box fits into HPHAPD wall dispenser - for wall mounted dispensing

Excellent attenuation. SNR = 34dB - high protection rating

6060



SNR=34 dB H=33 dB M=31 dB L=30 dB



TOOLBOX PACK EAR PLUGS

EARPLUGS

NEW

PRODUCT

 Metal wall mounted holder for 6000/6001/6060 dispenser box.

HAPD



FOR ANY ENQUIRIES CALL PWS ON 01752 266374



METAL WALL MOUNTED HOLDER DISPENSER BOX EAR PLUGS



6007

and secure custom fit.

ATTENUATION VALUES

SNR=37 dB H=36 dB M=34 dB L=33 dB



EAR PLUG DISPENSER

plugs complete with 500 pairs.

6007

• Dispenser of model 6000 ear

Created using unique formula slow recovery SRE foam, the Model

6000 earplug provides an excellent combination of comfort and pro-

tection. Once in the ear, the foam gently expands to provide a snug

138

EARPODS SNR20 FOAM BAND



- NOISEBETA Banded Earpods provide a lightweight semi-aural protection, ideal for intermittent usage
- Connecting headband allows easy fit and removal
- Individually packaged with 1 pair of replacement earpods
- Designed to be worn under the chin or behind the neck
- SNR = 20dB convenience/low protection rating

ATTENUATION VALUES

SNR=20 dB H=25 dB M=15 dB L=13 dB

ADJUSTABLE FOAM EARPODS BAND SNR26



- NOISEBETA Adjustable Banded Earpods are a comfortable option for when hearing protection is required only intermittently
- A more comfortable and fully adjustable version of the 6005 banded earpods
- Connecting band allows easy and fit and removal
- Designed to be worn under the chin or behind the neck
- SNR = 26dB medium protection rating

6015

ATTENUATION VALUES

SNR=26 dB H=28 dB M=23 dB L=21 dB

CORDED DETECTABLE EARPLUGS



NOISEBETA Reusable Corded Earplugs are washable and reusable making them ideal for the frequent user

- Very soft and flexible conical flange design provides a secure fit
- No need to roll more hygienic
- Washable and reusable
- Soft detachable cord
- SNR = 29dB medium protection rating

ATTENUATION VALUES

SNR=28 dB H=27 dB M=25 dB L=23 dB







Model 6100 (SNR 27)

- · Lightweight earmuff with easy adiustment
- Durable and robust construction
- Comfortable foam ear cushions
- Approved to BS EN 352-2:2002
- Supplied in display ready packag-
- Good attenuation SNR 27dB

ATTENUATION VALUES

SNR=27 dB H=30 dB M=25 dB L=18 dB







- Prevents the spread of infection
- Wraps snugly around the outside of the headphone with elastication to retain the product in position.
- Cost effective
- · Quick and easy to fit
- · Hygienic disposable
- 50 grm non-woven polypropylene ma-
- 500 pieces per case

HE 010



EAR DEFENDER COVERS

PREMIUM DROP SHOULDER SILVERSTONE SWEATSHIRT > SEE PAGES 26 - 27 FOR THE FULL RANGE

FOR ANY ENQUIRIES CALL PWS ON 01752 266374

MODEL 6250 OR 6250HV (SNR 32)

- Extra soft foam ear cushions
- Padded comfort headband
- Adjustable for superior fit
- Suitable for heavy industrial use
- Approved to BS EN 352-2:2002
- Excellent attenuation 32dB
- Strong metal folding sidearms



ATTENUATION VALUES

6250

EN STANDARDS

EN 149: 2001

This is the standard for disposable respirators- filtering face pieces against particles, amended in 2009.

FFP - Filtering Face Piece + 1, 2 or 3 (efficiency: low, med, high) R - reusable

NR - not reusable (single shift)

Assigned Protection Factor (APF)

This is the level of protection a respirator can be expected to provide if it is functioning properly and the user is wearing it correctly. APF is scored via a number, allowing users to gauge how much contaminant they are expected to inhale while wearing the respirator.

EN 12941

This European standard specifies minimum requirements for powered filtering devices incorporating a helmet or a hood with gas, particle or combined filter(s) for respiratory protection. It does not cover

- devices designed for use in the oxygen deficency environments (oxygen less than 17% by volume).
- · respiratory protective devices designed for escape purposes as well.

There are 3 classifications: TH1, TH2 and

EN 12942

This European standard specifies minimum requirements for power assisted respiratory protective devices which incorporate a full face mask, half mask or a quarter mask together with gas, particle or combined filter(s). It must protect the user even if the PAPR is off. The same exclusions apply as outlined above for EN 12941.

There are 3 classifications: TM1, TM2 and

Nominal Protection Factor (NPF)

This is the theoretical level of protection of respiratory protective equipment calculated using performance data measured in the laboratory.

DESCRIPTION/ DEVICE	CLASS	NPF	APF
PAPR with	TH1	10	5
helmet or hood	TH2	50	20
EN 12941	TH3	500	40
PAPR with half	TM1	20	10
or full face mask	TM2	200	20
EN 12942	TM3	2000	40

EN 60529

EN 60529 (British BS EN 60529:1992. European IEC 60509:1989), classifies the different levels of protection that an electrical enclosure can provide from solids and liquids

The first numeral is for solids and the second for liquids. Zero stands for no protection. An X signifies that no testing has been carried

EN 14594

This European standard specifies minimum requirements for continuous flow compressed air line breathing apparatus and a hood or a

Apparatus is graded from 1A to 4B

EN 143

This standard pertains to the particle filters used as components in unassisted respiratory protective devices. Based on their efficiency, particle filters are divided into three

P1 – low filtration, intended for use against solid particles only

P2 – medium filtration, subdivided according to the filters' capacity to remove both solid and liquid particles or solid particles only P3 – high filtration, subdivided as P2.

EN 14387

This details the minimum requirements for gas filters or combined filters intended for use within a respiratory protective device.

This primarily covers the classification of filters into various types (e.g. A, B, E, and K) as well as categories (e.g. Filter classes 1, 2

EN 136

This standard specifies the minimum requirements for full face mask respiratory protective devices. It covers three types of full-face masks; all provide the same level of respiratory protection but have differences in terms of their applications:

CL 1: full mask for light duty

CL 2: full mask general use

CL 3: full mask for special use

Requirements include temperature stability, impermeability, and concentration of carbon monoxide, breathing resistance, speech diaphragms, and field of vision.

A mask is a full face piece that covers the eyes, nose, mouth, and chin and that provides the wearer with respiratory protection in the form of an appropriate seal against specific atmospheric conditions and airborne hazards.

This is the European standard covering the requirements for protective eyewear.

This standard sets out the performance and marking requirements for all PPE Helmets.



mask on correctly and check for a good fit every time.

Facial hair – stubble and beards – make it impossible to get a good seal of the mask to the face.

If you are clean-shaven when wearing tight-fitting masks (ie those which rely on a good seal to the face), this will help prevent leakage of contaminated air around the edges of the mask and into your lungs. You will therefore be breathing in clean air, which will help you stay healthy.

If there are good reasons for having a beard (eg for religious reasons), alternative forms of RPE, that do not rely on a tight fit to the face, are available.

FOR ANY ENQUIRIES CALL PWS ON 01752 266374







- Disposable
- Super lightweight
- Type 5&6 approved material
- Clear visor
- Rear entry port
- Water repellent
- Dust protection
- Uncovered ears

SHORT PROTECTIVE HOOD CA-1 / CA-1+

This short light hood is an optimal solution for respiratory protection and face protection in dusty and light chemical environments where no further mechanical protection is required. In combination with PAPR or airline systems CleanAIR® it reaches the highest level of respiratory protection.

- · Perfectly fits various head types due to adjustable headgear and comfortable elastic rubber band
- · Distance of the visor can be set individually, as well as the perimeter of the headgear
- · Light nylon fabric and spacy cut makes it pleasant to wear even for long time work
- · Wide panoramic visor with antifog coating ensures undisturbed view and provides basic mechanical protection of the eyes

FOR ANY ENQUIRIES CALL PWS ON 01752 266374





LITE







REAR ENTRY PORT

CODE	DECCRIPTION	ADDDOVAL	ACCIONED DOCTECTION
CODE	DESCRIPTION	APPROVAL	ASSIGNED PROTECTION FACTOR (APF)
72 01 12 B (Blue)	CA-1+ With exhalation valve	EN 42044 TU2	
72 01 13 B (Blue) [NS]	CA-1+ With exhalation valve Size XL (special order)	EN 12941 TH3 EN 14594 3A EN 166 1 S F	40
72 01 02 B	CA-1 Without exhalation valve	LN 100 1 3 I	40
72 01 01	CA-1 Lite Short Hood (Disposable)	EN 12941 TH3	11118
72 01 01	CA-1 Lite Short Hood (Disposable)	EN 14594 3A	
SPARE PARTS			
72 01 91/30	Spare Lite Short Hood, no headband, incl connector		NA
72 01 92/100	Spare Lite Short Hood, no headband, no connector		NA
72 00 01	Adjustible Head Band for Lite Hoods	•	NA
72 00 05	Rear Entry Port Connector		NA



RESPIRATORY

J. P. WS protectivewearuk.com

CA2 LITE HOOD


Disposable

JANS.

Super lightweight

protectivewearuk.com

- Type 5&6 approved material
- Clear visor
- Rear entry port
- Water repellent
- Dust protection
- Covered ears



CODE	DESCRIPTION	APPROVAL	ASSIGNED PROTECTION FACTOR (APF)
72 02 02	CA-2 Long Hood	EN 12941 TH3 EN 14594 3A EN 166 1 S F	40
72 02 01	CA-2 Lite Long Hood (Disposable)	EN 12941 TH3 EN 14594 3A	
SPARE PARTS			
72 02 91/15	Spare Lite Long Hood, no headband, incl connector		NA
72 02 92/100	Spare Lite Long Hood, no headband, no connector		NA
72 00 01	Adjustible Head Band for Lite Hoods		NA
72 00 05	Rear Entry Port Connector		NA

AREAS OF APPLICATION

- Dusty environments
- Chemical environments
- Painting operations
- Laboratories
- Pharmaceutical industry
- Chemical spraying



This long lightweight hood ensures respiratory protection and protection of the head, neck and shoulders in dusty environments where no further mechanical protection is required. In combination with PAPR or airline systems CleanAIR® it reaches the highest level of breathing protection.

FOR ANY ENQUIRIES CALL PWS ON 01752 266374

- Perfectly fits various flead types due to adjustable fleadgear and comfortable elastic flubber band.
 Distance of the visor can be individually set, as well as the perimeter of the headgear.
 Light nylon fabric and spacy cut makes it pleasant to wear even for long time work
 Wide panoramic visor with antifog coating ensures undisturbed view and provides basic mechanical protection of the eyes.
 Weight: 250 g

148

SPARE HOOD

CLEANAIR® LONG PROTECTIVE HOOD CA-10 CHEMICALLY RESISTANT

JANS.

Painting operations Laboratories Pharmaceutical industry Chemical spraying

protection with protection of the head, neck and shoulders in the most demanding chemical environments. Used with PAPR or airline systems CleanAIR®, it reaches the highest level of breathing protection.

Approval:

AREAS OF APPLICATION

- Dusty environments
- Chemical environments

- Environments with hig chemical resistance requirements

This chemically resistant hood combines respiratory

Assigned Protection Factor (APF): 40

72 10 02 EN 12941 TH3 EN 14594 3A



- environments
- Grinding and other kinds of surface finishing operations
- Automotive industry
- Shipbuilding
- Building construction

EN 12941 TH2 EN 14594 2B Approval: EN 397 EN 166 A

70 41 00

Assigned Protection Factor (APF):



Earmuffs

- No. 12 for CA-40G
- Weight: 300 g

70 40 42

ATTENUATION VALUES SNR=31 dB H=32 dB M=29 dB L=21 dB

Light laminated fabric with taped seams can be decontaminated and gives increased durability Very light and comfortable due to inner antiseptic fabric which absorbs sweat and creates an additional

- Distance of the visor can be individually set along with
- Wide panoramic visor with **antifog coating** ensures undisturbed view and provides basic mechanical protection. Weight: 225 g

CleanAIR®

JANS

// UNIMASK

SHIGEMATSU GX02

KNAIK

protectivewearuk.com



NEW NNOVATION



Light universal faceshield providing the highest comfort and safety

- Highest level of breathing protection TH3
- Enhanced inner air flow regulation
- Clear and undisturbed view of the highest quality (class 1 according to EN 166] with anti-fog/anti scratch coating
- Visor provides high mechanical resistance
- Compatible with saftey helmet
- Easy to use and maintain
- All spare parts quick and easy to remove to enable fast and simple maintenance
- Comfortable
- · Lightweight: 380 g

GREY

AREAS OF APPLICATION

- Many kinds of grinding and other surface finishing operations.
- Building industry
- Shipbuilding
- Automotive

SAFETY HELMET COMPATIBLE





CODE	72 03 00
Approval:	EN 12941 TH3 EN 14594 3B EN 166 1BT
Assigned Protection Factor (APF):	40

FIRST AID KIT WITH
EYE WASH
> SEE PAGE 179 FOR THE FULL RANGE



The full face mask Shigematsu GX02 uses a double seal flange which provides maximal seal while keeping a high level of comfort for the wearer.

- Wide panoramic visor
- Speech diaphragm facilitates communication.
- Specially treated exchangeable polycarbonate visor guarantees high scratch resistance.
- Mask body is made from high quality silicone which guarantees high resistance and a long operation life.
- Six point head harness ensures secure and easy fit.
- Standard connection thread RD40×1/7"
- Two exhalation valves for low breathing resistance
- · Weight: 610 g





Building industry

Remediation operation

protectivewearuk.com

The Shigematsu GX02 Full Face Mask can be used for asbestos removsal when used in conjuction with Chemical 2F. See page 156.

CODE	71 06 00 S/M/L [NS]
Approval:	EN 136 CL3 EN 12942 TM3
Assigned Protection Factor (APF):	40

CleanAIR® Duffle Bag

- Safe transport and storage
- High quality materials
- Reinforced bottom for greater durability.

FOR ANY ENQUIRIES CALL PWS ON 01752 266374

- Adjustable, padded, shoulder strap.
- Roomy main zippered compartment
- Large front pocket.
- Lightweight and versatile

Dimensions: 250×250×520 mm

CODE 70 00 07



/ DUFFLE BAG CLEARNAIR®

in

POWERED RESPIRATOR UNITS

- Electronic system of constant airflow
 Audiovisual alarm
 Indication of filter clogging and battery charge
 Newly designed LED control panel
 Simple one-button operation



CODE	DESCRIPTION	APPROVAL
81 00 00 NU	CleanAir® Basic including multi plug (EUR, UK, US, AUS) battery charger, Li-lon battery, particle filter and flow indicator	EN 12941 TH3
81 00 00 PA	CleanAir® Basic including belt , multi plug (EUR, UK, US, AUS) battery charger, Li-lon battery, particle filter and flow indicator	EN 12941 TH3
SPARE PARTS		
800010/2 800010/20	Particle filter P R SL (set of 2 or 20 pcs)	EN 143, EN 12941, EN 12942
81 00 17	CleanAir Basic Battery Li-Ion 7,2 V / 4,4 Ah	NA
71 00 93	Comfort padded belt, Standard (see page 156)	NA
71 00 93L [NS]	Comfort Padded Extended Belt, Standard (see page 156)	NA
51 00 51	Decontaminable Belt (see page 156)	NA

- Ergonomic design and low weight only 980 g

- Standard battery: up to 10 hours Short battery recharging time < 3 h (std) Adjustable airflow (160 lpm and 210 lpm)
- Audiovisual and vibrating alarm indicating low airflow and low battery charge
- Simple control with only one button

AREAS OF APPLICATION

- Dusty industrial environments with contaminants in the form of gases and vapours
- Automotive industry
- Shipbuilding industry
- Welding, grinding & surface finishing operations
- Building industry



CODE	DESCRIPTION	APPROVAL
30 00 00 DA	CleanAIR® AerGO® incl. decontaminable belt , charger, standard battery, particle filters, flow indicator	EN 12941 TH3
30 00 00 PA	CleanAIR® AerGO® incl. belt, charger, standard battery, particle filters, flow indicator	EN 12941 TH3
SPARE PARTS		
30 00 10/02	Set of particle filters P R SL CleanAIR® AerGO® (2 pairs) (against particles in the form of solid and liquid aerosols)	EN 143, EN 12941, EN 12942
30 03 64	Combined filter AerGO® A1B1E1P R SL (set of 2 pcs)	EN 14387, EN 12941, EN 12942
30 03 57	Filter AerGO A1P R SL (pack of 2 pcs)	EN 12941
31 00 13	Standard Battery, 14,4V / 2,6Ah	NA
31 00 23 [NS]	Heavy Duty Li-lon Battery, 14,4 V / 5,2 Ah	NA
30 00 92	Comfort padded belt (see page 156)	NA
33 00 92	Decontaminable Belt (see page 156)	NA



FOR ANY ENQUIRIES CALL PWS ON 01752 266374

CleanAIR®



- immersion (IP64/IP65/IP68)

- wearer

 Full colour TFT display clearly shows all the
- Individual working modes HOOD / MASK
- IAirflow 120–235 lpm
- ILi-lon battery and guick battery charger



MAXIMIZED WATER INGRESS PROTECTION IP68

The thought-out design with a smooth surface allows easy decontamination by the shower or even full immersion.

AREAS OF APPLICATION

- Chemical industry
- Laboratories
- Pharmaceutical industry
- Remediation operations

















when used in conjuction with the Shigematsu GX02 Full Face Mask. See page 151.



Decontaminable Hypalon Harness

- Made of synthetic rubber "Hypalon"
- Smooth surface with no edges for easy decontamination

CODE	DESCRIPTION	APPROVAL
51 00 00FCA [NS]	CleanAIR® Chemical 2F including accessories (comfort belt, charger, battery, flow indicator)	
51 00 00FDA	CleanAIR® Chemical 2F including accessories (decontaminable belt, charger, battery, flow indicator)	EN 12941 TH3 EN 12942 TM3
51 00 00ASD [NS]	CleanAIR Chemical 2F Asbest incl. decontaminable Hypalon belt, Li-lon battery, charger, flow indicator (w/o hose)	
SPARE PARTS		
50 00 48	Filter P3 for Chemical 2F, thread RD40x1/7"	EN 143, EN 12941, EN 12942
50 03 64	Combined filter A1B1E1 P3 for Chemical 2F	EN 14387, EN 12941, EN 12942
50 01 57	Filter A2P3, for Chemical 2F, thread RD40x1/7"	EN 12941, EN 12942
51 00 10	Standard Li-lon Battery, 14,4 V / 2,6 Ah, 10 hr	NA
51 00 20 [NS]	Heavy Duty Li-lon Battery, 14,4V / 5,2Ah	NA
71 00 93	Comfort padded belt, Standard (see page 156)	NA
71 00 93L [NS]	Comfort Padded Extended Belt, Standard (see page 156)	NA
51 00 51	Decontaminable Belt (see page 156)	NA
51 00 42 [NS]	Decontaminable Hypalon harness	NA

FOR ANY ENQUIRIES CALL PWS ON 01752 266374

- Compact design, low weight

- Unique automatic closing system High mechanical durability and chemical resistance Individually adjustable airflow 120-235 lpm Full colour TFT display



AREAS OF APPLICATION

- Health care and emergency response
- Laboratories and pharmaceutical industry

READY TO WORK SET





CODE	DESCRIPTION	APPROVAL
51M000FC [NS]	CleanAIR MedicAER with accessories (battery, comfort belt, air hose QL, charger EUR) in a transport case	EN 12941 TH3
51M000FD [NS]	CleanAIR MedicAER with accessories (battery, hypalon belt, air hose QL, charger EUR) in a transport case	
51M100FDH [NS]	Ready 2 Work set — CA MedicAER and CA-10 in duffel bag CA	
51M100FDH.1 [NS]	Ready 2 Work set - CA MedicAER and CA-10, P3 filters, in duffel bag CA)	

CleanAIR®

RESPIRATORY

COMFORT BELT

JANS. protectivewearuk.com

BELTS

Broad padded back with solid belt efficiently spreads the weight of the unit.

- Easy to click buckle.
- Washable.

1	Comfort padded belt (AerGO®)	30 00 92
2	Comfort Padded Belt, Standard (Basic / Chemical 2F)	71 00 93
3	Comfort Padded Extended Belt, Standard (Basic / Chemical 2F)	71 00 93L [NS]







Decontaminable PVC belt

- · Suitable for asbestos removable
- Smooth surface with no edges for easy decontamination



1	Decontaminable Belt (AerGO®)	330092
2	Decontaminable Belt (Basic / Chemical 2F)	51 00 51


















FOR ANY ENQUIRIES CALL PWS ON 01752 266374

Flameproof protective sleeve

- Flameproof
- Made of flame retardant fabric
- Self-adjusting length

71 00 62F [NS]

Chemical resistant protective sleeve

- Chemical resistant
- Made of Tychem-F

70 00 62C [NS]

PROTECTIVE HOSE SLEEVE

// DECONTAMINABLE BELT





RESPIRATORY









PROTECTIVE SLEEVE



70 00 62 C [NS]





HOSE OPTIONS





70 00 86 RL [NS]

Particle Filter

80 00 10

















BATTERIES



81 00 17 CleanAIR BASIC







FILTERS





Combined Filter





ACCESSORIES





CleanAIR BASIC



51 00 42 [NS] **CHEMICAL 2F**

FOR ANY ENQUIRIES CALL PWS ON 01752 266374



DUFFLE BAG



J. P. WS



protectivewearuk.com

CODE	FACE SEAL	SIZE
SIL4000	Silicone	S/M, M/L

- · Easy and fast maintenance
- New mask 25% lighter
- · Head harness
- Drop-off release system
- Bayonet connection (b-lock)

CODE	FACE SEAL	SIZE
RUB4000	Rubber	S/M, M/L



CODE	PROTECTION	APF
BLS 201 Dust	P3 R	20





CARTRIDGE FILTERS		
CODE	PROTECTION	APF
BLS 202 Dust	P3 R	20
BLS 221 Dust/ Vapour	A2P3 R	20
BLS 222 Dust/ Vapour	ABEK1P3 R	20

- Bayonet connection (b-lock)Activated carbon

- Simple like a disposable protecting like a reusable
- Activated carbons ensures excellent filtration performances.
- Facepiece is made of durable and hypoallergenic thermoplastic elastomer which is certified for alimentary use and talcum perfumed
 Comfortable shape allowing excellent visibility
 Protective layer over the filter preserves and extends use

CODE	PROTECTION	APF
BLS 8100 Dust/ Vapour	A2P2 R D	10
BLS 8400 Dust/ Vapour	ABEK1P3 R D	10
BLS 8600 Dust/ Vapour	A2P3 R D	20



FOR ANY ENQUIRIES CALL PWS ON 01752 266374



/BLS 200 SERIES FILTERS

/BLS 3000 SERIES REUSABLE / FULL FACE MASK

RESPIRATORY



- Face sealRD40 connection (universal)
- · Anti-fog
- Glass visor/polycarbonate option

CODE	VISOR	FACE SEAL
BLS 3150	Polycarbonate	EPDM
BLS 3150V	Glass	EPDM

/BLS 5000 SERIES SINGLE FILTER REUSABLE / FULL FACE MASK



- · Class 3 device
- Face seal
- RD40 connection (universal)
- Face piece in siliconeAnti-fog
- Visor (live visor)
- · Harness (comfort)

CODE	FACE SEAL
BLS 5400	Silicone

BLS FFM FILTERS



- RD40 connection (b-lock)
- Activated carbon
- Colour codes

LARGE CAR	TRIDGE FILTERS	
CODE	PROTECTION	APF
BLS 401 Dust	P3 for FFM	40
BLS 421 Dust/Vapour	A2P3 R	20
BLS 425 Dust/Vapour	ABEK2P3 R	20

NOTE: 400 series filters are to fit 3000 & 5000 FFM.



- Bayonet connection (b-lock)Face piece in silicone
- Anti-fog
- Visor (live visor)
- Harness (comfort)



- Store your BLS respirator kit safely.
- · Clear transparent box with lid and handles to secure the lid.
- · Handy label gives the capability to personalise the kit to team members as well as scheduling and recording maintenance checks.
- · 3 litre capacity
- Made of ABS plastic





FOR ANY ENQUIRIES CALL PWS ON 01752 266374



/RESPIRATOR SAFESTORE



BLS CUP SHAPED MOULDED MASKS

- Disposable means no maintenance records are required
- Approved to EN149:2001+A1:2009

ANATOMIC

- Pre-formed cup and elastic support makes an easier and
- Adapts to different face shapes, ensuring an excellent
- Excellent visual field.
- Great compatibility with glasses.

- External layer ensures protection of filtering material from dirt, dust and liquids.
- Extends and preserves filtering efficiency.







CODE	GASKET	APPROVAL	APF
BLS 030	Part	FFP3 R D	20
BLS 031	Full	FFP3 R D	20

1







BLS030 (PART)

BLS031 (FULL)

NOSE CLIP

Along with the face seal, it secures the fit of the respirator to the upper nose.




Welded Elastics

WELDED ELASTICS

Ultrasonic welded elastics eliminate the exposed metal parts. Made of hypoallergenic latex-free material.

EOLO VALVE



Allows an air passage 30% higher than classic valves.

EOLO Valve



Inner Face Seal

INNER FACE SEAL

- Foamy strip guarantees maximum protection, fit, and comfort.
- Avoids air flows passing through unsealed borders.
- Partial (sealing the upper nose) or complete.

- Facepiece with part gasket face seal
- Nose clip
- Available with welded elastic straps

CODE	FACE SEAL	APF
BLS 129BW	Upper	10
BOX QTY	APPROVAL	
15	FFP2 R D	



Nose Clip



Welded Elastic

FOR ANY ENQUIRIES CALL PWS ON 01752 266374



BLS129BW

BLS CLASSIC SERIES MOULDED MASK BLS129W

SERIES CUP S MASK BLS 03

ABLS ZERO S

protectivewearuk.com



• UNIFIT FFP3 Valved Mask - the 5030V is a cleverly designed premoulded mask for excellent all-round protection

- Assigned Protection Factor [APF] = 20 x Workplace Exposure Limit [WEL] for ultimate protection against very fine dusts and mists
- · Colour coded head strap for ease of identifi-
- · Slim profile exhalation valve helps prevent heat build-up inside the mask
- Free running elastic strap allows secure fit
- Complete bonded foam inner face seal for extra comfort and to minimise inward leakage
- Preformed nose bridge removes the need for a metal nose-clip

CODE	5030V
Approval:	EN 149:2001 A1:2009
APF:	20

QUALITATIVE FACE FIT KIT

UNIFIT MOULDED MASK 5030V



- Face Fit Test Kit in a sturdy CARDBOARD carry case
- 1 x Test Hood
- 12 x 2.5ml Ampoule Bitrex® Sensitivity A Solution
- 12 x 2.5ml Ampoule Bitrex® Test B Solution
- 2 x Nebulisers
- · Instructions for use

OLTK4

FIRST AID KIT WITH EYE WASH > SEE PAGE 179 FOR THE FULL RANGE



BRANDED UNIFORM DISPOSAL

Corporate identity theft is rising rapidly in this country. Are you aware of the damage this can do to your company image and reputation?



Environmental Responsibility

Larger companies look for green credentials when selecting suppliers to work with. Clothing currently is mostly sent to landfill to be disposed of; this is not environmentally friendly, besides landfill site capacity is reducing and waste is having to be transported further distances adding to the environmental damage.

FOR ANY ENQUIRIES CALL PWS ON 01752 266374



We Have The Solution

In order to meet the need of both secure and environmental clothing disposal, we have negotiated the ultimate solution that:

- Destroys branded uniform by shredding
- Recycles the material in to acoustic insulation where possible
- Provides Certificates of Destruction
- Offers a collection service of redundant uniform

This service is available now for the follow items of clothing:

- Trousers, jackets & skirts
- All t-shirts, shirts & blouses
- Coveralls
- Fleeces & softshells
- All hi vis garments

EN STANDARDS

EN 397: 2012 Industrial Safety Helmets

This standard sets out the performance and marking requirements for all PPE Helmets. The protection provided to the wearer is against falling objects, which could cause brain or skull injury.

Mandatory Tests

Impact

Penetration

Flammability (F)

Optional Tests

Resistance at Extreme

Temperature

Electrical Properties

Lateral Deformation (LD) Molten Metal Splashes (MM)

EN 12492 Specialist Mountaineers Helmets

This includes standards on helmet retention to ensure the helmet is not inadvertently removed as well being applicable to wearers working at height.

EN 50365: 2002 Insulating Helmets for use on Low Voltage Installations

This standrad is for helmets used for working live or close to live parts on installations not exceeding 1,000 V a.c. or 1,500 V d.c.

EN12899-1 Ra2 Reflective Stickers

This standard deals with the reflective performance of hi-vis stickers applied to helmets.



// NEXUS HEIGHTMASTER INTEGRATED EYEWEAR

NEXUS SECURE PLUS

NEXUS HEIGHTMASTER



Centurion's multi award winning helmet combines advanced industrial safety standards with modern recreational styling including a 4-point chinstrap for added stability, security and comfort.

- SecurePlus 4-point quick release chinstrap for added stability and comfort.
- Chinstrap side adjusters for improved wearer fit and comfort

CODE	DESCRIPTION
S16EHVYLF	Slip Ratchet, Vented Helmet, Hi Vis Yellow
S30LY	EN 397 Chinstrap (order separately)



Centurion's pioneering Nexus HeightMaster Safety Helmet combines advanced industrial safety standards with modern recreational styling – including a replaceable 4-point adjustable EN 12492 Chinstrap for working at height and a HeightMaster Liner for improved impact and penetration protection.

- Nexus Liner provides extra shock and penetration protection according to EN 12492
- Colour coded chinstrap with EN 12492 standard printed for easy identification, easily replaceable for improved hygiene
- Chinstrap side adjusters for improved wearer fit
- Polyester webbing ensures that it doesn't catch on

CODE	DESCRIPTION
S16EHVOFMR	Wheel Ratchet, Vented Helmet, Hi Vis Orange
S30NY	EN 12492 Chin Strap (order separately)
S30NL	Nexus Liner (order separately)



Nexus Integrated- Fitted With Integrated Eyewear

Centurion's multi award winning helmet fitted with integrated moulded eye protection combines advanced industrial safety standards with modern recreational

- Pre-installed Clear safety spectacles to Optical
- · Available on Nexus Core, SecurePlus and Height-

CODE	DESCRIPTION
S16EWFMR589	Wheel Ratchet, Vented Helmet, White
S30NY	EN 12492 Chin Strap (order separately)

Centurion's pioneering Nexus Core safety helmet combines advanced industrial safety standards with modern styling.

COLU

- Modularity as standard. Simply by adding accessories, you can have one helmet style on site, with accessories to comply to different
- High performance ABS material and creative design enables -40°C low temperature performance, lateral deformation and optimal strength to weight ratio allows for a strong, protective helmet.
- Optimised "Micro" peak providing maximum upward visibility.
- Fully removable and adjustable EN 397 (Secure Plus) or EN 12492 (Heightmaster) 4 point chinstrap accessories available for increased wearer comfort and hygiene.

Premium Dry-Tech sweatband as standard for maximum comfort.

Please note that all reflective self adhesive stickers are not included and are to be ordered separately.

S16EBLF

CODE	DESCRIPTION	APPROVAL
S16E*LF	Slip Ratchet, Vented Helmet * Insert colour of helmet, i.e., W for white	EN 397 LD MM -40°C EN 50365
	ACCESSORIES	
S30NL	Nexus Liner	EN 12492
S30LY	EN 397 Chinstrap	EN 397
S30NY	EN 12492 Chin Strap	EN 12492
S30*NHIRS	High Intensity Reflective Stickers * Insert colour of sticker, i.e., S for silver	EN12899-1 Ra2
S589	Clear Moulded Spectacles	EN 166 1 F EN 170 2C-1,2
S589SE	Smoke Grey Moulded Spectacles	EN 166 1 F EN 172 5-3,1
NS NS NS		IS

















WORKPLACE FIRST AID STANDARDS The Health Regulation:

BS 8599-1: 2011 Workplace First Aid Kits

This standard published by the British Standards Institute specifies the contents of workplace first aid kits.

The size of the first aid kit required is a combination of the level of risk and the number of employees in the workplace

Low risk environments include offices, libraries, shops etc.

High risk workplaces include engineering, processing, warehousing, construction and manufacture.

The Health and Safety (First-Aid) Regulations 1981

HSE kits have a filling which complies with the HSE recommendations.

The decision on what to provide will be influenced by the findings of the first-aid needs assessment.




// FIRST AID KIT WITH EYE WASH

WORKPLACE First Aid and EyeWash Kit







OUR WEBSITE IS JUST A CLICK AWAY!

FIND OUT WHAT MAKES PWS...

We deliver an optimal solution for cost-effective Workwear & PPE by focusing upon value for money and innovative new technology.

WHY CHOOSE PWS...

PWS provide a comprehensive bespoke service to all of our clients to deliver a high quality corporate image. We provide excellent value for money and a wide range of garment collections to suit any budget.



VIEW OUR UNIQUE PRODUCT RANGES...

Visit us online today at **protectivewearuk.com**



 Contains 500 ml of sterile normal saline in sealed, disposable container where immediate access to running water is not available.

 Uses AeroPlast plasters with SUPA-BOND adhesive – the best in bandage performance

- Supplied in a robust moulded highly visible orange plastic case with hinged lid and carry handle for high portability and durability.
- Fully stocked to comply with HSE regulations for up to 10 persons.
- Internal clip secures eyewash in place and helps to keep stock organised, easy to use and





protectivewearuk.com

CODE	AKN10EW
Approval:	HSE Compliant
Contents:	55 pieces

- Aesthetically superior case featuring internal dividers for maximum organisation.
- Supplied with a wall hanging bracket.
- Tabs for security seals.
- Filled with quality Aero brand components ensuring the highest level of care for your personnel in time of emergency.
- Available in three sizes, small, medium and large



FOR ANY ENQUIRIES CALL PWS ON 01752 266374





CODE	330 Small
	343 Medium
	348 Large
Approval:	BS Compliant



protectivewearuk.com

'LADIES MEASUREMENTS





- **1. BUST:** Measure around the fullest part.
- 2. WAIST: Measure around the natural waistline.
- **3. LEG LENGTH:** Measure from top of inside leg to the required length.
- **1. COLLAR:** Measure around the base of neck and make sure the tape fits comfortably.
- **2. CHEST:** Measure the fullest part of the chest normally under the arms.
- 3. WAIST: Measure around the natural waistline.
- **4. LEG LENGTH:** Measure from top of inside leg to the required length.

