

NAME:

COMPANY:

JOB TITLE:

COUNTRY:

PHONE:


E-MAIL:

KEY INFORMATION:

- 1. UV MACHINE BRAND & MODEL:
- 2. UV SYSTEM BRAND & MODEL:
- 3. LAMP REFERENCE NUMBER:
- 4. INDUSTRIAL PROCESS:
- 5. LAMP TYPE: (Mercury/Iron/Gallium/Other)
- 6. KEY WAVELENGTHS REQUIRED :nm

LAMP CHARACTERISTICS:

- A: TOTAL LENGTH: mm
- B: SHOULDER LENGTH: mm
- C: ARC LENGTH: mm
- D: DIAMETER: mm
- QUARTZ TYPE: (Standard/Ozone Reducing)



SOCKET DIMENSIONS:

SOCKET TYPE: ROLLSEAL PINCH



SOCKET TYPE NUMBER:
(If cap looks different, please send photo with dimensions.)

SOCKET MATERIAL: CERAMIC METAL

SOCKET DIMENSIONS:

F: mm G: mm H: mm I: mm
L: mm M: mm N: mm O: mm

ELECTRICAL DATA:

- LAMP VOLTAGE: V
- LAMP CURRENT: A
- LAMP POWER DENSITY: W/cm
- LOCAL MAINS VOLTAGE: V
- LOCAL MAINS FREQUENCY: 50 Hz 60 Hz
- Other : Hz

LEAD CHARACTERISTICS:


E (LEAD LENGTH): E1: mm E2: mm

J (LEAD TERMINAL): BOOTLACE RECEPTACLE



(If other, please send photo with dimensions indicated.)

LEAD EXITS CAP AT:



POWER SUPPLY:

- AUTOTRANSFORMER WITH HIGH VOLTAGE CHOKES
- CHOKES AND IGNITOR
- ELECTRONIC POWER SUPPLY
- IGNITOR
- LEAKAGE TRANSFORMER
- TRANSDUCTOR
- TRANSFORMER WITH HIGH VOLTAGE CAPACITORS (CONSTANT WATTAGE)