



The Sidetracker
Pallet Leveller | UK Manufactured




Sales Brochure




The Pallet Leveller is designed to automatically maintain the top of the pallets load at a comfortable safe working height. This will aid to reduce injury associated with loading and unloading pallets at floor level whilst also improving the operative's productivity.

The Pallet Leveller uses heavy duty springs therefore there is no need for a power source. The Pallet Leveller can accommodate up to 2000kg. A range of spring combinations are provided as well as offering bespoke springs for your specific loads. No tools are required to change the springs.







Minimises musculoskeletal strains and reduces the risk of manual handling injuries and operator fatigue

- ST** Self-levelling lift table which automatically positions a load at a safe working height when loading and unloading
- ST** Spring combinations can be changed easily to suit up to 2000kg capacity load profiles
- ST** Bespoke springs can be calibrated to your specific load parameters
- ST** Complies with HSE guidelines




The Manual Handling Operations Regulations 1992, as amended in 2002



The Pallet Leveller automatically maintains a safe working height as load is applied


A set of springs will be provided to accommodate a range of loads up to 2000kg

Turntable mounted on low friction bearings for rotational purposes




Fork pockets for easy transportation


Heavy duty springs can be calibrated specific to your load parameters to maintain a safe working height throughout loading and unloading



710mm



240mm



1110mm

Benefits

Health & Safety

The pallet leveller complies with the HSE guidelines, and prevents the risk of injury to operatives.

Multiple Load Types


The Sidetracker registered 2016 design can be manufactured to meet the bespoke requirements of the customer. A set of springs will be provided to accommodate for a range of loads up to 2000kg. Springs can also be calibrated to the customer's specific load parameters as required.

Build Quality

No power source is required to operate this product. All our products are manufactured at our UK based factory and we provide an excellent after sales service to all of our customers.

Rotary Lift Table

Full 360 degrees rotation for easy access to loads. Light weight table can be removed to access springs.





Sideracker Engineering Ltd,
established in the UK in 1963. With
over 50 years of experience we
qualify as specialists in the design
and manufacture of leading edge
material handling solutions.

Registered Office
Station Road Industrial Estate
Clowne, Chesterfeld, S43 4AB.

Telephone: 01246 810655
Email: enquiries@sideracker.co.uk