



utz EUROTEC

The 3rd generation in its new 650 x 450 mm format



utz EUROTEC

Subdivisions for higher benefits

EUROTEC is a proven high-tech container family, specially developed for use in automatic conveying systems. The third generation EUROTEC is optimised in many details and even better adapted to modern handling requirements. In addition, the containers have recessed guide grooves on the inside of the short and long walls for inserting partition panels. This increases the application possibilities of the durable and robustly constructed containers.





The new E-Commerce size

For those special E-Commerce requirements, where individual products, as well as large and small cartons need to be stored, conveyed and picked, Utz has developed a new container size: **650 x 450 mm**.

Programmed precision

The number of interfaces at which robots can operate makes EUROTEC an indispensable container for automated handling. The gripping points and grooves for vertical and horizontal movement of the container offer the accurate positioning options. Water drainage holes are provided on all sides of the lower edge of the container to allow water to escape from the container immediately.

- Recessed grooves
- 2 Partition panels
- 3 Double-walled corners with grip sleeve
- Openings for vertical take-up
- 5 Lower pulling channel
- 6 24 water drainage holes
- 7 Shell handles on all sides







The base is decisive

The load-bearing capacity of the base is always a particularly important feature for containers transported on automatic conveying systems. Depending on the application, EUROTEC can therefore be manufactured with a simple, smooth base, a ribbed base or a welded double base.





Container 650 x 450 x 220 mm

Internal dim. base: 613 x 413 x 190 mm Stacking height: 207 mm Usable internal height in stack: 190 mm Volume: 48.0 litres Weight: 2.8 kg

Partition panel

Article code	Sidewalls	Base	Handles
55-6545F-0220-2		enclosed double base	4 shell handles

Article code	External dimensions	Position
55-6500F-0220	628 x 184 x 9.5 mm	lengthwise
55-4500F-0220	428 x 184 x 9.5 mm	crosswilse



Container 650 x 450 x 320 mm

Internal dim. base: 613 x 413 x 290 mm Stacking height: 307 mm Usable internal height in stack: 290 mm Volume: 73.0 litres Weight: 3.4 kg

Partition panel

Article code	Sidewalls	Base	Handles
55-6545F-0320-2	solid	enclosed double base	4 shell handles

Article code	External dimensions	Position
55-6500F-0320	628 x 284 x 9.5 mm	lengthwise
55-4500F-0320	428 x 284 x 9.5 mm	crosswilse



Utz – represented globally: www.utzgroup.com

