


# Bespoke Windows London

Your best windows & blinds...









# **ABOUT US**

Bespoke Windows London Ltd was established in 2012. We are the top choice for Clients looking for exclusive timber & aluminium doors and windows.

We have gathered a team of experts and developed a wide trading network, which allows for continuous improvement. We are a modern company using high-tech solutions.

Vast technical possibilities, knowledge and experience of our team of experts allows us to meet even the most difficult requirements. Our goal is to offer the highest quality possible within minimum time.

We provide you with perfect timber doors and windows, as well as competitive delivery dates to any place within the European Union. We guarantee high quality products due to the quality materials, modernisation of our assembly lines and the improvement of processing methods and team organisation. Our timber doors and windows offer much, much more.

They are an exquisite decoration to every house or office. The rooms seem more comfortable, quiet and safe. Apart from sales, our company offers professional assembling services so you may enjoy our products for many years hassle free.

# BI FOLDING DOORS



Our Bifold doors are made to increase your living space and integrate your interior with the outside. Bi-fold doors open by stacking up neatly on the inside or outside depending on request. Perfect use for hot summer days allowing you to maximise ventilation and join your living room with your garden.

They are extremely functional and easy to use. Due to a low threshold we may move about more freely, which is important in case of young children, elderly and disabled people. Big window sashes and their weight are not a problem. Operation in very simple and requires little physical strength.

We offer a wide range of glazing options of patterns/finishes to satisfy your needs. Our double-glazed windows come with great energy performance ensuring your home loses minimum amount of thermal energy and giving you great acoustic performance.

In Between glass blinds are also available for our bi-folding doors allowing you to give yourself some privacy without it getting in the way of the doors.

Our products are bespoke made taking into consideration all customer needs and preferences.

Maximum Glazing Thickness: 45mm

Sections: Frame-73mm, Sash-73mm

Profile Thickness: Door-18mm

Polyamide Strip Length: Frame-20mm, Sash-

30mm

Maximum Dimensions: Width-1200mm,

Height-3000mm

Maximum Weight: 120kg


**Finishes:** Possibility of bicolor systems, Colour powder coating (RAL, mottled and rough), Wood effect powder coating, Anti-bacterial

powder coating, Anodized

### **Opening Possibilities:**

Folding up to 14 sashes







# **Most Popular Profile**

**Bi-Folding Doors** 

This is one of most popular profiles for aluminium sliding doors due to its sturdiness, price and small profile allowing a bigger glazing surface area (area of up to 94%). It can be either operated manually or by a motor. It offers great thermal and acoustic performance as seen below.

Test Centre Results:

**Transmittance** Uw from 1,1 (W/m²K) **Air permeability**(EN 12207:2000) CLASE 4 **Water tightness**(EN 12208:2000) CLASE 9A **Wind resistance**(EN 12210:2000) CLASE A3


Reference test 2.70 x 2.53 m. 3 sashes

Security Test(PAS 24: 2012): Passed

**Reference test** 2701 x 2517 mm. 3 sashes. Set-up: 330

To have a look at our different profiles please visit our website www.bwlltd.co.uk and go to the aluminium category.





# SLIDING DOORS



Aluminium sliding doors are a perfect addition to your home which are mostly used to connect your living room with your garden. It is specifically designed for large dimensions. By minimising the visible area of the aluminium, the system allows more light to pass through.

They are extremely functional and easy to use. Due to a low threshold we may move about more freely, which is important in case of young children, elderly and disabled people. Big window sashes and their weight are not a problem. Operation in very simple and requires little physical strength.

We offer a wide range of glazing options of patterns/finishes to satisfy your needs. Our double-glazed windows come with great energy performance ensuring your home loses minimum amount of thermal energy and giving you great acoustic performance.

In Between glass blinds are also available for our sliding doors allowing you to give yourself some privacy without it getting in the way of the doors.

Our products are bespoke made taking into consideration all customer needs and preferences.

Acoustic Insulation: maximum glazing of 54mm resulting in a acoustic insulation of Rw=43dB

Transmittance: Uw from 1.3 (W/m<sup>2</sup>K)

Thickness: Frame-180mm, Door-20mm, Sash-69mm (Polyamide strip length from

18mm to 40mm)

Maximum Size: Width-4000mm, Height-


4000mm, Glass surface ≤ 14 m<sup>2</sup>

Maximum Weight: Manual operated-400kg,

Motorized-700kg

Finishes: Possibility of bicolor systems, Colour powder coating (RAL, mottled and rough), Wood effect powder coating, Anti-bacterial powder coating, Anodized

Opening Possibilities: Sliding of 2,4 or 6 sashes





# **Most Popular Profile**

Cor Vision Plus Sliding Doors

This is one of most popular profiles for aluminium sliding doors due to its sturdiness, price and small profile allowing a bigger glazing surface area (area of up to 94%). It can be either operated manually or by a motor. It offers great thermal and acoustic performance as seen below.


Test Centre Results:

Transmittance Uw from 0,9 (W/m<sup>2</sup>K) Maximum acoustic insulation Rw=43 dB Air permeability(EN 12207:2000) CLASS 4 Water tightness(EN 12208:2000) CLASS 7A\*/9A\*\* Wind resistance(EN 12210:2000) CLASS C3\*/C4\*\*

\*Reference test: Balcony 4,00 x 3,00 m. 2 sashes. \*\*Reference test: 4.00 x 3.00 m. 1 sash + 1 fixed

To have a look at our different profiles please visit our website www.bwlltd.co.uk and go to the aluminium category.





# CASEMENT WINDOWS



Our bespoke casement windows can be made to any specification requested giving you the freedom and comfort to design your unique product. Our Aluminium windows can be painted in any RAL colour with dual colour options available. All are products are coated several times leaving it with a clean, smooth finish.

In Between glass blinds are also available for our casement windows allowing you to give yourself some privacy without it getting in the way of the windows. This leaves you with a clean, flat finish.

We offer a wide range of glazing options with a wide range of patterns/finishes to satisfy your needs. Our double-glazed windows come with great performance ensuing your home loses minimum about of thermal energy and give you great acoustic performance.

Our products are bespoke made taking into consideration all customer needs and preferences.

### **Opening Possibilities:**

Open Out Side Hung Top Hung

### Sections:

Frame-70mm Sash-70mm

### Maximum Weight/Sash:

Slim Sash:

Practicable 35kg Projecting 50kg

### **Heavy Duty Sash**

Side Hung 42kg Top Hung 100kg

### Finishes:

Possibility of dual colour Colour powder coating (RAL, mottled & rough) Wood effect powder coating Anti-bacterial powder coating Anodized Profile Thickness: Window 16mm

Polyamide Strip Length: 32mm

### Maximum Dimensions/Sash

Side Hung:

Width (L)=700mm Height (H)=1300mm

### Top Hung:

Width (L)=1200mm Height (H)=1300mm

### Heavy Duty Sash Side Hung:

Width (L)=750mm Height (H)=1750mm

### Top Hung:

Width (L)=1800mm Height (H)=1800mm

Maximum Glazing: 44mm



## **Most Popular Profile**

Cor Vision Plus Sliding Doors

Our most popular aluminium casement profile from Cortizo giving you a extremely simplistic, beautiful design.

Test Centre Results:

Transmittance Uw ≥ 1,1 (W/m²K)

Maximum acoustic insulation Rw=45 dB

Air permeability(BS EN 12207:2000) CLASS 4

Water tightness(BS EN 12208:2000) CLASS E1200


Wind resistance(BS EN 12210:2000) CLASS CE 2400

Reference test: 1.438 x 1.330m, 1 sash + 1 fixed

Security Test (PAS 24:2016): APT

To have a look at our different profiles please visit our website www.bwlltd.co.uk and go to the aluminium category.





# STEEL WINDOWS AND DOORS





Light yet extremely durable design. The 20mm profile allows the door to have an extremely thin frame without it effecting its strength due to the high quality galvanised steel. Simple, beautiful, modern design gives your interiors a more spacious, naturally lit interiors. The doors are powder sprayed with the highest quality paint, enhancing the doors appearance with a life lasting finish. You can choose every little detail from different glass finishes, Handels or panels that suit your requirements.

Steel windows are a unique product: steel special profiles are combined in a solid construction. The multitude of patterns and shapes is only limited by your imagination. Steel windows are most often used for historic buildings in order to preserve the original shape and appearance.

Steel allows you to make visually delicate constructions impossible to make from aluminium profiles. Due to its strength, steel allows the use of profiles with small cross-sections in various shapes.

Steel windows made of galvanized and powder coated system profiles, available in many variants: fixed and swivel or tilt windows, in versions without thermal break and with insulation, ensuring high insulation parameters. Steel windows can be used in various types of facilities: industrial, historic and economic.

### **Door Options:**

Single-leaf doors Double-leaf doors Fixed parts Fixed Partitions

Profile thickness: 20mm

### Type:

One-wing Two-winged

**Surface Finish:** Powder coating in accordance with the RAL colour palette.

**Protection:** Protective coats are applied to all surfaces and all galvanized elements.

### **Window Options:**

Single-leaf double-leaf With or without fixed parts Tilt and Turn Fixed Windows

### **Equipment:**

English type window fittings Tilt and turn fittings Automatic opening cylinders


### **Technical Features:**

Profile depth 50mm Possible to make arches, trapeziums and other non standard shapes.


We offer a wide range of premium handles for our steel doors. Below our a few pictures of our more common ones but please visit www.bwlltd.co.uk/premium-handles/ to see our full range



Here are a few examples of our most popular steel door layouts



# ALUMINIUM ROOFLIGHTS



Rooflights are windows built into the roof of a building. They are extremely effective in allowing natural light deep into the interior of your house, give you more options if you have walls where windows cannot be installed. They are also a great source of ventilation allowing some natural air to enter your building and as they are on the roof they don't affect your privacy. If out of reach all our rooflights can be fitted with a mechanism or motor to be able to open them from range. All our rooflights come with installed safety glass to ensure safety yet providing great acoustic and thermal performance.




### Maximum Glazing Thickness:

Maximum-50mm Minimum-24mm

### **Window Roof:**

Maximum-38mm Minimum-24mm

Opening Possibilities: Motorised top hung



Sections: Mullion-52mm Transom-52mm

Profile Thickness Mullion-21mm Transom-21mm

### Minimum incline/slope:

Pt=12% (7°)

### Maximum incline/slope:

Pt=85% (40°)

### Finishes:

Powder Coating Anodized



# **Most Popular Profile**

Skylight-Veranda

This skylight system has a wide range of mullions from 130mm to 250mm and transom from 40.5mm to 255.5mm. It also allows the possibility of adding a motorised top hung projecting opening in roof areas

Test Centre Results:

Transmittance Uw from 0,6 (W/m²K) Air permeability (EN 12152) CLASS AE Water tightness (EN 13114) CLASS RE1500 Wind resistance (EN 13116) APT


**Reference test:** 3,00 x 3,50 m. Design winload 2000 Pa - security winload 3000 Pa).


### **Projecting opening Test:**

Air Permeability (EN 12207) CLASS 4 Water Tightness (EN 12208) CLASS E2200 Wind Resistance (EN 12210) C5

Reference test: 1.23 x 1.48 m. 1 sash

To have a look at our different profiles please visit our website www.bwlltd.co.uk and go to the aluminium category.





# ALUMINIUM PERGOLA



Pergolas are an easy way to add some roofing in your garden without ruining your aesthetics but actually adding to the garden. Our Pergolas can come with either a fabric roof or a Lamellas roof.

All our Pergolas can be fitted with wind and rain sensors so that the pergola opens and closes automatically according to the weather conditions even if you not at home. They offer great air resistance and can withstand high loads giving you great protection against rain and even snow. All fabrics, Lamellas and aluminium components can be painted to any RAL colour.

### Advantages and Benefits

- Non-combustible PVC fabric
- Protection against rain and sun
- Integrated drain
- Silent System
- Can be coupled side by side
- Any RAL colour

### Technical Parameters

Minimum Length: 2000mm Maximum Length: 6000mm Minimum Width: 2000mm Maximum Width: 8000mm Maximum Height: 3000mm

# RAL COLOUR PALETTE

RAL 1000	RAL 1001	RAL 1002	RAL 1003	RAL 1004	RAL 1005	RAL 1006
RAL 1007	RAL 1011	RAL 1012	RAL 1013	RAL 1014	RAL 1015	RAL 1016
RAL 1017	RAL 1018	RAL 1019	RAL 1020	RAL 1021	RAL 1023	RAL 1024
RAL 1027	RAL 1028	RAL 1032	RAL 1033	RAL 1034	RAL 2000	RAL 2001
RAL 2002	RAL 2003	RAL 2004	RAL 2008	RAL 2009	RAL 2010	RAL 2011
RAL 2012	RAL 3000	RAL 3001	RAL 3002	RAL 3003	RAL 3004	RAL 3005
RAL 3007	RAL 3009	RAL 3011	RAL 3012	RAL 3013	RAL 3014	RAL 3015
RAL 3016	RAL 3017	RAL 3018	RAL 3020	RAL 3022	RAL 3027	RAL 3031
RAL 4001	RAL 4002	RAL 4003	RAL 4004	RAL 4005	RAL 4006	RAL 4007
RAL 4008	RAL 4009	RAL 4010	RAL 5000	RAL 5001	RAL 5002	RAL 5003
RAL 5004	RAL 5005	RAL 5007	RAL 5008	RAL 5009	RAL 5010	RAL 5011
RAL 5012	RAL 5013	RAL 5014	RAL 5015	RAL 5017	RAL 5018	RAL 5019
RAL 5020	RAL 5021	RAL 5022	RAL 5023	RAL 5024	RAL 6000	RAL 6001
RAL 6002	RAL 6003	RAL 6004	RAL 6005	RAL 6006	RAL 6007	RAL 6008
RAL 6009	RAL 6010	RAL 6011	RAL 6012	RAL 6013	RAL 6014	RAL 6015
RAL 6016	RAL 6017	RAL 6018	RAL 6019	RAL 6020	RAL 6021	RAL 6022
RAL 6024	RAL 6025	RAL 6026	RAL 6027	RAL 6028	RAL 6029	RAL 6032
RAL 6033	RAL 6034	RAL 7000	RAL 7001	RAL 7002	RAL 7003	RAL 7004
RAL 7005	RAL 7006	RAL 7008	RAL 7009	RAL 7010	RAL 7011	RAL 7012
RAL 7013	RAL 7015	RAL 7016	RAL 7021	RAL 7022	RAL 7023	RAL 7024
RAL 7026	RAL 7030	RAL 7031	RAL 7032	RAL 7033	RAL 7034	RAL 7035
RAL 7036	RAL 7037	RAL 7038	RAL 7039	RAL 7040	RAL 7042	RAL 7043
RAL 7044	RAL 7045	RAL 7046	RAL 7047	RAL 8000	RAL 8001	RAL 8002
RAL 8003	RAL 8004	RAL 8007	RAL 8008	RAL 8011	RAL 8012	RAL 8014
RAL 8015	RAL 8016	RAL 8017	RAL 8019	RAL 8022	RAL 8023	RAL 8024
RAL 8025	RAL 8028	RAL 9001	RAL 9002	RAL 9003	RAL 9004	RAL 9005
RAL 9010	RAL 9011	RAL 9016	RAL 9017	RAL 9018	RAL 9006	RAL 9007

# WARRANTY

The Company undertakes to use its best endeavours to provide the service and all goods stated overleaf.

Goods supplied by the Company have a warranty of:

- 10 years for Aluminium windows and doors
- 5 years for the tightness of glazed glass
- 5 years for ironmongery
- 5 years for locks and mechanisms

The foregoing warranty covers only the doors and windows used properly and according to the user's manual.

The following requirements should be met in particular:

- warm water with delicate washing agents should be used to clean doors and windows. Aggressive chemical
- or abrasive agents, such as vinegar, ammonia, etc. should not be used.
- coating should be preserved based on the Manufacturer's specifications

Warranty period is calculated from the moment the Customer collects the purchases goods. Rights resulting from

the Warranty Card are effective the moment all accounts with the Supplier are settled.

- Goods unpaid for are not included in the Warranty. Warranty expires when payments are not settled in due time.
- Warranty is issued when a Warranty Card and proof of purchase is submitted in the sales point or directly
- to the Manufacturer within 14 days of the date a flaw was detected. Claims must be submitted in writing.
- The Seller is obliged to answer a claim within 28 days.

Warranty does not involve the following:

- goods with flaws or defects due to which the price of such goods was lowered
- goods with flaws, which are invisible after assembly and have no influence on the use value
- goods with flaws resulting from improper storage, assembly or use
- goods with discolorations or damage to the timber caused by the room humidity exceeding 70%
- goods with little glass defects indicated by the Manufacturer
- goods with damage to the coating, which was not caused by the Manufacturer (e.g. due to using adhesive tapes
- and washing agent or sharp tools not designed to washing)
- accidents beyond the Manufacturer's control and operation conditions (e.g. fire, flood, devastation, etc.)
- Manufacturer reserves the right to evaluate and qualify the damage.

Warranty is lost due to the following:

- individual alteration
- wrong assembly not according to the instruction
- Purchasing of the product means accepting its warranty conditions.
- The Customers' rights expire due to any window and door repairs and alterations performed in the warranty period
- by unauthorized person.
- In case of unjustified notifications, all service costs are born by the Ordering Party.
- Warranty is effective in all states within the European Union.
- In cases not covered by the foregoing warranty, regulation of Act dated 27 July 2012 regarding particular terms
- and conditions of consumer sale are effective (Journal of Acts No 141 item 1176)

Nothing in these conditions will reduce your statutory rights relating to faulty or miss-described goods and services. For further information about your statutory rights contact your Local Authority Trading Standards Department or Citizens Advise Bureau. Please visit our website for our full terms & conditions and full details on our warranties.

# VISIT US



Visit our showroom to see our beautiful windows and doors in person

62 Lower Richmond Road SW15 1JT, Putney

Also feel free to contact us by email or phone

Tel: 020 3417 7980

Email: info@bwlltd.co.uk

www.bwlltd.co.uk

# NOTES

NOTES			





@bwlltd



Bespoke Windows London LTD

info@bwlltd.co.uk | 020 3417 7980 | office@bwlltd.co.uk 020 3302 1441 | www.bwlltd.co.uk | 62 Lower Richmond Road | SW15 1JT | Putney | London

