


TWO LIFT HOUSINGS

Model Sheet - Metric





J&R L1001-2-34 LIFT-N-LOCK hydraulic boom gantry project in Brisbane, Australia.

Model	Retracted Height	1st Stage Capacity	1st Stage Lift Height	2nd Stage Capacity	2nd Stage Lift Height
301-2-24	3.023 M	68 M Tons	7.315 M		
401-2-27	3.454 M	100 M Tons	8.382 M		3 % -
<i>502-2-30</i>	3.023 M	113.5 M Tons	7.214 M	72.5 M Tons	9.144 M
702-2-28	3.023 M	159 M Tons	6.833 M	109 M Tons	8.534 M
<i>702-2-33</i>	3.505 M	159 M Tons	8.103 M	109 M Tons	10.211 M
801-2-27	3.556 M	200 M Tons	8.230 M	-	1
1001-2-34	4.267 M	227 M Tons	10.363 M	-	-
1102-2-32 OCTAGON	3.556 M	250 M Tons	7.849 M	166 M Tons	9.754 M
1102-2-40 OCTAGON	4.267 M	250 M Tons	9.754 M	166 M Tons	12.192 M
1402-2-30 OCTAGON	3.454 M	317.5 M Tons	7.442 M	213 M Tons	9.144 M
1402-2-39 OCTAGON	4.267 M	317.5 M Tons	9.550 M	213 M Tons	11.887 M
1802-2-28 OCTAGON	3.455 M	408.5 M Tons	7.061 M	300 M Tons	8.534 M
1802-2-38 OCTAGON	4.268 M	408.5 M Tons	9.448 M	300 M Tons	11.734 M
2602-2-31 OCTAGON	4.42 M	590 M Tons	7.06 M	395 M Tons	9.448 M

Note: Lift capacities are maximum and assume two lift housings equally loaded. The weight of lift beams and rigging must be deducted in arriving at live load capacity. Lift Height Measurements assume fully extended power manual stage.

J&R ENGINEERING CO., INC. 538 OAKLAND AVENUE P.O. BOX 447 MUKWONAGO, WI 53149 U.S.A. +262/363-9660 FAX/363-9620 web: www.jrengco.com email: info@jrengco.com

See reverse for Four Lift Housing Specifications