



# DEFOAMER

DEFOAMER · ANTIFOAM

## PRINCIPAL FUNCTIONING AGENTS:

Dimethylpolysiloxane, silicon dioxide .....	20%
Constituents ineffective as spray adjuvants .....	80%
<b>TOTAL .....</b>	<b>100%</b>

All ingredients are exempt from tolerance under 40 CFR 180.

WA Reg. 99777-15002

## CAUTION

### KEEP OUT OF REACH OF CHILDREN

Avoid breathing spray mist. Remove and wash contaminated clothing before reuse. Avoid contact with skin, eyes or clothing. Do not take internally. Do not eat, drink, smoke or chew gum while using this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. In addition, follow precautionary statements on all products used with this material. Clean affected clothing, shoes, and protective equipment before reuse.

**Personal Protective Equipment:** Wear chemical-resistant eyewear and gloves, long-sleeve shirt and pants and shoes and socks.

## FIRST AID

Call a poison control center or doctor immediately for treatment advice.

Have the product container with you when calling a poison control center or doctor, or going for treatment.

**If Swallowed:** Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes.

**If Inhaled:** Move person to fresh air. If a person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth, if possible.

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

**NET CONTENTS: 4 x 1 U.S. Gallon (4 x 3.79 L)**

**Oregon Vineyard Supply**

2700 NE St Joseph Rd.  
McMinnville, OR 97128  
800.653.2216



# DEFOAMER

DEFOAMER · ANTIFOAM

## PRINCIPAL FUNCTIONING AGENTS:

Dimethylpolysiloxane, silicon dioxide .....	20%
Constituents ineffective as spray adjuvants .....	80%
<b>TOTAL .....</b>	<b>100%</b>

All ingredients are exempt from tolerance under 40 CFR 180.

WA Reg. 99777-15002

## CAUTION

### KEEP OUT OF REACH OF CHILDREN

Avoid breathing spray mist. Remove and wash contaminated clothing before reuse. Avoid contact with skin, eyes or clothing. Do not take internally. Do not eat, drink, smoke or chew gum while using this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. In addition, follow precautionary statements on all products used with this material. Clean affected clothing, shoes, and protective equipment before reuse.

**Personal Protective Equipment:** Wear chemical-resistant eyewear and gloves, long-sleeve shirt and pants and shoes and socks.

### FIRST AID

Call a poison control center or doctor immediately for treatment advice.

Have the product container with you when calling a poison control center or doctor, or going for treatment.

**If Swallowed:** Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes.

**If Inhaled:** Move person to fresh air. If a person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth, if possible.

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

**NET CONTENTS: 1 U.S. Gallon (3.79 L)**

### Oregon Vineyard Supply

2700 NE St Joseph Rd.

McMinnville, OR 97128

800.653.2216

030915

## GENERAL INFORMATION

DEFOAMER is a water-based, silicone emulsion, antifoam and defoamer. DEFOAMER can be used to prevent foam formation or knock down existing foam. Use rates for DEFOAMER depends directly on temperature, composition, viscosity, agitation and other various conditions; therefore rates may require adjustment for the most effective dosage. Generally, use rates are lower when used as an antifoam to prevent or reduce foam formation.

## DIRECTIONS FOR USE

### *Not For Aquatic Use*

Use DEFOAMER at 1/2 - 1 oz. per 100 gallons of solution. It may be necessary to adjust the amount used according to individual conditions.

**Antifoaming:** For best results, fill the tank approximately half full of water, put first tank mix component into water, then add recommended amount of DEFOAMER. Also, to ensure proper dispersion and foam control, DEFOAMER should be added directly to the top surface of the mixture, not to edges or tank sides or bottom. After mixing in DEFOAMER, continue addition of other ingredients. Add more DEFOAMER, as necessary, to continue to suppress foam.

**Defoaming:** If foam develops, stop agitation and add the recommended dosage of DEFOAMER. Continue addition if foam does not disappear.

When foaming develops in urea water solutions, it may be necessary to use as much as 2 ounces of DEFOAMER per 100 gallons of solution.

## STORAGE AND DISPOSAL

**Storage:** Store in a cool, dry place. Store in original container only. Do not add anything to the container. Keep container tightly sealed when not in use. Do not store near fire, flame or other potential sources of ignition. Do not contaminate water, food or feed by storage or disposal of this product.

**Disposal:** Do not reuse empty container. Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal if allowed by law. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at [www.acrecycle.org](http://www.acrecycle.org). Decontaminated containers and materials must be disposed of in a manner allowed by local, state and federal laws and regulations.

**Shake well before using.** If product freezes, allow to thaw, then shake well. For optimal storage, store between 40° and 90°F.

## CONDITIONS OF SALE – LIMITED WARRANTY AND LIMITATIONS OF LIABILITY AND REMEDIES

Read the Conditions of Sale – Warranty and Limitations of Liability and Remedies before using this product. If the terms are not acceptable, return the product, unopened, and the full purchase price will be refunded.

The directions on this label are believed to be reliable and should be followed carefully. Insufficient control of pests and/or injury to the crop to which the product is applied may result from the occurrence of extraordinary or unusual weather conditions or the failure to follow the label directions or good application practices, all of which are beyond the control of Oregon Vineyard Supply, (OVS) (the "Company") or seller. In addition, failure to follow label directions may cause injury to crops, animals, man or the environment. The Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose referred to in the directions for use subject to the factors noted above which are beyond the control of the Company. The Company makes no other warranties or representations of any kind, express or implied, concerning the product, including no implied warranty of merchantability or fitness for any particular purpose, and no such warranty shall be implied by law.

The exclusive remedy against the Company for any cause of action relating to the handling or use of this product shall be limited to, at Oregon Vineyard Supply's election, one of the following:

1. Refund of the purchase price paid by buyer or user for product bought, or
2. Replacement of the product used

To the extent allowed by law, the Company shall not be liable and any and all claims against the Company are waived for special, indirect, incidental, or consequential damages or expense of any nature, including, but not limited to, loss of profits or income. The Company and the seller offer this product and the buyer and user accept it, subject to the foregoing conditions of sale and limitation of warranty, liability and remedies.



# DEFOAMER

DEFOAMER · ANTIFOAM

## PRINCIPAL FUNCTIONING AGENTS:

Dimethylpolysiloxane, silicon dioxide .....	20%
Constituents ineffective as spray adjuvants .....	80%
<b>TOTAL .....</b>	<b>100%</b>

All ingredients are exempt from tolerance under 40 CFR 180.

WA Reg. 99777-15002

## CAUTION

### KEEP OUT OF REACH OF CHILDREN

Avoid breathing spray mist. Remove and wash contaminated clothing before reuse. Avoid contact with skin, eyes or clothing. Do not take internally. Do not eat, drink, smoke or chew gum while using this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. In addition, follow precautionary statements on all products used with this material. Clean affected clothing, shoes, and protective equipment before reuse.

**Personal Protective Equipment:** Wear chemical-resistant eyewear and gloves, long-sleeve shirt and pants and shoes and socks.

## FIRST AID

Call a poison control center or doctor immediately for treatment advice.

Have the product container with you when calling a poison control center or doctor, or going for treatment.

**If Swallowed:** Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes.

**If Inhaled:** Move person to fresh air. If a person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth, if possible.

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

**NET CONTENTS: 2 x 2.5 U.S. Gallons (2 x 9.46 L)**

**Oregon Vineyard Supply**

2700 NE St Joseph Rd.  
McMinnville, OR 97128  
800.653.2216



# DEFOAMER

DEFOAMER · ANTIFOAM

## PRINCIPAL FUNCTIONING AGENTS:

Dimethylpolysiloxane, silicon dioxide .....	20%
Constituents ineffective as spray adjuvants .....	80%
<b>TOTAL .....</b>	<b>100%</b>

All ingredients are exempt from tolerance under 40 CFR 180.

WA Reg. 99777-15002

## CAUTION

### KEEP OUT OF REACH OF CHILDREN

Avoid breathing spray mist. Remove and wash contaminated clothing before reuse. Avoid contact with skin, eyes or clothing. Do not take internally. Do not eat, drink, smoke or chew gum while using this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. In addition, follow precautionary statements on all products used with this material. Clean affected clothing, shoes, and protective equipment before reuse.

**Personal Protective Equipment:** Wear chemical-resistant eyewear and gloves, long-sleeve shirt and pants and shoes and socks.

### FIRST AID

Call a poison control center or doctor immediately for treatment advice.

Have the product container with you when calling a poison control center or doctor, or going for treatment.

**If Swallowed:** Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes.

**If Inhaled:** Move person to fresh air. If a person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth, if possible.

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

**NET CONTENTS: 2.5 U.S. Gallon (9.46 L)**

### Oregon Vineyard Supply

2700 NE St Joseph Rd.

McMinnville, OR 97128

800.653.2216

030915



# DEFOAMER

DEFOAMER · ANTIFOAM

## PRINCIPAL FUNCTIONING AGENTS:

Dimethylpolysiloxane, silicon dioxide .....	20%
Constituents ineffective as spray adjuvants .....	80%
<b>TOTAL .....</b>	<b>100%</b>

All ingredients are exempt from tolerance under 40 CFR 180.

WA Reg. 99777-15002

## CAUTION

### KEEP OUT OF REACH OF CHILDREN

Avoid breathing spray mist. Remove and wash contaminated clothing before reuse. Avoid contact with skin, eyes or clothing. Do not take internally. Do not eat, drink, smoke or chew gum while using this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. In addition, follow precautionary statements on all products used with this material. Clean affected clothing, shoes, and protective equipment before reuse.

**Personal Protective Equipment:** Wear chemical-resistant eyewear and gloves, long-sleeve shirt and pants and shoes and socks.

### FIRST AID

Call a poison control center or doctor immediately for treatment advice.

Have the product container with you when calling a poison control center or doctor, or going for treatment.

**If Swallowed:** Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes.

**If Inhaled:** Move person to fresh air. If a person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth, if possible.

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

**NET CONTENTS: 12 x 1 U.S. Quart (12 x 0.95 L)**

**Oregon Vineyard Supply**

2700 NE St Joseph Rd.  
McMinnville, OR 97128  
800.653.2216

# DEFOAMER

DEFOAMER · ANTIFOAM



## PRINCIPAL FUNCTIONING AGENTS:

Dimethylpolysiloxane, silicon dioxide.....	20%
Constituents ineffective as spray adjuvants.....	80%
<b>TOTAL</b> .....	<b>100%</b>

All ingredients are exempt from tolerance under 40 CFR 180.  
WA Reg. 99777-15002

## CAUTION KEEP OUT OF REACH OF CHILDREN

Avoid breathing spray mist. Remove and wash contaminated clothing before reuse. Avoid contact with skin, eyes or clothing. Do not take internally. Do not eat, drink, smoke or chew gum while using this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. In addition, follow precautionary statements on all products used with this material. Clean affected clothing, shoes, and protective equipment before reuse.

**Personal Protective Equipment:** Wear chemical-resistant eyewear and gloves, long-sleeve shirt and pants and shoes and socks.

### FIRST AID

Call a poison control center or doctor immediately for treatment advice. Have the product container with you when calling a poison control center or doctor, or going for treatment.

**If Swallowed:** Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes.

**If Inhaled:** Move person to fresh air. If a person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth, if possible.

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

**NET CONTENTS: 1 U.S. Quart (0.95 L)**

**Oregon Vineyard Supply**  
2700 NE St Joseph Rd.  
McMinnville, OR 97128  
800.653.2216

## GENERAL INFORMATION

DEFOAMER is a water-based, silicone emulsion, antifoam and defoamer. DEFOAMER can be used to prevent foam formation or knock down existing foam. Use rates for DEFOAMER depends directly on temperature, composition, viscosity, agitation and other various conditions; therefore rates may require adjustment for the most effective dosage. Generally, use rates are lower when used as an antifoam to prevent or reduce foam formation.

## DIRECTIONS FOR USE

### Not For Aquatic Use

Use DEFOAMER at 1/2 - 1 oz. per 100 gallons of solution. It may be necessary to adjust the amount used according to individual conditions.

**Antifoaming:** For best results, fill the tank approximately half full of water, put first tank mix component into water, then add recommended amount of DEFOAMER. Also, to ensure proper dispersion and foam control, DEFOAMER should be added directly to the top surface of the mixture, not to edges or tank sides or bottom. After mixing in DEFOAMER, continue addition of other ingredients. Add more DEFOAMER, as necessary, to continue to suppress foam.

**Defoaming:** If foam develops, stop agitation and add the recommended dosage of DEFOAMER. Continue addition if foam does not disappear.

When foaming develops in urea water solutions, it may be necessary to use as much as 2 ounces of DEFOAMER per 100 gallons of solution.

## STORAGE AND DISPOSAL

**Storage:** Store in a cool, dry place. Store in original container only. Do not add anything to the container. Keep container tightly sealed when not in use. Do not store near fire, flame or other potential sources of ignition. Do not contaminate water, food or feed by storage or disposal of this product.

**Disposal:** Do not reuse empty container. Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal if allowed by law. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at [www.acrcycle.org](http://www.acrcycle.org).

Decontaminated containers and materials must be disposed of in a manner allowed by local, state and federal laws and regulations.

**Shake well before using.** If product freezes, allow to thaw, then shake well. For optimal storage, store between 40° and 90°F.

## CONDITIONS OF SALE - LIMITED WARRANTY AND LIMITATIONS OF LIABILITY AND REMEDIES

Read the Conditions of Sale - Warranty and Limitations of Liability and Remedies before using this product. If the terms are not acceptable, return the product, unopened, and the full purchase price will be refunded.

The directions on this label are believed to be reliable and should be followed carefully. Insufficient control of pests and/or injury to the crop to which the product is applied may result from the occurrence of extraordinary or unusual weather conditions or the failure to follow the label directions or good application practices, all of which are beyond the control of Oregon Vineyard Supply, (OVS) (the "Company") or seller. In addition, failure to follow label directions may cause injury to crops, animals, man or the environment. The Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose referred to in the directions for use subject to the factors noted above which are beyond the control of the Company.

The Company makes no other warranties or representations of any kind, express or implied, concerning the product, including no implied warranty of merchantability or fitness for any particular purpose, and no such warranty shall be implied by law.

The exclusive remedy against the Company for any cause of action relating to the handling or use of this product shall be limited to, at Oregon Vineyard Supply's election, one of the following:

1. Refund of the purchase price paid by buyer or user for product bought, or
2. Replacement of the product used

To the extent allowed by law, the Company shall not be liable and any and all claims against the Company are waived for special, indirect, incidental, or consequential damages or expense of any nature, including, but not limited to, loss of profits or income. The Company and the seller offer this product and the buyer and user accept it, subject to the foregoing conditions of sale and limitation of warranty, liability and remedies.

28 oz.

26 oz.

24 oz.

22 oz.

20 oz.

18 oz.

16 oz.

14 oz.

12 oz.

10 oz.

8 oz.

6 oz.

4 oz.

030915



# DEFOAMER

## DEFOAMER • ANTIFOAM

### PRINCIPAL FUNCTIONING AGENTS:

Dimethylpolysiloxane, silicon dioxide .....	20%
Constituents ineffective as spray adjuvants .....	80%
<b>TOTAL .....</b>	<b>100%</b>

All ingredients are exempt from tolerance under 40 CFR 180. WA Reg. 99777-15002

## CAUTION

### KEEP OUT OF REACH OF CHILDREN

Avoid breathing spray mist. Remove and wash contaminated clothing before reuse. Avoid contact with skin, eyes or clothing. Do not take internally. Do not eat, drink, smoke or chew gum while using this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. In addition, follow precautionary statements on all products used with this material. Clean affected clothing, shoes, and protective equipment before reuse.

**Personal Protective Equipment:** Wear chemical-resistant eyewear and gloves, long-sleeve shirt and pants and shoes and socks.

### FIRST AID

Call a poison control center or doctor immediately for treatment advice. Have the product container with you when calling a poison control center or doctor, or going for treatment.

**If Swallowed:** Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes.

**If Inhaled:** Move person to fresh air. If a person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth, if possible.

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

### GENERAL INFORMATION

DEFOAMER is a water-based, silicone emulsion, antifoam and defoamer.

### CONDITIONS OF SALE – LIMITED WARRANTY AND LIMITATIONS OF LIABILITY AND REMEDIES

Read the Conditions of Sale – Warranty and Limitations of Liability and Remedies before using this product. If the terms are not acceptable, return the product, unopened, and the full purchase price will be refunded.

The directions on this label are believed to be reliable and should be followed carefully. Insufficient control of pests and/or injury to the crop to which the product is applied may result from the occurrence of extraordinary or unusual weather conditions or the failure to follow the label directions or good application practices, all of which are beyond the control of Oregon Vineyard Supply, (OVS) (the "Company") or seller. In addition, failure to follow label directions may cause injury to crops, animals, man or the environment. The Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose referred to in the directions for use subject to the factors noted above which are beyond the control of the Company.

The Company makes no other warranties or representations of any kind, express or implied, concerning the product, including no implied warranty of merchantability or fitness for any particular purpose, and no such warranty shall be implied by law.

The exclusive remedy against the Company for any cause of action relating to the handling or use of this product shall be limited to, at Oregon Vineyard Supply's election, one of the following:

1. Refund of the purchase price paid by buyer or user for product bought, or
2. Replacement of the product used

To the extent allowed by law, the Company shall not be liable and any and all claims against the Company are waived for special, indirect, incidental, or consequential damages or expense of any nature, including, but not limited to, loss of profits or income. The Company and the seller offer this product and the buyer and user accept it, subject to the foregoing conditions of sale and limitation of warranty, liability and remedies.

## Oregon Vineyard Supply

2700 NE St Joseph Rd.  
McMinnville, OR 97128  
800.653.2216

DEFOAMER can be used to prevent foam formation or knock down existing foam. Use rates for DEFOAMER depends directly on temperature, composition, viscosity, agitation and other various conditions; therefore rates may require adjustment for the most effective dosage. Generally, use rates are lower when used as an antifoam to prevent or reduce foam formation.

### DIRECTIONS FOR USE *Not For Aquatic Use*

Use DEFOAMER at 1/2 - 1 oz. per 100 gallons of solution. It may be necessary to adjust the amount used according to individual conditions.

**Antifoaming:** For best results, fill the tank approximately half full of water, put first tank mix component into water, then add recommended amount of DEFOAMER. Also, to ensure proper dispersion and foam control, DEFOAMER should be added directly to the top surface of the mixture, not to edges or tank sides or bottom. After mixing in DEFOAMER, continue addition of other ingredients. Add more DEFOAMER, as necessary, to continue to suppress foam.

**Defoaming:** If foam develops, stop agitation and add the recommended dosage of DEFOAMER. Continue addition if foam does not disappear.

When foaming develops in urea water solutions, it may be necessary to use as much as 2 ounces of DEFOAMER per 100 gallons of solution.

### STORAGE AND DISPOSAL

**Storage:** Store in a cool, dry place. Store in original container only. Do not add anything to the container. Keep container tightly sealed when not in use. Do not store near fire, flame or other potential sources of ignition. Do not contaminate water, food or feed by storage or disposal of this product.

**Disposal:** Do not reuse empty container. Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal if allowed by law. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at [www.acrcycle.org](http://www.acrcycle.org). Decontaminated containers and materials must be disposed of in a manner allowed by local, state and federal laws and regulations.

**Shake well before using.** If product freezes, allow to thaw, then shake well. For optimal storage, store between 40° and 90°F.

**NET CONTENTS:**  
**55 U.S. Gallons**  
**(208 L)**





# DEFOAMER

## DEFOAMER • ANTIFOAM

### PRINCIPAL FUNCTIONING AGENTS:

Dimethylpolysiloxane, silicon dioxide .....	20%
Constituents ineffective as spray adjuvants .....	80%
<b>TOTAL .....</b>	<b>100%</b>

All ingredients are exempt from tolerance under 40 CFR 180. WA Reg 99777-15002

## CAUTION

### KEEP OUT OF REACH OF CHILDREN

Avoid breathing spray mist. Remove and wash contaminated clothing before reuse. Avoid contact with skin, eyes or clothing. Do not take internally. Do not eat, drink, smoke or chew gum while using this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. In addition, follow precautionary statements on all products used with this material. Clean affected clothing, shoes, and protective equipment before reuse.

**Personal Protective Equipment:** Wear chemical-resistant eyewear and gloves, long-sleeve shirt and pants and shoes and socks.

### FIRST AID

Call a poison control center or doctor immediately for treatment advice. Have the product container with you when calling a poison control center or doctor, or going for treatment.

**If Swallowed:** Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes.

**If Inhaled:** Move person to fresh air. If a person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth, if possible.

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

### GENERAL INFORMATION

DEFOAMER is a water-based, silicone emulsion, antifoam and defoamer.

### CONDITIONS OF SALE – LIMITED WARRANTY AND LIMITATIONS OF LIABILITY AND REMEDIES

Read the Conditions of Sale – Warranty and Limitations of Liability and Remedies before using this product. If the terms are not acceptable, return the product, unopened, and the full purchase price will be refunded.

The directions on this label are believed to be reliable and should be followed carefully. Insufficient control of pests and/or injury to the crop to which the product is applied may result from the occurrence of extraordinary or unusual weather conditions or the failure to follow the label directions or good application practices, all of which are beyond the control of Oregon Vineyard Supply, (OVS) (the "Company") or seller. In addition, failure to follow label directions may cause injury to crops, animals, man or the environment. The Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose referred to in the directions for use subject to the factors noted above which are beyond the control of the Company.

The Company makes no other warranties or representations of any kind, express or implied, concerning the product, including no implied warranty of merchantability or fitness for any particular purpose, and no such warranty shall be implied by law.

The exclusive remedy against the Company for any cause of action relating to the handling or use of this product shall be limited to, at Oregon Vineyard Supply's election, one of the following:

1. Refund of the purchase price paid by buyer or user for product bought, or
2. Replacement of the product used

To the extent allowed by law, the Company shall not be liable and any and all claims against the Company are waived for special, indirect, incidental, or consequential damages or expense of any nature, including, but not limited to, loss of profits or income. The Company and the seller offer this product and the buyer and user accept it, subject to the foregoing conditions of sale and limitation of warranty, liability and remedies.

## Oregon Vineyard Supply

2700 NE St Joseph Rd.  
McMinnville, OR 97128  
800.653.2216

DEFOAMER can be used to prevent foam formation or knock down existing foam. Use rates for DEFOAMER depends directly on temperature, composition, viscosity, agitation and other various conditions; therefore rates may require adjustment for the most effective dosage. Generally, use rates are lower when used as an antifoam to prevent or reduce foam formation.

### DIRECTIONS FOR USE *Not For Aquatic Use*

Use DEFOAMER at 1/2 - 1 oz. per 100 gallons of solution. It may be necessary to adjust the amount used according to individual conditions.

**Antifoaming:** For best results, fill the tank approximately half full of water, put first tank mix component into water, then add recommended amount of DEFOAMER. Also, to ensure proper dispersion and foam control, DEFOAMER should be added directly to the top surface of the mixture, not to edges or tank sides or bottom. After mixing in DEFOAMER, continue addition of other ingredients. Add more DEFOAMER, as necessary, to continue to suppress foam.

**Defoaming:** If foam develops, stop agitation and add the recommended dosage of DEFOAMER. Continue addition if foam does not disappear.

When foaming develops in urea water solutions, it may be necessary to use as much as 2 ounces of DEFOAMER per 100 gallons of solution.

### STORAGE AND DISPOSAL

**Storage:** Store in a cool, dry place. Store in original container only. Do not add anything to the container. Keep container tightly sealed when not in use. Do not store near fire, flame or other potential sources of ignition. Do not contaminate water, food or feed by storage or disposal of this product.

**Disposal:** Do not reuse empty container. Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal if allowed by law. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at [www.acrcycle.org](http://www.acrcycle.org). Decontaminated containers and materials must be disposed of in a manner allowed by local, state and federal laws and regulations.

**Shake well before using.** If product freezes, allow to thaw, then shake well. For optimal storage, store between 40° and 90°F.

**NET CONTENTS:  
275 U.S. Gallons  
(1041 L)**