

SEGULA

LED FILAMENT O4/2017



UNSERE VISION

Seit der Gründung des Unternehmens im Jahr 2007 steht die Marke SEGULA für Innovation, Premium-Qualität und zeitlose Ästhetik. Diese Grundlagen bestimmten von Beginn an auch die Entwicklung unseres exklusiven Leuchtmittel-Sortiments.

Die klassische Glühlampe ist für viele Menschen der Inbegriff von „gutem“ Licht. Mit ihrem gleichmäßigen Spektrum, der warmen Lichtfarbe und der natürlichen Wiedergabe aller Farben kommt sie der Abendstimmung bei natürlichem Sonnenlicht sehr nahe. Doch schon im Jahr 2005 verbannten die ersten Staaten Glühlampen wegen ihres hohen Energieverbrauchs – inzwischen mussten sie in fast allen Regionen der Welt energiesparenden Alternativen weichen. Leider konnten die meisten Alternativen dem „Original“ bisher weder qualitativ noch optisch das Wasser reichen.

Mit SEGULA-Lampen bringen wir den Menschen das angenehme, warme Licht der Glühlampe zurück. Ohne Kompromisse bei Farbwiedergabe, Qualität und Optik – mit energiesparender, langlebiger LED-Technik. Unser Ziel ist die bestmögliche Ökobilanz – durch den sparsamen Einsatz möglichst traditioneller Materialien, durch die Vermeidung gesundheitsschädlicher Substanzen und durch die Ermöglichung geschlossener Recycling-Kreisläufe. Ersetzen Sie Glühlampen, Halogenstrahler und Energiesparlampen durch hocheffiziente und ressourcenschonende SEGULA LED-Leuchtmittel. Gemeinsam leisten wir so einen Beitrag, unseren Kindern und Enkeln eine intakte Umwelt zu hinterlassen!

OUR VISION

Since the founding of the company in 2007, the brand name SEGULA has stood for innovation, premium quality and timeless aesthetics. These fundamentals have also defined the development goals of our exclusive range of light sources.

For most people the classical incandescent light bulb is the epitome of superior artificial light. With its even light spectrum, the warm light colour and the faithful reproduction of all colours it comes very close to the evening mood in natural sunlight. But already in 2005 the first states banned incandescent lamps because of their high energy consumption – now they had to be replaced by energy-saving alternatives in almost all regions of the world. Unfortunately, most alternatives can't hold a candle to the „original“ – neither optically, nor in terms of quality.

With SEGULA lamps we give people back the pleasant, warm light of the incandescent bulb. Without compromising colour reproduction, quality and appearance – with energy-saving, long-life LED technology. Our goal is the best possible environmental performance – through the careful use of traditional materials as possible, by avoiding harmful substances and by enabling closed recycling loops.

Replace incandescent bulbs, halogen lamps and energy saving lamps with highly efficient and resource-saving SEGULA LED lamps. Thus together we can contribute to preserve a healthy environment for our children and grandchildren!

OUR VISION



LED FILAMENT TECHNOLOGIE

Bereits 2009 präsentierte SEGULA eine Revolution: Die erste LED-Retrofit-Lampe in der Bauform einer Original-Glühlampe. Ohne Abstriche an Optik und Abstrahlcharakteristik wurde damit erstmals ein 1:1-Ersatz von Glühlampen durch modernste LED-Technik möglich. Im Jahr 2013 kehrte das warme Licht historischer Kohlefadenlampen mit unserer LED- „Vintage“ -Serie zurück.

Das Herstellungsverfahren der SEGULA-Filament-Lampen ist international patentiert. Es ermöglicht die Fertigung einer langlebigen, mit Edelgas gefüllten LED-Lampe auf Produktionsanlagen für traditionelle Glühlampen unter Verwendung bewährter, reiner Materialien wie Glas und Metall. Durch unsere langjährige Erfahrung und ein ausgefeiltes Wärme-Management können wir sowohl auf störende Kühlkörper als auch auf Kunststoff-Teile verzichten – das führt zum äußerst geringen Gewicht unserer Filament-Lampen.

Vertrauen Sie der führenden Marke mit der längsten Erfahrung bei der Fertigung von LED-Leuchtmitteln auf Produktionsanlagen für traditionelle Glühlampen.


LED FILAMENT TECHNOLOGY

Already in 2009 SEGULA presented a revolution: The first LED retrofit lamp in the shape of an original incandescent bulb. For the first time the replacement of incandescent bulbs by the latest LED technology became possible without any sacrifice regarding design and the characteristics of light distribution. In 2013, the warm glow of historical carbon filament lamps returned with our LED „Vintage“ series.

The special production process of the SEGULA Vintage line is patented internationally. It enables us to produce a durable LED lamp filled with inert gas, on production lines for traditional bulbs using proven, pure materials such as glass and metal. Through our years of experience and a sophisticated thermal management we can dispense both disturbing heatsink as well as plastic parts – which leads to the extremely low weight of our filament lamps.

Trust the leading brand with the longest experience in the manufacture of LED bulbs on production facilities of traditional light bulbs.

LED TECHNOLOGY



LED FILAMENT TECHNOLOGIE

Miniaturisierte LED-Chips und High-Tech-Trägermaterialien ermöglichen heute die Fertigung von filigranen, lichtstarken „Chip on Cord“-Filamenten (COC), die traditionellen Glühfäden gleichen – und ebenso warmes Licht mit höchster Farbwiedergabequalität abstrahlen. SEGULA LED-Filamente werden unter Verwendung der besten verfügbaren Materialien, wie taiwanesischer Marken-LED-Chips und Saphir als Träger hergestellt. Auch für unsere Spots setzen wir miniaturisierte LED-Chips in kompakter „Chip on Board“-Anordnung (COB) ein und erzielen damit eine Halogen-Spots zum Verwechseln ähnliche Optik und Abstrahlcharakteristik.

Die Reduktion auf wenige, sorgfältig ausgewählten Elektronik-Bauteile höchster Qualität optimiert Material- wie Energieeffizienz und ermöglicht die äußerst hohe Schaltfestigkeit. Ein weiterer Vorteil unseres besonderen Schaltungskonzeptes ist die geringe Flimmerneigung auch im gedimmten Zustand, so werden „Stroboskop-Effekte“ sicher vermieden.

LED FILAMENT TECHNOLOGY

Miniaturized SMD-LED-chips and high-tech carrier-material now permit the assembly of „Chip on Cord“ LED-filaments (COC) with high luminous intensity, warm colour and highest colour rendering, that just look like tungsten filaments. SEGULA LED filaments are produced using the best materials available, such as Taiwanese brand LED chips and sapphire as carrier. Also for our spots we are using miniaturized LED chips in a compact „chip on board“ arrangement (COB) and thus achieve a halogen spots confusingly similar optics and light distribution.

The reduction to a few carefully selected electronic components of highest quality optimises material as energy efficiency and allows for extremely high switching capability. Another advantage of our special circuit concept is the low flicker rate - also in dimmed state, so „stroboscopic effects“ can be certainly avoided.

LED FILAMENT



Lange Lebensdauer (bis zu 20.000 Std.)
Long lifetime (up to 20,000 hours)

Höchste Energie-Effizienz (A bis A++)
Highest Energy Efficiency (A to A++)

Hervorragende Ökobilanz
Excellent ecological performance

Frei von Quecksilber
Free of mercury

Keine UV Emission
No UV emission

360° Rundum-Abstrahlung
360 ° all-around light distribution

Höchste Lichtausbeute (bis 130 Lumen/Watt)
Highest luminous efficacy (up to 130 lumens/watt)

1:1-Ersatz herkömmlicher Glühlampen
1:1 replacement of conventional incandescent bulbs

CRI90 Unverfälschte Farbwiedergabe feinster Farbnuancen
CRI90 Faithful reproduction of even the finest colour-nuances

Angenehme Farbtemperatur (2000-2900 Kelvin)
Pleasant color temperature (2000-2900 Kelvin)

Höchste Ästhetik durch filigrane LED-Elemente
Highest aesthetics by filigree LED filaments

Geringes Gewicht – wie Glühlampen
Light weight - such as light bulbs

PRODUKTLINIEN

Die große Vielfalt an Bauformen, Sockeln, Glasvarianten und Lichtstärken ist eine weitere Stärke der SEGULA LED Leuchtmittel. Mit ihren kompakten Abmessungen – genau wie die Original-Glühlampen und Halogen-Spots – passen sie in alle handelsüblichen Leuchten und schaffen ganz neue Einsatzfelder für energie-effiziente und zugleich elegante Lichtlösungen.

Auch die Abstrahlcharakteristik entspricht genau der jeweiligen Vergleichstype. Und durch die spezielle Anordnung der Filamente bieten SEGULA-Lampen eine bis zu 360° reichende Rundum-Abstrahlung – das vermeidet störende Abschattungen auf Lampenschirmen.

In unseren 4 Produktlinien finden Sie für jede Anwendung die passende Lampe – und ganz sicher auch Ihren ganz persönlichen Favoriten! Ein breites Sortiment an passendem Zubehör rundet das SEGULA-Sortiment ab.

PRODUCT LINES


The great variety of designs, sockets, glass variants and luminous outputs is another strength of SEGULA LED bulbs. With their compact dimensions – just like the original incandescent lamps and halogen spots – they fit into all conventional fittings and create entirely new applications for energy-efficient and elegant lighting solutions.

The light distribution corresponds exactly to the respective comparison type. And with their special arrangement of the filaments SEGULA lamps provide up to 360° all-around light distribution – thus avoiding disturbing shadows on lamp shades.

In our 4 product lines you will find the right lamp for every application – and certainly your personal favorite! A wide range of matching accessories completes the SEGULA assortment.

PRODUCT LINES





DESIGN SERIE

Mit den brandneuen Lampen der Serie „Curved Line“ bringt SEGULA eine weitere Innovation: Die flexiblen LED-Filamente sehen Glühfäden zum Verwechseln ähnlich und eignen sich mit ihrem warmen, blendfreien Licht ideal für dekorative Beleuchtungszwecke. Das dezent getönte Glas der „Smokey Line“ sorgt für ganz besondere, softe Beleuchtungseffekte! Diese Lampen bestechen schon vor dem Einschalten durch ihre einzigartige Optik – und verzaubern beim Einschalten mit einer unvergleichlich warmen Lichtatmosphäre.

Alle Lampen der Segula Design-Linie sind voll dimmbar, sie zeichnen sich durch Ihre warme Farbtemperatur von 2200 Kelvin und den besonders hohen Farbwiedergabe-Index (CRI) von >90 aus!

DESIGN LINE

With the brand new lamps of the „Curved Line“ range SEGULA introduces another innovation: The flexible LED filaments look deceptively similar to glow wires and with their warm, glare-free illumination they are ideally suited for decorative lighting purposes.

The subtly tinted glass of „Smokey Line“ provides very special, soft lighting effects! With their unique look these lamps impress even when switched off – and when switched on enchant with an incomparably warm light atmosphere.

All lamps of the SEGULA Design line are fully dimmable and come with the particularly high colour rendering index (CRI) of >90 and a colour temperature of 2200 Kelvin.

LED DESIGN LINE

CRI
90

+35C
to
-20C

Hg
NO
MERCURY



SAVE UP TO
90%
ENERGY

ON / OFF
100.000


LIFETIME
20.000h



HELLIGKEIT
BRIGHTNESS



CURVED



SMOKEY

**LED BEER BULB Curved Spirale klar NEW**

LED Beer Bulb Curved Spiral clear

50121
■ 6E27
CRI 904W | 12W | 120 Lm
2200 K**LED BEER BULB Curved Spirale braun NEW**

LED Beer Bulb Curved Spiral brown

50122
■ 6E27
CRI 904W | 10W | 100 Lm
2000 K**LED BEER BULB Curved Spirale grün NEW**

LED Beer Bulb Curved Spiral green

50123
■ 6E27
CRI 904W | 10W | 100 Lm
2000 K

CURVED
LINE



LED Rustika Curved gold

LED Rustica Curved golden

50530
■ 24

E27
CRI 90

GOLD GOLDEN
2,7 W
9W
90 Lm
2200 K
Ø=60 mm
l=135 mm



LED Rustika Curved Loop gold

LED Rustica Curved Loop golden

50531
■ 24

E27
CRI 90

GOLD GOLDEN
4,0 W
15W
140 Lm
2200 K
Ø=60 mm
l=135 mm



LED Rustika Curved Spirale grau

LED Rustica Curved Spiral grey

50532
■ 24

E27
CRI 90

GRAU GREY
4,0 W
12W
120 Lm
2200 K
Ø=60 mm
l=135 mm



LED Rustika Curved Spirale klar NEW

LED Rustica Curved Spiral clear

50408
■ 24

E27
CRI 90

Filament PLUS
6 W
25W
250 Lm
2200 K
Ø=60 mm
l=135 mm



**LED Globe 80 Curved gold**

LED Globe 80 Curved golden

50523

■ 20



E14

CRI 90

4,0 W | 140 Lm

15W 2200 K

GOLD GOLDEN

**LED Globe 95 Curved gold**

LED Globe 95 Curved golden

50535

■ 12



E27

CRI 90

4,0 W | 140 Lm

15W 2200 K

GOLD GOLDEN

**LED Globe 95 Curved Spirale gold**

LED Globe 95 Curved Spiral golden

50536

■ 12



E27

CRI 90

4,0 W | 140 Lm

15W 2200 K

GOLD GOLDEN

**LED Globe 125 Curved gold**

LED Globe 125 Curved golden

50541

■ 12




E27

CRI 90

4,0 W | 140 Lm

15W 2200 K

GOLD GOLDEN





LED Globe 95 Curved Point klar NEW

LED Globe 95 Curved Point clear

Filament PLUS

50166

12

E27
CRI 902,7W
9W
2200K

LED Globe 125 Curved Point klar NEW

LED Globe 125 Curved Point clear

Filament PLUS

50168

8

E27
CRI 902,7W
9W
2200K

LED Globe 95 Curved Butterfly klar NEW

LED Globe 95 Curved Butterfly clear

Filament PLUS

50409

12

E27
CRI 908W
28W
2200K

LED Globe 125 Curved Butterfly klar NEW

LED Globe 125 Curved Butterfly clear

Filament PLUS

50415

8

E27
CRI 908W
28W
2200K

LED Globe 125 Curved Spirale klar NEW

LED Globe 125 Curved Spiral clear

Filament PLUS

50416

8

E27
CRI 908W
28W
2200K



CURVED
GRAND BULB



Fassung

Socket

E27

LED Grand Bulb Curved Spirale klar **NEW**

LED Grand Bulb Curved Spiral clear

Filament PLUS



50792

■ 8

E27
CRI 90

12W
45W

550 Lm
2200 K

∅ = 90 mm

l = 195 mm

Fassung

Socket

E40

LED Grand Bulb Curved Spirale klar **NEW**

LED Grand Bulb Curved Spiral clear

Filament PLUS



50788

■ 6


E40
CRI 90

18W
65W

900 Lm
2200 K

∅ = 110 mm

l = 235 mm



Fassung

Socket

E27LED Ellipse Curved U klar **NEW**

LED Ellipse Curved U clear

Filament PLUS



50797

8

**E27**

CRI 90

10 W

40 W

470 Lm

2200 K



Fassung

Socket

E40LED Ellipse Curved U klar **NEW**

LED Ellipse Curved U clear

Filament PLUS



50785

6

**E40**

CRI 90

18 W

65 W

900 Lm

2200 K



LED Kühlshranklicht Curved klar NEW

LED Fridge Lamp Curved clear

50155
70 / 280E14
CRI 902,2W
7W70 Lm
2200 K

Filament PLUS



LED Kerze Curved klar NEW

LED Candle Curved clear

50158
24 / 96E14
CRI 902,2W
7W70 Lm
2200 K

Filament PLUS



LED Kerze Curved klar

LED Candle Curved clear

50521
24 / 96E14
CRI 902,7W
9W90 Lm
2200 K

LED Tropfenlampe Curved klar

LED Drop Lamp Curved clear

50522
12 / 48E14
CRI 902,7W
9W90 Lm
2200 K



LED Glühlampe klein Curved klar

LED Bulb small Curved clear

50525	E27	2,7 W	90 Lm	A
■ 12 / 48	CRI 90	9W	2200 K	Ø=45 mm l=85 mm

LED Glühlampe Curved klar

LED Bulb Curved clear

50526	E27	4,0 W	140 Lm	B
■ 8 / 32	CRI 90	15W	2200 K	Ø=60 mm l=108 mm

LED Radio Style Curved Spirale klar

LED Radio Style Curved Spiral clear

50527	E27	4,0 W	140 Lm	B
■ 8 / 32	CRI 90	15W	2200 K	Ø=45 mm l=128 mm

LED Tube Curved Spirale klar

LED Tube Curved Spiral clear

50418	E27	8 W	300 Lm	Filament PLUS
■ 8 / 32	CRI 90	28W	2200 K	Ø=32 mm l=185 mm

**LED Rustika Smokey grau**

LED Rustica Smokey grey

50500
■ 24E27
CRI 906,0 W
25W | 250 Lm
2000 K**LED Globe 125 Smokey grau**

LED Globe 125 Smokey grey

50503
■ 8E27
CRI 906,0 W
25W | 250 Lm
2000 K**LED Globe 125 Smokey grün**

LED Globe 125 Smokey green

50504
■ 8E27
CRI 906,0 W
30W | 325 Lm
2000 K**LED Globe 125 Smokey pink**

LED Globe 125 Smokey pink

50505
■ 8E27
CRI 906,0 W
30W | 325 Lm
2000 K



VINTAGE SERIE

Die Vintage-Serie war vom Start weg unser Bestseller – sie kombiniert die traditionelle Bauform sowie die unvergleichliche Lichtatmosphäre historischer Kohlefadenlampen und klassischer Glühlampen mit hocheffizienter, voll dimmbarer High-End LED-Technik. Die Farbtemperatur von 2200 Kelvin zaubert ein Ambiente ähnlich natürlichem Kerzenlicht, unsere Lampen mit 2600 Kelvin eignen sich ideal für den gesamten Wohnbereich. Der besonders hohe Farbwiedergabe-Index (CRI) von >90 und das äußerst gleichmäßige Spektrum sorgen für die unverfälschte Wiedergabe auch feinsten Farbnuancen. Erleben Sie den Unterschied! Alle Lampen der SEGULA Vintage-Serie sind voll dimmbar und lassen sich an einer Vielzahl handelsüblicher Dimmer betreiben.

Wählen Sie unter einer Vielzahl von Formen und Ausführungen von der Mini-Kerze über die Großkolbenlampe bis hin zur Linienlampe mit der Illusion eines durchgehenden Leuchtfadens – jede ist auf ihre Art ein kleines Kunstwerk.

VINTAGE LINE

The Vintage Line from day one was a bestseller – it combines the traditional look and feel as well as the incomparable lighting atmosphere of historical tungsten-filament lamps and of classic incandescent lamps with highly efficient, fully dimmable high-end LED technology. The colour temperature of 2200 Kelvin conjures an atmosphere similar to natural candlelight, our lamps with 2600 Kelvin are perfectly suitable for the entire living area. The particularly high colour rendering index (CRI) of >90 and the exceedingly even light spectrum provide for the faithful reproduction of even the finest colour-nuances. Experience the difference! All lamps of the SEGULA Vintage line are fully dimmable and compatible with virtually all dimming manufactures.

Choose among a variety of shapes and designs: From mini-candles up to globe lamps and linear lamps with a special LED-array giving the illusion of a continuous historic carbon filament. Each lamp in its own way is a unique design piece.

LED VINTAGE LINE

**CRI
90**

+35C to -20C

NO MERCURY


SAVE UP TO
90%
ENERGY

ON / OFF
100.000

LIFETIME
20.000h





HELLIGKEIT
BRIGHTNESS



2.200 Kelvin

2.600 Kelvin





LED Globe 80 klar

LED Globe 80 clear

50288

■ 20



E27

CRI 90

6,0 W

42W

500 Lm

2200 K

A+



LED Globe 95 klar

LED Globe 95 clear

50282

■ 12



E27

CRI 90

3,5 W

20W

200 Lm

2200 K

A+



LED Globe 95 klar

LED Globe 95 clear

50283

■ 12



E27

CRI 90

6,0 W

42W

500 Lm

2200 K

A+



LED Globe 125 klar

LED Globe 125 clear

50286

■ 8



E27

CRI 90

8,0 W

50W

620 Lm

2200 K

A+



LED Globe 95 opal

LED Globe 95 opal

50683

■ 12



E27

CRI 90

4,0 W

30W

320 Lm

2600 K

A+



LED Globe 125 klar

LED Globe 125 clear

50685

■ 8



E27

CRI 90

6,0 W

40W

470 Lm

2600 K

A+






LED Globe 80 gold

LED Globe 80 golden

50291

■ 20



E27

CRI 90

6,0 W
30W325 Lm
2000 KØ=80 mm
l=125 mmØ=95 mm
l=130 mmØ=125 mm
l=180 mm

LED Globe 95 gold

LED Globe 95 golden

50292

■ 12



E27

CRI 90

6,0 W
30W325 Lm
2000 K

LED Globe 125 gold

LED Globe 125 golden

50293

■ 8




E27

CRI 90

6,0 W
30W325 Lm
2000 K

**LED Rustika Long Style gold**

LED Rustica Long Style golden

GOLD GOLDEN

$\varnothing = 62 \text{ mm}$
 $l = 142 \text{ mm}$

50295
■ 24

E27 **6,0 W** **400 Lm**
CRI 90 35W 2000 K

A+

LED Rustika gold

LED Rustica golden



$\varnothing = 62 \text{ mm}$
 $l = 142 \text{ mm}$

50296
■ 24

E27 **6,0 W** **470 Lm**
CRI 90 40W 2000 K

A+

LED Rustika Long Style klar

LED Rustica Long Style clear



$\varnothing = 62 \text{ mm}$
 $l = 142 \text{ mm}$

50298
■ 24

E27 **6,0 W** **470 Lm**
CRI 90 40W 2200 K

A+

LED Rustika klar Long Style

LED Rustica clear Long Style



$\varnothing = 62 \text{ mm}$
 $l = 142 \text{ mm}$

50700
■ 24

E27 **6,0 W** **470 Lm**
CRI 90 40W 2600 K

A+

VINTAGE LINE



LED Radio Style klar

LED Radio Style clear

50216

■ 12 / 48



E14

CRI 90

4,7 W

35W

400 Lm

2200 K

A+



l=100 mm
Ø=45 mm

LED Radio Style klar

LED Radio Style clear

50215

■ 8 / 32



E27

CRI 90

4,7 W

35W

400 Lm

2200 K

A+



l=112 mm
Ø=45 mm

LED Glühlampe klar

LED Bulb clear

50211

■ 12 / 48



E27

CRI 90

3,5 W

20W

200 Lm

2200 K

A+



l=88 mm
Ø=47 mm

LED Glühlampe klar

LED Bulb clear

50278

■ 8 / 32



E27

CRI 90

6,0 W

40W

470 Lm

2200 K

A+



l=111 mm
Ø=60 mm

LED Glühlampe matt

LED Bulb frosted

50335

■ 8 / 32



E27

CRI 90

8,0 W

55W

720 Lm

2600 K

A+



l=106 mm
Ø=60 mm

LED Glühlampe klar

LED Bulb clear

50337

■ 8 / 32



E27

CRI 90

8,0 W

55W

720 Lm

2600 K

A+



l=106 mm
Ø=60 mm

VINTAGE LINE



LED Glühlampe orange

LED Bulb orange

50671

■ 8 / 32

E27

CRI 90

2,0 W

30 Lm



LED Glühlampe blau

LED Bulb blue

50672

■ 8 / 32

E27

CRI 90

2,0 W

30 Lm



LED Glühlampe grün

LED Bulb green

50673

■ 8 / 32

E27

CRI 90

2,0 W

30 Lm



LED Glühlampe rot

LED Bulb red

50674

■ 8 / 32

E27

CRI 90

2,0 W

30 Lm



GLÜHLAMPE FARBE BULB COLOUR

Rot, Grün, Blau, Orange Red, Green, Blue, Orange

VINTAGE LINE



LED Kerze klar

LED Candle clear

50201

■ 24 / 96

E14

3,5 W

200 Lm

A+

Ø=35 mm

l=98 mm



LED Kerze opal

LED Candle opal

50202

■ 24 / 96

E14

3,5 W

150 Lm

A+

Ø=35 mm

l=98 mm



LED Kerze klar

LED Candle clear

50253

■ 24 / 96

E14

4,0 W

320 Lm

A+

Ø=35 mm

l=98 mm



LED Kerze Windstoß klar

LED Candle Flame clear

50206

■ 24 / 96

E14

3,5 W

200 Lm

A+

Ø=35 mm

l=112 mm



LED Kerze klar

LED Bulb clear

50341

■ 24 / 96

E14

3,5 W

250 Lm

A+

Ø=35 mm

l=98 mm



LED Kerze klar

LED Candle clear

50313

■ 24 / 96

E14

4,0 W

360 Lm

A+

Ø=35 mm

l=98 mm



VINTAGE LINE

SONDERFORMEN SPECIAL SHAPES

Golfball Kühlshranklicht Kerze



LED Mini-Glühlampe klar

LED Mini-Bulb clear

50204	E14 CRI 90	2,2W 16W	160 Lm 2200 K		A+
■ 24 / 96				Ø=35 mm l=65 mm	

LED Golfball klar

LED Golfball clear

50208	E27 CRI 90	2,7W 18W	180 Lm 2200 K		A+
■ 12 / 48				Ø=45 mm l=72 mm	

LED Kühlshranklicht klar

LED Fridge Lamp clear

50263	E14 CRI 90	1,5W 11W	100 Lm 2200 K		A+
■ 70 / 280				Ø=26 mm l=60 mm	

LED Kühlshranklicht klar

LED Fridge Lamp clear

50638	E14 CRI 90	1,5W 13W	120 Lm 2600 K		A+
■ 70 / 280				Ø=25 mm l=58 mm	


LED French Candle NEW

LED French Candle

50230	E14 CRI 90	1,5W 9W	90 Lm 2200 K		A+
■ 24 / 96				Ø=22 mm l=90 mm	

LED French Candle klar

LED French Candle clear

50231	E10 CRI 90	1,5W 9W	90 Lm 2600 K		A+
■ 24 / 96				Ø=22 mm l=85 mm	

LED Dutch Candle klar

LED Dutch Candle clear

50232	E14 CRI 90	2,2W 20W	200 Lm 2600 K		A+
■ 24 / 96				Ø=26 mm l=92 mm	

© SAPROCO

VINTAGE LINE



LED Tube klar

LED Tube clear

50264

■ 24 / 96



E14
CRI 90

2,7 W
20W
200 Lm
2200 K

A+



l=115 mm

Ø=20 mm

LED Tube klar

LED Tube clear

50679

■ 24 / 96



E14
CRI 90

2,7 W
25W
250 Lm
2600 K

A+



l=115 mm

Ø=20 mm

LED Long Tube 185

LED Long Tube 185

50395

■ 8 / 32



E27
CRI 90

6,0 W
40W
470 Lm
2200 K

A+



l=185 mm

Ø=32 mm

LED Long Tube 300

LED Long Tube 300

50396

■ 21



E27
CRI 90

6,0 W
40W
470 Lm
2200 K

A+



l=300 mm

Ø=32 mm

TUBE

Tube Long Tube 185, 300

l=300 mm

Ø=32 mm

VINTAGE LINE

VINTAGE LINE

LINEAR LAMP

LINIENLAMPE
S14d / S14s 300, 500



LED Linienlampe soft klar S14d 300mm

LED Linear Lamp soft clear

50181
■ 21



S14d
CRI 90

8,0 W
26W

270 Lm
2200 K

B



LED Linienlampe soft klar S14s 300mm

LED Linear Lamp soft clear

50189
■ 21



S14s
CRI 90

8,0 W
26W

270 Lm
2200 K

B



LED Linienlampe soft klar S14d 500mm

LED Linear Lamp soft clear

50185
■ 12



S14d
CRI 90

12,0 W
42W

500 Lm
2200 K

B



LED Linienlampe soft klar S14s 500mm

LED Linear Lamp soft clear

50193
■ 12



S14s
CRI 90

12,0 W
42W

500 Lm
2200 K

B





© Graypants

LED G9 Leuchtmittel

LED G9 Pin

50607	G9	1,5W	100 Lm	A+
70 / 280	CRI 90	10W	2200 K	Ø=14 mm l=57 mm

LED G9 Leuchtmittel

LED G9 Pin

50608	G9	2,7W	200 Lm	A+
70 / 280	CRI 90	20W	2200 K	Ø=14 mm l=68 mm

LED G9 Leuchtmittel

LED G9 Pin

50609	G9	1,5W	120 Lm	A+
70 / 280	CRI 90	12W	2600 K	Ø=14 mm l=57 mm

LED G9 Leuchtmittel

LED G9 Pin

50610	G9	2,7W	250 Lm	A+
70 / 280	CRI 90	25W	2600 K	Ø=14 mm l=68 mm



AMBIENT DIMMING

Die brandneuen Lampen mit „Ambient Dimming“-Technologie kommen dem Vorbild Glühlampe in der Lichtfarbe so nahe wie nie zuvor.

Durch eine einzigartige Technologie verändern diese LED-Lampen während des Dimmvorgangs ihre Lichtfarbe – und strahlen bei abnehmender Lichtstärke kontinuierlich wärmer und rötlicher – ganz wie der Wendel einer traditionellen Glühlampe.

Die „Ambient Dimming“-Serie mit einer Vielzahl von Formen und Ausführungen zeigt unsere ganze Erfahrung und Kompetenz bei der Fertigung von dimmbaren LED-Filament-Lampen. Spiegelkopf- und Reflektorlampen sowie Spots runden das Programm ab. Gestalten Sie ein perfekt passendes Licht-Ambiente für jede gewünschte Stimmung - vom Einbruch der Dämmerung bis tief in die Nacht.

AMBIENT DIMMING

The brand new lamps with „Ambient Dimming“ technology come as close as ever to the traditional incandescent bulb regarding colour temperature.

Using a unique technology these LED lamps change the colour temperature while being dimmed. The decreasing light intensity continuously appears warmer – and more reddish – just like the filament of a traditional light bulb.

The „Ambient Dimming“ series with a variety of shapes and designs showcase our full experience and expertise in manufacturing dimmable LED filament lamps. Mirror-head-, reflector-lamps and spots complete the range. All of them create a perfectly matching lighting atmosphere for any desired mood; from the beginning of twilight until deep in the night.

LED AMBIENT LINE

**CRI
90**

+35C to -20C

NO MERCURY


SAVE UP TO
90%
ENERGY

ON / OFF
100.000

LIFETIME
20.000h




FARBTEMPERATUR
COLOUR TEMPERATURE
1.700 / 2.000 - 2.800 / 3.000 KELVIN




GLOBE




BULB



CANDLE



MIRROR



REFLECTOR

AMBIENT DIMMING

2.000 - 2.900 KELVIN

AMBIENT LINE**LED Globe 95 klar**

LED Globe 95 clear

50266

■ 12



E27

CRI 90

3,5W

20W

200 Lm

2000-2900 K

A

**LED Globe 95 opal**

LED Globe 95 opal

50267

■ 12



E27

CRI 90

3,5W

15W

150 Lm

2000-2900 K

A

**LED Globe 125 klar**

LED Globe 125 clear

50268

■ 8



E27

CRI 90

8,0W

48W

600 Lm

2000-2900 K

A

**LED Globe 125 opal**

LED Globe 125 opal

50269

■ 8



E27

CRI 90

8,0W

32W

350 Lm

2000-2900 K

B

**LED Diamant klar**

LED Diamond clear

50706

■ 12



E27

CRI 90

8,0W

42W

500 Lm

2000-2900 K

A

**GLOBE**

Globe 95,125

Diamant

Diamond

Diamant

Diamond



AMBIENT DIMMING

2.000 - 2.900 KELVIN

LED Glühlampe klar

LED Bulb clear

50244

12 / 48

E27

CRI 90

2,7 W

12W

120 Lm

2000-2900 K

A



LED Glühlampe matt

LED Bulb frosted

50245

12 / 48

E27

CRI 90

2,7 W

12W

120 Lm

2000-2900 K

A



LED Glühlampe klar

LED Bulb clear

50248

8 / 32

E27

CRI 90

8,0 W

48W

600 Lm

2000-2900 K

A



LED Glühlampe matt

LED Bulb frosted

50249

8 / 32

E27

CRI 90

8,0 W

39W

450 Lm

2000-2900 K

A



LED Glühlampe opal

LED Bulb opal

50247

8 / 32

E27

CRI 90

8,0 W

37W

420 Lm

2000-2900 K

A





AMBIENT DIMMING

2.000 - 2.900 KELVIN

AMBIENT LINE

LED Kerze klar

LED Candle clear

50241

■ 24 / 96

E14

CRI 90

4,0W

26W

260 Lm

2000-2900 K

A+



Ø=35 mm
l=95 mm

LED Kerze matt

LED Candle frosted

50240

■ 24 / 96

E14

CRI 90

4,0W

25W

250 Lm

2000-2900 K

A+



Ø=35 mm
l=95 mm

LED Kerze Windstoß klar

LED Candle Flame clear

50237

■ 24 / 96

E14

CRI 90

3,5W

22W

220 Lm

2000-2900 K

A+



Ø=35 mm
l=111 mm

LED Kerze Windstoß matt

LED Candle Flame frosted

50238

■ 24 / 96

E14

CRI 90

3,5W

20W

200 Lm

2000-2900 K

A



Ø=35 mm
l=111 mm



AMBIENT DIMMING

2.000 - 2.900 KELVIN

LED Tropfenlampe klar

LED Drop Lamp clear

50242

■ 12 / 48

E14

CRI 90

2,7 W

12W

120 Lm

2000-2900 K

A



LED Tropfenlampe matt

LED Drop Lamp frosted

50243

■ 12 / 48

E14

CRI 90

2,7 W

12W

120 Lm

2000-2900 K

A



LED Glühlampe Spiegelkopf

LED Bulb Mirror Head

50279

■ 12 / 48

E14

CRI 90

2,7 W

9W

90 Lm

2000-2900 K

A



LED Glühlampe Spiegelkopf

LED Bulb Mirror Head

50280

■ 8 / 32

E27

CRI 90

4,0 W

21W

200 Lm

2000-2900 K

A



LED Globe 125 Spiegelkopf

LED Globe 125 Mirror Head

50281

■ 8

E27

CRI 90

8,0 W

37W

430 Lm

2000-2900 K

A





AMBIENT DIMMING

2.000 - 2.900 KELVIN

LED Glühlampe Spiegelkopf gold

LED Bulb Mirror Head golden

50496

8 / 32



E27

CRI 90

4,0 W
21W
200 Lm
2000-2900 K

LED Glühlampe Spiegelkopf kupfer

LED Bulb Mirror Head copper

50497

8 / 32



E27

CRI 90

4,0 W
21W
200 Lm
2000-2900 K

LED Globe 125 Spiegelkopf gold

LED Globe Mirror Head golden

50494

8



E27

CRI 90

8,0 W
35W
400 Lm
2000-2900 K

LED Globe 125 Spiegelkopf kupfer

LED Globe Mirror Head copper

50495

8



E27

CRI 90

8,0 W
35W
400 Lm
2000-2900 K



AMBIENT DIMMING

2.000 - 2.900 KELVIN

LED Reflektor R50

LED Reflector R50

50725

■ 12 / 48

E14

CRI 90

2,7 W

10W

100 Lm

2000-2900 K

ABSTRAHLWINKEL
BEAM ANGLE

45°

A

LED Reflektor R63

LED Reflector R63

50726

■ 8 / 32

E27

CRI 90

3,0 W

25W

140 Lm

2000-2900 K

ABSTRAHLWINKEL
BEAM ANGLE

45°

A

LED Reflektor R80

LED Reflector R80

50727

■ 20

E27

CRI 90

8,0 W

50W

400 Lm

2000-2900 K

ABSTRAHLWINKEL
BEAM ANGLE

70°

A



AMBIENT DIMMING

2.000 - 3.000 KELVIN

1.700 K / 2.000 K

AMBIENT DIMMING

2.800 K / 3.000 K

ABSTRAHLWINKEL
BEAM ANGLE

40°



LED Ambient Dimming Reflektor GU10

LED Ambient Dimming Reflector GU10

50220

10 / 40

GU10

35W

7,0W

350 Lm

1700-2800 K

50220	10 / 40	GU10	7,0W	350 Lm	1700-2800 K
		CRI 90	35W		

ABSTRAHLWINKEL
BEAM ANGLE

40°



LED Ambient Dimming Reflektor MR16

LED Ambient Dimming Reflector MR16

50222

10 / 40

MR16

40W

7,0W

410 Lm

2000-3000 K

50222	10 / 40	MR16	7,0W	410 Lm	2000-3000 K
		CRI 80	40W		

ABSTRAHLWINKEL
BEAM ANGLE

36°



LED Ambient Dimming Reflektor AR111 NEW

LED Ambient Dimming Reflector AR111

50719

30

G53

75W

15W

650 Lm

2000-3000 K

50719	30	G53	15W	650 Lm	2000-3000 K
		CRI 90	75W		



CLASSIC SERIE

Beste Energie-Effizienz bei extra hoher Lichtleistung bis 1.900 Lumen, natürlich schöne, warme Lichtfarben, kompakte Bauformen mit eleganter Optik, vielfältige Sockel von G4 über G9, G53, GU10 und R7s bis hin zu E10, E14 und E27: Dafür steht unsere preislich besonders attraktive Classic-Serie!

Wählen Sie unter mattiertem, opalem, goldgetöntem, verspiegeltem oder farbigem Glas für blendfreie 360°-Rundum-Abstrahlung. Mit klaren Lampen setzen Sie funkelnde Akzente, leistungsfähige Spots sorgen für eine gezielte Ausleuchtung.

Mit unserer Classic-Serie ersetzen Sie praktisch jede gängige Halogen- und Glühlampe von 20 – 120 Watt. Neu: Viele Bauformen sind jetzt auch in dimmbarer Ausführung erhältlich!

CLASSIC LINE

Best Energy Efficiency combined with extra-high light output up to 1,900 lumens. Naturally beautiful warm light colours, compact designs with elegant appearance, a variety of base from G4 to G9, G53, GU10 and R7s, up to E10, E14 and E27: That is what our value-priced Classic-Line stands for!

Choose between matt, opal, golden tone, mirrored or coloured glass - all for soft, glare-free 360° light distribution. Set sparkling light effects with clear glass lamps - and create directed illumination with our powerful spotlights.

Our "Classic" Line offers a direct replacement for virtually each popular incandescent or halogen bulb from 20 to 120 watts.

LED CLASSIC LINE

**CRI
80**


+35C
to
-20C

NO MERCURY

SAVE UP TO
90%
ENERGY

ON / OFF
100.000

LIFETIME
15.000h



GLOBE



CANDLE



BULB



G4 G9



REFLECTOR



R7



CLASSIC LINE

LED Kerze Twist gold	LED Candle Twist golden	GOLD GOLDEN	
60371		E14	4,0 W
		CRI 80	32W
10 / 100			2400 K
			$\varnothing = 35 \text{ mm}$
			$= 98 \text{ mm}$

LED Rustika gold	LED Rustica golden	GOLD GOLDEN	
60483	E27	4,0 W	400 Lm
■ 24	CRI 80	37W	2400 K
		$\varnothing = 64 \text{ mm}$	$l=146\text{mm}$

LED Globe 95 gold	LED Globe 95 golden	GOLD GOLDEN	
 60484		E27	 A++
 20	CRI 80	6,0 W	700 Lm
		54W	2400 K
			∅ = 95 mm
			l = 125 mm

LED Globe 125 gold	LED Globe 125 golden	GOLD GOLDEN	
60485	E27	6,0 W	700 Lm
■ 20	CRI 80	54W	2400 K
			
			



LED Globe 95 klar

LED Globe 95 clear

60382

■ 20



E27

CRI 80

8,0 W | 1055 Lm

75W | 2700 K

A++

Ø=95 mm
l=135 mm

LED Globe 125 klar

LED Globe 125 clear

60383

■ 20



E27

CRI 80

8,0 W | 1050 Lm

75W | 2700 K

A++

Ø=125 mm
l=175 mm

LED Globe 125 opal

LED Globe 125 opal

60387

■ 20



E27


CRI 80

10,0 W | 1080 Lm

75W | 2700 K

A+

Ø=124 mm
l=190 mm



LED Tube Plus klar NEW

LED Tube Plus clear

50590

■ 8

E27

CRI 90

12W
60W850 Lm
2800 K

LED Tube Plus klar NEW

LED Tube Plus clear

50591

■ 8

E27

CRI 90

12W
60W850 Lm
2800 K

LED Tube Plus klar NEW

LED Tube Plus clear

50598

■ 8

E27

CRI 90

15W
70W1000 Lm
2800 K

LED Globe 125 Plus klar NEW

LED Globe 125 Plus clear

50593

■ 8

E27

CRI 90

15W
70W1000 Lm
2200 K



LED Tube High Brightness klar **NEW**

LED Tube High Brightness clear

50891

8

E27 CRI 90

20W 1600 Lm
120W 2700 K



High Brightness

Filament PLUS

A



Ø=48 mm
l=230 mm

LED Tube High Brightness matt **NEW**

LED Tube High Brightness frosted

50892

8

E27 CRI 90

20W 1550 Lm
115W 2700 K



High Brightness

Filament PLUS

A



Ø=48 mm
l=230 mm

LED Tube High Brightness Daylight klar

LED Tube High Brightness Daylight clear **NEW**

50893

8

E27 CRI 90

20W 1900 Lm
120W 5300 K



Daylight 5.600 K

High Brightness

Filament PLUS

A+



Ø=48 mm
l=230 mm

LED Ellipse High Brightness klar **NEW**

LED Ellipse High Brightness clear

50895

8

E27 CRI 90

20W 1850 Lm
120W 2700 K



High Brightness

Filament PLUS

A+



Ø=90 mm
l=225 mm

LED Ellipse High Brightness matt **NEW**

LED Ellipse High Brightness frosted

50896

8

E27 CRI 90

20W 1800 Lm
115W 2700 K



High Brightness

Filament PLUS

A+



Ø=90 mm
l=225 mm



LED Golfball klar

LED Golfball clear

60378

10 / 100



E27

CRI 80

1,5 W

16W

150 Lm

2700 K

A++



LED Glühlampe klar

LED Bulb clear

60379

10 / 100



E27

CRI 80


4,0 W

40W

470 Lm

2700 K

A++



LED Glühlampe matt

LED Bulb frosted

60479

10 / 100



E27

CRI 80

4,0 W

40W

470 Lm

2700 K

A++



LED Glühlampe klar

LED Bulb clear

60380

10 / 100



E27

CRI 80

7,0 W

66W

910 Lm

2700 K

A++



LED Glühlampe matt

LED Bulb frosted

60480

10 / 100



E27

CRI 80

7,0 W


60W

806 Lm

2700 K

A+





LED Glühlampe klar

LED Bulb clear

60381

10 / 100



E27

CRI 80

8,0 W | 1055 Lm

75W | 2700K

A++

l=105 mm
Ø=60 mm

LED Glühlampe matt

LED Bulb frosted

60481

10 / 100



E27

CRI 80

8,0 W | 1055 Lm

75W | 2700K

A++

l=105 mm
Ø=60 mm

LED Glühlampe A65 klar

LED Bulb A65 clear

60393

10 / 100



E27

CRI 80

12,0 W | 1520 Lm

100W | 2700K

A++

l=130 mm
Ø=67 mm

LED Glühlampe A65 matt

LED Bulb A65 frosted

60394

10 / 100



E27

CRI 80

12,0 W | 1520 Lm

100W | 2700K

A++

l=130 mm
Ø=67 mm

CLASSIC LINE



LED Kerze klar

LED Candle clear

60375

10 / 100

E14

CRI 80

2,0 W

25W

250 Lm

2700 K

A++



LED Kerze matt

LED Candle frosted

60474

10 / 100

E14

CRI 80

2,0 W

25W

250 Lm

2700 K

A++



LED Kerze klar

LED Kerze clear

60373

10 / 100

E14

CRI 80

4,0 W

40W

470 Lm

2700 K

A++



LED Kerze matt

LED Candle frosted

60473

10 / 100

E14

CRI 80

4,0 W

40W

470 Lm

2700 K

A++



LED Kerze Windstoß klar

LED Candle Flame clear

60376

10 / 100

E14

CRI 80

2,0 W

25W

250 Lm

2700 K

A++



LED Kerze Windstoß klar

LED Candle Flame clear

60374

10 / 100

E14

CRI 80

4,0 W

40W

470 Lm

2700 K

A++



KERZE CANDLE
Kerze Windstoß Candle Flame



LED Kerze Twist klar

LED Candle Twist clear



60372

10 / 100



E14

CRI 80

4,0 W

40W

470 Lm

2700 K



LED Tropfenlampe klar

LED Drop Lamp clear



60377

10 / 100



E14

CRI 80

2,0 W

25W

250 Lm

2700 K



LED Glühlampe Spiegelkopf

LED Bulb Mirror Head

ABSTRAHLWINKEL
BEAM ANGLE

180°



60389

10 / 100



E14

CRI 80

4,5 W

35W

400 Lm

2700 K



LED Glühlampe Spiegelkopf

LED Bulb Mirror Head

ABSTRAHLWINKEL
BEAM ANGLE

180°



60388

10 / 100



E27

CRI 80

6,0 W

53W

700 Lm

2700 K





LED Reflektor AR111 G53

LED Reflector AR111 G53 NEW

ABSTRAHLWINKEL
BEAM ANGLE

36°

A



50716

30

G53

CRI 90

12W

75W

550 Lm

2700 K

50717

30

G53

CRI 90

15W

95W

700 Lm

2700 K



LED Reflektor AR111 G53

LED Reflector AR111 G53 NEW

ABSTRAHLWINKEL
BEAM ANGLE

36°

A



LED Reflektor PAR38 weiss

LED Reflector PAR38 white NEW

50760

■ 12



E27

CRI 80

18W | 200W

1500 Lm | 2700 K

ABSTRAHLWINKEL
BEAM ANGLE

40°

 $\varnothing = 123 \text{ mm}$ $l = 130 \text{ mm}$

LED Reflektor PAR38 gelb

LED Reflector PAR38 yellow NEW

50761

■ 12



E27

18W

Gelb
YellowABSTRAHLWINKEL
BEAM ANGLE

40°

 $\varnothing = 123 \text{ mm}$ $l = 130 \text{ mm}$

LED Reflektor PAR38 blau

LED Reflector PAR38 blue NEW

50762

■ 12



E27

18W

Blau
BlueABSTRAHLWINKEL
BEAM ANGLE

40°

 $\varnothing = 123 \text{ mm}$ $l = 130 \text{ mm}$

LED Reflektor PAR38 grün

LED Reflector PAR38 green NEW

50763

■ 12



E27

18W

Grün
GreenABSTRAHLWINKEL
BEAM ANGLE

40°

 $\varnothing = 123 \text{ mm}$ $l = 130 \text{ mm}$

LED Reflektor PAR38 rot

LED Reflector PAR38 red NEW

50764

■ 12



E27

18W

Rot
RedABSTRAHLWINKEL
BEAM ANGLE

40°

 $\varnothing = 123 \text{ mm}$ $l = 130 \text{ mm}$

CLASSIC LINE



LED Reflektor MR11

LED Reflector MR11

50616

■ 10

MR11

CRI 80

ABSTRAHLWINKEL
BEAM ANGLE

36°

A+



3,0 W

38W

250 Lm

3000 K

LED Reflektor MR16

LED Reflector MR16

50625

■ 10 / 40

MR16

CRI 80

ABSTRAHLWINKEL
BEAM ANGLE

36°

A+



4,5 W

35W

400 Lm

2700 K

LED Reflektor GU10

LED Reflector GU10

50621

■ 10 / 40

GU10

CRI 80

ABSTRAHLWINKEL
BEAM ANGLE

30°

A+



5,0 W

35W

400 Lm

2700 K

LED Reflektor MR16

LED Reflector MR16

50223

■ 10 / 40

MR16

CRI 90

ABSTRAHLWINKEL
BEAM ANGLE

40°

A+



7,0 W

45W

510 Lm

3000 K

LED Reflektor GU10

LED Reflector GU10

50221

■ 10 / 40

GU10

CRI 80

ABSTRAHLWINKEL
BEAM ANGLE

40°

A+



7,0 W

50W

480 Lm

3000 K



LED G9 Leuchtmittel Glas NEW

LED G9 Pin Glass

60641		G9 CRI 80	2W 25W	250 Lm 2700 K	A++	
■ 10 / 100						Ø = 13 mm l = 47 mm

LED G9 Leuchtmittel 3er Pack

LED G9 Pin 3pcs Set

60636		G9 CRI 80	2,5 W 20W	180 Lm 2700 K	A+	
■ 60 / 300						Ø = 16 mm l = 47 mm

LED Stablampe R7s

LED Tubular Lamp R7s

50710		R7 CRI 90	8,0 W 54W	700 Lm 2600 K	A+	
■ 8 / 32						Ø = 30 mm l = 118 mm

DIMMBAR DIMMABLE

LED Stablampe R7s

LED Tubular Lamp R7s

50715		R7 CRI 80	9,5 W 60W	810 Lm 2700 K	A+	
■ 10 / 100						Ø = 16 mm l = 118 mm

ABSTRAHLWINKEL
BEAM ANGLE

120°



LED G4 Leuchtmittel klar

LED G4 Pin clear

50617		G4	2,0 W	160 Lm	A+		Ø=16 mm	=45 mm
70 / 280		CRI 90	17W	2600 K				

LED G4 Leuchtmittel matt

LED G4 Pin frosted

50618		G4	2,0 W	150 Lm	A+		Ø=16 mm	=45 mm
70 / 280		CRI 90	17W	2600 K				

LED G6.35 Leuchtmittel 3er Pack NEW


LED G6.35 Pin 3pcs Set

60633		G6.35	1,5 W	110 Lm	A+		Ø=12 mm	=37 mm
60 / 300		CRI 80	10W	2700 K				

LED G4 Leuchtmittel 3er Pack

LED G4 Pin 3pcs Set

60635		G4	1,5 W	100 Lm	A+		Ø=12 mm	=37 mm
60 / 300		CRI 80	10W	2700 K				



XTRA SERIE

Schaffen Sie mit der klassischen Optik frei hängender SEGULA Filament-Lampen eine unvergleichliche Licht-Atmosphäre: Passend zu unserem hochwertigen Leuchtmittel-Sortiment finden Sie bei SEGULA professionelle LED-Dimmer, eine breite Auswahl an Lampenfassungen in traditioneller und moderner Optik und in vielen Materialien, Farben und Versionen. Dazu bieten wir ein exklusives Sortiment an Textilkabeln in 2- und 3adriger Ausführung – Sie haben die Wahl aus über 40 verschiedenen Farben.

Gern erstellen wir Ihnen ein individuelles Angebot ihrer Wunschkombination – genau passend für Ihr Projekt.

XTRA LINE

Create an unparalleled light atmosphere with the classical look of freely suspended SEGULA filament lamps: Especially adapted for our range of high-quality lamps at SEGULA you'll find professional LED dimmers and a wide selection of lamp sockets in traditional and modern appearance made from many materials, with different colours and designs. We also provide an exclusive range of textile cables in 2- and 3-wire version - make your choice from more than 40 different colours.

We are happy to create an individual quotation for your desired combination – just fitting for your projects.



PROFESSIONELLE LED-DIMMER

Dimmen Sie SEGULA LED-Leuchtmittel bequem mit diesen formschönen Leitungsdimmern (Kabeldimmer). Die SEGULA LED-Dimmer sind in der Mindestlast auf unsere extrem energieeffizienten Lampen abgestimmt und bieten stufenloses Dimmen von 0-100% der Lichtleistung. Hinter der ästhetischen und klaren Formen verbirgt sich eine hochwertige, transistorgesteuerte und somit lautlose Elektronik. Die formschöne Optik harmoniert perfekt auch mit unseren Textilkabeln. Alle Dimmer werden in Deutschland entwickelt und hergestellt.

PROFESSIONAL LED-DIMMERS

Dim SEGULA LED lamps comfortably with these shapely line dimmers (cable dimmer). The SEGULA LED dimmers are matched to the minimum load of our extremely energy-efficient lamps and offer stepless dimming from 0-100% light output. Inside the aesthetically and clean designed housing conceals a high-quality, transistor controlled and therefore noiseless electronics. The attractive appearance harmonizes perfectly with our textile cables . All dimmers are designed and manufactured in Germany.

Made in GERMANY

LED Schnurdimmer FUSS-TASTER

LED Cable Dimmer FOOT SWITCHER

50845 Schwarz Black

■ 10 | IP20 | 220-240V~ 50/60Hz | LED 3-55W

75 mm
L7**LED Dimmen** LED dimming**Standby ohne Verbrauch** No standby consumption**Dimmt LED-, Glüh- und Halogenlampen** Dims LED , incandescent and halogen lamps**Zum Einbau in die Netzzuleitung** For installation in the mains supply line**Universell in Innenräumen einsetzbar** Universal indoor use**230V Phasenanschnitt-Verfahren** 230V phase control method**Leitungsquerschnitte bis 1,5 mm²** Wire diameters up to 1.5 mm²

LED Schnurdimmer DREHREGLER

LED Cable Dimmer ROTARY CONTROL

50840 Schwarz Black**50841 Weiss** White**50843 Transparent** Transparent

■ 10 | IP20 | 220-240V~ 50/60Hz | LED 3-35W

110 mm
33 mm

LED Schnurdimmer DRUCKTASTE

LED Cable Dimmer PUSH BUTTON

50846 Schwarz Black**50847 Weiss** White**50848 Transparent** Transparent

■ 10 | IP20 | 220-240V~ 50/60Hz | LED 3-35W

81 mm
33 mm
23 mm

**Pendelleuchte CHICAGO MESSING**

Pendant Light CHICAGO BRASS

50561

5 / 25

E27 | 220-240V~ 50/60Hz

3x0,75mm²/max. 25W

schwarz black

Kabel cable
l=200 cm ↑**Pendelleuchte CHICAGO SILBER**

Pendant Light CHICAGO SILVER

50562

5 / 25

E27 | 220-240V~ 50/60Hz

3x0,75mm²/max. 25W

schwarz black

Kabel cable
l=200 cm ↑**Pendelleuchte CHICAGO SCHWARZ**

Pendant Light CHICAGO BLACK

50563

5 / 25

E27 | 220-240V~ 50/60Hz

3x0,75mm²/max. 25W

schwarz black

Kabel cable
l=200 cm ↑**Pendelleuchte CHICAGO KUPFER**

Pendant Light CHICAGO COPPER

50564

5 / 25

E27 | 220-240V~ 50/60Hz

3x0,75mm²/max. 25W

schwarz black

Kabel cable
l=200 cm ↑**Pendelleuchte CHICAGO MESSING/BRAUN**

Pendant Light CHICAGO BRASS/BROWN

50567

5 / 25

E27 | 220-240V~ 50/60Hz

3x0,75mm²/max. 25W

braun brown

Kabel cable
l=200 cm ↑

**Pendelleuchte VEGAS GOLD**

Pendant Light VEGAS GOLDEN

50565 | E27 | 220-240V~ 50/60Hz | **Textilkabel**
■ 5 / 25 | 3x0,75 mm²/max. 25W | Textile cable

**Pendelleuchte MIAMI ROSE-KUPFER**

Pendant Light MIAMI ROSE COPPER

50568 | E27 | 220-240V~ 50/60Hz | **Textilkabel**
■ 5 / 25 | 3x0,75 mm²/max. 25W | Textile cable

**Pendelleuchte MIAMI ROSE-NICKEL**

Pendant Light MIAMI ROSE NICKEL

50569 | E27 | 220-240V~ 50/60Hz | **Textilkabel**
■ 5 / 25 | 3x0,75 mm²/max. 25W | Textile cable

**Pendelleuchte DALLAS BETON**

Pendant Light DALLAS CONCRETE

50566 | E27 | 220-240V~ 50/60Hz | **Textilkabel**
■ 8 | 2x0,75 mm²/max. 25W | Textile cable





Pendelleuchte ATLANTA MESSING ZUGSCHALTER

Pendant Light ATLANTA BRASS PULL SWITCH

50516	E27	220-240V~ 50/60Hz	Textilkabel
█ 5 / 25		3x0,75 mm ² /max. 25W	Textile cable



Pendelleuchte ATLANTA SCHWARZ ZUGSCHALTER

Pendant Light ATLANTA BLACK PULL SWITCH

50517	E27	220-240V~ 50/60Hz	Textilkabel
█ 5 / 25		3x0,75 mm ² /max. 25W	Textile cable



Pendelleuchte ATLANTA MESSING DREHSCHALTER

Pendant Light ATLANTA BRASS ROTARY SWITCH

50518	E27	220-240V~ 50/60Hz	Textilkabel
█ 5 / 25		3x0,75 mm ² /max. 25W	Textile cable



Pendelleuchte ATLANTA SCHWARZ DREHSCHALTER

Pendant Light ATLANTA BLACK ROTARY SWITCH

50519	E27	220-240V~ 50/60Hz	Textilkabel
█ 5 / 25		3x0,75 mm ² /max. 25W	Textile cable



**Pendelleuchte BOSTON ROT**

Pendant Light BOSTON RED

50570	E27	220-240V~ 50/60Hz	Silikonkabel Silicone cable
■ 5 / 25		2x0,75 mm ² /max. 25W	

**Pendelleuchte BOSTON WEISS**

Pendant Light BOSTON WHITE

50571	E27	220-240V~ 50/60Hz	Silikonkabel Silicone cable
■ 5 / 25		2x0,75 mm ² /max. 25W	

**Pendelleuchte BOSTON SCHWARZ**

Pendant Light BOSTON BLACK

50572	E27	220-240V~ 50/60Hz	Silikonkabel Silicone cable
■ 5 / 25		2x0,75 mm ² /max. 25W	

**Pendelleuchte NEW YORK ROT**

Pendant Light NEW YORK RED

50575	E27	220-240V~ 50/60Hz	Textilkabel Textile cable
■ 5 / 25		2x0,75 mm ² /max. 25W	

**Pendelleuchte NEW YORK WEISS**

Pendant Light NEW YORK WHITE


50576	E27	220-240V~ 50/60Hz	Textilkabel Textile cable
■ 5 / 25		2x0,75 mm ² /max. 25W	

**Pendelleuchte NEW YORK SCHWARZ**

Pendant Light NEW YORK BLACK

50577	E27	220-240V~ 50/60Hz	Textilkabel Textile cable
■ 5 / 25		2x0,75 mm ² /max. 25W	





Textilkabel

Für individuelle Projekte liefern wir über 40 verschiedene Typen von textilumflochtenen Leitungen in Top-Qualität. Wählen Sie zwischen 2- und 3-adriger Ausführung in verschiedenen Oberflächen und Farbkombinationen. Alle unsere Kabel haben Leitungsquerschnitte von 0,75 mm², sind VDE-geprüft und zeichnen sich durch Baumwollanteile in der Ummantelung und einen hohen Silikonanteil im Kunststoff aus.

Die Mindestabnahme beträgt 100 m, ab einer Menge von 500 m sind auch individuelle Sonderfarben nach der Pantone-Farbpalette möglich. Die Lieferzeit beträgt für alle Textilkabel 6-12 Wochen.

Textile Cable



For individual projects we supply more than 40 different types of textile braided cables in top quality. Choose between 2- and 3-wire version with different surfaces and colour combinations. All our cables have a wire cross-section of 0.75 mm², are VDE-tested and are distinguished by a share of natural cotton in the sheath and a high silicon content in the plastic isolation.

The minimum purchase for standard versions is 100 m, for individual colours according to the Pantone scheme a minimum quantity of 500 m is required. Delivery time for all textile cables will be 6-12 weeks.

Pendelleuchten
Pendant Lights

Textilkabel
Textile cable

VINTAGE LINE
DESIGN LINE
CLASSIC LINE



SETS

Pendelleuchte + Kabel + Lampe
Pendant light + Cable + Lamp



Pendel-Sets

Stellen Sie sich für Ihre Projekte ihr individuelles Set, bestehend aus Pendel-Leuchte, Textilkabel und SEGULA LED-Filament-Lampe zusammen. Egal ob Sie einen antiken oder modernen Look bevorzugen – der Vielfalt sind nahezu keine Grenzen gesetzt. Alle Sets sind sicherheitstechnisch geprüft, alle Teile sind VDE-zertifiziert – wir garantieren in jedem Detail erstklassige Qualität für professionelle Anwendung.

Die Mindestmenge für individuell gefertigte Sets beträgt 250 Stk., die Lieferzeit ca. 6-12 Wochen.

Pendant Sets

Arrange your individual pendant set consisting of pendant fixture, textile cable and SEGULA LED filament lamp. Whether you prefer an antique or modern look - the variety of designs is virtually unlimited. All sets are safety-tested, all parts VDE certified - we guarantee first class quality for professional use in every detail.

The minimum quantity for custom-made sets is 250 pcs., delivery time will be 6-12 weeks.

LED Glühlampe klar

LED Bulb clear

50248



E27

8,0 W

600 Lm

CRI 90

48W

2000-2900 K



8 / 32

Verpackungseinheit Delivery unit



Helligkeit dimmbar Brightness dimmable

Getestete Dimmer Tested dimmers: www.segula.lighting



Lichtfarbe dimmbar Luminous colour dimmable

1.700 / 2.000 - 2.800 / 3.000 Kelvin

Abmessungen Dimensions

Durchmesser und Länge des Leuchtmittels in mm.

Diameter and length of the lamp in mm.

Lichtstrom (lm = Lumen) Luminous flux (lm = lumen)

Der Lichtstrom ist die Leuchtleistung eines Leuchtmittels. Er beschreibt die gesamte abstrahlende Lichtmenge eines Leuchtmittels, unabhängig von der Abstrahlrichtung.

The luminous flux is the power radiated from a light source. It expresses the total light emitted by a light source, regardless of the beam direction.

Lichtfarbe (K = Kelvin) Luminous colour (K = kelvin)

Die Lichtfarbe beschreibt das farbliche Aussehen des Lichtes eines Leuchtmittels. Sie wird charakterisiert durch die Farbtemperatur gemessen in Kelvin. Dabei können bestimmte Lichtfarben unterschiedliche Farbwiedergabeeschaf-ten haben und somit die Raumatmosphäre beeinflussen. Warmweißes Licht wird als gemütlich und behaglich empfunden. Neutralweißes Licht wird eher als sachlich wahrgenommen.

The luminous colour expresses the coloured appearance of the light from a light source. It is characterised by the colour temperature measured in kelvins. Certain light colours may have different colour rendering properties and hence have an effect on the atmosphere of a room. Soft white light is perceived as cosy and comfortable. Neutral white tend to be perceived as practical.

Kerze Candle 1.900 K **Glühlampe** bulb lamp 2.700 - 2.900 K

Leuchtstofflampe Fluorescent lamp 2.800 - 6.000 K

Mondlicht Moonlight 4.100 K **Tageslicht** Daylight 5.000 - 6.000 K

Elektrische Leistung (W) und Wattäquivalent Electric light power (W) and Watt equivalent

Die elektrische Leistung der LED Lampe wird in Watt angegeben. Das Wattäquivalent entspricht der Leistung einer dem Lichtstrom entsprechenden herkömmlichen Glühlampe.

The electric power of the LED lamp is specified in watts. The Watt equivalent corresponds to the power of a conventional incandescent lamp's luminous flux.

Farbwiedergabeindex (CRI) Colour rendering index (CRI)

Der Color Rendering Index (CRI) ist der Farbwiedergabeindex, der zur Charakterisierung von Leuchtquellen dient. Er ist ein Index für die Natürlichkeit der Farbe. Je größer der Farbwiedergabeindex, desto natürlicher werden Farben wiedergegeben und desto angenehmer werden sie empfunden. Die Größe des Wertes kann zwischen 0 und 100 liegen und ist maßgeblich für die Farbwiedergabe von beleuchteten Gegenständen.

The colour rendering index (CRI) serves to characterise light sources. It is an index for the naturalness of colour. The higher the colour rendering index, the more natural is the rendering of colours and the more pleasant the perception of them. The value may be between 0 and 100 and is a measure of colour rendering of illuminated objects.



CLASSIC
LINE
DISPLAY



VINTAGE
LINE
DISPLAY

SERVICE

Unsere Handelspartner unterstützen wir gern mit individuellen Display-Lösungen für den Point of Sale. Wählen Sie die Bestückung Ihres Display aus unserem einzigartigen Angebot von über 150 verschiedenen Leuchtmitteln und Sets. Entdecken Sie auch unser Programm für die architektonische Beleuchtung und unser Technik-Sortiment – für den privaten Haushalt wie für die professionelle Anwendung in Gastronomie, Hotellerie und Gewerbe. Fragen Sie nach unseren Katalogen!

SERVICE

We support our business partners with individual point of sale display solutions. Choose the assortment of your display from our unique range of over 150 different bulbs and kits. Discover also our range for architectural lighting and design-sockets and switches – for the home as well as for professional use in the leisure, hotel, domestic, commercial and industrial sectors. Please contact us and request our catalogues.

SERVICE



SEGULA TEAM DEUTSCHLAND

Zu jedem guten Geschäft gehört ein guter Service. Unser Ziel ist es, unseren Kunden die besten Produkte mit dem besten Service zu bieten. Dafür arbeitet unser gesamtes Team Tag für Tag. Auch nach dem Kauf unserer Produkte sind wir weiterhin für Sie da. Kontaktieren Sie uns: telefonisch, per Fax oder per E-Mail.

SEGULA TEAM GERMANY

A good service is the basis for any good business. Our aim is to offer our customers superior products with superior service – this is what our complete team is working for day after day. After the purchase of our products we remain at your side. Contact us by phone, fax or E-mail.

SEGULA TEAM GERMANY

OFFICE ZENTRALE DEUTSCHLAND HEADQUARTER GERMANY

SEGULA GmbH
Bergwiesenäcker 15
D-72160 Horb

info@segula.de
www.segula.lighting

Phone: + 49 (0)7483 / 91278 - 0
Fax: + 49 (0)7483 / 91278 - 15

FRANK SEGULA
Geschäftsführung / Management
Phone: -12 Mail: fs@segula.de

KARIN GRAF
Verkauf Deutschland / Sales Germany
Phone: -21 Mail: kg@segula.de

ELKE KRAMBERGER
Verkauf Deutschland / Sales Germany
Phone: -17 Mail: ek@segula.de

GERHARD KEPPLER
Verkauf International / Sales International
Phone: -16 Mail: gk@segula.de

CARMEN SAHM
Prokuristin / Proxy Holder
Phone: -20 Mail: cs@segula.de

ADELHEID PANNEWITZ
Qualitätsmanagement / Quality Management
Phone: -10 Mail: ap@segula.de

ROBERTO SEGUIN
Key Account Management
+49 (0)172 / 437 675 2 rs@segula.de

FRANK PISTORIUS
Außendienst Lampenfachhandel / Field Service
+49 (0)177 / 307 87 21 fp@segula.de

ZENTRALE / HEADQUARTER

DEUTSCHLAND / GERMANY
 SEGULA GMBH
 Bergwiesenäcker 15
 D-72160 Horb
 Phone: + 49 (0)7483 / 91278 - 0
 Fax: + 49 (0)7483 / 91278 - 15
 info@segula.de
 www(segula.lighting)

NIEDERLASSUNGEN / SUBSIDIARIES

HONG KONG	SCHWEIZ / SWITZERLAND
SEGULA ASIA Ltd. Unit 701, The Workstation 43 Lyndhurst Terrace Central, Hong Kong Phone: +41 44 / 440 43 34 hk-sales@segula.de www(segula.lighting)	SEGULA GMBH Griesernweg 50 CH-8037 Zürich info@segula.ch www(segula.ch)

DISTRIBUTOREN / DISTRIBUTORS

BENELUX FRANKREICH / FRANCE	ÖSTERREICH / AUSTRIA	GROSSBRITANNIEN / UK
QUALITY LEDS Nijverheidsstraat 18 2570 DUFFEL Phone: +32 (0) 15 63 13 39 info@segula.be www(segula.lighting)	PROFI-IDEE LED GMBH Florian-Berndl-G. 6 AT-1220 Wien Phone: +43 (0) 664 2810343 office@segula.at www.profi-idee.com	AURALED UK LTD Unit 2, Cromwell Trading Estate Cromwell Road - Bredbury Phone: +44 (0)161 494 2118 sales@auraled.co.uk www.auraled.co.uk



Become a
SEGULA
Distributor
now!

DISTRIBUTOREN / DISTRIBUTORS

SCHWEDEN / SWEDEN BELLALITE AB Mörners väg 122 SE-352 46 Växjö Phone: +46 10 470 02 00 info@bellalite.se www(segula.lighting)	DÄNEMARK / DENMARK IMPO TRADING A/S Havnegade 50 5000 Odense C Phone: +45 66 14 60 24 info@impotrading.dk www(segula.lighting)	NORWEGEN / NORWAY PROLYS AS Østlifaret 9 1476 RASTA Phone: +47 67 92 09 00 order@prolys.no www.prolys.no
--	---	---

SPANIEN, PORTUGAL / SPAIN THERMO LAMP SL Calle Arganzuela 18 28005 Madrid SPAIN Phone: +34 645 42 84 97 info@thermolamp.com www.thermolamp.com	IRLAND / IRELAND CLICK LITEHOUSE 18 Corrig Road, Sandyford Ind. Estate Dublin D18 WV79 - IRELAND Phone: +353 (1) 2811 122 sales@clicklitehouse.ie www.clicklitehouse.ie	ISLAND / ICELAND S.GUDJONSSON EHF Smidjuvegur 3 200 Kopavogur, Iceland Phone: +354-520-4500 sg@sg.is www(segula.lighting)
---	--	--

RUSSLAND / RUSSIAN FEDERATION

D-LIGHT
 Prozed Solomennoy Storizhki, 5
 RUS-127206 MOSCOW-RUSSIA
 Phone: +7-905-541-44-11
 w.d@d-lightcompany.ru
 www.d-lightcompany.ru

AUSTRALIEN / AUSTRALIA BELLA & HUNT LIGHTING 17-21 Little Oxford St. AUS-VIC 3066 Collingwood Australia Phone: 0061 412 276 063 info@bellahunt.com.au www.bellahunt.com.au	ARGENTINIEN / ARGENTINA PALMA HNOS. C. Pellegrini 1051 - CP 1009 Buenos Aires Argentina Phone: +54 11 66135 424 jmp@segula.lighting www(segula.lighting)	UNITED ARAB EMIRATES XOLIGHTS Green Tower, Office 1504 Rigat Al Buteen, DEIRA Dubai, UAE Phone: +971 4 2958818 info@xocompany.org www.xocompany.org
--	--	---

LIBANON / LEBANON PROGRESS SMART SYSTEMS SAL Pharaon bldg facing EDL, 53 Papinien Al Nahr Street, P.O.Box 11-1111 Beirut - Lebanon Phone: +961.1.444664 Phone: +961.1.443175 Fax: +961.1.561880 lighting@progresselectric.net	KATAR / QATAR PROGRESS BUILDING MATERIALS QATAR W.L.L. Bin Omran C-ring road Iskan Headquarter, 1st Floor P.O. Box 23047, Doha - Qatar Phone: +974.4451.95.93 Phone: +974.4492.91.64 Fax: +974.4481.80.03 qatar@progresselectric.net	KUWAIT KUWAIT ELECTRICAL WIRING ACCESSORIES COMPANY W.L.L. Building # 30, 31 & 32, Block 6 East Ahmadi Industrial Area P.O. Box 46476, Fahaheel 64015 Kuwait Phone: +965 2398 5580 Fax: +965 2398 5581 sales@keckuwait.com
--	--	--

SEGUJA

Änderungen bei Produkten und technischen Daten vorbehalten. Stand April 2017.

Products and technical specifications are subject to modification without notice. Status as of April 2017.