

home mobility

design

comfort

HOMELIFTS



No matter what your needs are, KLEEMANN HOMELIFTS is the top choice for reliability, flexibility and design.

KLEEMANN offers a wide range of products that goes beyond your expectations for mobility. Breakthrough design and unique customised solutions lift your experience and upgrade the interior and exterior of your most precious space. In KLEEMANN, we value your needs and we are constantly working to improve our products just for you.





I N D E X

Maison^{LIFTS} 04

• **Maison**^{LIFT} Plus 06

• **Maison**^{LIFT} Basic 08

• **Maison T** Basic 10

Cabin options 12

Door options 14

Colour & finishing options 15

Control Panel & button options 16

free^{STAIR} systems 18

• **free**^{STAIR} with seat 20

• **free**^{STAIR} for wheelchair platform 22

• **free**^{STAIR} Hydraulic Vertical Lifting System 24

Cabin options 26

KLEEMANN Worldwide 30



design

flexibility

reliability

KLEEMANN **Maison**LIFTS are designed for ease of use, spatial efficiency and reliability. Guaranteed performance and a fine selection of design and finishing options ensure that you can shape the product that best fits your needs.

MaisonLIFT
Plus

MaisonLIFT
Basic

Maison T
Basic

KLEEMANN **Maison**LIFTS



MaisonLIFT Plus




Unique tailor-made design options to upgrade your space.

MaisonLIFT Plus provides convenience with a more sophisticated approach. Suitable for vertical transportation inside or outside a multi-storey residence, this indirect acting hydraulic lift is designed according to Lift Directive 95/16/EC.

MaisonLIFT Plus can be installed in multiple types of residential buildings with shaft pit and headroom limitations. It is available with or without shaft and with aluminum or steel shaft construction.

Premium design to lift your senses



Advantages

- Ideal solution for low pit and headroom shafts
- No need for concrete shaft
- No need for extra space for machine room
- Ease of installation and maintenance

Main features

- Maximum safety and comfort
- High aesthetics customised to your building
- Unique designs by the world famous designer Andreas Zapatinas
- EC Type Examination Certificate according to Lift Directive 95/16/EC



MaisonLIFT Plus Technical Specifications

Rated Load (Kg)	180 - 630	
Max Travel (m)	19	
Max Number of Stops	8	
Min Pit Depth (mm)	200	
Min Headroom (mm)	2450 semi-automatic door	2600 automatic door
Max Speed (m/s)	0,52	
Min Motor / Power Supply	1,5Kw / Single phase or 2,0Kw / 3-phase	
Complies with	Lift Directive 95/16/EC	
Accessibility		

MaisonLIFT Basic

Ideal for comfort and ease. **MaisonLIFT Basic**, designed and manufactured according to Machinery Directive 2006/42/EC, covers any need for transportation and mobility. A value for money solution that provides access inside or outside a multi-storey residence and guarantees safety and style. With only 80mm min pit depth required, this indirect acting hydraulic solution is fully applicable to buildings without concrete shaft and with shaft pit and headroom limitations.



Maximum residential value with minimum investment


Advantages

- Ideal solution for low pit and headroom shafts
- Cabin surface max: 1.65m²
- Available with shaft structure
- Ease of installation and maintenance

Main Features

- Best value for money
- Optimum use of space within the shaft
- Fine selection of design options
- EC Type Examination Certificate according to Machinery Directive 2006/42/EC

MaisonLIFT Basic Technical Specifications

Rated Load (Kg)	200 - 450
Max Travel (m)	15
Max Number of Stops	4
Min Pit Depth (mm)	80
Min Headroom (mm)	2300
Max Speed (m/s)	0,15
Min Motor / PowerSupply	1,5Kw / Single phase or 2,0Kw / 3-phase
Complies with	Machinery Directive 2006/42/EC
Accessibility	

Maison T Basic

A gratifying experience for the user. **Maison T Basic** is the traction lift solution of **MaisonLIFTS**. Featuring spatial efficiency and reliability, it offers a pleasant ride, isolating noise and eliminating vibrations during movement. It is one of the most flexible products of the range, easily and quickly installed, with minimum space requirements since there is no need of shaft. **Maison T Basic** guarantees outstanding ride quality and a fine selection of design options and finishes to ensure that the product meets every user's needs.



A wise investment on premium quality



Advantages

- Premium quality gearless motor and state of the art inverter
- Very low energy consumption
- Narrow controller suitable for installation in door frame
- Outstanding ride quality
- Ease of installation and maintenance

Main features

- Noise and vibration elimination
- Rated output consumption 1,1 Kw
- Unique designs by the world famous designer Andreas Zpatinas
- EC Type Examination Certificate according to Machinery Directive 2006/42/EC

MaisonT Basic Technical Specifications

Rated Load (Kg)	320 - 450
Max Travel (m)	12
Max Number of Stops	6
Min Pit Depth (mm)	200
Min Headroom (mm)	2600
Max Speed (m/s)	0,15
PowerSupply	Single-phase 50/60Hz or 3-phase 50/60Hz
Motor Supply	1,1 Kw
Complies with	Machinery Directive 2006/42/EC
Accessibility	 



Model elements may differ to match your requirements.

For the latest available materials, colours and finishings, please visit www.designyourlift.com

FUTURE TREND T120

Andreas Zapatinas | design



- CEILING** Type: Special Ceiling T120
Light Type: Fluorescent tubes
- WALLS** Special Melamine Panels 142 (Green)
- DOOR POSTS** Stainless Steel Satin
- FLOOR** Laminate 8630 ASPEN OAK
- HANDRAIL** K2 Stainless Steel Mirror
- MIRROR** Full height / Full width

MODERN LIFE L530

Andreas Zapatinas | design



- CEILING** Type: 014
Light Type: Fluorescent tubes
- WALLS** Combination of Stainless Steel
Mirror and Satin
- SKIRTINGS** Stainless Steel Satin
- FLOOR** Laminate 37372
- HANDRAIL** K7 Stainless Steel Mirror
- MIRROR** Full height / Full width

FUTURE TREND T711

Andreas Zapatinas | design



- CEILING** Type: Special Ceiling T710
Light Type: Fluorescent tubes
- WALLS** Artificial leather sheet
- DOOR POSTS** Stainless Steel Satin
- FLOOR** Laminate 37372
- HANDRAIL** K2 Stainless Steel Mirror
- MIRROR** Full height / Full width





MODERN LIFE A530

Andreas Zapatinas | design



CEILING Type: 03
Light Type: Fluorescent tubes

WALLS m.1785 split panels

CORNERS/SKIRTINGS Stainless Steel Mirror

FLOOR Ceramic Tiles GP21

HANDRAIL K7 Stainless Steel Mirror

MIRROR Full height / Full width

CLASSIC ATHENA A510

Andreas Zapatinas | design



CEILING Type: 014
Light Type: Fluorescent tubes

WALLS Polished Oak Veneer

CORNERS/SKIRTINGS Stainless Steel Mirror

FLOOR Artificial Granite Daino Reale

HANDRAIL K2 wooden

MIRROR 3/4 height / Full width

CLASSIC ATHENA A710

Andreas Zapatinas | design



CEILING Type: Special Ceiling A710
Light Type: Fluorescent tubes & scones A710

WALLS Special leather sheet

CORNERS/SKIRTINGS Inward curves,
Skirtings Stainless Steel Bronze Satin

FLOOR Laminate 37427

HANDRAIL 102 Stainless Steel Bronze Mirror

MIRROR Full height / Half width

Model elements may differ to match your requirements.

For the latest available materials, colours and finishings,
please visit www.designyourlift.com

Andreas Zapatinas | design



FUTURE Automatic Door Full Glass

MODERN Semiautomatic Door M710

MODERN Semiautomatic Door M310

MODERN Semiautomatic Door C520

MODERN Semiautomatic Door C710

CLASSIC Folding Door FD330



A U T O M A T I C

S E M I A U T O M A T I C

F O L D I N G

KLEEMANN also offers you the opportunity to supply your own floor and wall tillings in case you need something else than our variety of materials. Please contact us for more options.

FLOORS

RUBBER FLOOR



Black 6801



Griffon 6768



6603

CERAMIC TILES



Nero




GP10



Colorado

ARTIFICIAL GRANITES



Greek Pentelikon



Daino Realle



Regal White



Regal Black

FLOOR LAMINATE



1675



8630



8766



8459

WALLS

ARTIFICIAL LEATHER



7004




41



SKINPLATES



DL 41



A90 GTA



F12 PPS



PPS 13



PPS 93

STAINLESS STEEL



Satin




Mirror



Checks

HP LAMINATES



DU 8110



(HD) 2218 PL



(HD) 2228 PL



(HD) 2307 PL

WOODEN



IVE 05



IVE 07



IVE 14

GLASS



Yellow Mat 4090




Orange Mat 504090



Red Mat

SPECIAL SPLIT PANELS



M 1785



1322



1823

Please note that images and colour representation may differ slightly from reality. Materials are subject to change without prior notice.

STANDARD FIXATION CABIN OPERATING PANEL



BST

CABIN OPERATING PANELS



FUTURE TREND CABIN OPERATING PANEL FTC



FPY-1000 BLUE LINE

SURFACE MOUNTED LANDING OPERATING PANEL



FUTURE TREND LANDING OPERATING PANEL FTL

PUSH BUTTONS



MT-42



FUTURE TREND BUTTON FTB



access

comfort

mobility

confidence

KLEEMANN **freeSTAIR** system has been developed to upgrade your mobility experience. Move with unlimited freedom, feel confident and benefit from the state of the art technology, simple operation and high safety standards. A flexible system that can be entirely customised to fit your specific needs.

freeSTAIR
with seat

freeSTAIR
for wheelchair
platform

freeSTAIR
Hydraulic Vertical
Lifting System

KLEEMANN **freeSTAIR**



freeSTAIR Stairlift System with seat



The **freeSTAIR** system with seat has been specially designed to help users of all ages who find difficulty in climbing stairs. The system can be fitted to any staircase, either indoor or outdoor, as it is custom-made for each individual application. **freeSTAIR** can be installed in houses with both straight or

curved staircases. KLEEMANN **freeSTAIR** is available in a number of different types, one of which will certainly meet the needs of any user.




Main features

- Indoor or outdoor installation
- Designed for maximum safety and comfort
- Remote control with "Hold to Run" buttons
- Variety of seat and metal structure colours
- EC Declaration of conformity

mobility, confidence, comfort

Advantages

- Installed either on right or left side of the staircases
- Minimum installation space required
- Multiple mounted solutions for the guide rail
- Seat folds neatly away to save space
- Minimal maintenance requirements



Technical Specifications

Rated Load (Kg)	130
Inclination (degrees)	0-70
Max Travel	4 stops
Max Speed (m/s)	0,10
Power Supply	Rechargeable battery
Required staircase width	90cm
Complies with	Machinery Directive 2006/42/EC

freeSTAIR
Stairlift System
with seat

A130

Core mobility

Ideal choice for a cost effective solution -the most economic **freeSTAIR** model- features a standard finishing colour palette and quick delivery times.



Main features

- Indoor or outdoor installation
- Only for straight staircases with standard inclination
- Max rail length 7m
- Standard colour and design

Advantages

- Easy to install
- Minimum maintenance requirements
- On-board diagnostic control panel which alerts you for any potential problems before they arise
- 4-week ex-works





freeSTAIR Stairlift System for wheelchair



The **freeSTAIR** for wheelchair has been designed to enable wheelchair users to move with autonomy, safety and comfort offering access to any building where the installation or use of a conventional lift is not possible.

The system can be installed in both indoor and outdoor spaces, mounted either on the wall or on the floor. The ideal solution for public and private spaces alike.



reliability, accessibility, independence

Technical Specifications

Model	T80	T100
Staircase type	Straight/Circular	Straight
Rated Load (Kg)	300	300
Inclination (degrees)	0-60	15-45
Max Travel	4 stops	30m
Max Speed (m/s)	0,15	0,08
Power Supply	Rechargeable battery	Rechargeable battery
Complies with	Machinery Directive 2006/42/EC	

Main features

- Indoor or outdoor installation
- Variety of metal structure colours
- Seat adjustable to platform (optional)
- Remote control with "Hold to run" buttons
- EC Type Examination Certificate

Advantages

- Installed either on right or left side of the staircases
- Multiple mounted solutions for the guide rail
- Wide range of platform dimensions
- Robust construction
- Minimum installation space and maintenance requirements





freeSTAIR Hydraulic Vertical Lifting System



Vertiplat is a hydraulic lift system designed for users with limited mobility, enabling access to buildings where installation or operation of an elevator is not possible. It is the most cost-effective solution for vertical

transportation of users for travel up to 7m. It requires minimum space which makes it an ideal solution for both internal and external applications.



safety, economy, strength



Technical Specifications

Rated Load (Kg)	300
Min Pit Depth	120mm
Max Travel	7000mm
Max Speed (m/s)	0,10
Power Supply	Single phase 50 Hz
Motor Power	1,5 Kw
Complies with	Machinery Directive 2006/42/EC

Advantages

- Minimum installation space requirements
- Fast and easy fitting of the system
- Minimum maintenance requirements

Main features


- Indoor or outdoor installation
- Variety of colours
- Suitable for travel up to 7m
- EC Type Examination Certificate



METAL STRUCTURE OPTIONS (RAL COLOURS)




T80 METAL STRUCTURE OPTIONS (RAL COLOURS)



CHAIR UPHOLSTERY - STANDARD COLOURS




CHAIR UPHOLSTERY - SPECIAL COLOURS



METAL STRUCTURE OPTIONS (RAL COLOURS)



Please note that images and colour representation may differ slightly from reality. Materials are subject to change without prior notice.



Last update 01/2015

- Greece** **Head Offices - Export Sales**
Kilkis Industrial Area
P.O. BOX 25, P.C. 61 100 Kilkis, Greece
T: +30 23410 38100
F: +30 23410 38200
headoffice@kleemann.gr
- Turkey** **KLEEMANN Asansör**
Orta Mahallesi Mesudiye Sokak
(Sabancı Üniversitesi yanı) No: 8
Orhanlı 34956 Tuzla / İstanbul Türkiye
T: +90 216 570 05 00
F: +90 216 570 05 09
info@kleemannturk.com
- Serbia** **KLEEMANN Liftovi**
Golubinačka b.b, Šimanovci
Beograd, Serbia,
T: +381 22 409000, F: +381 22 409090
office@kleemann.rs
- Romania** **KLEEMANN Lift Ro**
Str. Filderman Wilhelm Nr. 4 Bis, 3 District
Bucharest
T: +40 314 228917
F: +40 314 228916
office@kleemannlifts.ro
- United Kingdom** **KLEEMANN Lifts UK Ltd**
Unit 8 Arena 14,
Charbridge Lane, Bicester
Oxfordshire, OX26 4ST
T: +44 (0) 1869 327070
uk@kleemannlifts.com
- China** **KLEEMANN China**
Kunshan American Industrial Park
No. 238 Chenfeng Road
KSND, Kunshan, Jiangsu, China | 215300
T: +86 0512 36823223 - 8661
F: +86 0512 36823240
info@kleemannlifts.cn
- Russia** **KLEEMANN Russia**
Plekhanova Street, 4a
P.C. 111123, Moscow, Russia
T&F: +7499 9511 399
office@kleemannlifts.ru
- Germany** **Sales Office Germany**
T: +49(0)160 91 70 98 73
sales@kleemannlifts.de
- United Arab Emirates** **Sales Office UAE**
T: +971 4-3390000
F: +971 4-3395605
uae@kleemannlifts.com
- Poland** **Sales Office Poland**
T: +48 793 515 712
poland@kleemannlifts.pl
- Kingdom of Saudi Arabia** **Sales Office KSA**
T: +966 531390940
ksa@kleemannlifts.com
- The Republic of Azerbaijan** **Sales Office Baku**
T: +994124642023
baku@kleemannlifts.com
- France** **Sales Office Paris**
T: +33 642975490
france@kleemannlifts.com

www.kleemannlifts.com



While every effort has been made to ensure information accuracy, KLEEMANN bears no responsibility for typographic errors or omissions.

Copyright © KLEEMANN 2015