

Hamilton® Bloomsbury

Antique style Plain or Fluted Domes with Toggle Switches and Bell Push on Natural Wood Plinth Plates

Bloomsbury replicates the traditional style of the original light switch while meeting today's standards. The range features two designs of dome, a Plain Dome in Polished Brass or Bright Chrome and a Fluted Dome in Polished Brass or Antique Brass - both come with a choice of either Black or White collars.

- Traditional style
- Fits most flush mounted metal wall boxes
- Four different wood finishes with a choice of Ovolo or Chamfered Edge.
- The timber for the plinths is sourced from suppliers who carry the FSC logo.



BOAF T21 AB-B



BCLP T21 PB-W



BODF T21 PB-W



BOAF T23 AB-B

Ovolo
Profile Edge



Chamfered
Profile Edge





Hamilton® *fashion, finish, function and flexibility*

Bloomsbury Plain Dome Toggle Switches



BOLP T21 BC-W



Wood Plinth and Edge Profile	Dome and Insert Finish	Collar Colour	1 gang 20AX 2 way Toggle Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: T21 Product Code	2 gang 20AX 2 way Toggle Nominal Plate Size: 154 x 88 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: T22 Product Code	3 gang 20AX 2 way Toggle + Back Box Nominal Plate Size: 88 x 230 mm Suppled complete with Wall Box Size: 75 mm x 192mm Depth: 35 mm Technical Insert Reference: T23 Product Code	4 gang 20AX 2 way Toggle Nominal Plate Size: 163 x 163 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: T24 Product Code
Light Oak Ovolo Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome	White Black White Black	BOLP T21 PB-W BOLP T21 PB-B BOLP T21 BC-W BOLP T21 BC-B	BOLP T22 PB-W BOLP T22 PB-B BOLP T22 BC-W BOLP T22 BC-B	BOLP T23 PB-W BOLP T23 PB-B BOLP T23 BC-W BOLP T23 BC-B	BOLP T24 PB-W BOLP T24 PB-B BOLP T24 BC-W BOLP T24 BC-B
Light Oak Chamfered Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome	White Black White Black	BCLP T21 PB-W BCLP T21 PB-B BCLP T21 BC-W BCLP T21 BC-B	BCLP T22 PB-W BCLP T22 PB-B BCLP T22 BC-W BCLP T22 BC-B	BCLP T23 PB-W BCLP T23 PB-B BCLP T23 BC-W BCLP T23 BC-B	BCLP T24 PB-W BCLP T24 PB-B BCLP T24 BC-W BCLP T24 BC-B
Medium Oak Ovolo Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome	White Black White Black	BOMP T21 PB-W BOMP T21 PB-B BOMP T21 BC-W BOMP T21 BC-B	BOMP T22 PB-W BOMP T22 PB-B BOMP T22 BC-W BOMP T22 BC-B	BOMP T23 PB-W BOMP T23 PB-B BOMP T23 BC-W BOMP T23 BC-B	BOMP T24 PB-W BOMP T24 PB-B BOMP T24 BC-W BOMP T24 BC-B
Medium Oak Chamfered Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome	White Black White Black	BCMP T21 PB-W BCMP T21 PB-B BCMP T21 BC-W BCMP T21 BC-B	BCMP T22 PB-W BCMP T22 PB-B BCMP T22 BC-W BCMP T22 BC-B	BCMP T23 PB-W BCMP T23 PB-B BCMP T23 BC-W BCMP T23 BC-B	BCMP T24 PB-W BCMP T24 PB-B BCMP T24 BC-W BCMP T24 BC-B
Dark Oak Ovolo Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome	White Black White Black	BODP T21 PB-W BODP T21 PB-B BODP T21 BC-W BODP T21 BC-B	BODP T22 PB-W BODP T22 PB-B BODP T22 BC-W BODP T22 BC-B	BODP T23 PB-W BODP T23 PB-B BODP T23 BC-W BODP T23 BC-B	BODP T24 PB-W BODP T24 PB-B BODP T24 BC-W BODP T24 BC-B
Dark Oak Chamfered Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome	White Black White Black	BCDP T21 PB-W BCDP T21 PB-B BCDP T21 BC-W BCDP T21 BC-B	BCDP T22 PB-W BCDP T22 PB-B BCDP T22 BC-W BCDP T22 BC-B	BCDP T23 PB-W BCDP T23 PB-B BCDP T23 BC-W BCDP T23 BC-B	BCDP T24 PB-W BCDP T24 PB-B BCDP T24 BC-W BCDP T24 BC-B
Antique Mahogany Finish Ovolo Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome	White Black White Black	BOAP T21 PB-W BOAP T21 PB-B BOAP T21 BC-W BOAP T21 BC-B	BOAP T22 PB-W BOAP T22 PB-B BOAP T22 BC-W BOAP T22 BC-B	BOAP T23 PB-W BOAP T23 PB-B BOAP T23 BC-W BOAP T23 BC-B	BOAP T24 PB-W BOAP T24 PB-B BOAP T24 BC-W BOAP T24 BC-B
Antique Mahogany Finish Chamfered Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome	White Black White Black	BCAP T21 PB-W BCAP T21 PB-B BCAP T21 BC-W BCAP T21 BC-B	BCAP T22 PB-W BCAP T22 PB-B BCAP T22 BC-W BCAP T22 BC-B	BCAP T23 PB-W BCAP T23 PB-B BCAP T23 BC-W BCAP T23 BC-B	BCAP T24 PB-W BCAP T24 PB-B BCAP T24 BC-W BCAP T24 BC-B

Bloomsbury Plain Dome Toggle Switches

Bell Push



BOLP BPM PB-W



1 gang 20AX Intermediate Toggle

Nominal Plate Size: 88 x 88 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **T31**
Product Code



2 gang 20AX Intermediate Toggle

Nominal Plate Size: 154 x 88 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **T32**
Product Code



1 gang 20AX Double Pole Toggle

Nominal Plate Size: 88 x 88 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **TDP**
Product Code



1 gang 240V AC 6A Bell Push

Nominal Plate Size: 88 x 88 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **BPM**
Product Code

Wood Plinth and Edge Profile	Dome and Insert Finish	Collar Colour	1 gang 20AX Intermediate Toggle	2 gang 20AX Intermediate Toggle	1 gang 20AX Double Pole Toggle	1 gang 240V AC 6A Bell Push
Light Oak Ovolo Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome	White Black White Black	BOLP T31 PB-W BOLP T31 PB-B BOLP T31 BC-W BOLP T31 BC-B	BOLP T32 PB-W BOLP T32 PB-B BOLP T32 BC-W BOLP T32 BC-B	BOLP TDP PB-W BOLP TDP PB-B BOLP TDP BC-W BOLP TDP BC-B	BOLP BPM PB-W BOLP BPM PB-B BOLP BPM BC-W BOLP BPM BC-B
Light Oak Chamfered Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome	White Black White Black	BCLP T31 PB-W BCLP T31 PB-B BCLP T31 BC-W BCLP T31 BC-B	BCLP T32 PB-W BCLP T32 PB-B BCLP T32 BC-W BCLP T32 BC-B	BCLP TDP PB-W BCLP TDP PB-B BCLP TDP BC-W BCLP TDP BC-B	BCLP BPM PB-W BCLP BPM PB-B BCLP BPM BC-W BCLP BPM BC-B
Medium Oak Ovolo Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome	White Black White Black	BOMP T31 PB-W BOMP T31 PB-B BOMP T31 BC-W BOMP T31 BC-B	BOMP T32 PB-W BOMP T32 PB-B BOMP T32 BC-W BOMP T32 BC-B	BOMP TDP PB-W BOMP TDP PB-B BOMP TDP BC-W BOMP TDP BC-B	BOMP BPM PB-W BOMP BPM PB-B BOMP BPM BC-W BOMP BPM BC-B
Medium Oak Chamfered Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome	White Black White Black	BCMP T31 PB-W BCMP T31 PB-B BCMP T31 BC-W BCMP T31 BC-B	BCMP T32 PB-W BCMP T32 PB-B BCMP T32 BC-W BCMP T32 BC-B	BCMP TDP PB-W BCMP TDP PB-B BCMP TDP BC-W BCMP TDP BC-B	BCMP BPM PB-W BCMP BPM PB-B BCMP BPM BC-W BCMP BPM BC-B
Dark Oak Ovolo Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome	White Black White Black	BODP T31 PB-W BODP T31 PB-B BODP T31 BC-W BODP T31 BC-B	BODP T32 PB-W BODP T32 PB-B BODP T32 BC-W BODP T32 BC-B	BODP TDP PB-W BODP TDP PB-B BODP TDP BC-W BODP TDP BC-B	BODP BPM PB-W BODP BPM PB-B BODP BPM BC-W BODP BPM BC-B
Dark Oak Chamfered Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome	White Black White Black	BCDP T31 PB-W BCDP T31 PB-B BCDP T31 BC-W BCDP T31 BC-B	BCDP T32 PB-W BCDP T32 PB-B BCDP T32 BC-W BCDP T32 BC-B	BCDP TDP PB-W BCDP TDP PB-B BCDP TDP BC-W BCDP TDP BC-B	BCDP BPM PB-W BCDP BPM PB-B BCDP BPM BC-W BCDP BPM BC-B
Antique Mahogany Finish Ovolo Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome	White Black White Black	BOAP T31 PB-W BOAP T31 PB-B BOAP T31 BC-W BOAP T31 BC-B	BOAP T32 PB-W BOAP T32 PB-B BOAP T32 BC-W BOAP T32 BC-B	BOAP TDP PB-W BOAP TDP PB-B BOAP TDP BC-W BOAP TDP BC-B	BOAP BPM PB-W BOAP BPM PB-B BOAP BPM BC-W BOAP BPM BC-B
Antique Mahogany Finish Chamfered Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome	White Black White Black	BCAP T31 PB-W BCAP T31 PB-B BCAP T31 BC-W BCAP T31 BC-B	BCAP T32 PB-W BCAP T32 PB-B BCAP T32 BC-W BCAP T32 BC-B	BCAP TDP PB-W BCAP TDP PB-B BCAP TDP BC-W BCAP TDP BC-B	BCAP BPM PB-W BCAP BPM PB-B BCAP BPM BC-W BCAP BPM BC-B

Bloomsbury Fluted Dome Toggle Switches



BODF T21 AB-B



Wood Plinth and Edge Profile	Dome and Insert Finish	Collar Colour	1 gang 20AX 2 way Toggle Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: T21 Product Code	2 gang 20AX 2 way Toggle Nominal Plate Size: 154 x 88 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: T22 Product Code	3 gang 20AX 2 way Toggle + Back Box Nominal Plate Size: 88 x 230 mm Supplied complete with Wall Box Size: 75 mm x 192mm Depth: 35 mm Technical Insert Reference: T23 Product Code	4 gang 20AX 2 way Toggle Nominal Plate Size: 163 x 163 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: T24 Product Code
Light Oak Ovolo Edge 	Polished Brass Polished Brass Antique Brass Antique Brass	White Black White Black	BOLF T21 PB-W BOLF T21 PB-B BOLF T21 AB-W BOLF T21 AB-B	BOLF T22 PB-W BOLF T22 PB-B BOLF T22 AB-W BOLF T22 AB-B	BOLF T23 PB-W BOLF T23 PB-B BOLF T23 AB-W BOLF T23 AB-B	BOLF T24 PB-W BOLF T24 PB-B BOLF T24 AB-W BOLF T24 AB-B
Light Oak Chamfered Edge 	Polished Brass Polished Brass Antique Brass Antique Brass	White Black White Black	BCLF T21 PB-W BCLF T21 PB-B BCLF T21 AB-W BCLF T21 AB-B	BCLF T22 PB-W BCLF T22 PB-B BCLF T22 AB-W BCLF T22 AB-B	BCLF T23 PB-W BCLF T23 PB-B BCLF T23 AB-W BCLF T23 AB-B	BCLF T24 PB-W BCLF T24 PB-B BCLF T24 AB-W BCLF T24 AB-B
Medium Oak Ovolo Edge 	Polished Brass Polished Brass Antique Brass Antique Brass	White Black White Black	BOMF T21 PB-W BOMF T21 PB-B BOMF T21 AB-W BOMF T21 AB-B	BOMF T22 PB-W BOMF T22 PB-B BOMF T22 AB-W BOMF T22 AB-B	BOMF T23 PB-W BOMF T23 PB-B BOMF T23 AB-W BOMF T23 AB-B	BOMF T24 PB-W BOMF T24 PB-B BOMF T24 AB-W BOMF T24 AB-B
Medium Oak Chamfered Edge 	Polished Brass Polished Brass Antique Brass Antique Brass	White Black White Black	BCMF T21 PB-W BCMF T21 PB-B BCMF T21 AB-W BCMF T21 AB-B	BCMF T22 PB-W BCMF T22 PB-B BCMF T22 AB-W BCMF T22 AB-B	BCMF T23 PB-W BCMF T23 PB-B BCMF T23 AB-W BCMF T23 AB-B	BCMF T24 PB-W BCMF T24 PB-B BCMF T24 AB-W BCMF T24 AB-B
Dark Oak Ovolo Edge 	Polished Brass Polished Brass Antique Brass Antique Brass	White Black White Black	BODF T21 PB-W BODF T21 PB-B BODF T21 AB-W BODF T21 AB-B	BODF T22 PB-W BODF T22 PB-B BODF T22 AB-W BODF T22 AB-B	BODF T23 PB-W BODF T23 PB-B BODF T23 AB-W BODF T23 AB-B	BODF T24 PB-W BODF T24 PB-B BODF T24 AB-W BODF T24 AB-B
Dark Oak Chamfered Edge 	Polished Brass Polished Brass Antique Brass Antique Brass	White Black White Black	BCDF T21 PB-W BCDF T21 PB-B BCDF T21 AB-W BCDF T21 AB-B	BCDF T22 PB-W BCDF T22 PB-B BCDF T22 AB-W BCDF T22 AB-B	BCDF T23 PB-W BCDF T23 PB-B BCDF T23 AB-W BCDF T23 AB-B	BCDF T24 PB-W BCDF T24 PB-B BCDF T24 AB-W BCDF T24 AB-B
Antique Mahogany Finish Ovolo Edge 	Polished Brass Polished Brass Antique Brass Antique Brass	White Black White Black	BOAF T21 PB-W BOAF T21 PB-B BOAF T21 AB-W BOAF T21 AB-B	BOAF T22 PB-W BOAF T22 PB-B BOAF T22 AB-W BOAF T22 AB-B	BOAF T23 PB-W BOAF T23 PB-B BOAF T23 AB-W BOAF T23 AB-B	BOAF T24 PB-W BOAF T24 PB-B BOAF T24 AB-W BOAF T24 AB-B
Antique Mahogany Finish Chamfered Edge 	Polished Brass Polished Brass Antique Brass Antique Brass	White Black White Black	BCAF T21 PB-W BCAF T21 PB-B BCAF T21 AB-W BCAF T21 AB-B	BCAF T22 PB-W BCAF T22 PB-B BCAF T22 AB-W BCAF T22 AB-B	BCAF T23 PB-W BCAF T23 PB-B BCAF T23 AB-W BCAF T23 AB-B	BCAF T24 PB-W BCAF T24 PB-B BCAF T24 AB-W BCAF T24 AB-B

Bloomsbury Fluted Dome Toggle Switches

Bell Push



BODF T31 PB-W



1 gang 20AX Intermediate Toggle

Nominal Plate Size: 88 x 88 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **T31**
Product Code



2 gang 20AX Intermediate Toggle

Nominal Plate Size: 154 x 88 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **T32**
Product Code



1 gang 20AX Double Pole Toggle

Nominal Plate Size: 88 x 88 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **TDP**
Product Code



1 gang 240V AC 6A Bell Push

Nominal Plate Size: 88 x 88 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **BPM**
Product Code

Wood Plinth and Edge Profile	Dome and Insert Finish	Collar Colour	1 gang 20AX Intermediate Toggle	2 gang 20AX Intermediate Toggle	1 gang 20AX Double Pole Toggle	1 gang 240V AC 6A Bell Push
Light Oak Ovolo Edge 	Polished Brass Polished Brass Antique Brass Antique Brass	White Black White Black	BOLF T31 PB-W BOLF T31 PB-B BOLF T31 AB-W BOLF T31 AB-B	BOLF T32 PB-W BOLF T32 PB-B BOLF T32 AB-W BOLF T32 AB-B	BOLF TDP PB-W BOLF TDP PB-B BOLF TDP AB-W BOLF TDP AB-B	BOLF BPM PB-W BOLF BPM PB-B BOLF BPM AB-W BOLF BPM AB-B
Light Oak Chamfered Edge 	Polished Brass Polished Brass Antique Brass Antique Brass	White Black White Black	BCLF T31 PB-W BCLF T31 PB-B BCLF T31 AB-W BCLF T31 AB-B	BCLF T32 PB-W BCLF T32 PB-B BCLF T32 AB-W BCLF T32 AB-B	BCLF TDP PB-W BCLF TDP PB-B BCLF TDP AB-W BCLF TDP AB-B	BCLF BPM PB-W BCLF BPM PB-B BCLF BPM AB-W BCLF BPM AB-B
Medium Oak Ovolo Edge 	Polished Brass Polished Brass Antique Brass Antique Brass	White Black White Black	BOMF T31 PB-W BOMF T31 PB-B BOMF T31 AB-W BOMF T31 AB-B	BOMF T32 PB-W BOMF T32 PB-B BOMF T32 AB-W BOMF T32 AB-B	BOMF TDP PB-W BOMF TDP PB-B BOMF TDP AB-W BOMF TDP AB-B	BOMF BPM PB-W BOMF BPM PB-B BOMF BPM AB-W BOMF BPM AB-B
Medium Oak Chamfered Edge 	Polished Brass Polished Brass Antique Brass Antique Brass	White Black White Black	BCMF T31 PB-W BCMF T31 PB-B BCMF T31 AB-W BCMF T31 AB-B	BCMF T32 PB-W BCMF T32 PB-B BCMF T32 AB-W BCMF T32 AB-B	BCMF TDP PB-W BCMF TDP PB-B BCMF TDP AB-W BCMF TDP AB-B	BCMF BPM PB-W BCMF BPM PB-B BCMF BPM AB-W BCMF BPM AB-B
Dark Oak Ovolo Edge 	Polished Brass Polished Brass Antique Brass Antique Brass	White Black White Black	BODF T31 PB-W BODF T31 PB-B BODF T31 AB-W BODF T31 AB-B	BODF T32 PB-W BODF T32 PB-B BODF T32 AB-W BODF T32 AB-B	BODF TDP PB-W BODF TDP PB-B BODF TDP AB-W BODF TDP AB-B	BODF BPM PB-W BODF BPM PB-B BODF BPM AB-W BODF BPM AB-B
Dark Oak Chamfered Edge 	Polished Brass Polished Brass Antique Brass Antique Brass	White Black White Black	BCDF T31 PB-W BCDF T31 PB-B BCDF T31 AB-W BCDF T31 AB-B	BCDF T32 PB-W BCDF T32 PB-B BCDF T32 AB-W BCDF T32 AB-B	BCDF TDP PB-W BCDF TDP PB-B BCDF TDP AB-W BCDF TDP AB-B	BCDF BPM PB-W BCDF BPM PB-B BCDF BPM AB-W BCDF BPM AB-B
Antique Mahogany Finish Ovolo Edge 	Polished Brass Polished Brass Antique Brass Antique Brass	White Black White Black	BOAF T31 PB-W BOAF T31 PB-B BOAF T31 AB-W BOAF T31 AB-B	BOAF T32 PB-W BOAF T32 PB-B BOAF T32 AB-W BOAF T32 AB-B	BOAF TDP PB-W BOAF TDP PB-B BOAF TDP AB-W BOAF TDP AB-B	BOAF BPM PB-W BOAF BPM PB-B BOAF BPM AB-W BOAF BPM AB-B
Antique Mahogany Finish Chamfered Edge 	Polished Brass Polished Brass Antique Brass Antique Brass	White Black White Black	BCAF T31 PB-W BCAF T31 PB-B BCAF T31 AB-W BCAF T31 AB-B	BCAF T32 PB-W BCAF T32 PB-B BCAF T32 AB-W BCAF T32 AB-B	BCAF TDP PB-W BCAF TDP PB-B BCAF TDP AB-W BCAF TDP AB-B	BCAF BPM PB-W BCAF BPM PB-B BCAF BPM AB-W BCAF BPM AB-B

Hamilton[®] Technical Specification

TOGGLE AND BELL PUSH SWITCHES

CATEGORY:

20AX TOGGLE SWITCH

Current Rating: 20AX
Max Load: 20 Amp inductive

Technical Insert Ref: Description:

T21	1 gang 20AX 2 way Toggle
T22	2 gang 20AX 2 way Toggle
T23	3 gang 20AX 2 way Toggle
T24	4 gang 20AX 2 way Toggle
T31	1 gang 20AX Intermediate Toggle
T32	2 gang 20AX Intermediate Toggle Only available in the Bloomsbury Range
TDP	1 gang 20AX Double Pole Toggle *Switched Poles: Double

10AX RETRACTIVE TOGGLE SWITCH

Current Rating: 10AX
Max Load: 10 Amp inductive

Technical Insert Ref: Description:

TRT	1 gang 10AX Push to Make/Break Retractive Toggle
-----	---

6AMP BELL PUSH SWITCH Only available in the Bloomsbury range

Current Rating: 6 Amp
Max Load: 6 Amp

Technical Insert Ref: Description:

BPM	1 gang 240V AC 6A Bell Push
-----	-----------------------------

TECHNICAL SPECIFICATION:

Voltage: 220/250V AC
IP Rating: IP2XD
Switched Poles: Single*
Contact Gap Minimum: 3mm
Product Class 1: Must be earthed
Ambient Operating Temperature: -5 to +40 C
Location: Internal Use Only
Max Installation Altitude: 2000m









Standard Hamilton manufactured electrical accessories are designed to be mounted on BS4662:2006 flush wall boxes.

STANDARDS:

BS EN ISO Standard:
 Toggle Switch BS EN 60669-1
 Bell Push BS EN 60669-1

TERMINAL CAPACITY:

	1mm ²	1.5mm ²	2.5mm ²	4mm ² Multi-Strand	6mm ²
Terminal Capacity	5	4	2	2	1
Earth Terminal Capacity	6	5	3	2	1

Fixing Centres:	2 WAY TOGGLE	INTERMEDIATE TOGGLE	DOUBLE POLE & RETRACTIVE	BELL PUSH SWITCH
60.3mm	 <p>T21 T21 T22</p>	 <p>T31 T31 T32</p>	 <p>TDP/TRT TDP</p>	 <p>BPM</p>
120.6mm	 <p>T23 T24</p> <p>T22 T24</p>	 <p>T32</p>		
182mm	 <p>T23</p>			 <p>Bloomsbury Range</p>