

## GROUP 6

# NC STORAGE AND TRANSPORT SYSTEMS PRODUCT RANGE



ORGANISATION IS POWER



# Series 30

## NC storage and transport systems

Tool trolleys  
see page 172




NC roller shutter cabinets  
see page 180



NC universal racks  
see page 186



Leaf-door cabinets for tools  
see page 190



**Standard colours:**  
RAL 5012 RAL 6011 RAL 7035

5-year Guarantee


**For your safety all cabinets must be anchored using floor bolts**

Fixing material for cabinets  
Part. No. 06-00030

**For your safety all shelving systems must be secured to the floor or wall**

Fixing material for shelving  
Part. No. 06-00046







# Series 30



## Tool trolleys

Made of high-quality sheet steel. Trolleys are painted with high resistance products, environmentally friendly. The sides are slotted in increments of 25 mm to allow tool holder frames, tool cradles and other components to be adjusted accordingly. Fitted with handle and pair of rubber castors, Ø 150 mm.


Width mm	Depth mm	Height mm	Load capacity kg *	Part. No.
765	508	880	500	<b>30-10100</b>

\* with load evenly distributed

Colours: see colour chart at the bottom of the page



2 fixed and  
2 swivel braked  
rubber castors




## Adjustable shelves

Made of high-quality steel with rubber mat

To be fixed between the perforated sides of the trolley.

Usable width mm	Usable depth mm	Height mm	Load capacity kg	Part. No.
600	305	30	50	<b>30-10407</b>
600	465	30	50	<b>30-10411</b>

Shelf colour: Light grey RAL 7035 / Rubber mat: Black



## Fixed shelf

Made of high-quality steel with rubber mat

To be fixed to the external perforated side of the trolley

Usable width mm	Usable depth mm	Height mm	Load capacity kg	Part. No.
496	312	30	20	<b>30-10207</b>

Shelf colour: Light grey RAL 7035 / Rubber mat: Black




## Protection bars



Made of high-quality steel. To be fixed between perforated sides of the trolley. Fixing hardware included.

Width mm	Height mm	Pair Part. No.
600	270	<b>30-10428</b>

Colour: Light grey RAL 7035



## Document pocket

Made of high-quality steel

Used to store documents, can be fitted to both perforated sides.


Width mm	Depth mm	Height mm	Size DIN	Part. No.
370	46	180	A4	<b>30-10418</b>

Colour: Light grey RAL 7035

### Standard colours:

RAL 5012 RAL 6011 RAL 7035





**Tool cradles**  
Made of high-quality steel

To store tool holders. 2-types available (with handle and without handle), fitted to the perforated sides of the trolley using cradle supports.

**A Tool cradle**

Width mm	Height mm	Depth mm	without Handles Part. No.	with Handles Part. No.
562	135	155	<b>30-41360</b>	<b>30-41361</b>
562	95	155	<b>30-41362</b>	<b>30-41363</b>

Colour: Light grey RAL 7035



**Fixed tool holder frame**  
Made of high-quality steel

To be fixed to the perforated sides of the trolley (supports included) Fixing hardware included.

**Fixed tool holder frame**

Width mm	Depth mm	Height mm	No. of rows	Part. No.
584	447	80	3	<b>30-45336</b>

Colour: Light grey RAL 7035

Made of steel. Fitted to the perforated sides of the trolley.

**B Cradle support, pair**

	Part. No.
Horizontal	<b>30-44180</b>
Angled, 20°	<b>30-44181</b>

Colour: Light grey RAL 7035



Tool holders see  
page 175



# Series 30



Size: 1077x508x880 mm	Part. No.
without Tool holders	<b>30-10100-10</b>
with 32 Tool holders ISO-SK30	<b>30-10100-13</b>
with 32 Tool holders ISO-SK40	<b>30-10100-14</b>
with 20 Tool holders ISO-SK50	<b>30-10100-15</b>
with 24 Tool holders VDI 40	<b>30-10100-16</b>
with 32 Tool holders HSK 50	<b>30-10100-17</b>
with 24 Tool holders HSK 63	<b>30-10100-18</b>
Fittings:	
1 Fixed shelf with rubber mat	
4 Tool cradles and 4 angled supports	



Size: 1077x508x880 mm	Part. No.
without Tool holders	<b>30-10100-20</b>
with 24 Tool holders ISO-SK30	<b>30-10100-23</b>
with 24 Tool holders ISO-SK40	<b>30-10100-24</b>
with 15 Tool holders ISO-SK50	<b>30-10100-25</b>
with 18 Tool holders VDI 40	<b>30-10100-26</b>
with 24 Tool holders HSK 50	<b>30-10100-27</b>
with 18 Tool holders HSK 63	<b>30-10100-28</b>
Fittings:	
1 Fixed shelf with rubber mat	
3 Tool cradles and 3 horizontal supports	
1 Adjustable shelf with rubber mat	



Size: 1077x508x880 mm	Part. No.
without Tool holders	<b>30-10100-50</b>
with 24 Tool holders ISO-SK30	<b>30-10100-53</b>
with 24 Tool holders ISO-SK40	<b>30-10100-54</b>
with 15 Tool holders ISO-SK50	<b>30-10100-55</b>
with 18 Tool holders VDI 40	<b>30-10100-56</b>
with 24 Tool holders HSK 50	<b>30-10100-57</b>
with 18 Tool holders HSK 63	<b>30-10100-58</b>
Fittings:	
1 Fixed shelf with rubber mat	
1 Fixed tool holder frame 3-rows	



Size: 1077x508x880 mm	Part. No.
without Tool holders	<b>30-10100-60</b>
with 32 Tool holders ISO-SK30	<b>30-10100-63</b>
with 32 Tool holders ISO-SK40	<b>30-10100-64</b>
with 20 Tool holders ISO-SK50	<b>30-10100-65</b>
with 24 Tool holders VDI 40	<b>30-10100-66</b>
with 32 Tool holders HSK 50	<b>30-10100-67</b>
with 24 Tool holders HSK 63	<b>30-10100-68</b>
Fittings:	
1 Fixed shelf with rubber mat	
1 Fixed tool holder frame 3-rows	
1 Tool cradle and 1 angled support	

## Standard colours:

RAL 5012 RAL 6011 RAL 7035



Standard examples:



Size: 1077x508x880 mm	Part. No.
without Tool holders	<b>30-10100-70</b>
with 40 Tool holders ISO-SK30	<b>30-10100-73</b>
with 40 Tool holders ISO-SK40	<b>30-10100-74</b>
with 25 Tool holders ISO-SK50	<b>30-10100-75</b>
with 30 Tool holders VDI 40	<b>30-10100-76</b>
with 40 Tool holders HSK 50	<b>30-10100-77</b>
with 30 Tool holders HSK 63	<b>30-10100-78</b>

Fittings:

- 1 Fixed shelf with rubber mat
- 1 Fixed tool holder frame 3-rows
- 2 Tool cradles and 2 angled supports



Size: 1077x508x880 mm	Part. No.
without Tool holders	<b>30-10100-80</b>
with 56 Tool holders ISO-SK30	<b>30-10100-83</b>
with 56 Tool holders ISO-SK40	<b>30-10100-84</b>
with 35 Tool holders ISO-SK50	<b>30-10100-85</b>
with 42 Tool holders VDI 40	<b>30-10100-86</b>
with 56 Tool holders HSK 50	<b>30-10100-87</b>
with 42 Tool holders HSK 63	<b>30-10100-88</b>

Fittings:


- 1 Fixed shelf with rubber mat
- 1 Fixed tool holder frame 3-rows
- 4 Tool cradles and 4 angled supports



Tool type	RED Art. Nr..	No. of tools per tool holder	No. of tools per cradle Part. No. 30-41360	No. of tools per frame Part. No. 30-45336
ISO-SK 25	30-51025	4	5	15
ISO-SK 30	30-51030	1	8	24
ISO-SK 40	30-51040	1	8	24
ISO-SK 45	30-51045	1	6	18
ISO-SK 50	30-51050	1	5	15
HSK 32	30-51432	1	8	24
HSK 40	30-51440	1	8	24
HSK 50	30-51450	1	8	24
HSK 63	30-51463	1	8	24
HSK 80	30-51480	1	6	18
HSK 100	30-51499	1	5	15
CAPTO C3	30-51603	4	4	12
CAPTO C4	30-51604	1	8	24
CAPTO C5	30-51605	1	8	24
CAPTO C6	30-51606	1	7	21
CAPTO C8	30-51608	1	6	18
VDI 20	30-51120	1	8	24
VDI 30	30-51130	1	8	24
VDI 40	30-51140	1	8	24
VDI 50	30-51150	1	6	18
VDI 60	30-51160	1	5	15
58 mm	30-50058	-	8	24
65 mm	30-50065	-	8	24
75 mm	30-50075	-	7	21
87 mm	30-50087	-	6	18
105 mm	30-50105	-	5	15
120 mm	30-50120	-	4	12



# Series 30



## Tool trolleys

Made of high-quality sheet steel. Trolley sides and bases are welded and painted with high resistance products, environmentally friendly. The sides are slotted in increments of 25 mm to allow tool holder frames, tool cradles and other components to be adjusted accordingly. Fitted with handle and pair of rubber castors, Ø 200 mm.

Width mm	Depth mm	Height mm	Load capacity kg *	Part. No.
1080	692	970	800	<b>30-10400</b>

\* with load evenly distributed

Colours: see colour chart at the bottom of the page



2 fixed and  
2 swivel braked  
rubber castors




## Protection bars



Made of high-quality steel. To be fixed between perforated sides of the trolley. Fixing hardware included.

Width mm	Height mm	Pair Part. No.
600	270	<b>30-10428</b>

Colour: Light grey RAL 7035



## Adjustable shelves

Made of high-quality steel  
with rubber mat

To be fixed between the perforated sides of the trolley.

Usable width mm	Usable depth mm	Height mm	Load capacity kg	Part. No.
600	305	30	50	<b>30-10407</b>
600	465	30	50	<b>30-10411</b>
600	665	30	50	<b>30-10415</b>

Shelf colour: Light grey RAL 7035 / Rubber mat: Black



## Document pocket

Made of high-quality steel

Used to store documents, can be fitted to both perforated sides.

Width mm	Depth mm	Height mm	Size DIN	Part. No.
370	46	180	A4	<b>30-10418</b>


Colour: Light grey RAL 7035

### Standard colours:

RAL 5012 RAL 6011 RAL 7035







**Tool cradles**  
Made of high-quality steel

To store tool holders. 2-types available (with handle and without handle), fitted to the perforated sides of the trolley using cradle supports.

**A Tool cradle**

Width mm	Height mm	Depth mm	without Handles Part. No.	with Handles Part. No.
562	135	155	<b>30-41360</b>	<b>30-41361</b>
562	95	155	<b>30-41362</b>	<b>30-41363</b>


Colour: Light grey RAL 7035

Made of steel. Fitted to the perforated sides of the trolley.

**B Cradle support, pair**

	Part. No.
Horizontal	<b>30-44180</b>
Angled, 20°	<b>30-44181</b>

Colour: Light grey RAL 7035



**Fixed tool holder frame**  
Made of high-quality steel

To be fixed to the perforated sides of the trolley. Fixing hardware included.

**C Fixed tool holder frame**

Width mm	Depth mm	Height mm	No. of rows	Part. No.
584	596	80	4	<b>30-43436</b>


Colour: Light grey RAL 7035

Made of steel. Fitted to the perforated sides of the trolley.

**D Frame support, pair**

	Part. No.
	<b>30-10422</b>

Colour: Light grey RAL 7035



**Vertical tool storage supports**  
Made of high-quality steel



Tool type ISO-SK	Tool type HSK	Collar Ø max. mm	Depth mm	No. of tools	Part. No.
30	50	51/36	56	11	<b>33-74311</b>
40	63	63/50	56	9	<b>33-74409</b>
45	80	82/63	72	7	<b>33-74457</b>
50	100	98/80	84	5	<b>33-74505</b>
50	-	112/80	100	5	<b>33-74515</b>

Colour: Light grey RAL 7035



# Series 30

Standard examples:




Size: 1080x692x970 mm	Part. No.
without Tool holders	<b>30-10400-20</b>
with 48 Tool holders ISO-SK30	<b>30-10400-23</b>
with 48 Tool holders ISO-SK40	<b>30-10400-24</b>
with 30 Tool holders ISO-SK50	<b>30-10400-25</b>
with 36 Tool holders VDI 40	<b>30-10400-26</b>
with 48 Tool holders HSK 50	<b>30-10400-27</b>
with 36 Tool holders HSK 63	<b>30-10400-28</b>

Fittings:  
 2 Adjustable shelves with rubber mat  
 1 Fixed tool holder frame 4-rows  
 2 Tool cradles and 2 angled supports



Size: 1080x692x970 mm	Part. No.
without Tool holders	<b>30-10400-30</b>
with 72 Tool holders ISO-SK30	<b>30-10400-33</b>
with 72 Tool holders ISO-SK40	<b>30-10400-34</b>
with 45 Tool holders ISO-SK50	<b>30-10400-35</b>
with 54 Tool holders VDI 40	<b>30-10400-36</b>
with 72 Tool holders HSK 50	<b>30-10400-37</b>
with 54 Tool holders HSK 63	<b>30-10400-38</b>

Fittings:  
 1 Adjustable shelf with rubber mat  
 1 Fixed tool holder frame 4-rows  
 5 Tool cradles and 5 angled supports



Size: 1080x692x970 mm	Part. No.
without Tool holders	<b>30-10400-40</b>
with 80 Tool holders ISO-SK30	<b>30-10400-43</b>
with 80 Tool holders ISO-SK40	<b>30-10400-44</b>
with 50 Tool holders ISO-SK50	<b>30-10400-45</b>
with 60 Tool holders VDI 40	<b>30-10400-46</b>
with 80 Tool holders HSK 50	<b>30-10400-47</b>
with 60 Tool holders HSK 63	<b>30-10400-48</b>

Fittings:  
 1 Fixed tool holder frame 4-rows  
 4 Tool cradles and 4 angled supports  
 2 Tool cradles and 2 horizontal supports



Size: 1080x692x970 mm	Part. No.
without Tool holders	<b>30-10400-50</b>
with 80 Tool holders ISO-SK30	<b>30-10400-53</b>
with 80 Tool holders ISO-SK40	<b>30-10400-54</b>
with 50 Tool holders ISO-SK50	<b>30-10400-55</b>
with 60 Tool holders VDI 40	<b>30-10400-56</b>
with 80 Tool holders HSK 50	<b>30-10400-57</b>
with 60 Tool holders HSK 63	<b>30-10400-58</b>


Fittings:  
 1 Adjustable shelf with rubber mat  
 1 Fixed tool holder frame 4-rows  
 6 Tool cradles and 6 angled supports

Standard colours:

RAL 5012 RAL 6011 RAL 7035



## Tool holders



Tool type	RED Art. Nr..	No. of tools per tool holder	No. of tools per cradle Part. No. 30-41360	No. of tools per frame Part. No. 30-43436
ISO-SK 25	30-51025	4	5	20
ISO-SK 30	30-51030	1	8	32
ISO-SK 40	30-51040	1	8	32
ISO-SK 45	30-51045	1	6	24
ISO-SK 50	30-51050	1	5	20
HSK 32	30-51432	1	8	32
HSK 40	30-51440	1	8	32
HSK 50	30-51450	1	8	32
HSK 63	30-51463	1	8	32
HSK 80	30-51480	1	6	24
HSK 100	30-51499	1	5	20
CAPTO C3	30-51603	4	4	16
CAPTO C4	30-51604	1	8	32
CAPTO C5	30-51605	1	8	32
CAPTO C6	30-51606	1	7	28
CAPTO C8	30-51608	1	6	24
VDI 20	30-51120	1	8	32
VDI 30	30-51130	1	8	32
VDI 40	30-51140	1	8	32
VDI 50	30-51150	1	6	24
VDI 60	30-51160	1	5	20
58 mm	30-50058	-	8	32
65 mm	30-50065	-	8	32
75 mm	30-50075	-	7	28
87 mm	30-50087	-	6	24
105 mm	30-50105	-	5	20
120 mm	30-50120	-	4	16



# Series 30



## NC roller shutter cabinets

Made of high-quality sheet steel, painted with high resistance products, environmentally friendly. Both internal side panels are perforated to allow secure fitting of accessories to suit exact requirements. Robust metal housing and plastic horizontal profiles with hand grip for easy operation fitted with safety cylinder lock and 2 keys.

Width mm	Depth mm	Height mm	Usable height mm	Part. No.
1040	635	1450	1130	<b>30-39145</b>
1040	635	2000	1680	<b>30-39200</b>

Single drawer opening system not included

Colours: see colour chart at the bottom of the page



## Single drawer opening devices

Device required to open one drawer at a time. To be fitted onto perforated sides of the cabinet.

	Part. No.
Height 1000 mm	<b>30-39310</b>
Height 1450 mm	<b>30-39314</b>
Height 1625 mm	<b>30-39316</b>




## Cabinet bases

Made of high-quality steel

	Width mm	Depth mm	Height mm	Part. No.
<b>2</b> Pallet base	1023	582	100	<b>05-23810</b>
<b>3</b> Cover plate	1023	-	100	<b>05-35410</b>

Colour: Black




## Adjustable shelf

Made of high-quality steel

Usable width mm	Usable depth mm	Height mm	Load capacity kg	Part. No.
983	590	35	200	<b>30-38028</b>

Colour: Light grey RAL 7035



## Fixed tool holder frame

Made of high-quality steel

To be fixed to the perforated sides of the cabinet using frame supports.

<b>A Fixed tool holder frame</b>				
Width mm	Depth mm	Height mm	No. of rows	Part. No.
890	596	80	4	<b>30-43454</b>

Colour: Light grey RAL 7035


<b>B Frame support, pair</b>		Part. No.
Angled, 20 °		<b>30-38072</b>

Colour: Light grey RAL 7035

### Standard colours:

RAL 5012 RAL 6011 RAL 7035





**Tool cradles**  
Made of high-quality steel

To store tool holders. Available without handle only, fitted to the perforated sides of the cabinets using cradle supports.

**A Tool cradle**

Width mm	Height mm	Depth mm	Part. No.
946	135	155	<b>30-41540</b>


Colour: Light grey RAL 7035

Made of steel. Fitted to the perforated sides of the cabinet.

**B Cradle support, pair**

	Part. No.
Horizontal	<b>30-44180</b>
Angled, 20 °	<b>30-44181</b>

Colour: Light grey RAL 7035




**Retractable shelf**

Made of high-quality sheet steel. Available in total extension only with steel roller bearings. Fitted with galvanised steel inserts ensuring a level surface. All retractable shelf handles are equipped with aluminium profiles, end caps and labelling strips.


Usable width mm	Usable depth mm	Height mm	Extension %	Load capacity kg *	Part. No.
918	459	75	100	200	<b>30-38985</b>

\* with load evenly distributed

Colour: Light grey RAL 7035



**Card insert and cellophane (spare part)**  
For drawers: 54 Eh Part. No. **06-00545**  
Kit: 30 pieces



**Tool holder frame for drawers**  
Made of high-quality steel

**C Tool holder frame**


Width mm	Depth mm	Drawer Eh	No. of rows	Part. No.
890	447	54x27	3	<b>30-43354</b>

Colour: Light grey RAL 7035

**D Frame support, pair**

For taper length mm	Height mm	Depth 27 Eh Part. No.
80-160	135-165	<b>30-43310</b>
185-220	195-225	<b>30-43317</b>

Colour: Light grey RAL 7035



**Drawers**

Made of high-quality sheet steel. Available in total extension only with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Part. No.
75 T	54	52	200	<b>30-38076</b>
100 T	79	77	200	<b>30-38101</b>
150 T	129	127	200	<b>30-38151</b>

T = total extension: 100% extension

\* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035



**Card insert and cellophane (spare part)**  
For drawers: 54 Eh Part. No. **06-00545**  
Kit: 30 pieces



Tool holders see  
page 185



# Series 30



AS

AS

Width mm	Depth mm	Height mm	Part. No.
1040	635	1450	<b>30-39145-01</b>

Fittings:  
2 Adjustable shelves



75 T

75 T

100 T

150 T

Width mm	Depth mm	Height mm	Part. No.
1040	635	1450	<b>30-39145-02</b>

Fittings:  
4 Drawers  
1 Single drawer opening device



PR

75 T

150 T

150 T

RS T

Width mm	Depth mm	Height mm	Part. No.
1040	635	1450	<b>30-39145-03</b>

Fittings:  
1 Adjustable shelf  
3 Drawers  
1 Retractable shelf  
1 Single drawer opening device



Width mm	Depth mm	Height mm	Part. No.
1040	635	1450	

without Tool holders	<b>30-39145-20</b>
70 Tool holders ISO-SK30	<b>30-39145-23</b>
70 Tool holders ISO-SK40	<b>30-39145-24</b>
40 Tool holders ISO-SK50	<b>30-39145-25</b>
50 Tool holders VDI 40	<b>30-39145-26</b>
70 Tool holders HSK 50	<b>30-39145-27</b>
50 Tool holders HSK 63	<b>30-39145-28</b>

Fittings:  
5 Tool cradles  
5 Angled supports



RS T

Width mm	Depth mm	Height mm	Part. No.
1040	635	1450	

without Tool holders	<b>30-39145-30</b>
56 Tool holders ISO-SK30	<b>30-39145-33</b>
56 Tool holders ISO-SK40	<b>30-39145-34</b>
32 Tool holders ISO-SK50	<b>30-39145-35</b>
40 Tool holders VDI 40	<b>30-39145-36</b>
56 Tool holders HSK 50	<b>30-39145-37</b>
40 Tool holders HSK 63	<b>30-39145-38</b>

Fittings:  
4 Tool cradles  
4 Angled supports  
1 Retractable shelf



100 T

150 T

Width mm	Depth mm	Height mm	Part. No.
1040	635	1450	

without Tool holders	<b>30-39145-40</b>
28 Tool holders ISO-SK30	<b>30-39145-43</b>
28 Tool holders ISO-SK40	<b>30-39145-44</b>
16 Tool holders ISO-SK50	<b>30-39145-45</b>
20 Tool holders VDI 40	<b>30-39145-46</b>
28 Tool holders HSK 50	<b>30-39145-47</b>
20 Tool holders HSK 63	<b>30-39145-48</b>

Fittings:  
2 Tool cradles  
2 Angled supports  
2 Drawers  
1 Single drawer opening device

## Standard colours:

RAL 5012 RAL 6011 RAL 7035



## Drawers:

T = load capacity:200 kg - extension 100%

## Standard examples:



AS  
AS  
AS  
AS

Width mm	Depth mm	Height mm	Part. No.
1040	635	2000	<b>30-39200-01</b>

Fittings:  
4 Adjustable shelves



PR  
75 T  
100 T  
100 T  
RS T

Width mm	Depth mm	Height mm	Part. No.
1040	635	2000	<b>30-39200-02</b>

Fittings:  
1 Adjustable shelf  
3 Drawers  
1 Retractable shelf  
1 Single drawer opening device



AS  
75 T  
75 T  
100 T  
150 T

Width mm	Depth mm	Height mm	Part. No.
1040	635	2000	<b>30-39200-03</b>

Fittings:  
1 Adjustable shelf  
4 Drawers  
1 Single drawer opening device



Width mm	Depth mm	Height mm	Part. No.
1040	635	2000	

without Tool holders **30-39200-20**  
112 Tool holders ISO-SK30 **30-39200-23**  
112 Tool holders ISO-SK40 **30-39200-24**  
64 Tool holders ISO-SK50 **30-39200-25**  
80 Tool holders VDI 40 **30-39200-26**  
112 Tool holders HSK 50 **30-39200-27**  
80 Tool holders HSK 63 **30-39200-28**  
Fittings:  
8 Tool cradles  
8 Angled supports



150 T

Width mm	Depth mm	Height mm	Part. No.
1040	635	2000	

without Tool holders **30-39200-30**  
84 Tool holders ISO-SK30 **30-39200-33**  
84 Tool holders ISO-SK40 **30-39200-34**  
48 Tool holders ISO-SK50 **30-39200-35**  
60 Tool holders VDI 40 **30-39200-36**  
84 Tool holders HSK 50 **30-39200-37**  
60 Tool holders HSK 63 **30-39200-38**  
Fittings:  
6 Tool cradles  
6 Angled supports  
1 Drawer



100 T  
150 T  
RS T


Width mm	Depth mm	Height mm	Part. No.
1040	635	2000	

without Tool holders **30-39200-40**  
56 Tool holders ISO-SK30 **30-39200-43**  
56 Tool holders ISO-SK40 **30-39200-44**  
32 Tool holders ISO-SK50 **30-39200-45**  
40 Tool holders VDI 40 **30-39200-46**  
56 Tool holders HSK 50 **30-39200-47**  
40 Tool holders HSK 63 **30-39200-48**  
Fittings:  
4 Tool cradles  
4 Angled supports  
2 Drawers  
1 Retractable shelf  
1 Single drawer opening device



Tool holders see page 185

### Standard colours:






# Series 30

Standard examples:


## Partitioning material




For front height:	Part. No.
50 mm and higher	08-50034
6 Troughs	3-Trough
10 Trough dividers	
12 Troughs	4-Trough
30 Trough dividers	




For front height:	Part. No.
50 mm and higher	08-50234
6 Troughs	2-Trough
6 Trough dividers	
6 Troughs	3-Trough
10 Trough dividers	
6 Troughs	4-Trough
15 Trough dividers	




For front height:	Part. No.
50 mm	08-51205
75 mm	08-51207
100-125 mm	08-51210
18 Plastic boxes	150x150 mm



For front height:	Part. No.
50 mm	08-51405
75 mm	08-51407
100-125 mm	08-51410
12 Plastic boxes	150x75 mm
12 Plastic boxes	150x150 mm



For front height:	Part. No.
50 mm	08-53405
75 mm	08-53407
100-125 mm	08-53410
150 mm	08-53415
200-250 mm	08-53420
300 mm	08-53430
4 Slotted partitions	27 Eh
2 Aluminium dividers	9 Eh
3 Aluminium dividers	12 Eh




For front height:	Part. No.
50 mm	08-53505
75 mm	08-53507
100-125 mm	08-53510
150 mm	08-53515
200-250 mm	08-53520
300 mm	08-53530
5 Slotted partitions	27 Eh
12 Aluminium dividers	9 Eh



For front height:	Part. No.
50 mm	08-53705
75 mm	08-53707
100-125 mm	08-53710
7 Slotted partitions	27 Eh
12 Aluminium dividers	6 Eh
2 Aluminium dividers	9 Eh



For front height:	Part. No.
50 mm	08-53805
75 mm	08-53807
100-125 mm	08-53810
8 Slotted partitions	27 Eh
12 Aluminium dividers	6 Eh



For front height:	Part. No.
50 mm	08-58405
75 mm	08-58407
100-125 mm	08-58410
150 mm	08-58415
200-250 mm	08-58420
4 Plain partitions	27 Eh





## Tool holders



Tool type	RED Part. No.	No. of tools per tool holder	No. of tools per cradle Part. No. 30-41540	No. of tools per frame Part. No. 30-43354	No. of tools per frame Part. No. 30-43454
ISO-SK 25	30-51025	4	8	24	32
ISO-SK 30	30-51030	1	14	39	52
ISO-SK 40	30-51040	1	14	39	52
ISO-SK 45	30-51045	1	11	30	40
ISO-SK 50	30-51050	1	9	24	32
HSK 32	30-51432	1	16	42	56
HSK 40	30-51440	1	16	42	56
HSK 50	30-51450	1	16	42	56
HSK 63	30-51463	1	14	39	52
HSK 80	30-51480	1	10	27	36
HSK 100	30-51499	1	8	24	32
CAPTO C3	30-51603	4	7	21	28
CAPTO C4	30-51604	1	16	42	56
CAPTO C5	30-51605	1	16	42	56
CAPTO C6	30-51606	1	12	33	44
CAPTO C8	30-51608	1	10	27	36
VDI 20	30-51120	1	16	42	56
VDI 30	30-51130	1	14	39	52
VDI 40	30-51140	1	14	36	48
VDI 50	30-51150	1	11	30	40
VDI 60	30-51160	1	9	24	32
58 mm	30-50058	-	16	42	56
65 mm	30-50065	-	14	39	52
75 mm	30-50075	-	12	33	44
87 mm	30-50087	-	10	27	36
105 mm	30-50105	-	8	24	32
120 mm	30-50120	-	7	21	28




# Series 30



## NC universal racks

Made of high-quality painted sheet steel.

A modular shelving system with slotted side panels to allow accessories to be fitted to suit exact requirements. Consisting of a starter bay and extension bays. Open or closed with 2 door option: standard or Plexiglas®.



### Adjustable shelf

Made of high-quality steel

Usable width mm	Usable depth mm	Height mm	Load capacity kg	Part. No.	Smooth rubber mat Part. No.
600	600	30	80	<b>30-26062</b>	-
600	600	3	-	-	<b>30-26064</b>


Shelf colour: Light grey RAL 7035 / Rubber mat: Black



### Universal racks with standard leaf doors

Usable width mm	Usable depth mm	Height mm	Starter bay Part. No.	Extension bay Part. No.
660	635	2000	<b>30-36220</b>	-
630	635	2000	-	<b>30-36223</b>

Colours: see colour chart at the bottom of the page



### Universal racks without doors

Usable width mm	Usable depth mm	Height mm	Starter bay Part. No.	Extension bay Part. No.
660	610	2000	<b>30-36020</b>	-
630	610	2000	-	<b>30-36023</b>

Colours: see colour chart at the bottom of the page



### Universal racks with Plexiglas® leaf doors


Usable width mm	Usable depth mm	Height mm	Starter bay Part. No.	Extension bay Part. No.
660	635	2000	<b>30-36420</b>	-
630	635	2000	-	<b>30-36423</b>

Colours: see colour chart at the bottom of the page

#### Standard colours:

RAL 5012 RAL 6011 RAL 7035





**Tool cradles**  
Made of high-quality steel

To store tool holders. 2-types available (with handle and without handle), fitted to the perforated sides of the universal rack using cradle supports.

**A Tool cradle**

Width mm	Height mm	Depth mm	without Handles Part. No.	with Handles Part. No.
562	135	155	<b>30-41360</b>	<b>30-41361</b>
562	95	155	<b>30-41362</b>	<b>30-41363</b>


Colour: Light grey RAL 7035

Made of steel. Fitted to the perforated sides of the universal rack.

**B Cradle support, pair**

	Part. No.
Horizontal	<b>30-44180</b>
Angled, 20°	<b>30-44181</b>

Colour: Light grey RAL 7035



**Fixed tool holder frame**  
Made of high-quality steel

To be fixed to the perforated sides of the racking.

**C Fixed tool holder frame**


Width mm	Depth mm	Height mm	No. of rows	Part. No.
584	596	80	4	<b>30-43436</b>

Colour: Light grey RAL 7035


**D Frame support, pair**

	Part. No.
	<b>30-26072</b>

Colour: Light grey RAL 7035



**Drawers**



Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Part. No.
75 <b>S</b>	61	52	80	<b>30-26075</b>
100 <b>S</b>	86	77	80	<b>30-26100</b>
150 <b>S</b>	136	127	80	<b>30-26150</b>

**S** = simple extension: 85 - 90% extension

\* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035



**Card insert and cellophane (spare part)**


For drawers: 32 Eh

Part. No. **06-00325**

Kit: 30 pieces



With drawers it is necessary to install at least one adjustable shelf



**Drawer with tool holder frame**  
Made of high-quality steel

Usable width mm	Usable depth mm	Front height mm	Extension %	Load capacity kg	Part. No.
445	505	100 <b>S</b>	85-90 %	80	<b>30-26110</b>

\* with load evenly distributed

Colour: Light grey RAL 7035



**Card insert and cellophane (spare part)**

For drawers: 32 Eh

Part. No. **06-00325**

Kit: 30 pieces



Tool holders see page 189




Load capacity is intended for evenly distributed loads



# Series 30

Standard examples:



Width mm	Depth mm	Height mm	without Door Part. No.	with standard Door Part. No.	with Plexiglas® Door Part. No.
660	610	2000	<b>30-36020-01</b>	-	-
660	635	2000	-	<b>30-36220-01</b>	<b>30-36420-01</b>

Fittings:  
12 Tool cradles without handles  
12 Cradle supports, angled

Width mm	Depth mm	Height mm	without Doors Part. No.	with standard Doors Part. No.	with Plexiglas® Doors Part. No.
1290	610	2000	<b>30-37020-01</b>	-	-
1290	635	2000	-	<b>30-37220-01</b>	<b>30-37420-01</b>

Fittings:  
24 Tool cradles without handles  
24 Cradle supports, angled



Width mm	Depth mm	Height mm	without Door Part. No.	with standard Door Part. No.	with Plexiglas® Door Part. No.
660	610	2000	<b>30-36020-02</b>	-	-
660	635	2000	-	<b>30-36220-02</b>	<b>30-36420-02</b>

Fittings:  
4 Fixed tool holders frames 4-rows  
4 Frame supports, angled

Width mm	Depth mm	Height mm	without Doors Part. No.	with standard Doors Part. No.	with Plexiglas® Doors Part. No.
1290	610	2000	<b>30-37020-02</b>	-	-
1290	635	2000	-	<b>30-37220-02</b>	<b>30-37420-02</b>

Fittings:  
8 Fixed tool holders frames 4-rows  
8 Frame supports, angled

Standard colours:

RAL 5012 RAL 6011 RAL 7035



## Tool holders



Tool type	RED Part. No.	No. of tools per tool holder	No. of tools per cradle Part. No. 30-41360	No. of tools per frame Part. No. 30-43436	No. of tools per frame Part. No. 30-26110
ISO-SK 25	30-51025	4	5	20	12
ISO-SK 30	30-51030	1	8	32	21
ISO-SK 40	30-51040	1	8	32	21
ISO-SK 45	30-51045	1	6	24	18
ISO-SK 50	30-51050	1	5	20	12
HSK 32	30-51432	1	8	32	24
HSK 40	30-51440	1	8	32	24
HSK 50	30-51450	1	8	32	24
HSK 63	30-51463	1	8	32	21
HSK 80	30-51480	1	6	24	15
HSK 100	30-51499	1	5	20	12
CAPTO C3	30-51603	4	4	16	12
CAPTO C4	30-51604	1	8	32	24
CAPTO C5	30-51605	1	8	32	24
CAPTO C6	30-51606	1	7	28	18
CAPTO C8	30-51608	1	6	24	15
VDI 20	30-51120	1	8	32	24
VDI 30	30-51130	1	8	32	21
VDI 40	30-51140	1	8	32	21
VDI 50	30-51150	1	6	24	18
VDI 60	30-51160	1	5	20	12
58 mm	30-50058	-	8	32	24
65 mm	30-50065	-	8	32	21
75 mm	30-50075	-	7	28	18
87 mm	30-50087	-	6	24	15
105 mm	30-50105	-	5	20	12
120 mm	30-50120	-	4	16	12



# Series 24



**Cabinet housings**  
with leaf door

Made of high-quality sheet steel. Housing sides and bases are painted with high resistance products, environmentally friendly. Available in one height only with sides slotted in increments of 25 mm to allow drawers, shelves and tool holder frames to be adjusted accordingly. Doors are fitted with safety cylinder lock and 2 keys and can be standard or in Plexiglas®.

Width mm	Depth mm	Height mm	Usable height mm	with standard Doors Part. No.	with Plexiglas® Doors Part. No.
1026	555	2000	1850	<b>24-32000</b>	<b>24-62000</b>

Max load capacity: 600 kg

Colours: see colour chart at the bottom of the page



**A**

**Fixed tool holder frame**  
Made of high-quality steel

**B**

Fitted using frame supports, to the sides of the housing.

**A Fixed tool holder frame**


Width mm	Depth mm	Height mm	No. of rows	Part. No.
890	447	80	3	<b>30-43354</b>

Colour: Light grey RAL 7035

**B Frame support, pair**

	Part. No.
Angled 20°	<b>24-30072</b>


Colour: Light grey RAL 7035



**Drawers**  
Made of high quality steel

Front height mm	Usable width mm	Usable depth mm	Extension %	Load capacity kg	Part. No.
100 <b>S</b>	918	459	85	50	<b>24-33100</b>
100 <b>T</b>	918	459	100	50	<b>24-33101</b>

Colour: Light grey RAL 7035



**Adjustable shelf**  
Made of high quality steel

Width mm	Depth mm	Height mm	Load capacity kg	Slotted Part. No.
1000	500	35	80	<b>24-30036</b>

Hooks (spare part)-Kit: 16 pieces **52-00006**

**Standard colours:**

RAL 5012 RAL 6011 RAL 7035



Standard examples:



<b>Size:</b>	<b>Part. No.</b>
1026x555x2000 mm	24-32000-40
<b>Fittings:</b>	
4 Fixed tool holders frames 3-rows	
4 Frame supports, angled	



<b>Size:</b>	<b>Part. No.</b>
1026x555x2000 mm	24-62000-40
<b>Fittings:</b>	
4 Fixed tool holders frames 3-rows	
4 Frame supports, angled	



31  
100 S  
100 S

<b>Size:</b>	<b>Part. No.</b>
1026x555x2000 mm	24-32000-31
<b>Fittings:</b>	
2 Fixed tool holders frames 3-rows	
2 Frame supports, angled	
2 Drawers normal extension	
2 Adjustable shelves	



31  
100 S  
100 S

<b>Size:</b>	<b>Part. No.</b>
1026x555x2000 mm	24-62000-31
<b>Fittings:</b>	
2 Fixed tool holders frames 3-rows	
2 Frame supports, angled	
2 Drawers normal extension	
2 Adjustable shelves	




Tool holders see page 192



Standard examples are not supplied with tool holders – please order separately

Standard colours:





# Series 30

# Tool holders

## For Tool holders ISO-SK



Tool type ISO-SK	Width mm	Depth mm	Height mm	Bore Ø mm	No. of tools per tool holder	Holder type	RED	GREEN
							Part. No.	Part. No.
25	105	138	20	-	4	F	30-51025	-
30	58	138	48	-	1	A	30-51030	-
40	58	138	63	-	1	A	30-51040	-
45	80	138	63	-	1	E	30-51045	-
50	105	138	63	-	1	F	30-51050	-

## For Tool holders HSK



Tool type HSK	Width mm	Depth mm	Height mm	Bore Ø mm	No. of tools per tool holder	Holder type	RED	GREEN
							Part. No.	Part. No.
32	58	138	20	24,3	1	A	30-51432	30-71432
40	58	138	20	30,4	1	A	30-51440	30-71440
50	58	138	20	38,5	1	A	30-51450	30-71450
63	65	138	20	48,6	1	B	30-51463	30-71463
80	87	138	20	60,8	1	E	30-51480	30-71480
100	105	138	20	76	1	F	30-51499	30-71499

## For Tool holders Capto



Tool type CAPTO	Width mm	Depth mm	Height mm	Bore Ø mm	No. of tools per tool holder	Holder type	RED	GREEN
							Part. No.	Part. No.
C3	120	138	20	-	4	G	30-51603	-
C4	58	138	20	-	1	A	30-51604	-
C5	58	138	20	-	1	A	30-51605	-
C6	75	138	20	-	1	D	30-51606	-
C8	87	138	20	-	1	E	30-51608	-

## For Tool holders VDI



Tool type VDI	Width mm	Depth mm	Height mm	Bore Ø mm	No. of tools per tool holder	Holder type	RED	GREEN
							Part. No.	Part. No.
20	58	138	20	-	1	A	30-51120	-
30	58	138	74	-	1	A	30-51130	-
40	65	138	82	-	1	B	30-51140	-
50	80	138	98	-	1	E	30-51150	-
60	100	138	114	-	1	F	30-51160	-



**For Tool holders DIY drilling**



Width mm	Depth mm	Height mm	Holder type	RED	GREEN
				Part. No.	Part. No.
58	138	20	<b>A</b>	<b>30-50058</b>	-
65	138	20	<b>B</b>	<b>30-50065</b>	-
75	138	20	<b>D</b>	<b>30-50075</b>	-
87	138	20	<b>E</b>	<b>30-50087</b>	-
105	138	20	<b>F</b>	<b>30-50105</b>	-
120	138	20	<b>G</b>	<b>30-50120</b>	-




**NC Tools stand**  
Made of high-quality steel

To store tools on workbenches or cabinets.

Width mm	Depth mm	Height mm	Part. No.
588	500	255	
without Tool holders			<b>30-23627</b>
with 24 Tool holders ISO-SK30			<b>30-23627-03</b>
with 24 Tool holders ISO-SK40			<b>30-23627-04</b>
with 15 Tool holders ISO-SK50			<b>30-23627-05</b>
with 18 Tool holders VDI 40			<b>30-23627-06</b>
with 24 Tool holders HSK 50			<b>30-23627-07</b>
with 18 Tool holders HSK 63			<b>30-23627-08</b>

Colour: Light grey RAL 7035, side supports see colour chart at the bottom of the page

**Standard colours:**






# Series 33

# 36 Eh

## Universal shelving system with vertical drawers




Shelving system with drawers and shelves, depth 27 Eh see page 204



Shelving system with drawers and shelves, depth 36 Eh see page 214



**Standard colours:**  
 RAL 5012 RAL 6011 RAL 7035  


**G5**  
 5-year Guarantee




**For your safety all shelving systems must be secured to the floor or wall**



Fixing material for shelving  
 Part. No. 06-00046



## Technical specifications



## Internal dimensions

<b>A</b> Bay	Bay width 714 mm = 36 Eh	Usable width= 661 mm
	Bay width 867 mm = 45 Eh	Usable width= 814 mm
	Bay width 1020 mm = 54 Eh	Usable width= 967 mm

<b>B</b> Shelving system depth	706 mm = 36 Eh
--------------------------------	----------------

<b>C</b> Shelving system height	2000 mm	2200 mm	2500 mm
---------------------------------	---------	---------	---------

<b>D</b> Front height with vertical drawers partial height	750 mm
---	--------

<b>E</b> Usable height to install drawers into lower section	Shelving system height	2000 mm	2200 mm	2500 mm
		1100 mm	1300 mm	1600 mm

<b>F</b> Front height with vertical drawers full height	Shelving system height	2000 mm	2200 mm	2500 mm
		1900 mm	2100 mm	2400 mm

Uprights are slotted in increments of 25 mm

## Load capacity

Shelving system height mm	Type of vertical drawer	No. of universal shelves	Load capacity per upright Kg
2000	partial height	3	5500
	full height	2	4500
2200	partial height	3	5500
	full height	2	4500
2500	partial height	3	5500
	full height	2	4250




Load capacity is intended for evenly distributed loads



# Series 33

# 36 Eh



1

## Uprights

Made of high-quality steel, slotted in increments of 25 mm

A1 without Lock

(A)

A2 with Lock for drawers partial height


(B)

(4)

A1 A1 A1 A2

Height mm	Depth mm	Width mm	Part. No.	Part. No.
2000	706	53	33-70020	33-70620
2200	706	53	33-70022	33-70622
2500	706	53	33-70025	33-70625

Colours: see colour chart at the bottom of the page



2

## Side panels

Made of high-quality steel

Height mm	Depth mm	Width mm	No. of panels	Part. No.
2000	706	23	2	33-75200
2200	706	23	2	33-75220
2500	706	23	2	33-75250

Colours: see colour chart at the bottom of the page

A1 without Lock

(A)


A3 with Lock for drawers full height

(C)

A1 A1 A1 A3

Height mm	Depth mm	Width mm	Part. No.	Part. No.
2000	706	53	33-70020	33-70420
2200	706	53	33-70022	33-70422
2500	706	53	33-70025	33-70425

Colours: see colour chart at the bottom of the page



3

## Back panels

Made of high-quality steel

To be fitted onto the uprights to stabilise the unit bay.

Upright height mm	No. of panels	Bay		
		36 Eh	45 Eh	54 Eh
		Part. No.	Part. No.	Part. No.
2000	4	32-13620	32-14520	32-15420
2200	4	32-13622	32-14522	32-15422
2500	5	32-13625	32-14525	32-15425

Colours: see colour chart at the bottom of the page



M10x110

Pair

Part. No.

06-00046




### Standard colours:

RAL 5012 RAL 6011 RAL 7035



For your safety all shelving systems must be secured to the floor or wall

4



**Locking mechanisms**  
for vertical drawers


For vertical drawers, both partial and full height.

Bay width		Eh	Part. No.
mm			
714	36		<b>32-70030</b>
867	45		<b>32-70040</b>
1020	54		<b>32-70050</b>



**Locking mechanisms**  
for horizontal drawers

(H) Shelving height mm	(J) Front height mm	(K) Usable height mm	Part. No.
2000	750	1100	<b>33-73110</b>
2200	750	1300	<b>33-73130</b>
2500	750	1600	<b>33-73160</b>




**Upper shelves A**  
**Lower shelves C**

for vertical drawers full height

	Bay width		Usable width	Usable depth	Height	Part. No.
	mm	Eh	mm	mm	mm	
<b>A</b>	714	36	661	705	50	<b>33-72231</b>
<b>C</b>	714	36	661	705	50	<b>33-72234</b>
<b>A</b>	867	45	814	705	50	<b>33-72241</b>
<b>C</b>	867	45	814	705	50	<b>33-72244</b>
<b>A</b>	1020	54	967	705	50	<b>33-72251</b>
<b>C</b>	1020	54	967	705	50	<b>33-72254</b>

Load capacity: 200kg

Colours: see colour chart at the bottom of the page




**Upper shelves A**  
**Central shelves B**  
**Lower shelves for lock 4**

for vertical drawers partial height

	Bay width		Usable width	Usable depth	Height	Part. No.
	mm	Eh	mm	mm	mm	
<b>B</b>	714	36	661	705	50	<b>33-72232</b>
<b>4</b>	714	36	661	705	50	<b>33-71134</b>
<b>A</b>	867	45	814	705	50	<b>33-72241</b>
<b>B</b>	867	45	814	705	50	<b>33-72242</b>
<b>4</b>	867	45	814	705	50	<b>33-71144</b>
<b>A</b>	1020	54	967	705	50	<b>33-72251</b>
<b>B</b>	1020	54	967	705	50	<b>33-72252</b>
<b>4</b>	1020	54	967	705	50	<b>33-71154</b>

Load capacity: 200kg

Colours: see colour chart at the bottom of the page




**Universal shelves**  
Made of high-quality steel

Bay width		Usable width	Usable depth	Height	Plain Part. No.
mm	Eh	mm	mm	mm	
714	36	661	705	50	<b>33-71036</b>
867	45	814	705	50	<b>33-71045</b>
1020	54	967	705	50	<b>33-71054</b>

Load capacity: 200kg

Colours: see colour chart at the bottom of the page



**Adjustable shelves for  
locking system**

Made of high-quality steel. Lateral supports included

Bay width		Usable width	Usable depth	Height	Part. No.
mm	Eh	mm	mm	mm	
714	36	661	620	35	<b>33-72038</b>
867	45	814	620	35	<b>33-72048</b>
1020	54	967	620	35	<b>33-72058</b>

Load capacity: 70kg

Colours: see colour chart at the bottom of the page



Load capacity is intended  
for evenly distributed loads

Standard colours:





# Series 33


# 36 Eh

6



## Vertical drawers partial height

Made of high-quality steel. Available in one height and total extension version with steel roller bearings only, internal perforated panel allow secure fixing of hooks and other accessories.



Front width mm	Usable width X mm	Usable width X1/X2 mm	Front height 750 mm Part. No.
125	93	-	33-76012
150	118	68/68	33-76015
175	143	68/93	33-76017
200	168	93/93	33-76020
* 220	-	93/105	33-76022
250	218	118/118	33-76025
250	218	93/143	33-76025
250	218	68/168	33-76025
300	268	143/143	33-76030
300	268	118/168	33-76030
* 330	-	143/168	33-76033

\*only for bay width 714mm / 36 Eh


Total extension: 100% extension - Max load 100kg

Colour: Light grey RAL 7035 internal, for drawer front see colour chart at the bottom of the page



## Vertical drawers full height

Made of high-quality sheet steel. Available in 3 different heights, total extension version with steel roller bearings only, internal perforated panel allow secure fixing of hooks and other accessories.



Front width mm	Usable width X mm	Usable width X1/X2 mm	Upright height 2000 mm Part. No.	Upright height 2200 mm Part. No.	Upright height 2500 mm Part. No.
100	68	-	33-76210	33-76410	33-76610
125	93	-	33-76212	33-76412	33-76612
150	118	68/68	33-76215	33-76415	33-76615
175	143	68/93	33-76217	33-76417	33-76617
200	168	93/93	33-76220	33-76420	33-76620
*220	-	105/105	33-76222	33-76422	33-76622
250	218	118/118	33-76225	33-76425	33-76625
250	218	93/143	33-76225	33-76425	33-76625
250	218	68/168	33-76225	33-76425	33-76625
300	268	143/143	33-76230	33-76430	33-76630
300	268	118/168	33-76230	33-76430	33-76630
*330	-	143/168	33-76233	33-76433	33-76633

\*only for bay width 714mm / 36 Eh

Total extension: 100% extension - Max load 500kg

Colour: Light grey RAL 7035 internal, for drawer front see colour chart at the bottom of the page




## Hooks

for perforated panels see page 249



## Perforated panels

Made of high-quality steel. Internally fixed to vertical drawers full height only, to allow for secure fixings of hooks and other accessories.




Shelving height mm	No. of panels	Usable height mm	Usable width mm	Part. No.
2000	2	1715	610	33-77620
2200	2	1915	610	33-77622
2500	2	2215	610	33-77625

Colour: Light grey RAL 7035

### Standard colours:

RAL 5012 RAL 6011 RAL 7035






**Vertical tool storage supports**  
Made of high-quality steel

Tool type ISO-SK	Tool type HSK	Collar Ø max. mm	Depth mm	No. of tools	Part. No.
30	50	51/36	56	11	<b>33-74311</b>
40	63	63/50	56	9	<b>33-74409</b>
45	80	82/63	72	7	<b>33-74457</b>
50	100	98/80	84	5	<b>33-74505</b>
50	-	112/80	100	5	<b>33-74515</b>

Colour: Light grey RAL 7035



**Retaining clamps**  
with neoprene profile



No. of units	For max. Ø mm	No. of clamps per profile	A mm	Part. No.
2	15	16	50	<b>32-75015</b>
3	27	12	65	<b>32-75027</b>
4	35	10	76	<b>32-75035</b>
5	48	8	90	<b>32-75048</b>
6	60	7	98	<b>32-75060</b>
7	73	6	115	<b>32-75073</b>
8	85	5	126	<b>32-75085</b>
9	98	5	140	<b>32-75098</b>
10	110	4	153	<b>32-75110</b>
11	123	4	165	<b>32-75123</b>
12	135	3	180	<b>32-75135</b>



**Trays**  
Made of high-quality steel


Width mm	Depth mm	Height mm	Part. No.
600	90	100	<b>33-77709</b>
600	165	100	<b>33-77716</b>

Colour: Light grey RAL 7035



**Shelves**  
Made of steel surround with wooden inlay.  
To be used in combination with support guides.

Width mm	Depth mm	A mm	Art.
310	50	70	<b>33-77505</b>
310	75	95	<b>33-77507</b>
310	100	120	<b>33-77510</b>
310	125	145	<b>33-77512</b>
310	150	170	<b>33-77515</b>



Load capacity: 120kg with load evenly distributed  
Colour: Light grey RAL 7035



**Support guides A**  
**Neoprene profiles B**

Width mm	Thickness mm	Height mm	Support guide Part. No.	Neoprene profile Part. No.
620	18	50	<b>33-74700</b>	<b>33-74701</b>

Colour: Light grey RAL 7035




# Series 33

# 36 Eh

## 36 x 36 Eh

Drawers



Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.


Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Part. No.
50 S	36	33	60	10-33050
75 S	61	52	80	10-33075
75 T	54	52	200	10-33076
100 S	86	77	100	10-33100
100 T	79	77	200	10-33101
125 S	111	77	100	10-33125
125 T	104	77	200	10-33126
150 S	136	127	100	10-33150
150 T	129	127	200	10-33151
175 T	154	127	200	10-33176
200 S	186	177	100	10-33200
200 T	179	177	200	10-33201
250 T	229	177	200	10-33251
300 S	286	277	100	10-33300
300 T	279	277	200	10-33301
400 T	379	277	200	10-33401

S = simple extension: 85 - 90% extension

T = total extension: 100% extension

\* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,  
for drawer front see colour chart at the bottom of the page



### Card insert and cellophane (spare part)


For drawers: 36 Eh Part. No. 06-00365  
Kit: 30 pieces



Partitioning material  
see page 43

## 45 x 36 Eh

Drawers



Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Part. No.
50 S	36	33	60	10-43050
75 S	61	52	80	10-43075
75 T	54	52	200	10-43076
100 S	86	77	100	10-43100
100 T	79	77	200	10-43101
125 S	111	77	100	10-43125
125 T	104	77	200	10-43126
150 S	136	127	100	10-43150
150 T	129	127	200	10-43151
200 S	186	177	100	10-43200
200 T	179	177	200	10-43201
250 T	229	177	200	10-43251
300 S	286	277	100	10-43300
300 T	279	277	200	10-43301

S = simple extension: 85 - 90% extension

T = total extension: 100% extension

\* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,  
for drawer front see colour chart at the bottom of the page



### Card insert and cellophane (spare part)

For drawers: 45 Eh Part. No. 06-00455  
Kit: 30 pieces




Partitioning material  
see page 55

### Standard colours:

RAL 5012 RAL 6011 RAL 7035








## 54 x 36 Eh

### Drawers



Made of high-quality sheet steel.  
Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.


Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Part. No.
50 S	36	33	60	10-53050
75 S	61	52	80	10-53075
75 T	54	52	200	10-53076
100 S	86	77	100	10-53100
100 T	79	77	200	10-53101
125 S	111	77	100	10-53125
125 T	104	77	200	10-53126
150 S	136	127	100	10-53150
150 T	129	127	200	10-53151
200 S	186	177	100	10-53200
200 T	179	177	200	10-53201
250 T	229	177	200	10-53251
300 S	286	277	100	10-53300
300 T	279	277	200	10-53301

**S** = simple extension: 85 - 90% extension

**T** = total extension: 100% extension

\* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,  
for drawer front see colour chart at the bottom of the page




#### Card insert and cellophane (spare part)


For drawers: 54 Eh Part. No. 06-00545  
Kit: 30 pieces



Partitioning material  
see page 65




### Retractable shelves



Height mm	Bay width mm	Eh	Load capacity kg *	Extension %	Part. No.
75	714	36	100	85	10-33984
75	714	36	200	100	10-33985
75	867	45	100	85	10-43984
75	867	45	200	100	10-43985
75	1020	54	100	85	10-53984
75	1020	54	200	100	10-53985

\* with load evenly distributed

Colours: see colour chart at the bottom of the page



### Tool holder frames for drawers

Made of steel

#### C Tool holder frame


Width mm	Depth mm	Drawer Eh	No. of rows	Part. No.
584	596	36x36	4	30-43436
737	596	45x36	4	30-43445
890	596	54x36	4	30-43454

Colour: Light grey RAL 7035

#### D Frame support, pair

For taper length mm	Height mm	Depth 36 Eh Part. No.
80-160	135-165	30-43410
185-220	195-225	30-43417

Colour: Light grey RAL 7035



Details of partitioning material on page 112

#### Standard colours:

