



**7 YR WARRANTY**  
UK EXCLUSIVE FULLY COMPREHENSIVE WARRANTY

|             |        |
|-------------|--------|
| CI/SfB      | (31.5) |
| August 2018 |        |



The closest you'll get to the perfect **garage door**

Our **NEW** Colour Range

See Pages 10-11 to view our brand new colours. We have a finish to suit everyone!



 **SeceuroGlide**  
Garage Doors

**SWS** UK  
**30 YEARS**  
OF INNOVATION,  
QUALITY & SERVICE



SeceuroGlide Roller  
Chartwell Green Finish

# Welcome to the SeceuroGlide Range of Garage Doors

Combining great design and exceptional build quality, the SeceuroGlide range of garage doors are designed and manufactured in the UK and offer attractive effortless protection for your home.

We understand that buying a new garage door is a significant investment for your home. The SeceuroGlide range of garage doors aims to ensure you make the most of your investment by offering a garage door that will fit all of your requirements without compromise.

Investing in a SeceuroGlide garage door means you are making the best possible investment in the future of your family's property, both in terms of appearance and security.

## All SeceuroGlide doors are:

- ✓ **Made To Measure** – A perfect fit means great insulation, security and better protection from the weather
- ✓ **CE Marked** – Investing in a CE marked product means you are purchasing a product that is fully compliant with all European directives and regulations
- ✓ **SeceuroGlide & SeceuroGlide Excel** now have a wide choice of remote options, including **SeceuroGlide Connect**, our wireless system that allows you to control your garage door from a smart phone or tablet
- ✓ **Finishes To Suit You and Your Home** – All doors in the range have a variety of finishes to ensure they become a real asset to your home
- ✓ **Peace of Mind Warranties** – Using only the finest components to produce the SeceuroGlide means a complete peace of mind warranty

# Choosing the Right Garage Door for your Home



## SeceuroGlide Roller Garage Doors



Pages 4-19

Available in a wide range of low maintenance colours, including woodgrain finishes to exactly match the latest generation of UPVC windows and doors.

- With a design that means the curtain finishes higher than that of our competitors you have ample drive through height
- The space saving design ensures there is no intrusion into overhead storage space within the garage and without the kick-out of traditional 'up and over' doors you can park safely inches from the door
- Police and insurance approved version available
- Manually operated version available
- Your choice from a selection of remote controls
- SeceuroGlide Connect and Connect+ are exclusively available on SeceuroGlide; turning your phone into the remote control
- All products fully CE approved
- SeceuroGlide Roller Garage Doors are proud to be manufactured in the UK and installed using local approved distributors
- Transform the look of your home with the attractive roller design
- The original roller garage door, ask about the SeceuroGlide difference



## SeceuroGlide Vertico Garage Doors

Pages 20-22

- Creates a style statement with the attractive vertical pattern
- Peace of mind with emergency unlocking from the inside as standard
- Partial opening provides a convenient and energy saving solution for bicycle and pedestrian access
- Near silent operation
- Suitable for garage openings up to 10 m wide



SeceuroGlide Roller  
Walnut Woodgrain Colour Finish



SeceuroGlide Roller  
Burgundy Plain Colour Finish



SeceuroGlide Vertico  
Golden Oak Woodgrain Finish

## Engineered from the Inside Out...

See Page 16 & 17 for more information.



**SeceuroGlide | Classic**  
Roller Garage Doors



7 YR WARRANTY

The original insulated roller garage door since 1997.

Since its launch as the first insulated roller garage door, SeceuroGlide Classic has maintained its position as market leader through continuous development and innovation.

Manufactured from tough twin-walled aluminium slats with an insulating core, the curtain is held in place with high performance webbing which gives extremely quiet operation and is unaffected by extremes of temperature. A strong extruded top slat and our unique locking mechanism effectively resist attack by would-be intruders.

Our garage doors use NRG override motors which are typically 17 Revs per minute.

SeceuroGlide Classic is available in a wide range of finishes, allowing you to match your door to existing paintwork or double-glazing for a coordinated look to your home. Looking for something different? SeceuroGlide Classic is also available powder coated to any RAL or BS colour giving you unlimited possibilities.

Each door is supplied as standard with a SeceuroSense receiver with built in courtesy light, your choice of two key fobs an optical safety edge and an internal manual override. The SeceuroGlide is also available as a manual door.



SeceuroGlide Classic  
Black Plain Colour Finish




SeceuroGlide Classic  
Golden Oak Woodgrain Finish



SeceuroGlide Classic  
Anthracite Metallic Finish

## A class of its own

Many features unique to SeceuroGlide 

- ✓ Many unique safety, security and design features
- ✓ Enhanced strength, reduced noise and better insulation through curtain, end plate and guide rail engineering
- ✓ A higher level of security by use of extruded aluminium locking attachments which secure the curtain to the barrel
- ✓ A choice of lighting options both internally and externally
- ✓ Your choice from a wide selection of remote controls

See Page 16 to learn more.

Our most secure  
garage door



**SeceuroGlide** | Excel  
Roller Garage Doors



The first garage door tested and approved to police and insurance standards.

Security is a very serious consideration for all home owners. According to The Crime Survey for England and Wales there were an estimated 713,000 domestic burglaries during 2015.

Not only is your garage often one of the easiest ways to break into your home, but it usually houses high value items that are easy for an intruder to steal and sell.

For security without compromise, look no further than the SeceuroGlide Excel insulated roller garage door. A product for the security conscious home-owner, SeceuroGlide Excel adds the highest available security specification to the benefits of the original SeceuroGlide to create the most advanced roller door on the market.

The unique reinforced design of SeceuroGlide Excel has enabled it to become the first garage door of any kind to successfully complete independent testing recognised on a national level. A typical garage contains many high value items, including tools that can be used to gain access to the remainder of your property. If proven protection for your car and home is a priority, there is no better choice.

SeceuroGlide Excel roller doors are available in a multitude of finishes. Each door is supplied as standard with a SeceuroSense receiver with built in courtesy light, your choice of two key fobs an optical safety edge and an internal manual override.



SeceuroGlide Excel  
White Plain Colour Finish



SeceuroGlide Excel  
White Plain Colour Finish

# Excel Security

## ✓ Tested and Approved

SeceuroGlide Excel is the first garage door to offer Police and Insurance approval.



Tested to Issue 7 of the rigorous LPS 1175 burglary resistance standard, the door is certified to resist timed manual attacks that mimic common burglary methods using commercially available tools such as knives, levers and screwdrivers. Operated by the Loss Prevention Certification Board (LPCB), the UK's leading independent certification body, the standard is recognised and endorsed by 16 organisations, including the Association of British Insurers and the Association of Chief Police Officers.

SWS UK is audited annually for the quality and consistency of manufacturing and factory systems.

For more information on the scheme refer to [www.brecertification.co.uk](http://www.brecertification.co.uk)

## 🔒 Physical Security

Upon closing, the aluminium slats firmly interlock, resisting attempts to break through or lift the door by force. To prevent the curtain from being forced out of its guide rails, the Excel also features unique bottom slat anchors.

In addition, steel end plates and the curtain webbing assembly system also contribute to the security rating.

## 🏠 Secured by Design

SeceuroGlide Excel has been awarded the prestigious Secured by Design Police Preferred Specification status.



Secured by Design is the official UK Police flagship initiative supporting the principles of 'designing out crime' by use of effective crime prevention and security standards for a wide range of products and applications.

Only products which have been tested and meet the required technical standard can be awarded the Police Preferred Specification. Research has indicated that Secured by Design usage can reduce burglary and car crime by up to 50% and criminal damage by 25%.

For more information on this initiative refer to [www.securedbydesign.com](http://www.securedbydesign.com)

**Notes on the SeceuroGlide Excel:** All SeceuroGlide Excel doors are supplied with 90 mm guide rails as standard. The low level external override option is not available for SeceuroGlide Excel. SeceuroGlide Excel doors must always be internally fitted, and where possible with the entire coil above the opening.



## See for yourself!

Watch SeceuroGlide Excel being put to the test at [sws.co.uk/qr/excel-videos](http://sws.co.uk/qr/excel-videos)



SeceuroGlide Compact  
White Plain Colour Finish



SeceuroGlide Compact\*  
White Plain Colour Finish

## Space saving design

Owners of garages with limited headroom can now enjoy the luxuries of a remote controlled garage door with SeceuroGlide Compact's smaller slat profile. Just 8" (205 mm) of headroom is required.



## SeceuroGlide | Compact Roller Garage Doors



### The limited headroom roller garage door.

The SeceuroGlide Compact system has been developed especially for garages with severely limited space above the opening.

The Compact utilises an insulated aluminium slat that is significantly narrower than those featured on the SeceuroGlide. This allows a tighter, smaller coil requiring just 8" (205 mm) of headroom, giving owners of even the smallest garages the option of a high quality remote controlled door. Extremely versatile, a SeceuroGlide Compact door can be fitted in-front of or behind the garage opening, or even (height permitting) within the garage opening itself.

An extensive range of sizes also means openings of up to 2880 mm wide can be accommodated, whilst a neat 90° fascia conceals the coil back. There is also a 45° canopy option to completely enclose the coil.

Compact doors are available in a whole host of different finishes. Each door is supplied as standard with a SeceuroSense receiver with built in courtesy light, your choice of two key fobs an optical safety edge and an internal manual override.

**Notes on the SeceuroGlide Compact:** The SeceuroGlide 'vision slat' option is NOT available on SeceuroGlide Compact doors. Occasionally some marking may occur at the top of the concave (coil) side of the curtain over time. This is unavoidable and due to prolonged contact with the locking system. \*Image shows externally fitted SeceuroGlide Compact with Full Box option.





## SeceuroGlide | Manual Roller Garage Doors



The manually operated roller garage door.

Developed to the same high standards and build quality of the entire SeceuroGlide range, SeceuroGlide Manual offers the ideal solution for applications where electricity is not required or is not available.

The SeceuroGlide Manual has been engineered with ease of use in mind to provide the smoothest operation.

The door is easily opened or closed from inside or outside the garage using handles located in the middle or bottom of the curtain.

The vertical opening means you can make maximum use of your drive and garage space – parking safely just inches from the door. A choice of low maintenance colours are available helping you to match your door to existing paintwork.

**Notes on the SeceuroGlide Manual:** SeceuroGlide Manual can only be internally fitted. Woodgrain and Painted Woodgrain finishes are not available on SeceuroGlide Manual. SeceuroGlide Manual is not available with vision slats.



SeceuroGlide Manual  
Light Grey Plain Colour Finish



## SeceuroGlide | LT Roller Garage Doors




The versatile roller garage door.

The entry level SeceuroGlide LT has been created as the perfect solution for those wanting to invest in the look and feel of the SeceuroGlide Classic but without a need for all of the built-in noise reduction features and high security benefits offered by the standard SeceuroGlide product.

Combining space saving vertical operation with the benefits of an insulated profile and the convenience of electrical operation the SeceuroGlide LT provides a made to measure solution to give lasting value to your property.



SeceuroGlide LT  
Fir Green Plain Colour Finish



SeceuroGlide LT  
Black Plain Colour Finish

# A finish to suit everyone...

## Traditional



Burgundy  
(RAL 3004)



Navy Blue  
(RAL 5011)



Light Beige  
(RAL 08B17)



Brown  
(RAL 8014)



Fir Green  
(RAL 6009)



Black  
(RAL 9005)



White  
(RAL 9016)


\*Not available on SeceuroGlide Compact

Woodgrains and Painted Woodgrains are not available on the SeceuroGlide Manual.

## Contemporary



Silver Metallic  
(RAL 9006)



Anthracite  
(RAL 7016)



Graphite\*

Along with what you see here the SeceuroGlide range is also available in a **powder coated** finish to give you ultimate choice. A RAL or BS number will be required.

### Looking for something special?



With over 40 other wood effect finishes to choose from, the SeceuroGlide range of roller garage doors has a finish to match any home. **Please note:** powder coating is not available on LT products. Visit [sws.co.uk](http://sws.co.uk) to see the full range of finishes available.



#### Important Notes on Colour

The printing process does not allow exact reproduction of the paint colours. If you are unsure of your colour choice please ask your supplier for a sample. Colour references quoted are the nearest standard RAL or BS references to the colours used. They will not be an exact match and are intended as a guide only. Not all colours are available in the Vertico product range. Guide rails are supplied as white or brown as standard, other colours can be supplied but are subject to a surcharge. Due to the manufacturing process the guide rails may not be an exact match to the slat colour. The manufacturing process for the slat profile results in a textured finish while all other coloured items (guides, bottom slats, optional facias and vision panels) are supplied in a satin finish so we cannot guarantee an exact match.

# Heritage



Heritage Green\*  
(RAL 6021)



Ivory  
(RAL 1015)



Light Grey  
(RAL 7038)




Duck Egg Blue\*



Chartwell Green\*


# Woodgrains



Rosewood




Mahogany



Golden Oak



White\*



Black/Brown\*

The Rosewood, Mahogany, Golden Oak, White and Black/Brown woodgrain finish options are subject to a surcharge

# Painted Woodgrains



Walnut\*



Natural Oak\*



When you colour match your end plates with your Painted Woodgrain choice these are the RAL numbers we will use for the end plates: Walnut RAL 8014, Natural Oak RAL 1011.



SeceuroGlide Connect  
Control via a smart phone



SeceuroGlide Connect  
Connect to a Wi-Fi router

## SeceuroGlide | Connect The SMART Control For Your Garage Door



The ability to control your garage door via a smart phone.

SeceuroGlide Connect allows connection through a Wi-Fi router with any terminal using remote access via internet or Ethernet. SeceuroGlide Connect enables you to use your smart phone like a normal transmitter. A plug and play system allows you to set up the system effortlessly without the need for specific applications.



### Plug & Play

SeceuroGlide Connect does not require a complicated installation procedure; the system is implemented through simple and intuitive connections.

### Simplicity of Use and Customisation

On the first selection page there are 6 pictures that can be customised to suit you all done via your home's Wi-Fi network.

### Comfort Within Reach of All

No software or application is needed with SeceuroGlide Connect; all you need to use is a Wi-Fi router and internet connection.

### Control Through Your Smart Phone

Your phone becomes the controller and performs the same functions as a remote control.

### How to use:

With a few simple operations you are immediately able to control your garage door via your smart phone.

1. Connect SeceuroGlide Connect to a Wi-Fi router
2. Connect SeceuroGlide Connect to the mains
3. Connect the terminal to the home Wi-Fi network
4. Open your favourite browser (Explorer, Safari etc)
5. Enter the IP address supplied with your SeceuroGlide Connect
6. Set the graphical interface which allows you to create and customise your own transmitter
7. Program the SeceuroGlide Connect like a normal transmitter



Operate your garage door by making a call from any telephone.

Connect+ allows total control of your SeceuroGlide Roller Garage Door via telephone calls and text messages. Save user's numbers directly into the door and you are able to open and close the door with a simple telephone call. Allow access to your garage to accept a delivery or for trades men, a simple text message allows you to programme their telephone number and the number of times you would like to gain access to ensure your property is always secure.

Not sure if you have closed your garage door? Ask it by sending a text message, you will receive a reply which will confirm the status of your door and if it is open or closed. Your door is also able to text you self-diagnostics so you know everything is working correctly.

Our SeceuroGlide Connect+ System is the next step in garage door technology and is available exclusively on SeceuroGlide.



## The choice is yours

When purchasing an automatic SeceuroGlide Roller Garage Door you choose the two remotes you would like from our wide selection. Can't decide? Why not choose two different ones? **All remotes are available now.** Our Bi-Directional remotes allow you to check on the status of your garage door. At the touch of a button from the comfort of your home you will be able to determine if your door is open or closed.



Plus



Classic



Black Smooth



White Smooth



Chrome



Chrome Ellipse



Black Smooth  
Bi-Directional



White Smooth  
Bi-Directional

The Plus, Black Smooth, White Smooth, Chrome and Chrome Ellipse remotes are available on all models except SeceuroGlide LT. The Black and White Bi-Directional remotes are subject to a surcharge. When no remote is chosen two Black Smooth remotes will be provided with a SeceuroGlide Classic, SeceuroGlide Excel and SeceuroGlide Compact. The Classic Remote is the only remote option with the SeceuroGlide LT.



**Lighting**  
Attractive lighting for your outside area

# Lighting and Alarm

The perfect complement to your garage door.

## Lighting


Our SeceuroGlide lighting options give the opportunity to have attractive outside lighting. Discreetly fitted as a down light this enhancement to your garage can be set to turn on and off automatically in accordance with when you use your garage or can be left on to allow additional lighting to your outside area.

## Alarm

For additional security your SeceuroGlide Roller Garage Door can be fitted with an alarm, simply fitted to the garage door the alarm will sound should any force be applied to the garage door.

To learn more about the options available on each of the SeceuroGlide garage doors, see [Page 19](#).

### Internal/External Lighting



# Door Options and Accessories

## Vision slats – Available Inline or Brick Bond (SeceuroGlide Classic only)

Vision slats allow natural light into your garage. Available with or without glazing. On woodgrain doors vision slats will be supplied in a brown finish. **Important note:** In the event of extreme weather conditions, the vision slats will be susceptible to water ingress.

## Vented slats

(SeceuroGlide Classic only)

Vented slats allow good air circulation which is especially useful if you have laundry facilities in your garage and during the summer months. Vented slats are located at the very bottom of the door.

## Remote control keypad

(SeceuroGlide Classic and SeceuroGlide Compact only)

The remote control key pad provides you with a secure, alternative option for controlling your door. Suitable for external installation, this wireless controller offers convenience without compromising security.

## Powder Coating End Plates

When you order a half or full box enjoy complimentary powder coated end plates to ensure your door is fully matched. Plus, when you choose one of our woodgrain colours this is complimentary regardless of box choice and will be done in a colour closely resembling your door.

## Low level external override kit

(SeceuroGlide Classic and SeceuroGlide Compact only)

The low level external override kit enables the door to be opened manually in emergencies from both the inside and outside of the garage. If the garage door is the only means of entry you will require a low level external override kit.


## Full box

(See Page 19 for availability)

A full box completely conceals the roll. This option allows SeceuroGlide and SeceuroGlide Compact doors to be fitted outside the garage. Boxes are supplied in white or brown as standard. They can also be supplied in any of the plain colour finishes for an additional surcharge.

## Important notes

Darker coloured double doors that are exposed to significant direct sunlight may be susceptible to expansion which may interfere with the operation of the door. Occasionally some marking may occur at the top of the concave (coil) side of the curtain over time, particularly on SeceuroGlide Compact. This is unavoidable and due to prolonged contact with the locking system. On doors which are installed externally this will be visible on the outside.



## Virtually maintenance free


Careful use of your door is the best way to avoid maintenance or remedial work. SeceuroGlide doors are low maintenance. The curtain needs wiping with a damp cloth and a mild detergent to remove any excessive dirt or grime to maintain its prime appearance and to reduce the risk of the surface being damaged. This must be done monthly in a salt air environment. The motor and curtain have been designed to be lubrication free so there is seldom need to oil or grease any parts. In the event of your door's curtain being scratched it is advisable to touch-up the damaged area with paint to prevent any possible corrosion. If required, 25 ml pots of touch-up paint can be obtained via your distributor.

# Delve Deeper

**7** YR WARRANTY



Although SeceuroGlide Roller Garage Doors may look visually similar to other garage doors from the outside only SeceuroGlide is **Engineered from the Inside Out...**



## 1 SeceuroGlide Choice

SeceuroGlide can be ordered with either a half, full or no box. SeceuroGlide Compact comes with either a half or full box.



## 2 SeceuroDrive

SeceuroDrive range of powerful motors make a reliable choice for the SeceuroGlide roller garage doors – even better with a 7 year warranty.



## 3 Don't Be Kept in The Dark

Making your garage a safer place when parking at night SeceuroGlide utilises the tried and tested SeceuroSense control unit, which combines a courtesy light with both remote and push control functions.



Unique to SeceuroGlide

## 4 Secure Locking

SeceuroGlide offers unrivalled security. A unique end plate system secures the door shut every time and means the door cannot be lifted open.



Unique to SeceuroGlide

## 5 Space Saving

Tighter, space-saving coiling is created through unique helical collars whilst specially flanged rollers limit any lateral movement of the curtain. Leaving more space in your garage for you.



## 6 6 Remote Controls

Choose two remotes from our wide choice of remote controls (see [Page 13](#)) with every door purchased. Open your door without leaving the car.



## 7 Weather Protection

SeceuroGlide is engineered to block cold draughts and keep your garage warm and usable with guide rails that are lined with a dense brush strip and a shaped rubber seal on the bottom slat.



## 8 Never Be Locked Out

Every SeceuroGlide comes supplied with a simple manual override crank, ensuring you will never be accidentally locked in your garage – even in a power cut. Also available are external low-level override.



## 9 Peace of Mind

A special Vacation Mode activated by your hand transmitter prevents an intruder from operating the door from the inside using the receiver unit's control panel.



Please note a **full or half box** is an optional extra



## Unique to SeceuroGlide

With continuous development the SeceuroGlide range of garage doors boast many unique safety, security and design features. Through curtain, end plate and guide rail engineering SeceuroGlide doors benefit from enhanced strength, reduced noise and better insulation.

## The Benefits of Slats

The individual slat system has numerous advantages. Alongside the minimal space requirements compared to panel and up-and-over options you will benefit from smooth, quiet operation and if your door becomes damaged only the slats that are marked or dented need to be replaced.

See **Page 12**  
SeceuroGlide  
Connect



# Original Thinking

## Unique Webbing System

SeceuroGlide features unique high performance webbing to firmly hold the slats in place.

**This means:**

- Enhanced Security
- Minimal wear and tear on the door
- Significantly quieter operation



## Proven Durability

SeceuroGlide roller garage doors have been subjected to rigorous cyclic durability tests to ensure that they are durable and reliable.

## SeceuroGlide Connect

- **SeceuroGlide Connect**  
Open your garage door using your smart phone
- **SeceuroGlide Connect+**  
Open your garage door with a simple phone call

Learn more about SeceuroGlide Connect on **Page 12-13**.

## Design Innovation With You In Mind

SeceuroGlide doors feature an extruded aluminium top slat which provides extra strength over ordinary doors. SeceuroGlide's cleverly designed locking mechanism also allows the curtains to finish slightly higher than competitor designs, providing a better seal against wintry weather at the top of the door.


## Fully CE Marked

SeceuroGlide are fully compliant with all European approach directives and product safety standards are CE marked to demonstrate their compliance with the construction products regulation.

SeceuroGlide doors have been independently wind load tested to a minimum of Class 2 – equivalent to 59 mph storm force winds. Larger SeceuroGlide doors are fitted with a reliable anti-fallback device to protect you and your family against uncontrolled or unbalanced movement in the event of a component failure. The products declaration of performance is available on request either in digital or printed format.

Learn more about the importance of conformity and CE marking on **Page 24**.

How to measure for your garage door.



## Fitting Requirements

### Headroom requirements

- SeceuroGlide Classic and SeceuroGlide Excel require a minimum of 300 mm headroom for doors up to 2500 mm in opening height and 350 mm headroom for doors up to 3500 mm in opening height
- SeceuroGlide Manual requires a minimum headroom of 300 mm
- SeceuroGlide Compact requires just 205 mm headroom for doors with an opening height up to 2150 mm

### External doors

In applications where the door is installed externally the remote control system must be installed either inside the garage or in a waterproof box (not included).

The Bottom Slat Transmitter must always be installed on the internal face of the door and is not suitable for applications where it will be exposed to weather or excessive moisture due to condensation.

An external Bottom Slat Transmitter is available at a surcharge.

### SeceuroGlide Excel restrictions

SeceuroGlide Excel is not available as supply only as it must be fitted by a trained installer. SeceuroGlide Excel doors must always be internally fitted. If the coil needs to be fitted within the opening then an upgraded version of the end plate is available for a surcharge. The low level external override option is not available for SeceuroGlide Excel. All SeceuroGlide Excel doors are supplied with 90 mm guide rails.

### Extreme weather conditions

High winds and high temperatures on double doors can cause increased deflection of the door. It is the installer's responsibility to ensure that the door is spaced off the wall sufficiently to allow for door movement during these extreme weather conditions.

### Measuring your garage door

Watch our how to measure your garage door video at [sws.co.uk/products/seceuroglide/roller-garage-doors/technical](https://www.sws.co.uk/products/seceuroglide/roller-garage-doors/technical)



# SeceuroGlide Product Comparison and Options

● Standard

★ Optional



**SeceuroGlide**  
Roller Garage Doors

|   | SeceuroGlide Manual | SeceuroGlide LT   | SeceuroGlide Compact         | SeceuroGlide Classic  | SeceuroGlide Excel               |
|---|---------------------|---|------------------------------|---|----------------------------------|
| Motor Warranty  | 5 Year              | 5 Year  | 7 Year                       | 7 Year  | 7 Year                           |
| In brief  | No power            | On a budget   | The low headroom garage door | The original roller garage door                             | Our highest security garage door |
| LPS 1175 / Secured by Design Accreditation                      |                     |   |                              |   | ●                                |
| CE marked   | ●                   | ●   | ●                            | ●   | ●                                |
| Construction Products Directive / Machinery Directive compliant | ●                   | ●   | ●                            | ●   | ●                                |
| Headroom required   | 300 mm              | 300 mm  | 205 mm                       | 300 mm/350 mm   | 300 mm/350 mm                    |
| Max. over guide width   | 3000 mm             | 4800 mm   | 3000 mm                      | 5400 mm   | 5200 mm                          |
| Max. opening height   | 2300 mm             | 2500 mm   | 2150 mm                      | 3500 mm   | 3500 mm                          |
| Guide rails   | 75 mm               | Up to 4600 mm = 75 mm guides<br>Over 4600 mm = 90 mm guides | 60 mm                        | Up to 4600 mm = 75 mm guides<br>Over 4600 mm = 90 mm guides | 90 mm                            |
| Slat height   | 78.5 mm             | 78.5 mm   | 55 mm                        | 78.5 mm   | 78.5 mm                          |
| High security locking system                                    | ●                   |   |                              | ●   | ●                                |
| Standard locking system   |                     | ●   | ●                            |   |                                  |
| Internal installation   | ●                   | ●   | ●                            | ●   | ●                                |
| External installation   |                     | ★   | ★                            | ★   |                                  |
| Webbed curtain  | ●                   |   |                              | ●   | ●                                |
| Endlocked curtain   |                     | ●   | ●                            |   |                                  |
| Half box (90 fascia)  |                     | ★   | ●                            | ★   | ★                                |
| Full box (45 fascia)  |                     | ★   | ★                            | ★   | ★                                |
| SeceuroSense receiver with courtesy light and Safety Edge       |                     | ●   | ●                            | ●   | ●                                |
| Vacation security mode  |                     | ●   | ●                            | ●   | ●                                |
| Internal manual override  |                     | ●   | ●                            | ●   | ●                                |
| External manual override  |                     | ★   | ★                            | ★   |                                  |
| Vision slats  |                     |   |                              | ★   |                                  |
| Vented slats  |                     |   |                              | ★   |                                  |
| Remote control keypad   |                     | ★   | ★                            | ★   |                                  |
| Key switch operation  |                     | ★   | ★                            | ★   |                                  |
| Safety photo cell   |                     | ★   | ★                            | ★   | ★                                |
| SeceuroGlide Connect  |                     |   | ★                            | ★   | ★                                |
| Lighting  |                     |   | ★                            | ★   | ★                                |
| Remote Control  |                     | ●   | ●                            | ●   | ●                                |
| Manual Override   |                     | ●   | ●                            | ●   | ●                                |
| Alarm   |                     | ★   | ★                            | ★   | ★                                |

## Peace-of-Mind Warranties

All SeceuroGlide products are guaranteed against defect of material or workmanship by SWS UK with a parts only warranty, subject to correct installation, maintenance and operation, for a period of 5 years from the date of purchase. Our standard SeceuroDrive motor carries a 7 year\* warranty (subject to registration) (including Excel, Classic and Compact only). In addition, Rosewood, Mahogany, Golden Oak, White, Black/Brown and our full range of Renolit wood effect finishes carry a limited 10 year guarantee.

\*Conditions apply. Does not include consumables such as fuses, light bulbs or batteries.



**SeceuroGlide**  
Vertico Garage Doors



YR WARRANTY

## Lateral thinking.

The Vertico lateral running door offers a unique and stylish solution for any garage design, making the most of your garage space and creating a design feature for your home.

Vertico is made from aluminium foam filled slats which link together to ensure exceptionally smooth operation and insulation. This makes the Vertico an ideal choice for heated garages and workshops. The vertical design offers partial opening ensuring minimal heat-loss and provides a convenient solution for pedestrian or bicycle access.

The neat design only requires a very small amount of headroom. Vertico is fitted with a motor, radio remote control and obstacle detection device offering the ultimate in convenience and safety.

Vertico is available in numerous stylish colours as standard (see **Page 10-11**), is made to measure and is installed by trained garage door specialists. Vertico offers you a stylish and bespoke solution of the highest quality, perfectly made to suit your home.



SeceuroGlide Vertico  
Metallic Silver Plain Colour Finish





SeceuroGlide Vertico  
White Plain Colour Finish




SeceuroGlide Vertico  
Brown Plain Colour Finish



SeceuroGlide Vertico  
White Plain Colour Finish



CFC-free foam-filled aluminium slat design



Only 50 mm of headroom required

# Vertico Technical and Accessories

## Technical Overview

- Attractive vertical pattern
- Complete aluminium garage door with galvanised steel bottom track
- Custom-made to the millimetre
- Space requirement in the lintel area can be minimised to 50 mm
- Only 130 mm is required for the corner radius return
- A wide selection of colour finishes
- Max opening width of 5620 mm
- Max opening height 2900 mm
- Bottom track only 25 mm high
- Radio remote control and motor unit as standard with integrated obstacle detection
- Emergency unlocking from inside as standard
- Partial opening provides a convenient solution for bicycle and pedestrian access
- Near silent operation
- High strength due to vertical profiles
- Certified by TUV (Technical Inspection Authorities), produced according to DIN-EN safety standards
- Fully CE Marked

## Accessories

- External emergency release – access your garage even during a power cut
- Additional hand transmitters
- Surface or flush mounted key-operated switch with system plug – no wiring involved!
- Interior push-button
- Painted woodgrain finish
- Numeric security code keypad in a metal finish

# Other Products You Might Like



Improving your domestic security needn't mean turning your home into a fortress. The SeceuroShield range of made-to-measure physical security has been specifically developed to provide an attractive, effective answer to the growing need for protection from vandalism and burglary.

The range (including shutters, retractable gates and removable window bars) has been engineered to allow simple integration with any building; bolstering security and deterring would-be intruders.


Our homes are not simply the place in which we live; they are our most precious assets and a haven from the world outside. Research has shown that houses without any form of security are three times as likely to be broken into than homes with security systems. Therefore, protecting our homes has never been more important.

The SeceuroShield range of products combines easy operation with high performance to offer numerous options for any home. With a choice of insulated slats, extensive colours and even products which can be removed when not in use, security which blends into your lifestyle and the look of your home is more achievable than you may think.

## What I need:

- Feel secure without compromising the look or style of my property
- Have peace of mind that my property is secure
- Reduce heat loss through windows and doors
- Be cool in the summer and warm in the winter
- To darken a room at the touch of a button
- Protect fabrics and furnishings from sun damage

Choose the SeceuroShield range for total peace of mind for you and your family.



# Your Garage Door Checklist

Remember, only SeceuroGlide offers all of the following:

✓ **A name you can trust**

When buying a SeceuroGlide door you can be reassured by the values behind the name. Every SeceuroGlide door is CE marked and SWS UK is an ISO 9001:2008 assessed company. SWS UK is a subsidiary of CRH plc, a UK FTSE100 company.

✓ **A perfect fit**

With every door made to measure exactly to the mm, SeceuroGlide garage doors are the truly bespoke choice for your garage.

✓ **Manufactured in the UK**

Using the latest machinery and equipment, all SeceuroGlide doors are proudly manufactured and assembled in the UK.

✓ **A solution for everyone**

With so much choice SeceuroGlide doors can accommodate almost every garage. Whether you have limited headroom, require manual operation or are looking for tried and tested security, there is a SeceuroGlide door that's right for you.

✓ **Engineered to perfection**

Through continuous development and specialist engineering, SeceuroGlide doors offer unrivalled quality and the most advanced garage door specifications.

## The importance of conformity and CE marking

It is against the law to install a power operated garage door in the UK without complying with The Machinery Directive.

To comply with the Machinery Directive both the door and the motor and controller used in the installation must have a **Declaration of Incorporation** from the manufacturer.

On completion of the installation the installer must provide a **Declaration of Conformity** and apply a CE mark giving details of the installation to the door / motor and controller combination, which is now classed as a machine.

The installer must issue to the customer a Declaration of Conformity and Operating and Maintenance instructions on the completion of the installation.

The installer must hold copies of both the Declaration of Incorporation and the Declaration of Conformity on a technical file for inspection by the relevant authorities.

If any of the above requirements are not fulfilled the Installation is illegal.

Please ensure for your own safety and peace of mind that whoever installs your electric motor and controller is both willing and able to fulfil these requirements; if they are not – do not use them.

As a member of the DHF Garage Door Installer Group we CAN and WILL install your motor and controller safely and legally.

## Peace-of-Mind Warranties



All SeceuroGlide products are guaranteed against defect of material or workmanship by SWS UK with a parts only warranty, subject to correct installation, maintenance and operation, for a period of 5 years from the date of purchase. Our standard SeceuroDrive motor carries a 7 year warranty (subject to registration) (including Excel, Classic and Compact only). If a SeceuroDrive Motor is paired with a SeceuroSense receiver it will also be eligible for a 7 year warranty. In addition, Rosewood, Mahogany, Golden Oak, White, Black/Brown and our full range of Renolit wood effect finishes carry a limited 10 year guarantee.