





Profiles 4200 and 5100 have the essence of a classic curtain pole combined with the precision and comfort of an aluminium curtain rail.

This becomes clear with the smooth and almost silent movement of the curtains. Both profiles are easy to bend and with the introduction of a small return allow the curtains to draw back to the wall to exclude daylight. To complement today's stylish interiors, profiles and components are available in a range of attractive standard colours.


Standard colours: White Ral 9010, natural, brown, gold, natural polished, go

HAND DRAWN WIDE CHANNEL # 4200, 5100




4200 and 5100 > de


Installation




Ceiling fixing 4200 with bracket 5135



Ceiling fixing 5100 with bracket 5135





Ceiling fixing 5100 with mini-suspension hanger 4254



4217-101 100 4217-201 200 4217-202 200

Face fixing with adjustable extension bracket 4217





Specification Guide

Material:

Aluminium 606035-T6-F22. (Higher specification than DIN 1725). Shape and size tolerances are in accordance with DIN 17615. White RAL 9010 powder coated in accordance with the Qualicoat standard. Special colours on request.

Profile weight 4200: 288 g/m. Profile weight 5100: 522 g/m.

Accessories:

Gliders 4010 at 10 - 16 per metre with 2 end stops 4001 and 2 end covers per length (4253 for 4200 or 5153 for 5100).

End fixing with wall support 4249 for rail 4200 or wall support 5150 for rail 5100. Ceiling fixing with plate 5135 or mini-suspension hanger 4254. Wall fixing with wall bracket 4217 or 5115.

Bracket fixing centres (cm) in accordance with the G-Standard or the following table.

light medium heavy (curtain)


100 80 4200: 60 180 5100: 130 100

Bending:


Minimum radius 15 cm. Bending machine 1015.

ld polished. Special colours on request.

corative und profiles.





Wall fixing 5100 with wall support 5150



Wall fixing 4200 with wall support 4249

G-Standard (bracket fixing guide)







Application example (5100)



5153-100-KGM matt gold finial




5153-200-KNC natural chrome finial




Application example

5100 with heading








Upstand headings can be achieved by using projection glider 6010. This glider can only be used on a straight track up to 6 metres long and with a maximum curtain weight of 8 kg.


Combination example




4048-10 and 4048-08-ZO.

G-Rail systems 7300 (panel track) and 7900 (roman

blinds) can be placed instead of rail 4200.








ZW = Black

Unless stated otherwise, all components are suitable for both 4200 and 5100.



Space for dealer address

03/2004