

**WOODWARM**  
STOVES



Handcrafted with **passion**



# Efficient

# Green

# Clean

All Woodwarm stoves feature the unique clean burn air wash system. After circulating the stove, pre-heated air flushes down the double glazed door, keeping the glass perfectly clean at all times - even at low temperatures.

Superior clean burn efficiency means that not only is more heat achieved on less fuel, but combustion products in the flue are also reduced, causing fewer flue problems.

Reduction in pollution combined with greater efficiency creates a really environmentally friendly stove.



Look out for the Woodwarm Smoke approved label.





## Handcrafted in Devon

For over 30 years we have handcrafted Woodwarm stoves in the heart of the Devon countryside.

Our passion for quality, design and the environment has helped us produce a range of wood burning and multifuel stoves that combine state of the art efficiency with reduced pollution to create really environmentally friendly stoves.

Woodwarm stoves are constructed with steel and cast iron and have stainless steel fittings. Each one individually built by craftsmen and rigorously tested to ensure consistent quality.

We are also passionate about design and detail and have created a range of innovative, contemporary and traditional stoves that will provide the focal point of any home.

We hope you share our passion and enjoy our stoves for years to come.



# The Phoenix range

These modern, stylish, highly efficient stoves are the latest addition to our range. The Phoenix Range of multifuel stoves all feature the unique clean burn air wash system that keeps your glass clean at all times. The Phoenix range of stoves can all take a passive air kit if required. All available with log store style base. They are all suitable for a 127mm super imposed hearth.



## The Phoenix Firewren 4kW

The baby of the range, but with an output of 4kW, it still packs a punch. The large door giving the impression of a bigger fire. The stove runs on a 127mm flue, full riddling grate, optional air supply and separate ash pan for easy cleaning. Other features include, interchangeable top and & a rear flue adaptor is also available for the Phoenix Range of stoves. Please ask for boiler options.



## The Phoenix Firegem 5kW

The Phoenix Firegem is a slender version of the Fireblaze. Shown here on an integral log store style base giving an overall height of 835mm. An ideal stove to fit in shallow fireplaces for less protrusion into the room. The Firegem is also approved for smoke controlled areas and runs on a 127mm flue.



## The Phoenix Fireblaze 6kW

The Fireblaze is a stunning clean looking multifuel stove, the large door giving an unhindered view of the fire. Fully approved for use in smoke controlled areas and runs on a 127mm flue. Available with integral log store style base. Please ask for boiler options.





# A passion for design



## The Phoenix Firebug 10kW

A new addition to the Phoenix Range. This larger 10kW model is available in standard height (shown above) or with an integral log store base. The Firebug 10kW runs on a 152mm flue. This versatile stove comes with boiler options ranging from 10,000 to 30,000 Btu's. As with the rest of the Phoenix Range the passive air kit is also available for the Firebug.

Whether it's a contemporary or more traditional look you are after, our innovation, attention to detail and real craftsmanship have enabled us to create a range of stoves that you'll be proud to make the focal point of your home.



*Phoenix Fireblaze 6kW*



# The Phoenix Inset

Although open fireplaces are an attractive feature of a living area, the majority of the heat can be lost up the chimney. The Phoenix Inset stove still gives you the beauty of an open fireplace with all the benefit of the warmth generated by the stove.



## The Phoenix Firebright Inset 5kW

With the Firebright 5kw Inset you really are in control. It's highly responsive air wash system keeps the glass exceptionally clean. It's also Defra approved, which means you can burn wood in smoke controlled areas. The multi positional collar makes installations in nearly all fireplaces simpler. This is aided by the easy fit conector box (supplied as standard.)



## Fireview Slender range

The Fireview Slender stoves have been developed for the smaller room with the look of a larger stove. The reduced depth of our Slender range is also a benefit where the amount of stove projection into the room is a consideration. Woodwarm also manufacture rear flue adaptors, which can also help with this. The slender stoves can be fitted with a variety of slab boilers depending on their size. Legs, plinths and pedestals can be used in this range.



### The Fireview Slender 5kW

A stunning centrepiece to any room, this stove is based on our Fireview 6kW. It takes a 152mm flue with the versatility of either a profiled flat top (as shown), flat top or low curved canopy. Rear flue option only on canopy. (brass fittings optional).



### The Fireview Slender 7kW

This beautiful stove is based on our 9kW, its reduced depth gives it a lower output but still enables you to burn 430mm logs. We also produce a Fireview 10kW PLUS and 14kW in this range.

# A passion for fire



*Slender 7kW profile flat top*

# The Fireview range

The Fireview multifuel range is designed to meet all your heating needs, with outputs ranging from 5kW up to 20kW to heat any size of room. Woodwarm Fireview stoves epitomise the design detail of an efficient air washed clean burning stove. Incorporating overnight burning, they are easy to light and use.

*There are plinths and pedestals available for all this range. The standard height would be 200mm (see page 19). There are legs from 50mm through to 150mm. The stoves can be built with straight sides at no extra cost, just speak to your dealer to ensure your choice.*



## The Fireview 6kW

The Fireview 6kW with its range of canopy options is a very popular stove in the Fireview range. Available with a profiled flat top, flat top, low canopy or high canopy. The Fireview 6kW has an amazing all fire view of the complete firebox. A distinguished stove for any style of fireplace (shown here with low curved canopy).



## The Fireview 9kW

The original Fireview stove (shown here with flat top). The 9kW has a larger firebox and still retains the unique Woodwarm cleanburn air wash system. As on all the Fireview stoves the fully riddling grate allows easy ash removal from the ash box area. This stove is also available with straight sides if required.



## The Fireview 12kW

The elegantly proportioned Fireview 12kW has a larger firebox still, capable of taking 483mm logs. (Shown here with high canopy and optional brass fittings).



# A passion for style



A wood burning stove has become a "must have" feature for stylish modern living. Woodwarm have found an environmental and efficient way of incorporating the romance of a traditional fire with modern family life.



*Fireview 9kW flat top on pedestal*

## The Fireview range continued



### **The Fireview 12kW PLUS**

With exactly the same proportions as the multifuel Fireview 12kW, but fitted with a larger door the 12kW PLUS offers you a full view of the firebox.

All canopy options available as the Fireview 12kW. Please note a 177mm flue is required for this stove.



### **The Fireview 16kW**

The Fireview 16kW with its larger castings is a grand stove enabling you to burn logs up to 588mm long. It is available as either a Profiled Flat Top (shown here), Flat Top or Low curved Canopy.



### **The Fireview 20kW**

The largest stove in our Fireview range, it provides a huge firebox, taking a 635mm log. It offers the same canopy options as the 16kW.



# A passion for efficiency



All Woodwarm stoves feature an excellent air wash system. After circulating the stove, pre-heated air flushes down the double glazed door, keeping the glass perfectly clean at all times - even at low temperatures. Superior cleanburn efficiency means that not only is more heat achieved on less fuel, but combustion by-products in the flue are also reduced, causing fewer flue problems.



*Fireview 16kW Profiled Flat Top.*

# Fireview Double Sided



A Fireview stove with a door on both sides for a fantastic view of the fire from either side, still incorporating all the features of the single sided Fireview including the Woodwarm air wash system and full riddling grate. The Fireview 6kW is available in either single depth or double depth versions. Integral log store style base available on request.

## **The Fireview 6kW Double Sided Single Depth**

A very popular stove, a real focal point and a fantastic feature to any combination of rooms. This stove gives you a full view of the fire from both sides. (shown here on 100mm legs) 152mm flue outlet. Available with either a Profiled Flat Top, Flat Top or Low Canopy.

## **The Fireview 6kw Double Sided Double Depth Flat Top**

The larger of our double sided stoves equivalent to two 6kw stoves back to back, the increased depth giving 12kw of heat. De-ashing, riddling and air wash control all available on both sides. 152mm flue outlet. Also available with either a Profiled Flat Top, Flat Top or Low Canopy.



# A passion for quality



Woodwarm stoves are constructed from high quality steel, cast iron and stainless steel fittings (brass fittings optional). All are individually built by craftsmen and carefully inspected to ensure consistent quality. Throughout product development procedures we pay great attention to detail, creating innovative and contemporary products. At Woodwarm we exhaustively test all manufacturing specifications and materials.



*Double depth 6kW with flat top and plinth.  
Log hopper shown is also available.*

# Wildwood range

The Woodwarm Wildwood range of stoves have been developed to be environmentally friendly, burning only wood as a totally sustainable fuel. This range is developed from the same body size as their Fireview compatriots and is capable of taking the boilers that fit the similar models.



## The Wildwood 5kW

A stunning centrepiece to any room, this stove is based on our 6kW Wildwood but with reduced depth. It takes a 152mm flue with the versatility of either the profiled flat top, flat top or low curved canopy - rear flue only on the low curved canopy (shown here with integral log store style base).



## The Wildwood 6kW

The 6kW Wildwood stove is a fantastic room heater and, like most of our stoves, has four different top options, Flat top, Profile top, Low curved canopy and High curved canopy. This stove combines the virtues of all the Woodwarm stoves with the classic clean burn system, generating a clear and clean view of the fire at all times. (Shown here on our standard base)



## The Wildwood 9kW

Based on our excellent mid range stove, this Wildwood version is a very capable stove where both room heating and boiler options are needed. As on the Fireview stoves, a full range of canopies are available which allows you choice to blend with your decor (shown here with Fireview leg style base).

*The Wildwood range of stoves are also available in sizes 12kW, 12kW PLUS, 16kW and 20kW.*



# A passion for wood



Wood, fuel for the future. All fossil fuels emit carbon dioxide when they are burnt. This carbon dioxide increases the greenhouse gases in the atmosphere, which contribute to global climate change. It is therefore important to think about ways of reducing these emissions. Wood fuel is carbon neutral. It absorbs as much carbon in its growth as it releases as it's burnt. So now you can relax in more ways than one.



*Wildwood 5kW with integral log store style base.*

# Foxfire



*Foxfire 4kW with integral log store style base.*

This little 4kW stove has stunning 82% efficiency! The Foxfire not only benefits from the unique Woodwarm cleanburn air wash system, but also features new design details such as the stainless steel handle. It has the ability to have air ducted direct to it from outside. This feature, of room sealing a stove becomes an important consideration in new build eco homes.

The rear heatshield is fitted as standard and there are options of 50mm, 100mm or 150mm legs or a 200mm plinth.

The Foxfire is also available with an integral log store style base giving an overall height of 750mm (as pictured). There is a smoke approved area version of the Foxfire 4kW also available.



**The Foxfire 4kW**





# Sizes

## Foxfire, Fireview & Fireview Slender ranges

(S) For Slender version, (kW) For kilowatts, All dimensions are in mm. *Please remember to add 40mm to height, to allow for the Flue collar.*

Model	4kW Fox	5kW(S)	6kW	7kW(S)	9kW	10kW+(S)	12kW	12kW+	14kW(S)	16kW	20kW
(S for slender) (in mm)											
Max Log Length	320	368	368	430	430	483	483	483	588	588	635
<b>Overall Height</b>											
Profiled Flat Top	530	605	605	670	670	695	680	695	735	735	735
Flat Top	n/a	610	610	676	676	700	685	700	738	738	740
Low Curved Canopy	n/a	822	822	940	940	949	933	949	1055	1060	1050
High Curved Canopy	n/a	n/a	940	n/a	1044	n/a	1048	1070	n/a	n/a	n/a
<b>Overall Width</b>											
Profiled Flat Top	435	505	505	595	595	630	630	630	714	714	770
Flat Top	n/a	555	555	640	640	675	677	675	742	742	800
Low Curved Canopy	n/a	600	605	710	710	680	747	747	n/a	810	835
High Curved Canopy	n/a	n/a	590	n/a	710	n/a	747	747	n/a	n/a	n/a
<b>Overall Depth</b>											
Profiled Flat Top	370	302	365	307	365	345	445	445	371	445	486
Flat Top	n/a	322	387	320	385	371	455	455	393	462	500
Low Curved Canopy	n/a	336	395	360	410	362	500	498	n/a	500	538
High Curved Canopy	n/a	n/a	405	n/a	410	n/a	485	485	n/a	n/a	n/a
Flue Outlet Size	127	152	152	152	152	177	152	177	177	177	177
Height to centre of rear flue	425	462	462	473	473	484	481	484	517	517	517
Top Flue centre from rear of stove	150	131	156	131	156	156	156	175	175	171	175
Efficiency % (solid fuel)* Foxfire NonSE only	*82.1	69.8	69.8	69.8	74.7	69.8	68.9	68.9	69.3	69.3	69.3
Efficiency % (Wood)	82	79.7	79.7	78.5	78.5	71.7	73.6	74	73.6	73.6	73.6

## Fireview Double range

All dimensions are in mm. Please remember to add 40mm to height for the Flue collar.


Model	6kW Double Single (actual output 6kW)	6kW Double Double Depth (actual output 12kW)
Max Log Length	320	368
<b>Overall Height</b>		
Profiled Flat Top	611	603
Flat Top	613	605
Low Curved Canopy	830	822
<b>Overall Width</b>		
Profiled Flat Top	505	505
Flat Top	567	567
Low Curved Canopy	604	595
<b>Overall Depth</b>		
Profiled Flat Top	405	730
Flat Top	436	752
Low Curved Canopy	405	752
Flue Outlet Size	177	177
Top flue centre from the rear of the stove	289	302.5
Efficiency % (solid fuel)	77.4	82.8
Efficiency % (Wood)	76.4	80.9



**Wildwood range** (S) For Slender version, (kW) For kilowatts, All dimensions are in mm. *Please remember to add 40mm to height, to allow for the Flue collar.*

Model	5kW(S)	6kW	7kW(S)	9kW	12kW	10kW+(S)	12kW+	14kW(S)	16kW	20kW
(S for slender) (in mm)										
Max Log Length	368	368	430	430	483	483	483	588	588	635
<b>Overall Height</b> (add 250mm for Integral log store style base)										
Profiled Flat Top	679	679	719	719	719	762	762	757	757	740
Flat Top	686	686	725	725	725	768	768	763	763	747
Low Curved Canopy	896	896	963	963	977	1022	1022	1080	1080	1055
<b>Overall Width</b> (Flat Top /Low Canopy)										
Standard Base	560/604	560/604	652/710	652/710	687/747	680/750	680/750	749/806	749/806	803/866
Log Store Style Base (200mm)	551/604	551/604	640/710	640/710	675/750	675/750	675/750	745/806	745/806	803/866
Fireview Leg Style Base (150mm)	560/604	560/604	652/710	652/710	687/747	680/750	680/750	749/806	749/806	803/866
Integral Log Store	551	551	640	640	675	675	675	745	745	800
Integral Log Store (Profiled Flat top)	505	505	595	595	630	630	630	714	714	770
<b>Overall Depth</b> (Flat Top / Low Canopy)										
Standard Base	407	471	402	466	534	441	537	458	532	583
Log Store Base	340/315	399/395	335/331	399/410	472/498	379/362	472/498	400/424	474/498	515/536
Fireview Leg Style Base	407	471	402	466	534	441	537	458	532	583
Integral Log Store	320/336	385/395	320/360	385/410	450/498	371/362	455/498	391/424	465/498	500/536
Flue Outlet Size	152	152	152	152	152	177	177	177	177	177
Height to centre of rear flue	537	537	521	521	523	550	550	540	540	522
Top flue centre from rear of stove	170	195	170	197	195	197	197	211	211	211
<b>Efficiency % (Wood)</b>	79.1	79.1	78.5	78.5	73.6	71.7	74	73.6	73.6	73.8

**Lid Styles**



**Broad Notes**

Woodwarm produce over 90 models of their stoves before taking the boiler options into account. For this reason we have not detailed all models. Please ask your local dealer for more details or consult our website [www.woodwarmstoves.co.uk](http://www.woodwarmstoves.co.uk).

Woodwarm stoves have removable smoke baffles that mean the stoves can be swept through once the baffle has been removed. When a rear flue adaptor, (available as an optional extra), is fitted the stoves can be swept through the rear outlet in the same way. All our stoves have interchangeable top or rear flue options.

**Please note** profiled flat tops are welded to the stove and are not removable. Low canopy option on the 5kW and 7kW are available as rear flue outlet only.

**Phoenix range** (kW) For kilowatts, All dimensions are in mm. *Please remember to add 40mm to height, to allow for the Flue collar.*

Model	Firewren 4kw	Firegem 5kw	Fireblaze 6kw	Firebright 5kw Inset	Firebug 10kw
Max Log Length	310	440	440	280	440
<b>Overall Height</b>					
Profiled Flat Top Standard	635	635	635	620 (551)	635
Profiled Flat Top Tall Version	835	835	835	n/a	835
<b>Overall Width at Widest Point</b>					
Profiled Flat Top Standard	422	552	552	552 (400)	652
Profiled Flat Top Tall Version	n/a	n/a	n/a	n/a	652
<b>Overall Depth At Deepest Point</b>					
Profiled Flat Top Standard	366	302	366	416 (310)	380
Profiled Flat Top Tall Version	366	302	366	n/a	380
Flue Outlet Size	127	127	127	127	152
Height to the centre of the Rear Flue Tall Version	480	480	480	n/a	678
Height to the centre of the Rear Flue	480	480	480	n/a	480
Top flue centre from the rear of the stove	93	93	93	96	104
<b>Efficiency % (solid fuel)</b>	75.4	75.4	75.6	70.9	77.8
<b>Efficiency % (Wood)</b>	84.3	82.9	82.9	79	75.4



## Helpful hints to aid your choice of stove

### Sizing

A good rule of thumb guide to calculate the heat requirement of a given room is:

Height x Width x Depth in metres divided by 14.

(In old money, divide the cubic footage of the room by five hundred).

This will give you the kilowatt requirement.

Multiply this result by 3,400 to get the Btu's requirement.

Formula:  $\frac{H \times W \times D}{14} = \text{kilowatts}$  or  $\frac{H \times W \times D}{14} \times 3,400 = \text{Btu's}$ .

This is based on average house insulation with room temperatures of 20°C and an outside ambient temperature of -1°C.

### Accessories: Available as extras to the stove

Woodwarm rear flue adaptors. These bolt to the rear of the stove and allow a neat sweep through action.

Brass fittings available on Fireview and Wildwood Models as a replacement to the standard stainless steel (page 8).

Legs: A leg set to raise the stove from 50mm to 150mm (page 12).

Pedestals 200mm high as in (page 9).

Plinths for most Woodwarm stoves mostly made to raise the stove 200mm (page 13).

Round log hopper (page 5 & 13).

### Colours

Available in a range of Stove Bright® colours. (Approximate colour representation only. Ask your dealer for details).




Rich brown metallic

Honey-glo brown


Metallic blue

Forest green

Metallic black



Pedestal, 200mm high




Plinths, 200mm high



Sets of 4 and 2 inch legs available

See Wildwood leg style options on page 14.



Metal Developments Ltd. The Workshop, Wheatcroft Farm, Cullompton, Devon EX15 1RA  
Telephone: **01884 35806** Fax: **01884 35505** Email: [sales@woodwarmstoves.co.uk](mailto:sales@woodwarmstoves.co.uk)  
[www.woodwarmstoves.co.uk](http://www.woodwarmstoves.co.uk)

**WOODWARM**  
STOVES 

The logo for Woodwarm Stoves features the brand name in a bold, dark red serif font. To the right of the text is a stylized white icon of a wood-burning stove with a flame inside. The word "STOVES" is in a smaller, black, sans-serif font below "WOODWARM".