











	<b>701-S</b>	<b>2000</b>	<b>3100</b>	<b>6200</b>
	GRINDTERR-050	GRINDTERR-001	GRINDTERR-002	GRINDTERR-032
	<b>363KG</b>	<b>490KG</b>	<b>640KG</b>	<b>1043KG</b>
	<b>H 953mm L 1435mm W 692mm</b>	<b>H 1219mm L 1715mm W 610mm</b>	<b>H 1320mm L 1835mm W 750mm</b>	<b>H 1372mm L 2032mm W 1397mm</b>
	<b>5.6kw</b>	<b>15kw</b>	<b>18kw</b>	<b>30kw</b>
	<b>415v / 3phase 32amp</b>	<b>415v / 3 phase 32amp</b>	<b>415v / 3 phase 63amp</b>	<b>415v / 3 phase 63amp</b>
	<b>685.8mm</b>	<b>571mm</b>	<b>711mm</b>	<b>1360mm</b>
	<b>95dB(A)</b>	<b>95dB(A)</b>	<b>95dB(A)</b>	<b>95dB(A)</b>
	<b>2.8m/s<sup>2</sup> r.m.s</b>	<b>2.8m/s<sup>2</sup> r.m.s</b>	<b>2.8m/s<sup>2</sup> r.m.s</b>	<b>2.8m/s<sup>2</sup> r.m.s</b>
	<b>Use up to 7 hours</b>	<b>Use up to 7 hours</b>	<b>Use up to 7 hours</b>	<b>Use up to 7 hours</b>



## The TERRCO® series



The Terrco® brand has evolved over 85 years as innovators in Grinding & Polishing technology, building machines that last & perform again & again.

Built from steel & aluminium, strong and robust, yet designed to glide across the surface for operator comfort, the machines produce exacting results matched by no other grinding or polishing system.

### What do Multi-Head Grinders do?

Different grades of diamond accessories are fitted to the rotating arms of the grinder, smoothing & removing as the machine moves forward, with the debris collected by a dust extraction unit.

### Choose Multi-Head Grinding for:

- removing self levellers, screeds, coatings & adhesives from concrete, asphalt & stone surfaces.
- producing a high gloss finish on terrazzo, resin systems, concrete & asphalt.





## The TERRCO® difference



### 1. Strong steel & aluminium construction

High performance & low running costs.

### 2. Direct drive, no belts


Which means:

- a long lasting, heavy duty operation.
- no downtime (repairing a belt takes +6hrs).
- savings on replacement parts & maintenance costs.



### 3. Greater weight distribution

For even coverage & precise results.



### 4. Contra-rotating head configuration

For greater stability, a smoother grind & reduced operator fatigue.

### 5. Easy change diamond system

No tools needed. Diamonds are also interchangeable across all Terrco ® models.



### 6. Fitted with water tank as standard

For wet polishing applications.



# GRINDERS Multi-Head

## The TERRCO® series Dust Extraction



Terrco® machines are designed to work with dust extraction, for safe & clean operation.

Our Filtration Units are fitted with hydrovane technology for maximum suction & high particle dust containment.

The TS750PN is a dry/wet vac so can also be used to collect the 'slurry' produced when polishing.

**701-S & 2000 -  
Use with TS750PN or 2 Filter Unit**

**3100 & 6200 -  
Use with TS750PN or 3 Filter Unit.**

Our dust extractors are constructed from heavy duty steel with long life, easy change filters.



**TS750PN Dry/Wet**

**2 Filter Unit**

**3 Filter Unit**

VAC-095

COLLECTOR-043

COLLECTOR-044

[www.thepreparationgroup.com](http://www.thepreparationgroup.com) e: [sales@ppcgroup.co.uk](mailto:sales@ppcgroup.co.uk)

Technical Advice and Order Line: +44 (0) 1522 561460





**RECOMMENDED ACCESSORIES**



**Hose**

125mm DUCTING-003  
150mm DUCTING-004



**Extension Leads**

ELEC-136  
ELEC-025



**Grinding Shoes**

8G - GRINDTERR-023  
16/20G -028  
30/40G -030  
60/80G -034



**Grinding Shoes**

30/40G  
GRINDTERR-031



**Grinding Shoes**

30/40G  
GRINDTERR-033



**PCD Grinding  
Shoes**

GRINDTERR-053  
GRINDTERR-054



**Polishing Pads**

50-3,000G  
GRINDTERR-011- 017



**Velcro Backing Pad**

GRINDTERR-022



**Tool Plate**

GRINDTERR-040



**Tool Kit**

GRINDTERR-KIT