

Hamilton® Linea-Georgian CFX®

Stylish and attractive with a Georgian Rope Frame design

The Linea CFX® range comes in five different designs to suit either contemporary or classic interiors. Linea CFX® has a separate back frame and our patented four point face plate clipping system, allowing the option of matching or contrasting elements.

- Minimal depth and a modern lock
- Three stunning front plate finishes and two frame and insert finishes give a limitless choice of combinations
- Two-part frame and plate for 'mix and match'
- Concealed fixing
- Grid Fix and Eurofix options also available (see separate GRID-IT and EuroFix sections)



LGX R21 AB-PB B




LGX T22 AB-PB



LGX C11 PB-AB B



LGX 45N PB-SB W




LGX R21 PB-SB B



LGX SS1 AB-PB B

Hamilton Linea-Georgian CFX® Concealed Fixing



Hamilton® fashion, finish, function and flexibility

Select your choice of accessory finish from this Colourway Chart

Select the accessory required from the following pages overleaf

1. Select the required electrical accessory from the following pages. e.g. LGX R21 = Linea-Georgian CFX 1 gang 10AX 2 way Rocker Switch.
2. Using the Colour Chart above;
 - a. Select the required Frame Finish e.g. Antique Brass = AB- - - -
 - b. Select the required Front Plate Finish e.g. Polished Brass = - - - -PB.
 - c. Select the required Insert Surround Colour e.g. Black = - - - - - B.

Therefore a Linea-Georgian CFX 1 gang 10AX 2 way Rocker Switch as illustrated below = LGX R21 AB-PB B.

Front Plate Finish











Frame and Insert Finish	Polished Brass	Satin Brass	Antique Brass
Polished Brass Polished Brass Frame, Matching Insert with White Surround	 PB-PB W	 PB-SB W	 PB-AB W
Polished Brass Frame, Matching Insert with Black Surround	 PB-PB B	 PB-SB B	 PB-AB B
Antique Brass Antique Brass Frame, Matching Insert with Black Surround	 AB-PB B	 AB-SB B	 AB-AB B

Illustration of Product Code configuration to order a Linea-Georgian CFX LGX R21 AB-PB B




Linea-Georgian CFX R21 is a UK Registered Design Certificate No. 2078674.
Linea-Georgian CFX SS2 is a UK Registered Design Certificate No. 2078673.

Linea-Georgian CFX R21 is a Malaysia Registered Design Certificate No. UK(E) 03/0649.
Linea-Georgian CFX SS2 is a Malaysia Registered Design Certificate No. UK(E) 03/0648.

Hamilton® Linea-Georgian CFX®

Concealed Fixing Rocker Switches



LGX R21 AB-PB B



1 gang 10AX 2 way Rocker

Nominal Plate Size: 95 x 95 mm
Min. Wall Box Depth: 25 mm
Technical Insert Reference: **R21**
Product Code



2 gang 10AX 2 way Rocker

Nominal Plate Size: 95 x 95 mm
Min. Wall Box Depth: 25 mm
Technical Insert Reference: **R22**
Product Code



3 gang 10AX 2 way Rocker

Nominal Plate Size: 95 x 95 mm
Min. Wall Box Depth: 25 mm
Technical Insert Reference: **R23**
Product Code



4 gang 10AX 2 way Rocker

Nominal Plate Size: 154 x 95 mm
Min. Wall Box Depth: 25 mm
Technical Insert Reference: **R24**
Product Code



6 gang 10AX 2 way Rocker

Nominal Plate Size: 154 x 95 mm
Min. Wall Box Depth: 25 mm
Technical Insert Reference: **R26**
Product Code

Frame and Insert Finish Plate Finish Insert Surround Colour

Polished Brass



Polished Brass
Polished Brass
Satin Brass
Satin Brass
Antique Brass
Antique Brass

White
Black
White
Black
White
Black

LGX R21 PB-PB W
LGX R21 PB-PB B
LGX R21 PB-SB W
LGX R21 PB-SB B
LGX R21 PB-AB W
LGX R21 PB-AB B

LGX R22 PB-PB W
LGX R22 PB-PB B
LGX R22 PB-SB W
LGX R22 PB-SB B
LGX R22 PB-AB W
LGX R22 PB-AB B

LGX R23 PB-PB W
LGX R23 PB-PB B
LGX R23 PB-SB W
LGX R23 PB-SB B
LGX R23 PB-AB W
LGX R23 PB-AB B

LGX R24 PB-PB W
LGX R24 PB-PB B
LGX R24 PB-SB W
LGX R24 PB-SB B
LGX R24 PB-AB W
LGX R24 PB-AB B

LGX R26 PB-PB W
LGX R26 PB-PB B
LGX R26 PB-SB W
LGX R26 PB-SB B
LGX R26 PB-AB W
LGX R26 PB-AB B

Antique Brass



Antique Brass
Polished Brass
Satin Brass

Black
Black
Black


LGX R21 AB-AB B
LGX R21 AB-PB B
LGX R21 AB-SB B

LGX R22 AB-AB B
LGX R22 AB-PB B
LGX R22 AB-SB B

LGX R23 AB-AB B
LGX R23 AB-PB B
LGX R23 AB-SB B

LGX R24 AB-AB B
LGX R24 AB-PB B
LGX R24 AB-SB B

LGX R26 AB-AB B
LGX R26 AB-PB B
LGX R26 AB-SB B



LGX R32 PB-PB B



1 gang 10AX Intermediate Rocker

Nominal Plate Size: 95 x 95 mm
Min. Wall Box Depth: 25 mm
Technical Insert Reference: **R31**
Product Code



2 gang 10AX Intermediate Rocker

Nominal Plate Size: 95 x 95 mm
Min. Wall Box Depth: 25 mm
Technical Insert Reference: **R32**
Product Code



1 gang 10AX Push To Make/Break Retractive Rocker

Nominal Plate Size: 95 x 95 mm
Min. Wall Box Depth: 25 mm
Technical Insert Reference: **CFXRRT**
Product Code

Frame and Insert Finish Plate Finish Surround Colour

Polished Brass



Polished Brass
Polished Brass
Satin Brass
Satin Brass
Antique Brass
Antique Brass

White
Black
White
Black
White
Black

LGX R31 PB-PB W
LGX R31 PB-PB B
LGX R31 PB-SB W
LGX R31 PB-SB B
LGX R31 PB-AB W
LGX R31 PB-AB B

LGX R32 PB-PB W
LGX R32 PB-PB B
LGX R32 PB-SB W
LGX R32 PB-SB B
LGX R32 PB-AB W
LGX R32 PB-AB B

LGX RRT PB-PB W
LGX RRT PB-PB B
LGX RRT PB-SB W
LGX RRT PB-SB B
LGX RRT PB-AB W
LGX RRT PB-AB B

Antique Brass



Antique Brass
Polished Brass
Satin Brass

Black
Black
Black

LGX R31 AB-AB B
LGX R31 AB-PB B
LGX R31 AB-SB B

LGX R32 AB-AB B
LGX R32 AB-PB B
LGX R32 AB-SB B

LGX RRT AB-AB B
LGX RRT AB-PB B
LGX RRT AB-SB B



1 gang 10A Triple Pole Rocker

Nominal Plate Size: 95 x 95 mm
Min. Wall Box Depth: 25 mm
Technical Insert Reference: **TP**
Product Code

Frame Finish Plate Finish Insert and Surround Colour

Polished Brass



Polished Brass
Polished Brass
Satin Brass
Satin Brass
Antique Brass
Antique Brass

White
Black
White
Black
White
Black

LGX TP PB-PB W
LGX TP PB-PB B
LGX TP PB-SB W
LGX TP PB-SB B
LGX TP PB-AB W
LGX TP PB-AB B

Antique Brass



Antique Brass
Polished Brass
Satin Brass

Black
Black
Black

LGX TP AB-AB B
LGX TP AB-PB B
LGX TP AB-SB B

Concealed Fixing Rocker Switches



LGX R222 AB-SB B




Frame and Insert Finish	Plate Finish	Insert Surround Colour	1 gang 20AX 2 way Rocker	2 gang 20AX 2 way Rocker	3 gang 20AX 2 way Rocker	4 gang 20AX 2 way Rocker	1 gang 20AX Intermediate Rocker	2 gang 20AX Intermediate Rocker
			Nominal Plate Size: 95 x 95 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R212 Product Code	Nominal Plate Size: 95 x 95 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R222 Product Code	Nominal Plate Size: 154 x 95 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R232 Product Code	Nominal Plate Size: 154 x 95 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R242 Product Code	Nominal Plate Size: 95 x 95 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R312 Product Code	Nominal Plate Size: 95 x 95 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R322 Product Code
	Polished Brass	White	LGX R212 PB-PB W	LGX R222 PB-PB W	LGX R232 PB-PB W	LGX R242 PB-PB W	LGX R312 PB-PB W	LGX R322 PB-PB W
	Polished Brass	Black	LGX R212 PB-PB B	LGX R222 PB-PB B	LGX R232 PB-PB B	LGX R242 PB-PB B	LGX R312 PB-PB B	LGX R322 PB-PB B
	Satin Brass	White	LGX R212 PB-SB W	LGX R222 PB-SB W	LGX R232 PB-SB W	LGX R242 PB-SB W	LGX R312 PB-SB W	LGX R322 PB-SB W
	Satin Brass	Black	LGX R212 PB-SB B	LGX R222 PB-SB B	LGX R232 PB-SB B	LGX R242 PB-SB B	LGX R312 PB-SB B	LGX R322 PB-SB B
	Antique Brass	White	LGX R212 PB-AB W	LGX R222 PB-AB W	LGX R232 PB-AB W	LGX R242 PB-AB W	LGX R312 PB-AB W	LGX R322 PB-AB W
	Antique Brass	Black	LGX R212 PB-AB B	LGX R222 PB-AB B	LGX R232 PB-AB B	LGX R242 PB-AB B	LGX R312 PB-AB B	LGX R322 PB-AB B
	Polished Brass	Black	LGX R212 AB-PB B	LGX R222 AB-PB B	LGX R232 AB-PB B	LGX R242 AB-PB B	LGX R312 AB-PB B	LGX R322 AB-PB B
	Satin Brass	Black	LGX R212 AB-SB B	LGX R222 AB-SB B	LGX R232 AB-SB B	LGX R242 AB-SB B	LGX R312 AB-SB B	LGX R322 AB-SB B

Concealed Fixing Toggle Switches




LGX T22 AB-PB



Frame and Insert Finish	Plate Finish	1 gang 20AX 2 way Toggle	2 gang 20AX 2 way Toggle	3 gang 20AX 2 way Toggle	4 gang 20AX 2 way Toggle	1 gang 20AX Intermediate Toggle
		Nominal Plate Size: 95 x 95 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T21 Product Code	Nominal Plate Size: 95 x 95 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T22 Product Code	Nominal Plate Size: 154 x 95 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T23 Product Code	Nominal Plate Size: 154 x 95 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T24 Product Code	Nominal Plate Size: 95 x 95 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T31 Product Code
	Polished Brass	LGX T21 PB-PB	LGX T22 PB-PB	LGX T23 PB-PB	LGX T24 PB-PB	LGX T31 PB-PB
	Satin Brass	LGX T21 PB-SB	LGX T22 PB-SB	LGX T23 PB-SB	LGX T24 PB-SB	LGX T31 PB-SB
	Antique Brass	LGX T21 PB-AB	LGX T22 PB-AB	LGX T23 PB-AB	LGX T24 PB-AB	LGX T31 PB-AB
	Antique Brass	LGX T21 AB-AB	LGX T22 AB-AB	LGX T23 AB-AB	LGX T24 AB-AB	LGX T31 AB-AB
	Polished Brass	LGX T21 AB-PB	LGX T22 AB-PB	LGX T23 AB-PB	LGX T24 AB-PB	LGX T31 AB-PB
	Satin Brass	LGX T21 AB-SB	LGX T22 AB-SB	LGX T23 AB-SB	LGX T24 AB-SB	LGX T31 AB-SB

Hamilton® Linea-Georgian CFX®

Concealed Fixing Key Switches



LGX K21 PB-PB B





1 gang 20AX 2 way Key Switch

Nominal Plate Size:
95 x 95 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **K21**
Product Code

1 gang 20AX 2 way Key Switch "EMG LTG TEST"

Nominal Plate Size:
95 x 95 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **KEL**
Product Code

Frame Finish	Plate Finish	Insert Colour		
 Polished Brass	Polished Brass	White	LGX K21 PB-PB W	LGX KEL PB-PB W
	Polished Brass	Black	LGX K21 PB-PB B	LGX KEL PB-PB B
	Satin Brass	White	LGX K21 PB-SB W	LGX KEL PB-SB W
	Satin Brass	Black	LGX K21 PB-SB B	LGX KEL PB-SB B
	Antique Brass	White	LGX K21 PB-AB W	LGX KEL PB-AB W
 Antique Brass	Antique Brass	Black	LGX K21 PB-AB B	LGX KEL PB-AB B
	Polished Brass	Black	LGX K21 AB-PB B	LGX KEL AB-PB B
	Satin Brass	Black	LGX K21 AB-SB B	LGX KEL AB-SB B

Concealed Fixing Hotel Card Switch with LED

Adjustable Time Delay 10 seconds - 5 minutes. Suitable for 44 mm and 54 mm width Hotel Key Cards.



LGX C11 PB-AB B





1 gang 10A (6AX) On/Off with Blue LED Locator

Nominal Plate Size:
95 x 95 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **C11**
Product Code

1 gang 12-24V AC/DC +/-10% On/Off with Blue LED Locator (Suitable for KNX BUS System)


Nominal Plate Size:
95 x 95 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **CKNX**
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour		
 Polished Brass	Polished Brass	White	LGX C11 PB-PB W	LGX CKNX PB-PB W
	Polished Brass	Black	LGX C11 PB-PB B	LGX CKNX PB-PB B
	Satin Brass	White	LGX C11 PB-SB W	LGX CKNX PB-SB W
	Satin Brass	Black	LGX C11 PB-SB B	LGX CKNX PB-SB B
	Antique Brass	White	LGX C11 PB-AB W	LGX CKNX PB-AB W
 Antique Brass	Antique Brass	Black	LGX C11 PB-AB B	LGX CKNX PB-AB B
	Polished Brass	Black	LGX C11 AB-PB B	LGX CKNX AB-PB B
	Satin Brass	Black	LGX C11 AB-SB B	LGX CKNX AB-SB B

Hamilton® Linea-Georgian CFX®

Concealed Fixing Power Sockets

LGX RANGE



LGX SS1 AB-SB B



1 gang 13A Double Pole Switched Socket

Nominal Plate Size: 95 x 95 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **SS1**
Product Code



2 gang 13A Double Pole Switched Socket

Nominal Plate Size: 154 x 95 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **SS2**
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour		
	Polished Brass	White	LGX SS1 PB-PB W	LGX SS2 PB-PB W
	Polished Brass	Black	LGX SS1 PB-PB B	LGX SS2 PB-PB B
	Satin Brass	White	LGX SS1 PB-SB W	LGX SS2 PB-SB W
	Satin Brass	Black	LGX SS1 PB-SB B	LGX SS2 PB-SB B
	Antique Brass	White	LGX SS1 PB-AB W	LGX SS2 PB-AB W
	Antique Brass	Black	LGX SS1 PB-AB B	LGX SS2 PB-AB B
	Antique Brass	Black	LGX SS1 AB-AB B	LGX SS2 AB-AB B
	Polished Brass	Black	LGX SS1 AB-PB B	LGX SS2 AB-PB B
	Satin Brass	Black	LGX SS1 AB-SB B	LGX SS2 AB-SB B




LGX USB99 PB-PB B



2 gang 13A Unswitched Socket + 2 x USB Charging Points

Nominal Plate Size: 154 x 95 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **USB99**
Product Code

Frame Finish	Plate Finish	Insert Colour	
	Polished Brass	White	LGX USB99 PB-PB W
	Polished Brass	Black	LGX USB99 PB-PB B
	Satin Brass	White	LGX USB99 PB-SB W
	Satin Brass	Black	LGX USB99 PB-SB B
	Antique Brass	White	LGX USB99 PB-AB W
	Antique Brass	Black	LGX USB99 PB-AB B
	Antique Brass	Black	LGX USB99 AB-AB B
	Polished Brass	Black	LGX USB99 AB-PB B
	Satin Brass	Black	LGX USB99 AB-SB B



LGX 6126 AB-PB B

Concealed Fixing Power Sockets



1 gang 2A Unswitched Socket

Nominal Plate Size: 95 x 95 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **US2**
Product Code



1 gang 5A Unswitched Socket

Nominal Plate Size: 95 x 95 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **US5**
Product Code



Shaver Dual voltage Unswitched Socket

Nominal Plate Size: 154 x 95 mm
Min. Wall Box Depth: 47 mm
Technical Insert Reference: **SHS**
Product Code




1 gang 16A German Unswitched Socket

Nominal Plate Size: 95 x 95 mm
Min. Wall Box Depth: 47 mm
Technical Insert Reference: **6126**
Product Code



1 gang 15A American Unswitched Socket

Nominal Plate Size: 95 x 95 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **5258**
Product Code



2 gang 15A American Unswitched Socket

Nominal Plate Size: 154 x 95 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **5320**
Product Code

Frame Finish	Plate Finish	Insert Colour						
	Polished Brass	White	LGX US2 PB-PB W	LGX US5 PB-PB W	LGX SHS PB-PB W	LGX 6126 PB-PB W	LGX 5258 PB-PB W	LGX 5320 PB-PB W
	Polished	Brass	LGX US2 PB-PB B	LGX US5 PB-PB B	LGX SHS PB-PB B	LGX 6126 PB-PB B	LGX 5258 PB-PB B	LGX 5320 PB-PB B
	Satin Brass	White	LGX US2 PB-SB W	LGX US5 PB-SB W	LGX SHS PB-SB W	LGX 6126 PB-SB W	LGX 5258 PB-SB W	LGX 5320 PB-SB W
	Satin Brass	Black	LGX US2 PB-SB B	LGX US5 PB-SB B	LGX SHS PB-SB B	LGX 6126 PB-SB B	LGX 5258 PB-SB B	LGX 5320 PB-SB B
	Antique Brass	White	LGX US2 PB-AB W	LGX US5 PB-AB W	LGX SHS PB-AB W	LGX 6126 PB-AB W	LGX 5258 PB-AB W	LGX 5320 PB-AB W
	Antique Brass	Black	LGX US2 PB-AB B	LGX US5 PB-AB B	LGX SHS PB-AB B	LGX 6126 PB-AB B	LGX 5258 PB-AB B	LGX 5320 PB-AB B
	Antique Brass	Black	LGX US2 AB-AB B	LGX US5 AB-AB B	LGX SHS AB-AB B	LGX 6126 AB-AB B	LGX 5258 AB-AB B	LGX 5320 AB-AB B
	Polished Brass	Black	LGX US2 AB-PB B	LGX US5 AB-PB B	LGX SHS AB-PB B	LGX 6126 AB-PB B	LGX 5258 AB-PB B	LGX 5320 AB-PB B
	Satin Brass	Black	LGX US2 AB-SB B	LGX US5 AB-SB B	LGX SHS AB-SB B	LGX 6126 AB-SB B	LGX 5258 AB-SB B	LGX 5320 AB-SB B

Concealed Fixing Television Coaxial Sockets



LGX TV AB-PB B



**1 gang
Non Isolated
TV
1 In/1 Out**

Nominal Plate Size:
95 x 95 mm

Min. Wall Box
Depth: 25 mm

Technical Insert
Reference: TV

Product Code



**Isolated
TV/FM
Diplexer
1 In/2 Out**

Nominal Plate Size:
95 x 95 mm

Min. Wall Box
Depth: 25 mm

Technical Insert
Reference: TVFM

Product Code



**1 gang
Isolated
TV
1 In/1 Out**

Nominal Plate Size:
95 x 95 mm

Min. Wall Box
Depth: 25 mm

Technical Insert
Reference: TVI

Product Code



**2 gang
Non Isolated TV
+ Satellite
2 In/2 Out**

Nominal Plate Size:
95 x 95 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: TVSAT

Product Code



**1 gang
Non Isolated
Satellite**

Nominal Plate Size:
95 x 95 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: SATN

Product Code



**1 gang
Isolated
Satellite**

Nominal Plate Size:
95 x 95 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: SATI

Product Code

Frame Finish **Plate Finish** **Insert Colour**

Polished Brass **Polished Brass** **White**
Polished Brass **Polished Brass** **Black**
Satin Brass **Satin Brass** **White**
Satin Brass **Satin Brass** **Black**
Antique Brass **Antique Brass** **White**
Antique Brass **Antique Brass** **Black**

Antique Brass **Antique Brass** **Black**
Polished Brass **Polished Brass** **Black**
Satin Brass **Satin Brass** **Black**

LGX TV PB-PB W
LGX TV PB-PB B
LGX TV PB-SB W
LGX TV PB-SB B
LGX TV PB-AB W
LGX TV PB-AB B

LGX TVFM PB-PB W
LGX TVFM PB-PB B
LGX TVFM PB-SB W
LGX TVFM PB-SB B
LGX TVFM PB-AB W
LGX TVFM PB-AB B

LGX TVI PB-PB W
LGX TVI PB-PB B
LGX TVI PB-SB W
LGX TVI PB-SB B
LGX TVI PB-AB W
LGX TVI PB-AB B

LGX TVSAT PB-PB W
LGX TVSAT PB-PB B
LGX TVSAT PB-SB W
LGX TVSAT PB-SB B
LGX TVSAT PB-AB W
LGX TVSAT PB-AB B

LGX SATN PB-PB W
LGX SATN PB-PB B
LGX SATN PB-SB W
LGX SATN PB-SB B
LGX SATN PB-AB W
LGX SATN PB-AB B

LGX SATI PB-PB W
LGX SATI PB-PB B
LGX SATI PB-SB W
LGX SATI PB-SB B
LGX SATI PB-AB W
LGX SATI PB-AB B

LGX TV AB-AB B
LGX TV AB-PB B
LGX TV AB-SB B

LGX TVFM AB-AB B
LGX TVFM AB-PB B
LGX TVFM AB-SB B

LGX TVI AB-AB B
LGX TVI AB-PB B
LGX TVI AB-SB B

LGX TVSAT AB-AB B
LGX TVSAT AB-PB B
LGX TVSAT AB-SB B

LGX SATN AB-AB B
LGX SATN AB-PB B
LGX SATN AB-SB B

LGX SATI AB-AB B
LGX SATI AB-PB B
LGX SATI AB-SB B

Concealed Fixing Digital Television Sockets - Screened Non Isolated - DAB Compatible



LGX DTRID PB-AB B



**Non Isolated
TV/FM/Satellite
Triplexer 1 In/3 Out**

Nominal Plate Size:
95 x 95 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: DTRID

Product Code



**1 gang
Non Isolated
TV (Female)**

Nominal Plate Size:
95 x 95 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: DTVF

Product Code



**1 gang
Non Isolated
TV (Male)**

Nominal Plate Size:
95 x 95 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: DTVM

Product Code

Frame Finish **Plate Finish** **Insert Colour**

Polished Brass **Polished Brass** **White**
Polished Brass **Polished Brass** **Black**
Satin Brass **Satin Brass** **White**
Satin Brass **Satin Brass** **Black**
Antique Brass **Antique Brass** **White**
Antique Brass **Antique Brass** **Black**

Antique Brass **Antique Brass** **Black**
Polished Brass **Polished Brass** **Black**
Satin Brass **Satin Brass** **Black**

LGX DTRID PB-PB W
LGX DTRID PB-PB B
LGX DTRID PB-SB W
LGX DTRID PB-SB B
LGX DTRID PB-AB W
LGX DTRID PB-AB B

LGX DTVF PB-PB W
LGX DTVF PB-PB B
LGX DTVF PB-SB W
LGX DTVF PB-SB B
LGX DTVF PB-AB W
LGX DTVF PB-AB B

LGX DTVM PB-PB W
LGX DTVM PB-PB B
LGX DTVM PB-SB W
LGX DTVM PB-SB B
LGX DTVM PB-AB W
LGX DTVM PB-AB B

LGX DTRID AB-AB B
LGX DTRID AB-PB B
LGX DTRID AB-SB B

LGX DTVF AB-AB B
LGX DTVF AB-PB B
LGX DTVF AB-SB B

LGX DTVM AB-AB B
LGX DTVM AB-PB B
LGX DTVM AB-SB B



LGX DSAT PB-PB W

Concealed Fixing Digital Television Sockets - Screened Non Isolated - DAB Compatible



**1 gang
Non Isolated
Satellite**

Nominal Plate Size:
95 x 95 mm
Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **DSAT**
Product Code



**Non Isolated
TV/FM/Satellite 1/
Satellite 2 Quadplexer
2 In/4 Out**

Nominal Plate Size:
95 x 95 mm
Min. Wall Box
Depth: 35 mm



Technical Insert
Reference: **DENT**
Product Code




**Non Isolated
TV/FM/Satellite 1/
Satellite 2 Quadplexer
2 In/4 Out
+ TVF + TCS**

Nominal Plate Size:
154 x 95 mm
Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **DSAT+**
Product Code

Frame Finish	Plate Finish	Insert Colour	Product Code	Product Code	Product Code
 Polished Brass	Polished Brass	White	LGX DSAT PB-PB W	LGX DENT PB-PB W	LGX DSAT+ PB-PB W
	Polished Brass	Black	LGX DSAT PB-PB B	LGX DENT PB-PB B	LGX DSAT+ PB-PB B
	Satin Brass	White	LGX DSAT PB-SB W	LGX DENT PB-SB W	LGX DSAT+ PB-SB W
	Satin Brass	Black	LGX DSAT PB-SB B	LGX DENT PB-SB B	LGX DSAT+ PB-SB B
	Antique Brass	White	LGX DSAT PB-AB W	LGX DENT PB-AB W	LGX DSAT+ PB-AB W
 Antique Brass	Antique Brass	Black	LGX DSAT PB-AB B	LGX DENT PB-AB B	LGX DSAT+ PB-AB B
	Antique Brass	Black	LGX DSAT AB-AB B	LGX DENT AB-AB B	LGX DSAT+ AB-AB B
	Polished Brass	Black	LGX DSAT AB-PB B	LGX DENT AB-PB B	LGX DSAT+ AB-PB B
	Satin Brass	Black	LGX DSAT AB-SB B	LGX DENT AB-SB B	LGX DSAT+ AB-SB B
	Satin Brass	Black	LGX DSAT AB-SB B	LGX DENT AB-SB B	LGX DSAT+ AB-SB B

Concealed Fixing Telephone and Data Outlets



LGX TCM AB-AB B



**1 gang
Telephone
Master**

Nominal Plate Size:
95 x 95 mm
Min. Wall Box
Depth: 25 mm

Technical Insert
Reference: **TCM**
Product Code



**1 gang
Telephone
Slave**

Nominal Plate Size:
95 x 95 mm
Min. Wall Box
Depth: 25 mm

Technical Insert
Reference: **TCS**
Product Code



**1 gang
RJ12 Outlet
Unshielded**

Nominal Plate Size:
95 x 95 mm
Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **J12**
Product Code



**2 gang
RJ12 Outlet
Unshielded**

Nominal Plate Size:
95 x 95 mm
Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **2J12**
Product Code



**1 gang RJ45
CAT 5E Outlet
Unshielded**

Nominal Plate Size:
95 x 95 mm
Min. Wall Box
Depth: 35 mm



Technical Insert
Reference: **J45**
Product Code



**2 gang RJ45
CAT 5E Outlet
Unshielded**

Nominal Plate Size:
95 x 95 mm
Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **2J45**
Product Code

Frame Finish	Plate Finish	Insert Colour	Product Code	Product Code	Product Code	Product Code	Product Code	
 Polished Brass	Polished Brass	White	LGX TCM PB-PB W	LGX TCS PB-PB W	LGX J12 PB-PB W	LGX 2J12 PB-PB W	LGX J45 PB-PB W	LGX 2J45 PB-PB W
	Polished Brass	Black	LGX TCM PB-PB B	LGX TCS PB-PB B	LGX J12 PB-PB B	LGX 2J12 PB-PB B	LGX J45 PB-PB B	LGX 2J45 PB-PB B
	Satin Brass	White	LGX TCM PB-SB W	LGX TCS PB-SB W	LGX J12 PB-SB W	LGX 2J12 PB-SB W	LGX J45 PB-SB W	LGX 2J45 PB-SB W
	Satin Brass	Black	LGX TCM PB-SB B	LGX TCS PB-SB B	LGX J12 PB-SB B	LGX 2J12 PB-SB B	LGX J45 PB-SB B	LGX 2J45 PB-SB B
	Antique Brass	White	LGX TCM PB-AB W	LGX TCS PB-AB W	LGX J12 PB-AB W	LGX 2J12 PB-AB W	LGX J45 PB-AB W	LGX 2J45 PB-AB W
 Antique Brass	Antique Brass	Black	LGX TCM PB-AB B	LGX TCS PB-AB B	LGX J12 PB-AB B	LGX 2J12 PB-AB B	LGX J45 PB-AB B	LGX 2J45 PB-AB B
	Antique Brass	Black	LGX TCM AB-AB B	LGX TCS AB-AB B	LGX J12 AB-AB B	LGX 2J12 AB-AB B	LGX J45 AB-AB B	LGX 2J45 AB-AB B
	Polished Brass	Black	LGX TCM AB-PB B	LGX TCS AB-PB B	LGX J12 AB-PB B	LGX 2J12 AB-PB B	LGX J45 AB-PB B	LGX 2J45 AB-PB B
	Satin Brass	Black	LGX TCM AB-SB B	LGX TCS AB-SB B	LGX J12 AB-SB B	LGX 2J12 AB-SB B	LGX J45 AB-SB B	LGX 2J45 AB-SB B
	Satin Brass	Black	LGX TCM AB-SB B	LGX TCS AB-SB B	LGX J12 AB-SB B	LGX 2J12 AB-SB B	LGX J45 AB-SB B	LGX 2J45 AB-SB B

Hamilton® Linea-Georgian CFX®

Concealed Fixing Double Pole Switches



LGX DPN PB-SB B



1 gang 20AX Double Pole Rocker + Neon

Nominal Plate Size: 95 x 95 mm
Min. Wall Box Depth: 35 mm

Technical Insert Reference: **DPN**
Product Code



45A Double Pole Red Rocker + Neon + 13A Switched Socket.

Nominal Plate Size: 154 x 95 mm
Min. Wall Box Depth: 35 mm

Technical Insert Reference: **45SS1**
Product Code



LGX 45N PB-PB W



1 gang 45A Double Pole Red Rocker + Neon

Nominal Plate Size: 95 x 95 mm
Min. Wall Box Depth: 35 mm

Technical Insert Reference: **45N**
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour	Product Code	Product Code
	Polished Brass	White	LGX DPN PB-PB W	LGX 45SS1 PB-PB W
	Polished Brass	Black	LGX DPN PB-PB B	LGX 45SS1 PB-PB B
	Satin Brass	White	LGX DPN PB-SB W	LGX 45SS1 PB-SB W
	Satin Brass	Black	LGX DPN PB-SB B	LGX 45SS1 PB-SB B
	Antique Brass	White	LGX DPN PB-AB W	LGX 45SS1 PB-AB W
	Antique Brass	Black	LGX DPN PB-AB B	LGX 45SS1 PB-AB B
	Antique Brass	Black	LGX DPN AB-AB B	LGX 45SS1 AB-AB B
	Polished Brass	Black	LGX DPN AB-PB B	LGX 45SS1 AB-PB B
	Satin Brass	Black	LGX DPN AB-SB B	LGX 45SS1 AB-SB B

Frame Finish	Plate Finish	Insert Surround Colour	Product Code	Product Code
	Polished Brass	White	LGX 45N PB-PB W	
	Polished Brass	Black	LGX 45N PB-PB B	
	Satin Brass	White	LGX 45N PB-SB W	
	Satin Brass	Black	LGX 45N PB-SB B	
	Antique Brass	White	LGX 45N PB-AB W	
	Antique Brass	Black	LGX 45N PB-AB B	
	Antique Brass	Black	LGX 45N AB-AB B	
	Polished Brass	Black	LGX 45N AB-PB B	
	Satin Brass	Black	LGX 45N AB-SB B	

Concealed Fixing Connection Units



LGX SPN AB-PB B



1 gang 13A Double Pole Fused Spur + Neon

Nominal Plate Size: 95 x 95 mm
Min. Wall Box Depth: 35 mm

Technical Insert Reference: **SPN**
Product Code



1 gang 13A Fuse with Red Neon Halo

Nominal Plate Size: 95 x 95 mm
Min. Wall Box Depth: 35 mm

Technical Insert Reference: **FN**
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour	Product Code	Product Code
	Polished Brass	White	LGX SPN PB-PB W	-
	Polished Brass	Black	LGX SPN PB-PB B	-
	Polished Brass	Red Halo	-	LGX FN PB-PB R
	Satin Brass	White	LGX SPN PB-SB W	-
	Satin Brass	Black	LGX SPN PB-SB B	-
	Satin Brass	Red Halo	-	LGX FN PB-SB R
	Antique Brass	White	LGX SPN PB-AB W	-
	Antique Brass	Black	LGX SPN PB-AB B	-
	Antique Brass	Red Halo	-	LGX FN PB-AB R
	Antique Brass	Black	LGX SPN AB-AB B	-
	Antique Brass	Red Halo	-	LGX FN AB-AB R
	Polished Brass	Black	LGX SPN AB-PB B	-
	Polished Brass	Red Halo	-	LGX FN AB-PB R
	Satin Brass	Black	LGX SPN AB-SB B	-
Satin Brass	Red Halo	-	LGX FN AB-SB R	











LGX 2X40 PB-PB

Concealed Fixing Leading Edge Push On/Off Resistive Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base.

Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.

Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.





							
		1 gang 400W 2 way Dimmer	2 gang 400W 2 way (Max. 300 watts per gang) Dimmer	3 gang 400W 2 way Dimmer	4 gang 400W 2 way (Max. 300 watts per gang) Dimmer	1 gang 600W 2 way Dimmer	1 gang 1000W 2 way Dimmer
		Nominal Plate Size: 95 x 95 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1X40 Product Code	Nominal Plate Size: 95 x 95 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 2X40 Product Code	Nominal Plate Size: 154 x 95 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 3X40 Product Code	Nominal Plate Size: 154 x 95 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 4X40 Product Code	Nominal Plate Size: 95 x 95 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1X60 Product Code	Nominal Plate Size: 154 x 95 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1X1K Product Code
Frame and Insert Finish	Plate Finish						
Polished Brass	Polished Brass Satin Brass Antique Brass	LGX 1X40 PB-PB LGX 1X40 PB-SB LGX 1X40 PB-AB	LGX 2X40 PB-PB LGX 2X40 PB-SB LGX 2X40 PB-AB	LGX 3X40 PB-PB LGX 3X40 PB-SB LGX 3X40 PB-AB	LGX 4X40 PB-PB LGX 4X40 PB-SB LGX 4X40 PB-AB	LGX 1X60 PB-PB LGX 1X60 PB-SB LGX 1X60 PB-AB	LGX 1X1K PB-PB LGX 1X1K PB-SB LGX 1X1K PB-AB
							
Antique Brass	Antique Brass Polished Brass Satin Brass	LGX 1X40 AB-AB LGX 1X40 AB-PB LGX 1X40 AB-SB	LGX 2X40 AB-AB LGX 2X40 AB-PB LGX 2X40 AB-SB	LGX 3X40 AB-AB LGX 3X40 AB-PB LGX 3X40 AB-SB	LGX 4X40 AB-AB LGX 4X40 AB-PB LGX 4X40 AB-SB	LGX 1X60 AB-AB LGX 1X60 AB-PB LGX 1X60 AB-SB	LGX 1X1K AB-AB LGX 1X1K AB-PB LGX 1X1K AB-SB
							




LGX 1X2V AB-PB

Concealed Fixing Leading Edge Push On/Off Inductive Dimmers

Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.

			
		1 gang 200VA 2 way Dimmer	1 gang 300VA 2 way Dimmer
		Nominal Plate Size: 95 x 95 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1X2V Product Code	Nominal Plate Size: 95 x 95 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1X3V Product Code
Frame and Insert Finish	Plate Finish		
Polished Brass	Polished Brass Satin Brass Antique Brass	LGX 1X2V PB-PB LGX 1X2V PB-SB LGX 1X2V PB-AB	LGX 1X3V PB-PB LGX 1X3V PB-SB LGX 1X3V PB-AB
			
Antique Brass	Antique Brass Polished Brass Satin Brass	LGX 1X2V AB-AB LGX 1X2V AB-PB LGX 1X2V AB-SB	LGX 1X3V AB-AB LGX 1X3V AB-PB LGX 1X3V AB-SB
			



LGX 2XTE AB-AB



Concealed Fixing Trailing Edge Push On/Off Dimmers


Note: Tungsten filament GU10 lamps must be branded and with a fused base.

Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.

Note: When using mains voltage halogen load transformers - maximum rating is 210VA.

Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.

Frame and Insert Finish	Plate Finish	Gang Configuration			
		1 gang	2 gang	3 gang	4 gang
		1 gang 250W/210VA Trailing Edge Multi-Way Dimmer Nominal Plate Size: 95 x 95 mm Minimum Wall Box Size: 35 mm Technical Insert Reference: 1XTE Product Code	2 gang 250W/210VA Trailing Edge Multi-Way Dimmer Nominal Plate Size: 95 x 95 mm Minimum Wall Box Size: 35 mm Technical Insert Reference: 2XTE Product Code	3 gang 250W/210VA Trailing Edge Multi-Way Dimmer Nominal Plate Size: 154 x 95 mm Minimum Wall Box Size: 35 mm Technical Insert Reference: 3XTE Product Code	4 gang 250W/210VA Trailing Edge Multi-Way Dimmer Nominal Plate Size: 154 x 95 mm Minimum Wall Box Size: 35 mm Technical Insert Reference: 4XTE Product Code
Polished Brass 	Polished Brass Satin Brass Antique Brass	LGX 1XTE PB-PB LGX 1XTE PB-SB LGX 1XTE PB-AB	LGX 2XTE PB-PB LGX 2XTE PB-SB LGX 2XTE PB-AB	LGX 3XTE PB-PB LGX 3XTE PB-SB LGX 3XTE PB-AB	LGX 4XTE PB-PB LGX 4XTE PB-SB LGX 4XTE PB-AB
Antique Brass 	Antique Brass Polished Brass Satin Brass	LGX 1XTE AB-AB LGX 1XTE AB-PB LGX 1XTE AB-SB	LGX 2XTE AB-AB LGX 2XTE AB-PB LGX 2XTE AB-SB	LGX 3XTE AB-AB LGX 3XTE AB-PB LGX 3XTE AB-SB	LGX 4XTE AB-AB LGX 4XTE AB-PB LGX 4XTE AB-SB



LGX 2XTM PB-PB B

Concealed Fixing Trailing Edge Touch Master Multi-Way Dimmers


Note: Tungsten filament GU10 lamps must be branded and with a fused base.

Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.

Note: When using mains voltage halogen load transformers - maximum rating is 210VA.

Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.


Frame and Insert Finish	Plate Finish	Insert Surround Colour	Gang Configuration			
			1 gang	2 gang	3 gang	4 gang
			1 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer Nominal Plate Size: 95 x 95 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1XTM Product Code	2 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer Nominal Plate Size: 95 x 95 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 2XTM Product Code	3 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer Nominal Plate Size: 154 x 95 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 3XTM Product Code	4 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer Nominal Plate Size: 154 x 95 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 4XTM Product Code
Polished Brass 	Polished Brass Polished Brass Satin Brass Satin Brass Antique Brass Antique Brass	White Black White Black White Black	LGX 1XTM PB-PB W LGX 1XTM PB-PB B LGX 1XTM PB-SB W LGX 1XTM PB-SB B LGX 1XTM PB-AB W LGX 1XTM PB-AB B	LGX 2XTM PB-PB W LGX 2XTM PB-PB B LGX 2XTM PB-SB W LGX 2XTM PB-SB B LGX 2XTM PB-AB W LGX 2XTM PB-AB B	LGX 3XTM PB-PB W LGX 3XTM PB-PB B LGX 3XTM PB-SB W LGX 3XTM PB-SB B LGX 3XTM PB-AB W LGX 3XTM PB-AB B	LGX 4XTM PB-PB W LGX 4XTM PB-PB B LGX 4XTM PB-SB W LGX 4XTM PB-SB B LGX 4XTM PB-AB W LGX 4XTM PB-AB B
Antique Brass 	Antique Brass Polished Brass Satin Brass	Black Black Black	LGX 1XTM AB-AB B LGX 1XTM AB-PB B LGX 1XTM AB-SB B	LGX 2XTM AB-AB B LGX 2XTM AB-PB B LGX 2XTM AB-SB B	LGX 3XTM AB-AB B LGX 3XTM AB-PB B LGX 3XTM AB-SB B	LGX 4XTM AB-AB B LGX 4XTM AB-PB B LGX 4XTM AB-SB B



Concealed Fixing Touch Slave Controllers

Note: To only be used with Touch Master Dimmers.
 Note: Tungsten filament GU10 lamps must be branded and with a fused base.
 Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.
 Note: When using mains voltage halogen load transformers - maximum rating is 210VA.

						
			1 gang Multi-Way Touch Slave Controller	2 gang Multi-Way Touch Slave Controller	3 gang Multi-Way Touch Slave Controller	4 gang Multi-Way Touch Slave Controller
			Nominal Plate Size: 95 x 95 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1XTS Product Code	Nominal Plate Size: 95 x 95 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 2XTS Product Code	Nominal Plate Size: 154 x 95 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 3XTS Product Code	Nominal Plate Size: 154 x 95 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 4XTS Product Code
Frame and Insert Finish	Plate Finish	Insert Surround Colour				
	Polished Brass	White	LGX 1XTS PB-PB W	LGX 2XTS PB-PB W	LGX 3XTS PB-PB W	LGX 4XTS PB-PB W
	Polished Brass	Black	LGX 1XTS PB-PB B	LGX 2XTS PB-PB B	LGX 3XTS PB-PB B	LGX 4XTS PB-PB B
	Satin Brass	White	LGX 1XTS PB-SB W	LGX 2XTS PB-SB W	LGX 3XTS PB-SB W	LGX 4XTS PB-SB W
	Satin Brass	Black	LGX 1XTS PB-SB B	LGX 2XTS PB-SB B	LGX 3XTS PB-SB B	LGX 4XTS PB-SB B
	Antique Brass	White	LGX 1XTS PB-AB W	LGX 2XTS PB-AB W	LGX 3XTS PB-AB W	LGX 4XTS PB-AB W
Antique Brass	Black	LGX 1XTS PB-AB B	LGX 2XTS PB-AB B	LGX 3XTS PB-AB B	LGX 4XTS PB-AB B	
	Antique Brass	Black	LGX 1XTS AB-AB B	LGX 2XTS AB-AB B	LGX 3XTS AB-AB B	LGX 4XTS AB-AB B
	Polished Brass	Black	LGX 1XTS AB-PB B	LGX 2XTS AB-PB B	LGX 3XTS AB-PB B	LGX 4XTS AB-PB B
	Satin Brass	Black	LGX 1XTS AB-SB B	LGX 2XTS AB-SB B	LGX 3XTS AB-SB B	LGX 4XTS AB-SB B



Concealed Fixing EuroFix Plates complete with Fixing Grid

Minimum Wall Box Depth dependant on EuroFix insert fitted - please see the EuroFix section for our complete range of inserts.

					
		1 Module EuroFix Plate	2 Module EuroFix Plate	3 Module EuroFix Plate	4 Module EuroFix Plate
		Nominal Plate Size: 95 x 95 mm Aperture: 25 x 50 mm Technical Insert Reference: EURO1 Product Code	Nominal Plate Size: 95 x 95 mm Aperture: 50 x 50 mm Technical Insert Reference: EURO2 Product Code	Nominal Plate Size: 154 x 95 mm Aperture: 75 x 50 mm Technical Insert Reference: EURO3 Product Code	Nominal Plate Size: 154 x 95 mm Aperture: 100 x 50 mm Technical Insert Reference: EURO4 Product Code
Frame Finish	Plate Finish				
	Polished Brass	LGX EURO1 PB-PB	LGX EURO2 PB-PB	LGX EURO3 PB-PB	LGX EURO4 PB-PB
	Satin Brass	LGX EURO1 PB-SB	LGX EURO2 PB-SB	LGX EURO3 PB-SB	LGX EURO4 PB-SB
	Antique Brass	LGX EURO1 PB-AB	LGX EURO2 PB-AB	LGX EURO3 PB-AB	LGX EURO4 PB-AB
	Antique Brass	LGX EURO1 AB-AB	LGX EURO2 AB-AB	LGX EURO3 AB-AB	LGX EURO4 AB-AB
	Polished Brass	LGX EURO1 AB-PB	LGX EURO2 AB-PB	LGX EURO3 AB-PB	LGX EURO4 AB-PB
	Satin Brass	LGX EURO1 AB-SB	LGX EURO2 AB-SB	LGX EURO3 AB-SB	LGX EURO4 AB-SB

Hamilton® Linea-Georgian CFX®



LGX 1GP PB-PB

Concealed Fixing GRID-IT Grid Fix Plates complete with Fixing Grid

Minimum Wall Box Depth dependant on GRID-IT insert fitted - please see the GRI-IT section for our complete range of inserts.



1 gang Aperture Grid Fix Plate
Nominal Plate Size: 95 x 95 mm
Technical Insert Reference: **1GP**
Product Code



2 gang Aperture Grid Fix Plate
Nominal Plate Size: 95 x 95 mm
Technical Insert Reference: **2GP**
Product Code




3 gang Aperture Grid Fix Plate
Nominal Plate Size: 154 x 95 mm
Technical Insert Reference: **3GP**
Product Code



4 gang Aperture Grid Fix Plate
Nominal Plate Size: 154 x 95 mm
Technical Insert Reference: **4GP**
Product Code

Frame Finish	Plate Finish	1 gang Aperture Grid Fix Plate	2 gang Aperture Grid Fix Plate	3 gang Aperture Grid Fix Plate	4 gang Aperture Grid Fix Plate
Polished Brass 	Polished Brass Satin Brass Antique Brass	LGX 1GP PB-PB LGX 1GP PB-SB LGX 1GP PB-AB	LGX 2GP PB-PB LGX 2GP PB-SB LGX 2GP PB-AB	LGX 3GP PB-PB LGX 3GP PB-SB LGX 3GP PB-AB	LGX 4GP PB-PB LGX 4GP PB-SB LGX 4GP PB-AB
Antique Brass 	Antique Brass Polished Brass Satin Brass	LGX 1GP AB-AB LGX 1GP AB-PB LGX 1GP AB-SB	LGX 2GP AB-AB LGX 2GP AB-PB LGX 2GP AB-SB	LGX 3GP AB-AB LGX 3GP AB-PB LGX 3GP AB-SB	LGX 4GP AB-AB LGX 4GP AB-PB LGX 4GP AB-SB

Concealed Fixing Blank Plates



LGX BPS AB-AB



Single Blank Plate
Nominal Plate Size: 95 x 95 mm
Technical Insert Reference: **BPS**
Product Code



Double Blank Plate
Nominal Plate Size: 154 x 95 mm
Technical Insert Reference: **BPD**
Product Code

Frame Finish	Plate Finish	Single Blank Plate	Double Blank Plate
Polished Brass 	Polished Brass Satin Brass Antique Brass	LGX BPS PB-PB LGX BPS PB-SB LGX BPS PB-AB	LGX BPD PB-PB LGX BPD PB-SB LGX BPD PB-AB
Antique Brass 	Antique Brass Polished Brass Satin Brass	LGX BPS AB-AB LGX BPS AB-PB LGX BPS AB-SB	LGX BPD AB-AB LGX BPD AB-PB LGX BPD AB-SB