







G-Rail 2200 is suitable for medium weight curtains and can be mounted to most fixing surfaces. Offering a variety of mounting brackets this rail provides many practical fixing solutions and can be curved to a minimum radius of 10 cm.


Colours 2200: White RAL 9010, natural, brown, gold. Special colours on re-Colours 2201: White RAL 9010, natural.

2200 > For mediu weight


HAND DRAWN SMALL CHANNEL # 2200-SERIES




Installation



wall mounted with 2251





6.5

6.5

6.5

6.5

6.5

6.5

6.5

6

40

40

40

40


80

60


60

60


secret fixing with button clip 2254



wall mounted with 2249-N




wall mounted with extension bracket 2015-10



Deflection (in mm) of the bracket 2015-15 and the stronger bracket 2018-15


quest.

curtains.




ceiling mounted with 7450

ceiling mounted with 2250



ceiling mounted with double bracket 2216 and 7450 or 2250



Specification Guide

Material:

Aluminium 606035-T6-F22. (Higher specification than DIN 1725). Shape and size tolerances are in accordance with DIN 17615. Satin silver anodised or powder coated in accordance with the Qualicoat standard. Special colours available on request. Profile weight 2200: 174 gr/m. Profile weight 2201: 135 gr/m.

Accessories:

Gliders 2010 at 16 per metre with 2 end stops 2001 and 2 end covers 2253 per length.

Installation:


Face fixing with nylon bracket 2251 or 7451 / ceiling fixing with nylon bracket 2250 or 7450 each screwed to timber or plugged and screwed to blockwork.


Bracket distance (cm) according to G-Standard or the following table. light medium heavy (curtain)

2200	110	80	55
2201	95	65	45


Bending:

Minimum radius 10 cm. Using bending machine 1012 or 1015.





Combination example Valance rail incorporating single or double rail 2200 (for sheers and / or main drapes) combined with 7400 Velcro rail, assembled using extension bracket 2018-15.



G-Rail is a registered Trademark. G-RAIL®

Components

Product design and specification changes reserved.

