

Venetian Blind System Silent Gliss 8110

www.blindtrack.co.uk

Blindtrack Unit 23 Orbital 25 Dwight Road Watford WD18 9DA 020 8421 6605 sales@blindtrack.co.uk Silent Gliss Venetian Blind Systems



Precision Systems

Silent Gliss have precision Venetian blind systems for ultimate control over light and glare – small adjustments as the day goes on enable you to have maximum light and visibility.

Quality and warranty

All the material used for our Venetian blinds are rust free and UV resistant for perfect functionality and appearance over time. Extensive testing of our high quality products allows us the confidence to offer a 5 year warranty.

Precision

Our experienced specialists assemble every system manually to guarantee a precise and smooth operation – day after day!

Made-to-measure

Venetian blind systems are made-to-measure in relation to proportional aesthetics, window dimensions and individual taste.

Aluminium Blinds

Venetians at their best

The range includes Venetian blind systems with wand, chain, cord or electrical operation. Mono-controlled – one operation controls the tilting, raising and lowering of the blind. Whatever preference you may have, Silent Gliss offers the ideal made to measure Venetian blind system for your window. Available with 16, and 25mm slats.

Mono controlled system Silent Gliss 8300


- Unique chain operated Venetian blind system, with one single, elegant metal chain
- The clever positioning of the chain makes operation easy and avoids entangling



Wand controlled system Silent Gliss 8110

- Easy and precise operation with a control wand due to integrated brakes
- Perfect closing of the slats due to "snap" system
 Privacy feature ensures no direct light penetration when the slats are closed, particularly useful when working or watching screens (25mm slats only)













Personalise Your System

Exciting perforated, sand-coated and mirror slats are just a few examples of our slat range – which contains 77 eye-catching colours – giving you almost endless possibilities to personalise your system.

Most of the colours are available with 16mm and 25mm slats. Additionally, some slats are thermo coated and reflect the light which reduces heat entering the room.



Wood Venetians

The natural alternative

Silent Gliss real wood Venetians are a stylish alternative for many homes.

- Available is a range of over 30 wood slats including textured and deep grain finishes in 25mm and 50mm widths
- The headrail is covered with a blind slat to ensure a complete match throughout the system
- Available with cord operation or fully motorised



Based on the wood Venetian blind, Silent Gliss also offer a choice of 50mm wide aluminium slats.





Total Control

Operation possibilities

- Timer function

connectivity

Remote control by SMSHome automation connectivity

Remote controls Silent Gliss 9940

Remote controls Silent Gliss 0450

project.

Our Customer Services team will be on hand from the start to offer expert advice on the most appropriate systems, control combinations and wiring for your

Silent Gliss radio control systems allow remote operation without the need of complex wiring.

Variety of hand held and wall switchesSingle or multiple channel solutions

- Daylight controlled operation with light sensors

- Smart phones and tablets (eg. iPhone and iPad)

Overview of Systems and Options

		Dimen	Features / Options									Fitting Options		Fitting Surfaces							
	Operation) min. ((max.)	max.	m² max.	Wood (W) / Aluminium (A)	Fabric Tapes	Side Guide available	Slat widths (mm)	Mono operation	Radio Control	Perforated Slats (25mm only)	Dual action wand	Privacy (min light)	Ceiling Fix	Wall Fix	Wood	Concrete	Suspended Ceiling		System
		28cm	2.5m	2.5m	4m²	A		•	16				•		•	•	•	•	•		8100
_		28cm	2.5m	2.5m	5m²	A		•	16				٠		•	•	•	•	•		0110
		28cm	3m	5m	7m²	A		•	25				•	•	•	•	•	•	•		8110
	000000	50cm	3m	3m	4.5m ²	A		•	16 25	•		•			•	•	•	•	•		8300
	(A) 24 V	65cm	3m	3.4m	5m²	A		•	16		Opt.				•	•	•	•	•		
						A		•	25		Opt.	•			•	•	•	•	•	82	8250
-	U	28cm	3.6m	3.6m	10m ²	A	•	•	50	•					•	•	•	•	•		
		28cm	2.45m	2.75m	4.4m²	W	•	•	25	•					•	•	•	•	•		8900
		28cm	2.45m	2.75m	4.6m²	W	•	•	50	•					•	•	•	•	•		
	24V	56cm	3.6m	3.6m	10m ²	A	•	•	50		Opt.				•	•	•	•	•		
		56cm	2.45m	2.75m	4.4m²	W	•	•	25		Opt.				•	•	•	•	•		8950
		56cm	2.45m	2.75m	4.4m²	W	•	•	50		Opt.				•	•	•	•	•		

For full product details and specifications please refer to the relevant Silent Gliss technical catalogue.