

# Concurrency in C++20 and beyond

Anthony Williams

Just Software Solutions Ltd

<https://www.justsoftwaresolutions.co.uk>

23rd May 2019

# Concurrency in C++20 and beyond

- The C++ Standard Release Schedule
- New Concurrency Features in C++20
- New Concurrency Features for Future Standards

# The C++ Standard Release Schedule

# The C++ Standard Release Schedule

The C++ Committee is working on a 3-year release model since 2011, so we published standards in 2011, 2014 and 2017.

Upcoming standards are therefore **2020**, **2023**, **2026**, etc.

We also publish **Technical Specifications** (TSes) to describe extensions, such as the Concurrency TS (2016).

# New Concurrency Features in C++20

# New Concurrency Features in C++20

C++20 is a **huge** release, with lots of new features, including Concurrency facilities:

- Support for cooperative cancellation of threads
- A new thread class that automatically joins
- New synchronization facilities
- Atomic smart pointers
- Coroutines

# Cooperative Cancellation

# Cooperative Cancellation

- GUIs often have “Cancel” buttons for long-running operations.
- You don't need a GUI to want to cancel an operation.
- Forcibly stopping a thread is undesirable



## Cooperative Cancellation II

C++20 will provide `std::stop_source` and `std::stop_token` to handle cooperative cancellation.

Purely cooperative: if the target task doesn't check, nothing happens.

## Cooperative Cancellation III

- 1 Create a `std::stop_source`
- 2 Obtain a `std::stop_token` from the `std::stop_source`
- 3 Pass the `std::stop_token` to a new thread or task
- 4 When you want the operation to stop call `source.request_stop()`
- 5 Periodically call `token.stop_requested()` to check  
⇒ Stop the task if stopping requested
- 6 **If you do not check `token.stop_requested()`, nothing happens**

## Cooperative Cancellation IV

`std::stop_token` integrates with `std::condition_variable_any`, so if your code is waiting for something to happen, the wait can be interrupted by a stop request.

# Cooperative Cancellation V

```
std::mutex m;
std::queue<Data> q;
std::condition_variable_any cv;

Data wait_for_data(std::stop_token st) {
    std::unique_lock lock(m);
    if(!cv.wait_until(
        lock, []{return !q.empty();}, st))
        throw op_was_cancelled();
    Data res=q.front();
    q.pop_front();
    return res;
}
```

## Cooperative Cancellation VI

You can also use `std::stop_callback` to provide your own cancellation mechanism. e.g. to cancel some async IO.

```
Data read_file(  
    std::stop_token st,  
    std::filesystem::path filename ){  
    auto handle=open_file(filename);  
    std::stop_callback cb(  
        st, [=]{ cancel_io(handle); });  
    return read_data(handle); // blocking  
}
```

New thread class

## New thread class: `std::jthread`

`std::jthread` integrates with `std::stop_token` to support cooperative cancellation.

Destroying a `std::jthread` calls `source.request_stop()` and `thread.join()`.

The thread needs to check the stop token passed in to the thread function.

## New thread class II

```
void thread_func(  
    std::stop_token st,  
    std::string arg1, int arg2) {  
    while(!st.stop_requested()) {  
        do_stuff(arg1, arg2);  
    }  
}  
  
void foo(std::string s) {  
    std::jthread t(thread_func, s, 42);  
    do_stuff();  
} // destructor requests stop and joins
```



New synchronization facilities

# New synchronization facilities

- Latches
- Barriers
- Semaphores
- Low-level waiting for atomics

# Latches

# Latches

`std::latch` is a single-use counter that allows threads to wait for the count to reach zero.

- 1 Create the latch with a non-zero count
- 2 One or more threads decrease the count
- 3 Other threads may wait for the latch to be signalled.
- 4 When the count reaches zero it is permanently signalled and all waiting threads are woken.

## Waiting for background tasks with a latch

```
void foo() {
    unsigned const thread_count=...;
    std::latch done(thread_count);
    my_data data[thread_count];
    std::vector<std::jthread> threads;
    for(unsigned i=0;i<thread_count;++i)
        threads.push_back(std::jthread([&,i]{
            data[i]=make_data(i);
            done.count_down();
            do_more_stuff();
        }));
    done.wait();
    process_data();
}
```

# Synchronizing Tests with Latches

Using a latch is great for multithreaded tests:


- 1 Set up the test data
- 2 Create a latch
- 3 Create the test threads  
⇒ The first thing each thread does is  
`test_latch.count_down_and_wait()`
- 4 When all threads have reached the latch they are unblocked to run their code

# Barriers

# Barriers

`std::barrier<>` is a reusable barrier.

Synchronization is done in **phases**:

- 1 Construct a barrier, with a non-zero count and a **completion function**
  - 2 One or more threads arrive at the barrier
  - 3 These or other threads wait for the barrier to be signalled
  - 4 When the count reaches zero, the barrier is signalled, the **completion function** is called and the count is reset
- 



## Barriers II

Barriers are great for loop synchronization between parallel tasks.

The **completion function** allows you to do something between loops: pass the result on to another step, write to a file, etc.

## Barriers III

```
unsigned const num_threads=...;
void finish_task();

std::barrier<std::function<void()>> b(
    num_threads, finish_task);

void worker_thread(
    std::stop_token st, unsigned i) {
    while(!st.stop_requested()) {
        do_stuff(i);
        b.arrive_and_wait();
    }
}
```

# Semaphores

# Semaphores

A semaphore represents a number of available “slots”. If you **acquire** a slot on the semaphore then the count is decreased until you **release** the slot.

Attempting to acquire a slot when the count is zero will either block or fail.

A thread may release a slot without acquiring one and vice versa.

## Semaphores II

Semaphores can be used to build just about any synchronization mechanism, including latches, barriers and mutexes.

A **binary semaphore** has 2 states: 1 slot free or no slots free. It can be used as a mutex.

# Semaphores in C++20

**C++20 has** `std::counting_semaphore<max_count>`  
`std::binary_semaphore` **is an alias for**  
`std::counting_semaphore<1>`.

**As well as blocking** `sem.acquire()`, there are also  
`sem.try_acquire()`, `sem.try_acquire_for()` and  
`sem.try_acquire_until()` **functions that fail instead**  
**of blocking.**

## Semaphores in C++20 II

```
std::counting_semaphore<5> slots(5);
```

```
void func() {  
    slots.acquire();  
    do_stuff(); // at most 5 threads can be here  
    slots.release();  
}
```

Low-level waiting for atomics



## Low-level waiting for atomics

`std::atomic<T>` now provides a `var.wait()` member function to wait for it to change.

`var.notify_one()` and `var.notify_all()` wake one or all threads blocked in `wait()`.

Like a low level `std::condition_variable`.

# Atomic smart pointers

# Atomic smart pointers

C++20 provides

`std::atomic<std::shared_ptr<T>>` and  
`std::atomic<std::weak_ptr<T>>`  
specializations.

- May or may not be **lock-free**
- If lock-free, can simplify lock-free algorithms.
- If not lock-free, a better replacement for `std::shared_ptr<T>` and a mutex.

## Lock-free stack with `atomic<shared_ptr<T>>`

```
template<typename T> class stack{
    struct node{
        T value;
        shared_ptr<node> next;
        node() {} node(T&& nv) :value(std::move(nv)) {}
    };
    std::atomic<shared_ptr<node>> head;
public:
    stack() :head(nullptr) {}
    ~stack() { while(head.load()) pop(); }
    void push(T);
    T pop();
};
```

## Lock-free stack with `atomic<shared_ptr<T>>` II

```
template<typename T>
void stack<T>::push(T val) {
    auto new_node=std::make_shared<node>(
        std::move(val));
    new_node->next=head.load();
    while(!head.compare_exchange_weak(
        new_node->next,new_node)) {}
}
```

## Lock-free stack with `atomic<shared_ptr<T>>` III

```
template<typename T>
T stack<T>::pop() {
    auto old_head=head.load();
    while(old_head) {
        if(head.compare_exchange_strong(
            old_head,old_head->next))
            return std::move(old_head->value);
    }
    throw std::runtime_error("Stack empty");
}
```

# Coroutines

## What is a Coroutine?

A **coroutine** is a function that can be **suspended** mid execution and **resumed** at a later time.

Resuming a coroutine continues from the suspension point; local variables have their values from the original call.



# Stackless Coroutines

C++20 provides **stackless coroutines**

- Only the locals for the current function are saved
- Everything is localized
- Minimal memory allocation — can have millions of in-flight coroutines
- Whole coroutine overhead can be eliminated by the compiler — Gor's “disappearing coroutines”

## Waiting for others

```
future<remote_data>
```

```
async_get_data(key_type key);
```

```
future<data> retrieve_data(  
    key_type key) {
```

```
    auto rem_data =
```

```
        co_await async_get_data(key);
```

```
    co_return process(rem_data);
```

```
}
```

# New Concurrency Features for Future Standards

# New Concurrency Features for Future Standards

Additional concurrency facilities are under development for future standards. These include:

- A synchronization wrapper for ordinary objects
- Enhancements for `std::future`
- Executors — thread pools and more
- Concurrent Data Structures
- Safe Memory Reclamation Facilities

A synchronization wrapper for  
ordinary objects

## A synchronization wrapper for ordinary objects

`synchronized_value` encapsulates a mutex and a value.

- Cannot forget to lock the mutex
- It's easy to lock across a whole operation
- Multi-value operations are just as easy

## A synchronization wrapper for ordinary objects II

```
synchronized_value<std::string> sv;  
  
std::string get_value() {  
    return apply([](std::string& s) {  
        return s;  
    }, sv);  
}  
  
void append_string(std::string extra) {  
    apply([&](std::string& s) {  
        s+=extra;  
    }, sv);  
}
```

## A synchronization wrapper for ordinary objects III

```
synchronized_value<std::string> sv;  
synchronized_value<std::string> sv2;  
  
std::string combine_strings() {  
    return apply(  
        [&](std::string& s, std::string & s2) {  
            return s+s2;  
        }, sv, sv2);  
}
```



# Enhancements for `std::future`

## Enhancements for `std::future`

The Concurrency TS specified enhancements for `std::future`

- Continuations
- Waiting for **all of** a set of futures
- Waiting for **one of** a set of futures

All in `std::experimental` namespace — I use `stdexp` for brevity.

## Continuations and `std::future`

- A continuation is a new task to run when a future becomes ready
- Continuations are added with the `new` `then` member function
- Continuation functions must take a `std::future` as the only parameter
- The source future is no longer `valid()`
- Only one continuation can be added

## Continuations and `std::future`

```
std::future<int> find_the_answer();  
std::string process_result(  
    std::future<int>);  
  
auto f=find_the_answer();  
auto f2=f.then(process_result);
```

## Continuations and `std::shared_future`

- Continuations work with `std::shared_future` as well
- The continuation function must take a `std::shared_future`
- The source future remains `valid()`
- Multiple continuations can be added

## Waiting for the first future to be ready

`std::when_any` waits for the first future in the supplied set to be ready.

`std::when_any` is ideal for:

- Waiting for speculative tasks
- Waiting for first results before doing further processing

## Waiting for the first future to be ready II

```
auto f1=spawn_async(foo);  
auto f2=spawn_async(bar);  
auto f3=std::move(std::move(f1), std::move(f2));  
  
auto final_result=f3.then(  
    process_ready_result);  
  
do_stuff(final_result.get());
```

## Waiting for all futures to be ready

`std::when_all` waits for all futures in the supplied set to be ready.

`std::when_all` is ideal for waiting for all subtasks before continuing. Better than calling `wait()` on each in turn



## Waiting for all futures to be ready II

```
auto f1=spawn_async(subtask1);  
auto f2=spawn_async(subtask2);  
auto f3=spawn_async(subtask3);  
auto results=std::when_all(  
    std::move(f1), std::move(f2),  
    std::move(f3));  
  
results.then(process_all_results);
```

# Executors

# Executors

**Executor** An object that controls how, where and when a task is executed

Thread pools are a special case of **Executors**.

# Basic executor

The basic requirements are simple. Executors must:

- be **CopyConstructible**,
- be **EqualityComparable**,
- provide an `execute(f)` member function or `execute(e, f)` free function.

The framework can build everything else from there.

# Execution Semantics

The basic mechanism for executing tasks with an executor is to call `execute`:

```
my_executor.execute(some_func);
```

If you need specific execution properties, you ask for them with `require`:

```
auto new_executor=  
    execution::require(my_executor,  
        execution::two_way, execution::single);  
  
auto future=new_executor.twoway_execute(some_func);
```

# Concurrent Data Structures

# Concurrent Data Structures

Developers commonly need data structures that allow concurrent access.

Proposals for standardization include:

- Concurrent Queues
- Concurrent Hash Maps

# Concurrent Data Structures: Queues

Queues are a core mechanism for communicating between threads.

```
concurrent_queue<MyData> q;  
  
void producer_thread() {  
    q.push(generate_data());  
}  
void consumer_thread() {  
    process_data(q.value_pop());  
}
```



# Concurrent Data Structures: Hash Maps

- Hash maps are often used for fast lookup of data
- Using a mutex for synchronization can hurt performance
- Special implementations designed for concurrent access can be better

# Safe Memory Reclamation Facilities

# Safe Memory Reclamation Facilities


Lock-free algorithms need a way to delete data when no other thread is accessing it.

RCU provides a lock-free read side. Deletion is either blocking or deferred on a background thread.

Hazard pointers defer deletion, and provide a different set of performance trade-offs.

Both mechanisms are proposed for future C++ standards

# My Book



C++ Concurrency in Action  
**Second Edition**


Covers C++17 and the  
Concurrency TS

**Finally in print!**

[cplusplusconcurrencyinaction.com](http://cplusplusconcurrencyinaction.com)

# Just::Thread Pro

**just::thread Pro**  
C++ Concurrency Library



*JUST* Software  
Solutions

`just::thread Pro` provides an actor framework, a concurrent hash map, a concurrent queue, synchronized values and a complete implementation of the C++ Concurrency TS, including a lock-free implementation of `atomic<shared_ptr<T>>` and RCU.

<https://stdthread.co.uk>

Questions?