REVISION #:4

Material Safety Data Sheet

May be used to comply with OSHA Hazard Communication Standard, 29CFR 1910.1200. Standard must be consulted for specific requirements.

U S Department of Labor

Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072

Identity (As used on Label and List)

NOTE: Blank spaces are not permitted. If any item is not applicable or no Information is available, the space must be marked to indicate that.

NU-SHINE-II-C

Manufacturer's Name	Emergency Telephone Number
NUVITE CHEMICAL COMPOUNDS CORP.	800-255-3924 (USA) - 813-248-0585 (INT'L)
Address (Number, Street, City, State and ZIP Code)	Telephone Number for Information:
213 Freeman Street	718-383-8351
Brooklyn, New York 11222	
	Date Prepared: March 15, 2006

SECTION II - Hazardous ingredients/identity information

Hazardous Components (Specific Chemical Identity: Common Name(s)	OSHA PEL	ACGIH TLV	Recommended	% (Optional)
Petroleum Distillate	500 PPM	200 PPM		16

No other restricted ingredients as listed by OSHA 29CFR 1910.1000 - 1500 ACGIH, or EPA 40CFR Part 261.3, 302.4, 355, 370, 372

This product contains the following chemicals subject to the reporting requirements of SARA Title III, Section 313: NFPA = 2-0-0

SECTION III - Physical/Chemical Characteristics

Unusual Fire and Explosion Hazards: None

Boiling Point: oF	200	Specific Gravity (H20 = 1): @25 °C	1 10
Bolling 1 offic.	200	Specific Gravity (1120 = 1). @23 oc	1.19
Vapor Pressure (mm Hg.): @ 20 oC	18	Melting Point:	Not Applicable
Vapor Density (AIR = 1): Greater tha	n 1	Evaporation Rate (Butyl Acetate = 1): Less t	han 1
Solubility in Water: Dispers	ible		
Appearance and Odor: White, o	ream/paste - m	vild odor.	
Section IV - Fire and Explosion	Hazard Data	<u> </u>	
Flash Point (Method Used): 210 of	F. C.O.C.	Flammable Limits: Not Applicable	LEL UEL
Extinguishing Media: Water	er spray, foan	n, dry chemical, CO2	
Special Fire Fighting Procedures become slippery. Use caution whe		rotective safety equipment as standard practice. ss contacted floor.	Product when mixed with water will

-2-

Product: NU	-SHINE-II-C	Revision # :4	Date: Marc	h 15, 2006	
Section V - React	ivity Data				
· · · · · · · · · · · · · · · · · · ·	Unstable Stable X		ons to Avoid		
Incompatibility (M			bases, oxidizing	agents.	
Hazardous Polyme		ay Occur ill Not Occur	Conditi X NONE	ons to Avoid	
Section VI - Heal	th Hazard Data				
Routes of Entry:		Inhalation:	Secondary	Skin: Primary	Ingestion: Tertiary
Health hazards (Acu	te and Chronic):				
ACUTE : SKIN: M INHALATION; Prol	lay cause irritation onged exposure ma	and defatting; EYI y irritate nose & thr	ES: Will cause moroat; INGESTION:	lerate irritation v Aspiration hazard	upon direct contact with possible tissue damag i. Will cause serious gastric disturbances.
CHRONIC: None kr	iown.				
Carcinogenicity:		NTP?	IARC Monog	graphs?	OSHA Regulated?
		No	No		No
Signs and Symptoms	s of Exposure: May	cause redness and i	irritation to exposed	l skin areas durin	g prolonged exposure.
Medical Conditions	Generally Aggravat	ed by Exposure: We	orkers with skin s	ensitivities, or allo	ergies should avoid contact with this product.
Emergency and First Physician; INHALA	: Aid Procedures: S TION: Administer	SKIN: Flush with s fresh air or oxygen; I	soap & water: EYI INGESTION: DON	ES: Flush with water or induce vomition	ater for 20 minutes and immediately contact ing - Immediately contact physician with urgenc
Section VII - Pre	cautions for Safe	Handling and U	lse		
Steps to Be Taken in container. Do not in	a Case Material is R stroduce material di	eleased or Spilled: rectly into rivers, lal	Contain all spills. kes, streams, etc.	Use inert absorb	ent material and dispose in proper chemical was
Waste Disposal Met	hod: Dispose in ac	cordance with Fede	ral, State and Loca	regulations.	
Precautions to Be Ta	iken in Handling an	d Storing: When no	in use, keep conta	iner closed. Stor	re indoors. Keep from freezing.
Other Precautions: P	roduct becomes slip	opery when mixed o	vith water. Use cau	ition when walki	ing where product has contacted floor.
Section VIII - Co	ntrol Measures				
Respiratory Protection	on (Specify Type): S	Should vapors excee	ed PEL, wear NIOS	H approved respi	irator.
Ventilation	Local Exhaust:	Recommende	d	Special: N	lot applicable
	Mechanical (Gener	al): Adequate to n	naintain below PEL	Other: C	Dpen door/window
Protective Gloves:	Recommended if e	xposure is prolonge	d - neoprene.		
Eye Protection :	Goggles recommen	ded when spraying	or working on over	head structures or	r if direct contact is evident.
Other protective Clo	thing or Equipment	: Work clothes, Jaco	e shield, and cap if	contact or splash	ing likely.
Work/Hygienic Prac	tices: Wash thorou	ighly after use and v	wash work clothes.	Water source in	work area recommended.

END