Berea Municipal Utilities Water Quality Report 2017

Water System ID: KY0760030Manager: Ed FortnerCCR Contact:Kevin HowardPhone: 859-986-4391CCR Contact:

Mailing Address: P.O. Box 926, Berea, KY 40403-0926

Meeting Location and Time: No regular board meetings established. Call 859-986-4391 for information.

Berea Municipal Utilities treats surface water from four reservoirs, Upper Silver Creek, Lower Silver Creek, Cowbell and Owsley Fork Lakes. The final source water assessment for our system has been completed and is contained in the Madison County Source Water Assessment & Protection Plan. An analysis of the susceptibility of the Berea water supply to contamination indicates that susceptibility is generally moderate. However, there are some areas of high concern within the protection zones of the Upper and Lower Silver Creek reservoirs, as well as with the protection zone of Cowbell Lake. Forested areas within these protection zones hold the potential to generate runoff that could carry natural contaminants from the forest floor. Within the protection zone for Owsley Fork reservoir, forest areas are also present and are noted as a significant contamination threat to this source. Segments of four major roads (KY 2004, KY 3447, US 421, and KY 21) also occur within this protection zone–each perceived as medium-level threats to the reservoir supply. A copy of the plan is available for review at the Berea Municipal Utilities office, during normal business hours.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects may be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline (800-426-4791).

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and may pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include: Microbial contaminants, such as viruses and bacteria, (sewage plants, septic systems, livestock operations, or wildlife). Inorganic contaminants, such as salts and metals, (naturally occurring or from stormwater runoff, wastewater discharges, oil and gas production, mining, or farming). Pesticides and herbicides, (stormwater runoff, agriculture or residential uses). Organic chemical contaminants, including synthetic and volatile organic chemicals,

(by-products of industrial processes and petroleum production, or from gas stations, stormwater runoff, or septic systems). Radioactive contaminants, (naturally occurring or from oil and gas production or mining activities). In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water to provide the same protection for public health.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

Information About Lead:

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Your local public water system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

Some or all of these definitions may be found in this report:

Maximum Contaminant Level (MCL) – the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) – the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – the highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – the level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Below Detection Levels (BDL) – laboratory analysis indicates that the contaminant is not present.

Not Applicable (N/A) – does not apply.

Parts per million (ppm) – or milligrams per liter, (mg/l). One part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) – or micrograms per liter, (μ g/L). One part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Parts per trillion (ppt) – one part per trillion corresponds to one minute in 2,000,000 years, or a single penny in \$10,000,000,000.

Parts per quadrillion (ppq) – one part per quadrillion corresponds to one minute in 2,000,000,000 years or one penny in \$10,000,000,000,000. **Picocuries per liter (pCi/L)** – a measure of the radioactivity in water.

Millirems per year (mrem/yr) – measure of radiation absorbed by the body.

Million Fibers per Liter (MFL) – a measure of the presence of asbestos fibers that are longer than 10 micrometers.

Nephelometric Turbidity Unit (NTU) – a measure of the clarity of water. Turbidity has no health effects. However, turbidity can provide a medium for microbial growth. Turbidity is monitored because it is a good indicator of the effectiveness of the filtration system.

Variances & Exemptions (V&E) – State or EPA permission not to meet an MCL or a treatment technique under certain conditions.

Action Level (AL) – the concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system shall follow. Treatment Technique (TT) – a required process intended to reduce the level of a contaminant in drinking water.

Spanish (Español) Este informe contiene información muy importante sobre la calidad de su agua beber. Tradúzcalo o hable con alguien que lo entienda bien.

To request a paper copy call (859) 986-4391.

The data presented in this report are from the most recent testing done in accordance with administrative regulations in 401 KAR Chapter 8. As authorized and approved by EPA, the State has reduced monitoring requirements for certain contaminants to less often than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. Some of the data in this table, though representative, may be more than one year old.

| | Allowabl e Levels | Highest Single Meas urement | | | Likely Source of Turbidity |
|---|---|-----------------------------------|-----|----|-------------------------------|
| Turbidity (NTU) TT * | No more than 1 NTU* Less than 0.3 NTU | | | | |
| Representativ e samples of filtered water | | 0.06 | 100 | No | Soil runoff |

Regulated Contaminant Test Results

| Contaminant [code] (units) | MC L | MCL G | Report Level | Range of Detection | Date of Samp Ie | | Likely Source of Contamin ation Drilling |
|--|---------------------------|----------|---------------------------------------|-----------------------|--------------------------|----|---|
| Barium [1010] (ppm) | 2 | 2 | 0.013 | 0.013 to 0.013 | Feb- 17 | No | wastes; metal refineries; erosion of natural deposits |
| Copper [1022] (ppm) sites exceeding action level 0 | AL = 1.3 | 1.3 | 0.22 (90 th percentile) | 0.02 to 0.7 | Jul-15 | No | Corrosion of household plumbing systems |
| Fluoride [1025] (ppm) | | 4 | 0.89 | 0.89 to 0.89 | Feb- 17 | No | Water additive which promotes strong teeth |
| Lead [1030] (ppb) sites exceeding action level 0 | AL = 15 0.0 0 | 0 | 0 (90 th percentile) | 0 to 15 | Jul-15 | No | Corrosion of household plumbing systems |
| Nitrate [1040] (ppm) | 10 | 10 | 0.2 | 0.2 to 0.2 | Feb- 17 | No | Fertilizer runoff; leaching from septic tanks, sewage; erosion of natural deposits |

Total Organic Carbon (ppm) 1.48 1.29 to 2.48 Naturally (measured as (lowest (monthly present in TT* N/A 2017 No environme ppm, but average) ratios) reported as a nt. ratio) *Monthly ratio is the % TOC removal achieved to the % TOC removal required. Annual average must be 1.00 or greater for compliance. Water MR MRD 0.92 additive Chlorine DL LG (highest 0.59 to 1.41 2017 No used to (ppm) = 4 = 4average) control microbes. Byproduct 23 to 45 HAA (ppb) (37 of drinking (range of Stage 2) (high site 60 N/A individual 2017 No water [Haloacetic average) sites) disinfectio acids] n TTHM (ppb) 27 to 60 Byproduct 49 (Stage 2) of drinking (range of (high site N/A individual 80 2017 No Itotal water average) trihalomethan disinfectio sites) es] n. Range of Fluoride (added for Average Detection dental health) 0.9 0.73 to 0.99 Sodium (EPA quidance level = 20 2.5 2.47 to 2.47

mg/L)

Secondary contaminants do not have a direct impact on the health of consumers. They are being included to provide addition information about the quality of the water.

| Secondary Contaminan | Maximum Allowable ^t Level | Report Leve | Range of Detection | Date |
|-------------------------|--|-------------|-----------------------|--------|
| Aluminum | 0.05 to 0.2 mg/l | 0.41 | 0.41 to 0.41 | May-17 |
| Chloride | 250 mg/l | 5.8 | 5.8 to 5.8 | May-17 |

| Corrosivity | Noncorrosive | 9-0.84 | -0.84 to -0.84 | May-17 |
|---|-------------------------|--------|-------------------|--------|
| Fluoride | 2.0 mg/l | 0.82 | 0.82 to 0.82 | May-17 |
| Iron | 0.3 mg/l | 0.4 | 0.4 to 0.4 | May-17 |
| Manganese | 0.05 mg/l | 0.006 | 0.006 to 0.006 | May-17 |
| Odor | 3 threshold odor number | 2 | 2 to 2 | May-17 |
| рН | 6.5 to 8.5 | 7.3 | 7.3 to 7.3 | May-17 |
| Sulfate | 250 mg/l | 8.1 | 8.1 to 8.1 | May-17 |
| Total Dissolved Solids Violations: | 500 mg/l | 120 | 120 to 120 | May-17 |

2016-9955028

Our water system violated drinking water requirements over the past year by failing to timely report our LT2 (Cryptosporidium) Sampling Plan to the Kentucky Division of Water (KDOW). Even though this is not an emergency, as our customers, you have a right to know what happened and what we did to correct this situation.

We are required to monitor your drinking water for specific contaminants on a regular basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. During the 7/2/2016 – 8/15/2016 compliance period, we did not complete all monitoring requirements by failing to correctly report our LT2 Sampling Plan on time. Therefore, a violation was issued because the KDOW could not verify our plan to adequately check the quality of your drinking water, before the sampling time. The LT2 Sampling Plan has since been submitted to KDOW, and it has been determined that the plan to check the water quality met all federal requirements for monitoring Cryptosporidium over the next two years.

There is nothing you need to do at this time. There are no potential adverse health effects related to the reporting violation, no population is at risk, and there is no need to use alternative water supplies. After becoming aware of the omission, we immediately completed and submitted our monitoring plan. We are currently following our approved monitoring plan schedule. No further actions are required at this time.

For more information, please contact Ed Fortner at 859-986-4391 or P.O. Box 926, Berea, KY 40403-0926.

Please share this information with all the other people who drink this water, especially those who may not have received this notice directly (for example, people in apartments, nursing homes, schools, and businesses). You can do this by posting this notice in a public place or distributing copies by hand or mail.

2018-9955034

Our 2016 CCR contained the public notice for violation 2016-9955028 (listed above) for failing to report our LT2 Sampling Plan on time. Separate certification documents were required to be submitted for both the CCR and the public notice contained within the CCR. The certification documents for the 2016 CCR were submitted before the required deadline. However, the certification documents for the public notice contained within the CCR was distributed. Division of Water informed us that failing to submit the public notification certification documents within 10 days has resulted in an additional violation. We have reviewed the regulatory requirements and have developed procedures to assure documents are submitted to Division of Water at the proper time.