


©  
ORIGINALSTYLE  
Victorian Floor Tiles





Front cover image: Oxford three colour pattern with modified Melville border in Chester Mews, Revival Grey and Dover White


# Victorian Floor Tiles

Welcome to our latest collection of geometric floor tiles

They say that your home is your castle – this may have been true for Queen Victoria but most of us live in houses that are rather more modest! Many British homes built from around 1860 (when these types of floors became popular for houses as well as palaces, churches, pubs and shops) may well have had a tiled front path, porch, entrance hall or kitchen. It's easy to replicate or restore these areas to their original glory with our Victorian geometric floor tiles, which are hard wearing, long lasting, make light of wet weather and most of all are simply beautiful.

Many of the patterns and borders in this brochure are based on authentic and original designs from Victorian and Edwardian times and are part of Britain's heritage.

Turn the page for a wealth of inspirational images of patterns, borders and hand decorated tiles in both traditional and more contemporary settings.



Victorian Floor Tiles

# The Splendour of Tradition



## Shapes and sizes

All of our geometric floor tile designs are built up from basic individual shapes - square, rectangle, diamond, triangle, octagon, hexagon and trapezium, with various shapes and sizes designed to co-ordinate with each other.

There is no need to be daunted though, as in the following pages we show you how patterns and borders are made up and how many pieces are needed for a square metre/square foot area or, in the case of borders, linear metre/foot.



Geometric floor tiles are suitable for homes and gardens as well as public spaces. Embrace the splendour of tradition by recreating authentic designs or enjoy the simplicity of a classic checkerboard pattern in black and white.



# Contents

Simple pleasures - classic checks .....	6 - 11
Straight and narrow - herringbone patterns .....	12 - 13
Shaping up beautifully - squares and rectangles .....	14 - 19
Diamonds are forever .....	20 - 21
Hexagons, a natural choice .....	22 - 25
Classic combinations with octagons .....	26 - 35
The splendour of tradition .....	36 - 49
Borders and corners .....	50 - 61
Hand decorated tiles, borders and corners .....	62 - 71
For all walks of life .....	72 - 75
The possibilities are endless .....	76 - 77
Product information .....	78 - 79
Product chart .....	80 - 81
Specifications .....	82
Important information .....	83 - 87



▲ Cambridge pattern shown with Cavendish border in Black and Dover White



▲ Dorchester pattern with modified Kingsley border incorporating Cardigan decorated tile Black on Blue. Original Style Artworks Skirting in Colonial White and Half tiles in Summer Yellow



▲ Dorchester pattern in Brown and Buff with Kingsley border in Black, Red, Buff and Green

# Simple Pleasures

Simple can also mean stylish, and the classic black and white checkerboard design is certainly that. Its harmonious lines are pleasing to the eye and coordinate with all styles of interiors, from traditional to modern décor. It's also good to know that this pattern will never go out of fashion. Of course, it can be in any combination of colours that take your fancy.

# Classic Checks

151 mm / 6" squares

The checkerboard pattern is timeless, classic and ever popular. Simply take squares of the same size in two colours for the traditional chessboard style. The 151mm/6" square pattern can be used for maximum coverage on large expanses of floor. Turn the page for the same pattern made from 106mm/4" squares.



See photograph on page 6

## Cambridge


Traditional check using 151mm/6" squares in the colours of your choice. It is set at 90° to the border/wall. Shown here with a simple border incorporating a Cavendish hand-decorated border Black on Dover White (see page 68).

Tiles used per m <sup>2</sup> (10 <sup>3</sup> /4 ft <sup>2</sup> )		Code	Colour	Qty
■	Square 151 x 151 mm (6 x 6")	7106V	Dover White	22
■	Square 151 x 151 mm (6 x 6")	6306V	Black	22

Area of pattern repeat



Alternative modified Brunel border



## Cambridge 3 Colour

Adding a third colour creates a gingham-like effect. Shown here with a simple border (see pages 50-61).

Tiles used per m <sup>2</sup> (10 <sup>3</sup> /4 ft <sup>2</sup> )		Code	Colour	Qty
■	Square 151 x 151 mm (6 x 6")	7106V	Dover White	11
■	Square 151 x 151 mm (6 x 6")	7506V	Chester Mews	22
■	Square 151 x 151 mm (6 x 6")	7606V	Holkham Dune	11

Area of pattern repeat



Alternative Woolf border





### Tip

When you rotate these squares and put them on a slant you create a different pattern. By changing the colours, or even adding a third colour, you have a gingham or tartan effect. You could add a decorative tile or combine this simple pattern with a more complex border.

### Information

When a design has been in use across the ages and is still as popular as ever, you know it must be good. The black and white square pattern for floors was around in Roman times, it graced Versailles Palace and can be seen in innumerable Renaissance paintings as well as being a favourite in houses since the 1600s. You can see it is still universally loved by searching Pinterest.com. You're in good company if you choose this pattern.



## Oxford


Check pattern using 151mm/6" squares in the colours of your choice. It's like Cambridge, but on a slant, set at 45° to the border/wall. Shown here with modified Browning border (see page 57).

Tiles used per m <sup>2</sup> (10 <sup>3</sup> /4 ft <sup>2</sup> )		Code	Colour	Qty
■	Square 151 x 151 mm (6 x 6")	6106V	Red	22
■	Square 151 x 151 mm (6 x 6")	6406V	White	22

Area of pattern repeat (diagonally)



Alternative simple border



## Oxford 3 Colour


Move away from contrasting colours and combine light, medium and dark tones to create a softer effect. Shown here with modified Melville border (see page 56).

Tiles used per m <sup>2</sup> (10 <sup>3</sup> /4 ft <sup>2</sup> )		Code	Colour	Qty
■	Square 151 x 151 mm (6 x 6")	7106V	Dover White	22
■	Square 151 x 151 mm (6 x 6")	7506V	Chester Mews	11
■	Square 151 x 151 mm (6 x 6")	7706V	Revival Grey	11

Area of pattern repeat (diagonally)



Alternative simple border




See photograph on page 7

# Classic Checks

106mm / 4 1/8" squares

Here are the same patterns as on the previous pages, but using the smaller 106mm/4" squares. This size of square works well in smaller areas, whether the pattern is straight on (Wellington) or rotated (Dorchester).



## Wellington

Traditional check using 106mm/4 1/8" squares in the colour/s of your choice. It is set at 90° to the border/wall. Shown here with Shelley border (see page 54).

Tiles used per m <sup>2</sup> (10 <sup>3</sup> / <sub>4</sub> ft <sup>2</sup> )		Code	Colour	Qty
■	Square 106 x 106mm (4 1/8 x 4 1/8")	7104V	Dover White	43
■	Square 106 x 106mm (4 1/8 x 4 1/8")	6804V	Grey	43

Area of pattern repeat



Alternative simple border



## Wellington 4 Colour

Here four colours have been combined to create a woven effect. Turn to page 80 to see range of colours available in this size. Shown here with modified Melville border (see page 56).

Tiles used per m <sup>2</sup> (10 <sup>3</sup> / <sub>4</sub> ft <sup>2</sup> )		Code	Colour	Qty
■	Square 106 x 106mm (4 1/8 x 4 1/8")	6804V	Grey	27
■	Square 106 x 106mm (4 1/8 x 4 1/8")	7104V	Dover White	22
■	Square 106 x 106mm (4 1/8 x 4 1/8")	7504V	Chester Mews	27
■	Square 106 x 106mm (4 1/8 x 4 1/8")	7704V	Revival Grey	11

Area of pattern repeat



Alternative Woolf border




### Tip

Why not experiment with different colours to create your own unique designs? The 151mm/6" and 106mm/4 1/8" squares are available in up to 16 colours. Visit our Victorian Floor Tile gallery ([www.originalstyle.com/en/victorian-floor-tile-gallery](http://www.originalstyle.com/en/victorian-floor-tile-gallery)) for some inspirational images and more pattern swatches.

### Information

All the pattern swatches here are shown with borders, however these are only suggestions. Feel free to choose a different border or indeed create your own. A border not only frames the pattern, it can fill tricky gaps or be used to stretch around awkward corners. Turn to pages 50-61 for more border examples and some useful hints and tips!



## Dorchester


Check pattern using 106mm/4 1/8" squares in the colours of your choice. It's like Wellington, but on the slant, set at 45° to the border/wall. Shown here with Clare border (see page 59).

Tiles used per m <sup>2</sup> (10 <sup>3</sup> /4 ft <sup>2</sup> )		Code	Colour	Qty
■	Square 106 x 106mm (4 1/8 x 4 1/8")	6104V	Red	43
■	Square 106 x 106mm (4 1/8 x 4 1/8")	6304V	Black	43

Area of pattern repeat (diagonally)



Alternative simple border



## Dorchester 4 Colour

Here four colours have been combined to create a gingham effect. Turn to pages 80-81 to see range of colours available in this size. Shown here with Woolf border (see page 55).

Tiles used per m <sup>2</sup> (10 <sup>3</sup> /4 ft <sup>2</sup> )		Code	Colour	Qty
■	Square 106 x 106mm (4 1/8 x 4 1/8")	7104V	Dover White	22
■	Square 106 x 106mm (4 1/8 x 4 1/8")	7504V	Chester Mews	43
■	Square 106 x 106mm (4 1/8 x 4 1/8")	7604V	Holkham Dune	16
■	Square 106 x 106mm (4 1/8 x 4 1/8")	7704V	Revival Grey	6

Area of pattern repeat (diagonally)




Alternative simple border



# Straight and narrow


Classic herringbone patterns are simply made from one or more rectangles, depending on the effect you want to achieve. The addition of a narrow rectangle adds decorative detail (Stornoway, see right) while changing the piece sizes and adding another colour provides a bolder design like Whitby. See pages 50-61 for more border examples.





## Scarborough

A simple pleasing pattern, this is also typical in parquet flooring. Made from the 151 x 75mm/6" x 3" rectangle, Scarborough is perfect for hallways and small areas. Shown left in Dover White with a simple framing border. The pattern is plain enough to be complemented by Carroll, a more complex border.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> /4 ft <sup>2</sup> )	Code	Colour	Qty
 Rectangle 151 x 75 (6 x 3")	6123V	Red	85

Area of pattern repeat





Alternative Blake border



## Stornoway

Two different sizes of rectangle make up this chevron effect. Why not add more interest with a Woolf border made from triangles (shown).

Tiles used per m <sup>2</sup> (10 <sup>3</sup> /4 ft <sup>2</sup> )	Code	Colour	Qty
 Rectangle 151 x 75 (6 x 3")	7123V	Dover White	64
 Rectangle 151 x 24 (6 x 1")	6821V	Grey	64

Area of pattern repeat




Alternative incorporating Telford Black on Dover White



## Whitby

A bolder chevron design using the new large 305 x 75mm/12" x 3", shown here in White. Alternatives could be Black with Dover White, Black and Red or Chester Mews or turn to page 54 to see it in Revival Grey. Shown here framed with a border made from the same 305 x 75mm/12" x 3" rectangle.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> /4 ft <sup>2</sup> )	Code	Colour	Qty
 Large Rectangle 305 x 75mm (12 x 3")	6425V	White	43

Area of pattern repeat



Alternative modified Melville border incorporating Livingstone Grey on White



All patterns and borders have been calculated to include a 2mm (1/16") grout gap

Go online at [www.originalstyle.com/en/victorian-floor-tile-gallery](http://www.originalstyle.com/en/victorian-floor-tile-gallery) for more inspiring images



# Shaping up beautifully


When you mix different shapes with squares interesting new patterns are possible, such as a simple grid like Edinburgh or Norwich, or the woven effects of Lincoln and Falkirk, both achieved by adding rectangles. See the next few pages to see some of the designs which can be achieved for different areas around your home, from bathrooms to hallways, living rooms to conservatories.



Lincoln pattern with simple border in Black and Dover White. Original Style Artworks tiles in London Stone and Brilliant White on the wall ▲




Ambleside pattern in Black and Dover White with Grey Key border ▲



Brighton pattern in Dover White, Royal Palladian and Old London ▲

# Simple Geometry



## Edinburgh


Edinburgh is a straightforward lattice design created from squares and rectangles. You can ring the changes by altering the colours used, from bold Red, Black and Old London to the softer Grey, Dover White and Black. Shown here with a simple border.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> / <sub>4</sub> ft <sup>2</sup> )	Code	Colour	Qty
Rectangle 151 x 75mm (6 x 3")	6323V	Black	38
Square 151 x 151mm (6 x 6")	6106V	Red	19
Square 75 x 75mm (3 x 3")	7203V	Old London	19

Area of pattern repeat



Alternative Byron border



## Falkirk


The lattice pattern of Edinburgh, on the diagonal. Shown with simple border.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> / <sub>4</sub> ft <sup>2</sup> )	Code	Colour	Qty
Square 151 x 151mm (6 x 6")	7606V	Holkham Dune	19
Rectangle 151 x 75mm (6 x 3")	6423V	White	38
Square 75 x 75mm (3 x 3")	6103V	Red	19

Area of pattern repeat (diagonally)



Alternative modified Stevenson border



## Ambleside

A basket weave made up from small squares and rectangles. Add a simple printed border for the finishing touch. Shown here with Greek Key border (see page 66).

Tiles used per m <sup>2</sup> (10 <sup>3</sup> / <sub>4</sub> ft <sup>2</sup> )	Code	Colour	Qty
Rectangle 106 x 53mm (4 x 2")	6324V	Black	85
Square 53 x 53mm (2 x 2")	6302V	Black	85
Square 53 x 53mm (2 x 2")	7102V	Dover White	85

Area of pattern repeat



Alternative Brunel border




See photograph on page 15

All patterns and borders have been calculated to include a 2mm (1/16") grout gap



Patterns based on basket weave and woven effects are all possible by introducing the rectangle to the square. Shown here is just a selection of the patterns that can be achieved from the sizes and colours available. For more pattern swatches and inspiring images go to [www.originalstyle.com/en/victorian-floor-tile-gallery](http://www.originalstyle.com/en/victorian-floor-tile-gallery) and pages 50-61 for more borders.



## Brighton


Like Edinburgh (left) but made from smaller pieces. Shown here with a simple border using rectangles.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> / <sub>4</sub> ft <sup>2</sup> )	Code	Colour	Qty
Rectangle 106 x 53mm (4 <sup>1</sup> / <sub>8</sub> x 2")	6424V	White	76
Square 106 x 106mm (4 <sup>1</sup> / <sub>8</sub> x 4 <sup>1</sup> / <sub>8</sub> ")	7504V	Chester Mews	38
Square 53 x 53mm (2 x 2")	6702V	Green	38

Area of pattern repeat



Alternative Blake border



## Norwich


Similar to Brighton, but on the diagonal, which can make a room look larger. Shown with a modified Kingsley border.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> / <sub>4</sub> ft <sup>2</sup> )	Code	Colour	Qty
Rectangle 106 x 53mm (4 <sup>1</sup> / <sub>8</sub> x 2")	7124V	Dover White	76
Square 106 x 106mm (4 <sup>1</sup> / <sub>8</sub> x 4 <sup>1</sup> / <sub>8</sub> ")	6804V	Grey	38
Square 53 x 53mm (2 x 2")	7102V	Dover White	29
Square 53 x 53mm (2 x 2")	6902V	Pugin Blue	10

Area of pattern repeat (diagonally)



Alternative simple border




## Lincoln


Another woven effect design using the small 53mm/2" square and matching rectangle. Shown here with a simple border.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> / <sub>4</sub> ft <sup>2</sup> )	Code	Colour	Qty
Rectangle 106 x 53mm (4 <sup>1</sup> / <sub>8</sub> x 2")	7124V	Dover White	134
Square 53 x 53mm (2 x 2")	6302V	Black	67

Area of pattern repeat



Alternative Blake border



See photograph on page 15

# Perfect symmetry

The patterns shown here are increasing in complexity with the introduction of the (non equilateral) triangle. This most useful shape works well with the square (being half a square itself). The triangle is also often used when making up border patterns – see pages 50-61 for more information on borders.

## Tip: Making an entrance

Victorian floor tiles are a practical choice for paths, porches and halls as they have to deal with constant traffic all year round. They can easily take on the challenge of grimy shoes, wet boots and muddy pets. Once sealed (before use) the tiles are easy to clean and will keep their good looks for years.



Alternative Melville border








Alternative simple border



## Fotheringhay

A popular traditional design that looks good in any colour combination. Include a decorative tile for extra interest. Shown with a simple border.








Tiles used per m <sup>2</sup> (10 <sup>3</sup> / <sub>4</sub> ft <sup>2</sup> )		Code	Colour	Qty
	Square 151 x 151mm (6 x 6")	6106V	Red	22
	Square 106 x 106mm (4 <sup>1</sup> / <sub>8</sub> x 4 <sup>1</sup> / <sub>8</sub> ")	6404V	White	11
	Triangle 104 x 73 x 73mm (4 <sup>1</sup> / <sub>8</sub> x 3 x 3")	6414V	White	44
	Triangle 104 x 73 x 73mm (4 <sup>1</sup> / <sub>8</sub> x 3 x 3")	6314V	Black	44
	Livingstone 106 x 106mm (4 <sup>1</sup> / <sub>8</sub> x 4 <sup>1</sup> / <sub>8</sub> ")	7971V	Black on White	11

Area of pattern repeat (diagonally)



## Conway

Conway's grid pattern is on the diagonal, similar to Fotheringhay. Shown with modified Browning border.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> / <sub>4</sub> ft <sup>2</sup> )		Code	Colour	Qty
	Rectangle 151 x 75mm (6 x 3")	6423V	White	38
	Square 75 x 75mm (3 x 3")	6403V	White	19
	Square 53 x 53mm (2 x 2")	6402V	White	19
	Triangle 104 x 73 x 73mm (4 <sup>1</sup> / <sub>8</sub> x 3 x 3")	6814V	Grey	76
	Triangle 73 x 52 x 52mm (3 x 2 x 2")	6413V	White	76
	Triangle 50 x 36 x 36mm (2 x 1 <sup>1</sup> / <sub>2</sub> x 1 <sup>1</sup> / <sub>2</sub> ")	6612V	Blue	57
	Triangle 50 x 36 x 36mm (2 x 1 <sup>1</sup> / <sub>2</sub> x 1 <sup>1</sup> / <sub>2</sub> ")	6312V	Black	19

Area of pattern repeat (diagonally)






▲ Richmond pattern in Red, Brown, Buff and Black with modified Browning border incorporating Cardigan Brown on Buff decorated tiles.  
**Wall:** Original Style Artworks Half tiles, Skirting and Dentil moulding, all in Burgundy



Alternative simple border



## Richmond

Geometric tiles in traditional colours and designs are the perfect partner to our heritage Artworks range of ceramic wall tiles, as handsomely illustrated above. Shown with a Browning border.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> / <sub>4</sub> ft <sup>2</sup> )			Code	Colour	Qty
■	Square	75 x 75mm (3 x 3")	6303V	Black	64
■	Square	75 x 75mm (3 x 3")	6103V	Red	43
■	Square	75 x 75mm (3 x 3")	6503V	Brown	43
■	Square	75 x 75mm (3 x 3")	6403V	White	11
■	Square	53 x 53mm (2 x 2")	6402V	White	11
▲	Triangle	50 x 36 x 36mm (2 x 1½ x 1½")	6312V	Black	43

Area of pattern repeat (diagonally)



Go online at [www.originalstyle.com/en/victorian-floor-tile-gallery](http://www.originalstyle.com/en/victorian-floor-tile-gallery) for more inspiring images

# Diamonds are forever

This pattern is made up from just one diamond shape. It's probably the best one to use for creating an optical illusion of receding into the distance, making a hall or path appear longer than it actually is. The equilateral triangle is half a diamond, so these two shapes will always complement each other in patterns and borders. See pages 50-61 for more borders.





## St Andrews

This pattern offers simplicity in both design and installation, especially if you combine it with a line border. Shown with a border incorporating a Melbourne decorated tile.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> /4 ft <sup>2</sup> )	Code	Colour	Qty
◆ Diamond 182 x 105mm (7 <sup>1</sup> / <sub>8</sub> x 4 <sup>1</sup> / <sub>8</sub> " )	6339V	Black	51
◆ Diamond 182 x 105mm (7 <sup>1</sup> / <sub>8</sub> x 4 <sup>1</sup> / <sub>8</sub> " )	7139V	Dover White	51

Area of pattern repeat (diagonally)



Alternative Woolf border



## St Andrews 3 colour

Same shape, different look. The diamond tile is available in eight colours, so you could try different colour combinations. Shown with a Burns border.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> /4 ft <sup>2</sup> )	Code	Colour	Qty
◆ Diamond 182 x 105mm (7 <sup>1</sup> / <sub>8</sub> x 4 <sup>1</sup> / <sub>8</sub> " )	7539V	Chester Mews	51
◆ Diamond 182 x 105mm (7 <sup>1</sup> / <sub>8</sub> x 4 <sup>1</sup> / <sub>8</sub> " )	7739V	Revival Grey	26
◆ Diamond 182 x 105mm (7 <sup>1</sup> / <sub>8</sub> x 4 <sup>1</sup> / <sub>8</sub> " )	7139V	Dover White	26

Area of pattern repeat (diagonally)



Alternative modified Rossetti border



## Sunningdale


Another more complex variation, developing diamonds within diamonds. Shown with a modified Rossetti border.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> /4 ft <sup>2</sup> )	Code	Colour	Qty
◆ Diamond 182 x 105mm (7 <sup>1</sup> / <sub>8</sub> x 4 <sup>1</sup> / <sub>8</sub> " )	7539V	Chester Mews	26
◆ Diamond 182 x 105mm (7 <sup>1</sup> / <sub>8</sub> x 4 <sup>1</sup> / <sub>8</sub> " )	7639V	Holkham Dune	26
◆ Diamond 182 x 105mm (7 <sup>1</sup> / <sub>8</sub> x 4 <sup>1</sup> / <sub>8</sub> " )	7139V	Dover White	51

Area of pattern repeat (diagonally)



Alternative simple border



For more borders, turn to page 50-61.

All patterns and borders have been calculated to include a 2mm (1/16") grout gap

Go online at [www.originalstyle.com/en/victorian-floor-tile-gallery](http://www.originalstyle.com/en/victorian-floor-tile-gallery) for more inspiring images



# The hexagon. It's a natural choice

The classic hexagon or honeycomb design comes to us from nature via the beehive. This pleasing regular shape doesn't necessarily need to be mixed with other shaped tiles as it looks very fine on its own, especially in just one colour – see Buckfastleigh, right.



▲ Buckfastleigh in Revival Grey with a simple border in Revival Grey and Dover White



▲ Hexham pattern with a Rossetti border in Chester Mews, Holkham Dune and Revival Grey



▲ Carlisle pattern with a modified Woolf border in Dover White and Grey


# A perfect fit




See photograph on page 23

## Buckfastleigh

Looks good in one colour. Shown with a border made from diamond shapes.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> / <sub>4</sub> ft <sup>2</sup> )		Code	Colour	Qty
 Hexagon	185 x 185mm (7 <sup>1</sup> / <sub>4</sub> x 7 <sup>1</sup> / <sub>4</sub> "	7738V	Revival Grey	33

Single tile repeat





Alternative Rossetti border




See photograph on page 22

## Chelsea

Adding a contrasting colour adds extra interest. Shown with a framing border.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> / <sub>4</sub> ft <sup>2</sup> )		Code	Colour	Qty
 Hexagon	127 x 127mm (5 x 5")	7136V	Dover White	44
 Hexagon	127 x 127mm (5 x 5")	7336V	Regency Bath	22

Area of pattern repeat (diagonally)






Alternative modified Melville border



## Stratford

A cheerful pattern that's easy to install in either sized hexagon. Shown with a simple border.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> / <sub>4</sub> ft <sup>2</sup> )		Code	Colour	Qty
 Hexagon	127 x 127mm (5 x 5")	6136V	Red	27
 Hexagon	127 x 127mm (5 x 5")	6436V	White	33
 Hexagon	127 x 127mm (5 x 5")	6336V	Black	6

Area of pattern repeat



Alternative Brunel border








Our classic hexagons come in two sizes, 185mm/7¼" and 127mm/5". The larger hexagon, diamond and equilateral triangle were made for each other to create beautiful patterns such as Hexham and Carlisle. Turn to pages 50-61 for more border options.



See photograph on page 23

## Hexham

A pretty star shaped design. Shown with a Rossetti border.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> / <sub>4</sub> ft <sup>2</sup> )		Code	Colour	Qty
	Hexagon 185 x 185mm (7¼ x 7¼")	7538V	Chester Mews	25
	Equ. Triangle 104 x 89mm (4⅞ x 3½")	7618V	Holkham Dune	25
	Equ. Triangle 104 x 89mm (4⅞ x 3½")	7718V	Revival Grey	25

Area of pattern repeat






Alternative simple border



## Carlisle


Shown on page 23 in two colours, an additional colour adds extra appeal, ideal for a larger expanse of flooring. Shown with a modified Woolf border.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> / <sub>4</sub> ft <sup>2</sup> )		Code	Colour	Qty
	Hexagon 185 x 185mm (7¼ x 7¼")	7538V	Chester Mews	9
	Hexagon 185 x 185mm (7¼ x 7¼")	6838V	Grey	9
	Diamond 182 x 105mm (7⅞ x 4⅞")	7139V	Dover White	50

Area of pattern repeat (diagonally)






Alternative simple 3 colour border




## Huntingdon


Huntingdon includes a different hexagon to the others shown on this page. It's a very useful shape particularly when creating borders (see pages 50-61). Shown with modified Bronte border incorporating Colebrooke decorated tile.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> / <sub>4</sub> ft <sup>2</sup> )		Code	Colour	Qty
	Square 53 x 53mm (2 x 2")	7102V	Dover White	42
	Hexagon 151 x 75mm (6 x 3")	7134V	Dover White	84
	Triangle 50 x 36 x 36mm (2 x 1½ x 1½")	6912V	Pugin Blue	168

Area of pattern repeat



Alternative simple border





▲ York pattern in Black and White



# A classic combination – octagon and dot

The octagon dot pattern goes back further than the Victorian era when it also enjoyed huge popularity. Such a classic will always be in vogue. Keep it simple in black and white or add hints of coloured 'dots'. You can be bold by reversing the colour emphasis or just enjoy its linear beauty in a single colour.

York pattern with modified Bronte border in White. **Wall:** Winchester Tile Company Residence Metropolitan field tiles in Lazul ▲



Chesterfield with modified Melville border in Black and White ▲




Harrogate with Austen border in Red, Black and White ▲



▲ Nottingham pattern with Conrad border in Dover White, Black and Grey





# Classic combinations



## York

A confident pattern made from the large 151mm/6" octagon paired with the 53mm/2" square. Typically in black and white but looks good in any colour combination. Shown with a Byron border.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> /4 ft <sup>2</sup> )	Code	Colour	Qty
 Octagon 151 x 151mm (6 x 6")	7231V	Old London	43
 Square 53 x 53mm (2 x 2")	7302V	Regency Bath	43

*Area of pattern repeat*

*Area of pattern repeat*





*Alternative simple border*



## Nottingham

Similar to York, but on the diagonal. Shown with a Melville border.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> /4 ft <sup>2</sup> )	Code	Colour	Qty
 Octagon 151 x 151mm (6 x 6")	6731V	Green	43
 Square 53 x 53 (2 x 2")	6402V	White	43

*Area of pattern repeat (diagonally)*







*Alternative Brunel border*



## Chesterfield

The pattern is the same layout as York but the square is bigger (75mm/3") and placed alongside the longer edges of the octagon. Shown here with Kingsley border.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> /4 ft <sup>2</sup> )	Code	Colour	Qty
 Octagon 151 x 151mm (6 x 6")	7131V	Dover White	39
 Square 75 x 75 (3 x 3")	7103V	Dover White	11
 Square 75 x 75 (3 x 3")	6803V	Grey	22
 Square 75 x 75 (3 x 3")	6303V	Black	11


*Area of pattern repeat*



*Alternative border incorporating Telford Black on Dover White*





All the pattern swatches shown here are classic octagon dot designs. Turn the page for more designs based around the versatile octagon, and pages 50-61 for more borders.



## Harrogate

A reduced scale version of York using the 106mm/4" octagon and 37mm/1" square, suited to smaller areas like porches and halls. Shown with a modified Austen border.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> /4 ft <sup>2</sup> )	Code	Colour	Qty
 Octagon 106 x 106mm (4 <sup>1</sup> / <sub>8</sub> x 4 <sup>1</sup> / <sub>8</sub> " )	6440V	White	86
 Square 37 x 37mm (1 <sup>1</sup> / <sub>2</sub> x 1 <sup>1</sup> / <sub>2</sub> " )	6341V	Black	86

Area of pattern repeat






Alternative modified Hardy border




## Sherwood


Again, a reduced version of Nottingham. Shown with a Joyce border.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> /4 ft <sup>2</sup> )	Code	Colour	Qty
 Octagon 106 x 106mm (4 <sup>1</sup> / <sub>8</sub> x 4 <sup>1</sup> / <sub>8</sub> " )	6440V	White	86
 Square 37 x 37mm (1 <sup>1</sup> / <sub>2</sub> x 1 <sup>1</sup> / <sub>2</sub> " )	6941V	Pugin Blue	65
 Square 37 x 37mm (1 <sup>1</sup> / <sub>2</sub> x 1 <sup>1</sup> / <sub>2</sub> " )	6641V	Blue	22

Area of pattern repeat







Alternative border incorporating Lansdowne Blue on White



## Ashbourne

Similar to Chesterfield, using the 106mm/4" octagon and 53mm/2" square. Shown with a modified Kingsley border.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> /4 ft <sup>2</sup> )	Code	Colour	Qty
 Octagon 106 x 106mm (4 <sup>1</sup> / <sub>8</sub> x 4 <sup>1</sup> / <sub>8</sub> " )	6440V	White	76
 Square 53 x 53mm (2 x 2" )	6402V	White	57
 Square 53 x 53mm (2 x 2" )	7202V	Old London	10
 Square 53 x 53mm (2 x 2" )	6102V	Red	10

Area of pattern repeat



Alternative simple border





▲ Arundel pattern with Bronte border in Red, Green and Buff



# Authentic and timeless

Many of our patterns, including the designs on this page, have been recreated from authentic Victorian catalogues. See pages 50-61 for more border options.



## Arundel 3 colour (Dover White/Grey/Pugin Blue)


Arundel is a slightly more complex version of the octagon dot pattern. Changing the colours drastically changes the pattern, as these three swatches illustrate. Swatch shown with a modified Hardy border.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> /4 ft <sup>2</sup> )		Code	Colour	Qty
●	Octagon 151 x 151mm (6 x 6")	7131V	Dover White	39
■	Square 53 x 53mm (2 x 2")	7102V	Dover White	39
▲	Triangle 50 x 36 x 36mm (2 x 1½ x 1½")	6812V	Grey	77
▲	Triangle 50 x 36 x 36mm (2 x 1½ x 1½")	6912V	Pugin Blue	77

Area of pattern repeat



Alternative simple border



## Arundel 3 colour (White/Black/Old London)

This pattern takes on a bolder look in White, Black and Buff. Swatch shown with a Hardy border.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> /4 ft <sup>2</sup> )		Code	Colour	Qty
●	Octagon 151 x 151mm (6 x 6")	6431V	White	39
■	Square 53 x 53mm (2 x 2")	6302V	Black	20
■	Square 53 x 53mm (2 x 2")	7202V	Old London	20
▲	Triangle 50 x 36 x 36mm (2 x 1½ x 1½")	6312V	Black	77
▲	Triangle 50 x 36 x 36mm (2 x 1½ x 1½")	7212V	Old London	77

Area of pattern repeat



Alternative simple border



## Arundel 3 colour (Red/Green/Buff)


As the picture left shows, patterns look beautiful when seen from overhead, making these tiles an ideal choice for a hall at the bottom of a staircase. Shown with a Bronte border.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> /4 ft <sup>2</sup> )		Code	Colour	Qty
●	Octagon 151 x 151mm (6 x 6")	6131V	Red	39
■	Square 53 x 53mm (2 x 2")	6702V	Green	39
▲	Triangle 50 x 36 x 36mm (2 x 1½ x 1½")	6212V	Buff	155

Area of pattern repeat (diagonally)



Alternative simple border



All patterns and borders have been calculated to include a 2mm (1/16") grout gap

# Timeless charm

These geometric designs have certainly stood the test of time and are as popular now as when they were first created.







Alternative modified Keats border




## Inverlochy


This pattern takes its name from the design on the original floor at Inverlochy Castle, a grand Victorian house in Scotland. Queen Victoria wrote in her diary after a visit, "I never saw a lovelier or more romantic spot". Shown with a Byron border.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> /4 ft <sup>2</sup> )	Code	Colour	Qty
 Octagon 151 x 151mm (6 x 6")	6231V	Buff	19
 Hexagon 151 x 75mm (6 x 3")	6134V	Red	38
 Square 53 x 53mm (2 x 2")	6602V	Blue	19
 Triangle 50 x 36 x 36mm (2 x 1 1/2 x 1 1/2")	6412V	White	152
 Triangle 50 x 36 x 36mm (2 x 1 1/2 x 1 1/2")	6312V	Black	152

Area of pattern repeat







Alternative Byron border



## Warwick

Similar in layout to Inverlochy using both octagon and the hexagon piece. Shown with a Keats border.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> /4 ft <sup>2</sup> )	Code	Colour	Qty
 Octagon 151 x 151mm (6 x 6")	6131V	Red	20
 Hexagon 151 x 75mm (6 x 3")	6334V	Black	39
 Square 53 x 53mm (2 x 2")	6202V	Buff	77
 Square 53 x 53mm (2 x 2")	6302V	Black	20

Area of pattern repeat



### The octagon

Geometrically speaking, an octagon (derived from the Greek for 'eight angles') is a polygon that has eight sides. The shape has been in use in architecture for many centuries, especially for religious buildings. The number eight is considered lucky in many cultures, especially in China and Japan.

All patterns and borders have been calculated to include a 2mm (1/16") grout gap

Go online at [www.originalstyle.com/en/victorian-floor-tile-gallery](http://www.originalstyle.com/en/victorian-floor-tile-gallery) for more inspiring images



Warwick pattern with modified Keats border in Red, Black and Buff ▲



Warwick pattern with modified Keats border in Red, Black and Buff ▲




Inverlochy pattern in Buff, Red, Blue and White with Byron border in Buff and Red ▲

# The splendour of tradition

In the Victorian and Edwardian eras it was possible to choose designs from pattern books and catalogues. Many of our traditional patterns are authentic replicas from these designs, using the natural original clay colours of red, black, white, brown and buff.



Lindisfarne pattern with Stevenson border in Royal Palladian, Black, Dover White, Brown and Red ▲



Lambeth pattern with modified Wordsworth border in Red, Buff, Black, Brown and White ▲

## Information

Did you know that our tiles are made in traditional colours and shapes from the Victorian era? Our decorated tiles and borders are crafted by hand, replicating original designs from the 19th century and using colours that co-ordinate with the plain coloured tiles.



▲ Bespoke pattern based on Blenheim with modified Kingsley border in Buff, Brown, Red, Blue and Dover White, incorporating Montague Brown on Buff




▲ Lambeth pattern with modified Wordsworth border in Red, Buff, Black, Brown and White



Eltham pattern with modified Kingsley border in Grey, Blue, Pugin Blue, Dover White and Red ▲

# Timeless charm



Alternative modified Bronte border



## Chatsworth

A pattern as grand as the stately home that it was named after. Shown with a Browning border.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> /4 ft <sup>2</sup> )	Code	Colour	Qty
Square 106 x 106mm (4 <sup>1</sup> / <sub>8</sub> " x 4 <sup>1</sup> / <sub>8</sub> " )	6604V	Blue	4
Square 106 x 106mm (4 <sup>1</sup> / <sub>8</sub> " x 4 <sup>1</sup> / <sub>8</sub> " )	6504V	Brown	14
Square 75 x 75mm (3 x 3")	6103V	Red	42
Square 75 x 75mm (3 x 3")	6203V	Buff	28
Square 75 x 75mm (3 x 3")	6503V	Brown	14
Square 75 x 75mm (3 x 3")	6403V	White	4
Triangle 104 x 73 x 73mm (4 <sup>1</sup> / <sub>8</sub> " x 3 x 3")	6214V	Buff	28
Triangle 104 x 73 x 73mm (4 <sup>1</sup> / <sub>8</sub> " x 3 x 3")	6314V	Black	14
Triangle 104 x 73 x 73mm (4 <sup>1</sup> / <sub>8</sub> " x 3 x 3")	6414V	White	28
Triangle 73 x 52 x 52mm (3 x 2 x 2")	6113V	Red	14
Triangle 73 x 52 x 52mm (3 x 2 x 2")	6413V	White	28
Triangle 73 x 52 x 52mm (3 x 2 x 2")	6613V	Blue	14

Area of pattern repeat



Alternative Wordsworth border



## Osborne

A grand and complex design made up from many different sized squares and triangles in six colours. Shown with a Browning border.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> /4 ft <sup>2</sup> )	Code	Colour	Qty
Square 75 x 75mm (3 x 3")	6103V	Red	42
Square 75 x 75mm (3 x 3")	6203V	Buff	28
Square 75 x 75mm (3 x 3")	6703V	Green	18
Square 75 x 75mm (3 x 3")	6603V	Blue	14
Square 106 x 106mm (4 <sup>1</sup> / <sub>8</sub> " x 4 <sup>1</sup> / <sub>8</sub> " )	6604V	Blue	4
Triangle 104 x 73 x 73mm (4 <sup>1</sup> / <sub>8</sub> " x 3 x 3")	6414V	White	28
Triangle 104 x 73 x 73mm (4 <sup>1</sup> / <sub>8</sub> " x 3 x 3")	6214V	Buff	28
Triangle 104 x 73 x 73mm (4 <sup>1</sup> / <sub>8</sub> " x 3 x 3")	6314V	Black	14
Triangle 73 x 52 x 52mm (3 x 2 x 2")	6613V	Blue	14
Triangle 73 x 52 x 52mm (3 x 2 x 2")	6113V	Red	14
Triangle 73 x 52 x 52mm (3 x 2 x 2")	6313V	Black	56
Triangle 73 x 52 x 52mm (3 x 2 x 2")	6413V	White	28

Area of pattern repeat





These geometric designs have certainly stood the test of time, being as popular now as when they were first created. For more border ideas, turn to pages 50-61.



Alternative border incorporating Telford Blue



## Westminster

Another complex design with an extensive repeating pattern. Shown with a Wordsworth border.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> / <sub>4</sub> ft <sup>2</sup> )	Code	Colour	Qty
■ Square 106 x 106mm (4 <sup>1</sup> / <sub>8</sub> " x 4 <sup>1</sup> / <sub>8</sub> ")	6204V	Buff	28
■ Square 75 x 75mm (3 x 3")	6103V	Red	35
■ Square 53 x 53mm (2 x 2")	6102V	Red	7
▲ Triangle 50 x 36 x 36mm (2 x 1 <sup>1</sup> / <sub>2</sub> x 1 <sup>1</sup> / <sub>2</sub> ")	6312V	Black	28
▲ Triangle 104 x 73 x 73mm (4 <sup>1</sup> / <sub>8</sub> x 3 x 3")	6214V	Buff	55
▲ Triangle 104 x 73 x 73mm (4 <sup>1</sup> / <sub>8</sub> x 3 x 3")	6314V	Black	28
▲ Triangle 73 x 52 x 52mm (3 x 2 x 2")	6613V	Blue	55
▲ Triangle 73 x 52 x 52mm (3 x 2 x 2")	6413V	White	55
▲ Triangle 73 x 52 x 52mm (3 x 2 x 2")	6313V	Black	28

Area of pattern repeat



See photograph on page 37



Alternative modified Browning border

## Lindisfarne

A striking design enhanced with Livingstone, one of our hand decorated tiles (see pages 62-71). Shown with a Stevenson border.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> / <sub>4</sub> ft <sup>2</sup> )	Code	Colour	Qty
▲ Triangle 149 x 106 x 106mm (6 x 4 <sup>1</sup> / <sub>8</sub> x 4 <sup>1</sup> / <sub>8</sub> ")	7416V	Royal Palladian	28
▲ Triangle 104 x 73 x 73mm (4 <sup>1</sup> / <sub>8</sub> x 3 x 3")	6314V	Black	28
▲ Triangle 104 x 73 x 73mm (4 <sup>1</sup> / <sub>8</sub> x 3 x 3")	7114V	Dover White	55
■ Square 75 x 75mm (3 x 3")	6303V	Black	7
■ Square 75 x 75mm (3 x 3")	6503V	Brown	28
■ Rectangle 151 x 24mm (6 x 1")	6121V	Red	55
■ Rectangle 151 x 24mm (6 x 1")	7421V	Royal Palladian	28
■ Livingstone 106 x 106mm (4 <sup>1</sup> / <sub>8</sub> " x 4 <sup>1</sup> / <sub>8</sub> ")	6278V	Green on Buff	7

Area of pattern repeat (diagonally)



# Grand designs

Blenheim is another authentic and very popular design that looks superb in any setting. For more borders, turn to pages 50-61.



See photograph on page 49




Alternative border with Cavendish Black on Dover White

## Blenheim 3 colour

A traditional pattern in dramatic Black, Grey and Dover White. Shown with a simple border incorporating Telford Black on Dover White.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> /4 ft <sup>2</sup> )	Code	Colour	Qty
Square 75 x 75mm (3 x 3")	7103V	Dover White	53
Square 75 x 75mm (3 x 3")	6803V	Grey	64
Triangle 73 x 52 x 52mm (3 x 2 x 2")	7113V	Dover White	43
Triangle 73 x 52 x 52mm (3 x 2 x 2")	6313V	Black	85
Livingstone 106 x 106mm (4 1/8" x 4 1/8")	7973V	Black on Dover White	11

Area of pattern repeat (diagonally)



See photograph on page 49



Alternative Wordsworth border

## Blenheim 5 colour

A very popular pattern in traditional colours. An alternative colourway using Green instead of Blue and Brown is opposite. Shown here with a simple border incorporating Telford Blue.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> /4 ft <sup>2</sup> )	Code	Colour	Qty
Square 75 x 75mm (3 x 3")	6603V	Blue	11
Square 75 x 75mm (3 x 3")	6103V	Red	64
Square 75 x 75mm (3 x 3")	6203V	Buff	43
Triangle 73 x 52 x 52mm (3 x 2 x 2")	6513V	Brown	85
Triangle 73 x 52 x 52mm (3 x 2 x 2")	6413V	White	43
Livingstone 106 x 106mm (4 1/8" x 4 1/8")	6265V	Blue on Buff	11

Area of pattern repeat (diagonally)



All patterns and borders have been calculated to include a 2mm (1/16") grout gap

Go online at [www.originalstyle.com/en/victorian-floor-tile-gallery](http://www.originalstyle.com/en/victorian-floor-tile-gallery) for more inspiring images




# Perfect proportions



See photograph on page 48



Alternative Blake border



Alternative Conrad border



## Rochester 5 colour

Warm colours and the addition of a Livingstone decorated tile gives a more traditional feel. Shown with a Wilde border.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> /4 ft <sup>2</sup> )		Code	Colour	Qty
■	Square 151 x 151mm (6" x 6")	7606V	Holkham Dune	6
■	Square 106 x 106mm (4 1/8" x 4 1/8")	7604V	Holkham Dune	22
■	Square 75 x 75mm (3" x 3")	7303V	Regency Bath	22
▲	Triangle 149 x 106 x 106mm (6" x 4 1/8" x 4 1/8")	6116V	Red	22
▲	Triangle 149 x 106 x 106mm (6" x 4 1/8" x 4 1/8")	6316V	Black	22
▲	Triangle 104 x 73 x 73mm (4 1/8" x 3" x 3")	6414V	White	43
▲	Triangle 104 x 73 x 73mm (4 1/8" x 3" x 3")	6314V	Black	22
■	Livingstone 106 x 106mm (4 1/8" x 4 1/8")	6278V	Green on Buff	6

Area of pattern repeat (diagonally)




## Rochester 3 colour

This will be equally at home in traditional and contemporary settings. The same pattern, above, shows how altering the colours can really change the look. Shown with a Wilde border.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> /4 ft <sup>2</sup> )		Code	Colour	Qty
■	Square 151 x 151mm (6" x 6")	7106V	Dover White	6
■	Square 106 x 106mm (4 1/8" x 4 1/8")	6804V	Grey	6
■	Square 106 x 106mm (4 1/8" x 4 1/8")	7104V	Dover White	22
■	Square 75 x 75mm (3" x 3")	6803V	Grey	22
▲	Triangle 149 x 106 x 106mm (6" x 4 1/8" x 4 1/8")	6816V	Grey	22
▲	Triangle 149 x 106 x 106mm (6" x 4 1/8" x 4 1/8")	7116V	Dover White	22
▲	Triangle 104 x 73 x 73mm (4 1/8" x 3" x 3")	6314V	Black	65

Area of pattern repeat (diagonally)



Opulent patterns such as these need larger spaces to get the full, glorious impact. They are best framed with deep borders to retain the grand effect. See more borders on pages 50-61.



See photograph on page 39



Alternative Rossetti border



Alternative modified Kingsley border



## Eltham

The Rochester pattern (left) scaled down by using smaller tiles. Shown with modified a Browning border.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> /4 ft <sup>2</sup> )	Code	Colour	Qty
■ Square 106 x 106mm (4 <sup>1</sup> / <sub>8</sub> " x 4 <sup>1</sup> / <sub>8</sub> " )	6804V	Grey	11
■ Square 75 x 75mm (3" x 3")	7103V	Dover White	42
■ Square 75 x 75mm (3" x 3")	6803V	Grey	11
■ Square 53 x 53mm (2" x 2")	7102V	Dover White	42
▲ Triangle 104 x 73 x 73mm (4 <sup>1</sup> / <sub>8</sub> " x 3" x 3")	7114V	Dover White	21
▲ Triangle 104 x 73 x 73mm (4 <sup>1</sup> / <sub>8</sub> " x 3" x 3")	6114V	Red	42
▲ Triangle 104 x 73 x 73mm (4 <sup>1</sup> / <sub>8</sub> " x 3" x 3")	6614V	Blue	21
▲ Triangle 73 x 52 x 52mm (3" x 2" x 2")	7113V	Dover White	42
▲ Triangle 73 x 52 x 52mm (3" x 2" x 2")	6813V	Grey	42
▲ Triangle 73 x 52 x 52mm (3" x 2" x 2")	6913V	Pugin Blue	42

Area of pattern repeat (diagonally)



## Savoy

Another traditional-style design using squares and triangles. Shown with a simple border.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> /4 ft <sup>2</sup> )	Code	Colour	Qty
■ Square 106 x 106mm (4 <sup>1</sup> / <sub>8</sub> " x 4 <sup>1</sup> / <sub>8</sub> " )	6404V	White	11
■ Square 75 x 75mm (3" x 3")	6803V	Grey	11
■ Square 75 x 75mm (3" x 3")	6403V	White	43
■ Square 53 x 53mm (2" x 2")	6802V	Grey	43
▲ Triangle 104 x 73 x 73mm (4 <sup>1</sup> / <sub>8</sub> " x 3" x 3")	6614V	Blue	43
▲ Triangle 104 x 73 x 73mm (4 <sup>1</sup> / <sub>8</sub> " x 3" x 3")	6814V	Grey	43
▲ Triangle 73 x 52 x 52mm (3" x 2" x 2")	6913V	Pugin Blue	127

Area of pattern repeat




All patterns and borders have been calculated to include a 2mm (1/16") grout gap


Go online at [www.originalstyle.com/en/victorian-floor-tile-gallery](http://www.originalstyle.com/en/victorian-floor-tile-gallery) for more inspiring images

# A lasting impression

Here are more inspirational patterns with an enduring appeal. See pages 50-61 for more border ideas.



Alternative simple border in White and Black




## Braemar

An intricate pattern of stars and squares. Shown with a modified Bronte border.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> / <sub>4</sub> ft <sup>2</sup> )	Code	Colour	Qty
■ Square 75 x 75mm (3 x 3")	6303V	Black	85
■ Square 75 x 75mm (3 x 3")	6403V	White	47
▲ Triangle 73 x 52 x 52mm (3 x 2 x 2")	6313V	Black	75
▲ Triangle 73 x 52 x 52mm (3 x 2 x 2")	6413V	White	75

Area of pattern repeat (diagonally)



See photograph on page 37 & 38




Alternative Byron border

## Lambeth

Based on a grid pattern and created from squares and triangles. Shown with a modified Wordsworth border.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> / <sub>4</sub> ft <sup>2</sup> )	Code	Colour	Qty
■ Square 106 x 106mm (4 <sup>1</sup> / <sub>8</sub> " x 4 <sup>1</sup> / <sub>8</sub> ")	6104V	Red	19
■ Square 106 x 106mm (4 <sup>1</sup> / <sub>8</sub> " x 4 <sup>1</sup> / <sub>8</sub> ")	6204V	Buff	19
■ Square 53 x 53mm (2 x 2")	6302V	Black	38
▲ Triangle 104 x 73 x 73mm (4 <sup>1</sup> / <sub>8</sub> " x 3 x 3")	6514V	Brown	75
▲ Triangle 73 x 52 x 52mm (3 x 2 x 2")	6413V	White	150

Area of pattern repeat (diagonally)





See photograph on page 36



Alternative modified Kingsley border

# Colchester

A gothic style, intense pattern. Shown with a Thackeray border.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> /4 ft <sup>2</sup> )		Code	Colour	Qty
■	Square 106 x 106mm (4 <sup>1</sup> / <sub>8</sub> " x 4 <sup>1</sup> / <sub>8</sub> "	7604V	Holkham Dune	28
■	Rectangle 106 x 53mm (4 <sup>1</sup> / <sub>8</sub> " x 2")	6424V	White	14
▲	Triangle 149 x 106 x 106mm (6" x 4 <sup>1</sup> / <sub>8</sub> " x 4 <sup>1</sup> / <sub>8</sub> "	7316V	Regency Bath	28
▲	Triangle 149 x 106 x 106mm (6" x 4 <sup>1</sup> / <sub>8</sub> " x 4 <sup>1</sup> / <sub>8</sub> "	6416V	White	28
▲	Triangle 73 x 52 x 52mm (3" x 2" x 2")	6513V	Brown	28
▲	Triangle 50 x 36 x 36mm (2" x 1 <sup>1</sup> / <sub>2</sub> " x 1 <sup>1</sup> / <sub>2</sub> "	6512V	Brown	56
▲	Triangle 50 x 36 x 36mm (2" x 1 <sup>1</sup> / <sub>2</sub> " x 1 <sup>1</sup> / <sub>2</sub> "	7312V	Regency Bath	112
■	Square 75 x 75mm (3" x 3")	6403V	White	7
■	Square 53 x 53mm (2" x 2")	6402V	White	7
■	Square 37 x 37mm (1 <sup>1</sup> / <sub>8</sub> " x 1 <sup>1</sup> / <sub>8</sub> "	7241V	Old London	28

Area of pattern repeat



Alternative modified Hardy border



# Canterbury

A new design in the traditional style, with a large pattern repeat for big expanses of floor. Shown with a deep modified Stevenson border.

Tiles used per m <sup>2</sup> (10 <sup>3</sup> /4 ft <sup>2</sup> )		Code	Colour	Qty
■	Square 106 x 106mm (4 <sup>1</sup> / <sub>8</sub> " x 4 <sup>1</sup> / <sub>8</sub> "	7604V	Holkham Dune	31
■	Rectangle 106 x 53mm (4 <sup>1</sup> / <sub>8</sub> " x 2")	7424V	Royal Palladian	48
■	Rectangle 106 x 53mm (4 <sup>1</sup> / <sub>8</sub> " x 2")	6124V	Red	10
▲	Triangle 149 x 106 x 106mm (6" x 4 <sup>1</sup> / <sub>8</sub> " x 4 <sup>1</sup> / <sub>8</sub> "	6416V	White	19
▲	Triangle 104 x 73 x 73mm (4 <sup>1</sup> / <sub>8</sub> " x 3" x 3")	7414V	Royal Palladian	19
▲	Triangle 73 x 52 x 52mm (3" x 2" x 2")	6113V	Red	29
▲	Triangle 73 x 52 x 52mm (3" x 2" x 2")	6413V	White	29
■	Square 75 x 75mm (3" x 3")	6403V	White	3
■	Square 53 x 53mm (2" x 2")	6402V	White	10

Area of pattern repeat





▲ Rochester pattern with Wilde border in Holkham Dune, Regency Bath, Red, Black, White and Green





Blenheim pattern in Black, Grey and Dover White, with Telford border ▲

# The last word in elegance

We've only shown you a selection of traditional and original patterns in this section. Many more designs are possible using all the colours and shapes available (see pages 80-81 for the complete range).

You can create your own or visit [www.originalstyle.com/en/victorian-floor-tile-gallery](http://www.originalstyle.com/en/victorian-floor-tile-gallery) for more inspirational images and pattern designs.



Blenheim pattern in Red, Buff, Blue, Brown and White with Telford border ▲



▲ Modified Kingsley border with Chesterfield pattern in Dover White and Black

# Borders and Corners

Adding a border to a geometric floor pattern is like framing a beautiful picture – a border can enhance an intricate pattern and add interest to something less complex


They are practical too, bridging the sometimes awkward gaps between pattern and wall edges. Matching and contrasting borders can be made up from the huge range of plain and decorated tiles in the range. In this section we show you how borders can be created from the simple to the sublime.



Modified Browning border in Black, Dover White and Pugin Blue in a field of Black ▲




Simple border using rectangles in Black and Dover White with Scarborough pattern in Dover White ▲



Modified Bronte border with bespoke pattern in Black, White, Brown, Buff and Red incorporating Gordon decorated tile in Buff on Black ▲

# Building a border

Like the patterns in the previous section, borders are made up from the various shapes available – the more shapes used, the more complex the border. Here are a few simple borders created from rectangles. Add a flourish with one or more of the decorated tiles available (see pages 62-71). Throughout we show each border with a 90° corner. (see page 56 for more on corners).




## Simple border 1

shown in White






Tiles per linear metre (3 feet)	Code	Colour	Qty
 Rectangle 305 x 75mm (12 x 3")	6425V	White	7

Approx border width 154mm (6<sup>1</sup>/<sub>8</sub>"




## Simple border 2

shown in Dover White, Grey, Pugin Blue and Blue




Tiles per linear metre (3 feet)	Code	Colour	Qty
 Rectangle 151 x 24mm (6 x 1")	7121V	Dover White	7
 Rectangle 151 x 24mm (6 x 1")	6621V	Blue	7
 Rectangle 151 x 24mm (6 x 1")	6921V	Pugin Blue	7
 Rectangle 151 x 24mm (6 x 1")	6821V	Grey	7
 Rectangle 151 x 53mm (6 x 2")	7122V	Dover White	7

Approx border width 159mm (6<sup>1</sup>/<sub>4</sub>"



## Simple border 3

shown in White, Black and Red




Tiles per linear metre (3 feet)	Code	Colour	Qty
 Rectangle 151 x 53mm (6 x 2")	6322V	Black	7
 Rectangle 151 x 24mm (6 x 1")	6421V	White	7
 Rectangle 151 x 75mm (6 x 3")	6123V	Red	7

Approx border width 158mm (6<sup>1</sup>/<sub>4</sub>"



## Simple border 4

shown in Dover White with Black and White Telford

Tiles per linear metre (3 feet)	Code	Colour	Qty
 Rectangle 151 x 24mm (6 x 1")	6321V	Black	14
 Rectangle 151 x 24mm (6 x 1")	7121V	Dover White	7
 Telford 151 x 75mm (6 x 3")	7966V	Black on Dover White	7

Approx border width 155mm (6<sup>1</sup>/<sub>8</sub>"



▲ Modified Simple border 6 with St Andrews pattern in Chester Mews, Holkham Dune and Dover White



▲ Modified Blake border with Fotheringhay pattern in Dover White, Grey and Black



## Simple border 5

shown in Dover White with Royal Palladian

Tiles per linear metre (3 feet)	Code	Colour	Qnty
■ Rectangle 151 x 24mm (6 x 1")	7421V	Royal Palladian	7
■ Rectangle 106 x 53mm (4 x 2")	7124V	Dover White	10

Approx border width 82mm (3<sup>1</sup>/<sub>4</sub>"



## Blake

shown in Black and Dover White

Tiles per linear metre (3 feet)	Code	Colour	Qnty
■ Rectangle 151 x 24mm (6 x 1")	6321V	Black	7
■ Rectangle 151 x 24mm (6 x 1")	7121V	Dover White	14
■ Square 53 x 53mm (2 x 2")	6302V	Black	9
■ Square 53 x 53mm (2 x 2")	7102V	Dover White	9

Approx border width 133mm (5<sup>1</sup>/<sub>4</sub>"



## Simple border 6

shown in Revival Grey with Dover White

Tiles per linear metre (3 feet)	Code	Colour	Qnty
■ Rectangle 151 x 24mm (6" x 1")	7121V	Dover White	14
◆ Diamond 182 x 105mm (7 <sup>7</sup> / <sub>8</sub> x 4 <sup>1</sup> / <sub>8</sub> ")	7739V	Revival Grey	10

Approx border width 141mm (5<sup>5</sup>/<sub>8</sub>"

### Tip

Although most of the borders on these pages are called 'simple', they have an important role in framing and supporting a repeating pattern. A border can be made up from co-ordinating or contrasting colours and shapes. These borders can be widened by adding further rows of rectangles to allow for gaps between pattern repeat and the wall.



▲ Simple framing border in White and Revival Grey shown with Whitby pattern in Revival Grey

## Patterns, borders and corners

The patterns, borders and corners shown throughout this brochure can be created in any colour and combination you choose! The swatches here are only guidelines – you can be as creative as you like. For the full list of colours, shapes and sizes, see pages 81-83. The quantities per square metre/foot and per linear metre/foot are approximate.

We recommend that you ask an experienced tiler to help you with your planning, working out quantities and to fix your floor tiles. Our comprehensive Fixing Guide is available at [www.originalstyle.com/en/guides/victorian-floor-tiles-fixing-guide](http://www.originalstyle.com/en/guides/victorian-floor-tiles-fixing-guide)



## Burns

shown in Revival Grey, Chester Mews and Dover White

Tiles per linear metre (3 feet)		Code	Colour	Qty
Rectangle	151 x 24mm (6 x 1")	7121V	Dover White	14
Equ. Triangle	104 x 89mm (7 <sup>1</sup> / <sub>8</sub> x 3 <sup>1</sup> / <sub>2</sub> ")	7518V	Chester Mews	20
Diamond	182 x 105mm (7 <sup>1</sup> / <sub>8</sub> x 4 <sup>1</sup> / <sub>8</sub> ")	7139V	Dover White	5
Diamond	182 x 105mm (7 <sup>1</sup> / <sub>8</sub> x 4 <sup>1</sup> / <sub>8</sub> ")	7739V	Revival Grey	5

Approx border width 236mm (9<sup>1</sup>/<sub>4</sub>")



## Rossetti

shown in Revival Grey, Chester Mews, Holkham Dune and Dover White

Tiles per linear metre (3 feet)		Code	Colour	Qty
Rectangle	151 x 24mm (6 x 1")	7121V	Dover White	14
Equ. Triangle	104 x 89mm (7 <sup>1</sup> / <sub>8</sub> x 3 <sup>1</sup> / <sub>2</sub> ")	7518V	Chester Mews	7
Diamond	182 x 105mm (7 <sup>1</sup> / <sub>8</sub> x 4 <sup>1</sup> / <sub>8</sub> ")	7639V	Holkham Dune	7
Rectangle	305 x 75mm (12 x 3")	7725V	Revival Grey	4

Approx border width 220mm (8<sup>3</sup>/<sub>8</sub>")



## Shelley

shown in Black, Grey and White

Tiles per linear metre (3 feet)		Code	Colour	Qty
Rectangle	151 x 24mm (6 x 1")	6321V	Black	14
Rectangle	151 x 24mm (6 x 1")	6821V	Grey	14
Triangle	149 x 106 x 106mm (6 x 4 <sup>1</sup> / <sub>8</sub> x 4 <sup>1</sup> / <sub>8</sub> ")	6416V	White	14
Triangle	104 x 73 x 73mm (4 <sup>1</sup> / <sub>8</sub> x 3 x 3")	6314V	Black	14
Triangle	104 x 73 x 73mm (4 <sup>1</sup> / <sub>8</sub> x 3 x 3")	6814V	Grey	14

Approx border width 258mm (10<sup>1</sup>/<sub>4</sub>")







▲ Hexham pattern with Rossetti border in Chester Mews, Holkham Dune and Revival Grey



## Byron

shown in and Old London, Red and Black





Tiles per linear metre (3 feet)		Code	Colour	Qty
	Rectangle 151 x 24mm (6 x 1")	6121V	Red	14
	Rectangle 151 x 24mm (6 x 1")	7221V	Old London	14
	Triangle 149 x 106 x 106mm (6 x 4 1/8 x 4 1/8")	6116V	Red	7
	Triangle 149 x 106 x 106mm (6 x 4 1/8 x 4 1/8")	6316V	Black	7

Approx border width 181mm (7 1/4")



## Woolf

shown in Dover White, Black and Grey

Tiles per linear metre (3 feet)		Code	Colour	Qty
	Rectangle 151 x 53mm (6 x 2")	7122V	Dover White	14
	Equ. Triangle 104 x 89mm (7 1/8 x 3 1/2")	7118V	Dover White	10
	Equ. Triangle 104 x 89mm (7 1/8 x 3 1/2")	6818V	Grey	5
	Equ. Triangle 104 x 89mm (7 1/8 x 3 1/2")	6318V	Black	5

Approx border width 201mm (7 7/8")



▲ Modified Kingsley border and York pattern in Dover White and Grey to show how the patterns can be adapted to fit around corners






## Tip: Borders and Corners

The beauty of borders is their flexibility – they can be expanded or contracted by adding or removing rectangles of different widths to negotiate around tricky and irregular angles and fill gaps around the edges. It's inevitable that some tiles will need to be cut to fit. The borders here include corners at 90° to show which pieces are needed, however most rooms rarely have corners of exactly 90°. That's why it's always best to get a confident and experienced tiler to fix your tiles to avoid costly mistakes and wastage.



## Austen

shown in Red, Black and White




Tiles per linear metre (3 feet)		Code	Colour	Qty
	Rectangle 151 x 24mm (6 x 1")	6321V	Black	14
	Rectangle 151 x 24mm (6 x 1")	6121V	Red	14
	Square 37 x 37mm (1 1/2 x 1 1/2")	6341V	Black	10
	Square 37 x 37mm (1 1/2 x 1 1/2")	6141V	Red	10
	Triangle 50 x 36 x 36mm (2 x 1 1/2 x 1 1/2")	6412V	White	39

Approx border width 158mm (6 1/4")



## Kingsley

shown in Dover White and Black






Tiles per linear metre (3 feet)		Code	Colour	Qty
	Rectangle 151 x 24mm (6 x 1")	6321V	Black	14
	Triangle 73 x 52 x 52mm (3 x 2 x 2")	7113V	Dover White	27
	Square 53 x 53mm (2 x 2")	6302V	Black	14

Approx border width 126mm (5")



## Melville

shown in Black, Revival Grey and Dover White

Tiles per linear metre (3 feet)		Code	Colour	Qty
	Rectangle 151 x 24mm (6 x 1")	6321V	Black	14
	Rectangle 151 x 24mm (6 x 1")	7121V	Dover White	14
	Triangle 149 x 106 x 106mm (6 x 4 1/8 x 4 1/8")	7116V	Dover White	14
	Square 106 x 106 (4 1/8 x 4 1/8")	6304V	Black	4
	Square 106 x 106 (4 1/8 x 4 1/8")	7704V	Revival Grey	4

Approx border width 256mm (10 1/8")





▲ Melville border in Black, Grey and White with York pattern in Black and White

## What's in a name?

Sometimes a border includes 'modified' in its title. This simply means that the basic layout of the middle section (eg Kingsley) has been added to with extra edging pieces – this has been done to add a different colour, shape, extra interest with a decorated tile, or simply to fill space between wall and pattern.



## Keats

shown in Black, Red and Buff

Tiles per linear metre (3 feet)	Code	Colour	Qty
■ Rectangle 151 x 24mm (6 x 1")	6321V	Black	7
▲ Trapezium 149 x 53mm (6 x 2")	6132V	Red	18
▲ Triangle 73 x 52 x 52mm (3 x 2 x 2")	6213V	Buff	28
■ Square 53 x 53 (2 x 2")	6302V	Black	14
■ Rectangle 151 x 53 (6 x 2")	6322V	Black	7

Approx border width 208mm (8 1/4")



## Browning

shown in Black, Old London, Red, Blue and White

Tiles per linear metre (3 feet)	Code	Colour	Qty
■ Rectangle 151 x 24mm (6 x 1")	6321V	Black	7
■ Rectangle 151 x 24mm (6 x 1")	7221V	Old London	7
■ Rectangle 151 x 24mm (6 x 1")	6121V	Red	14
■ Square 53 x 53 (2 x 2")	6602V	Blue	10
▲ Triangle 104 x 73 x 73mm (4 1/8 x 3 x 3")	6414V	White	20
▲ Triangle 73 x 52 x 52mm (3 x 2 x 2")	6312V	Black	40
■ Rectangle 151 x 75mm (6 x 3")	7223V	Old London	7

Approx border width 287mm (11 1/4")



## Bronte

shown in Buff, Red and Green

Tiles per linear metre (3 feet)	Code	Colour	Qty
■ Rectangle 151 x 24mm (6 x 1")	6221V	Buff	28
■ Rectangle 151 x 24mm (6 x 1")	6121V	Red	14
■ Square 53 x 53 (2 x 2")	6202V	Buff	13
▲ Triangle 73 x 52 x 52mm (3 x 2 x 2")	6713V	Green	27
■ Rectangle 151 x 53 (6 x 2")	6722V	Green	7

Approx border width 288mm (11 1/4")



▲ Conrad border with Nottingham pattern in Black, Grey and Dover White



## Conrad

shown in Black, Grey and Dover White

Tiles per linear metre (3 feet)	Code	Colour	Qty
■ Rectangle 151 x 24mm (6 x 1")	6321V	Black	14
■ Rectangle 151 x 24mm (6 x 1")	6821V	Grey	14
■ Square 75 x 75 (3 x 3")	7103V	Dover White	5
■ Square 53 x 53 (2 x 2")	6302V	Black	5
▲ Triangle 73 x 52 x 52mm (3 x 2 x 2")	7113V	Dover White	18
▲ Triangle 73 x 52 x 52mm (3 x 2 x 2")	6813V	Grey	9







Approx border width 181 mm (7 1/4")

If you are looking for more inspiration, why not visit our website gallery at [www.originalstyle.com/en/victorian-floor-tile-gallery](http://www.originalstyle.com/en/victorian-floor-tile-gallery)? To see some examples of our Victorian floor tiles installed in commercial buildings and public spaces, turn to pages 72-75.



## Thackeray

shown in Brown, White, Regency Bath, and Old London





Tiles per linear metre (3 feet)	Code	Colour	Qty
 Rectangle 151 x 24mm (6 x 1")	6521V	Brown	14
 Rectangle 151 x 24mm (6 x 1")	6421V	White	14
 Triangle 73 x 52 x 52mm (3 x 2 x 2")	6413V	White	7
 Triangle 73 x 52 x 52mm (3 x 2 x 2")	7213V	Old London	14
 Square 53 x 53 (2 x 2")	6502V	Brown	4
 Rectangle 151 x 75mm (6 x 3")	7323V	Regency Bath	4

Approx border width 181mm (6<sup>7</sup>/<sub>4</sub>"



## Clare

shown in Brown, Buff and Black





Tiles per linear metre (3 feet)	Code	Colour	Qty
 Rectangle 151 x 24mm (6 x 1")	6521V	Brown	7
 Rectangle 151 x 24mm (6 x 1")	6321V	Black	7
 Trapezium 149 x 52mm (6 x 2")	6232V	Buff	14
 Square 53 x 53 (2 x 2")	6302V	Black	7

Approx border width 129mm (5<sup>1</sup>/<sub>6</sub>"



## Brunel

shown in Green, Black and Dover White







Tiles per linear metre (3 feet)	Code	Colour	Qty
 Rectangle 151 x 24mm (6 x 1")	6321V	Black	14
 Rectangle 151 x 24mm (6 x 1")	7121V	Dover White	14
 Triangle 73 x 52 x 52mm (3 x 2 x 2")	6313V	Black	14
 Hexagon 151 x 75mm (6 x 3")	6734V	Green	7

Approx border width 181mm (7<sup>1</sup>/<sub>4</sub>"




## Carroll

shown in Old London, White, Red and Black

Tiles per linear metre (3 feet)	Code	Colour	Qty
 Rectangle 151 x 24mm (6 x 1")	7221V	Old London	7
 Rectangle 151 x 24mm (6 x 1")	6321V	Black	14
 Triangle 73 x 52 x 52mm (3 x 2 x 2")	6113V	Red	27
 Rectangle 106 x 53mm (4 <sup>1</sup> / <sub>6</sub> x 2")	6424V	White	7
 Rectangle 106 x 53mm (4 <sup>1</sup> / <sub>6</sub> x 2")	7224V	Old London	7
 Rectangle 151 x 75mm (6 x 3")	7223V	Old London	7

Approx border width 271mm (10<sup>3</sup>/<sub>8</sub>"







▲ Wilde border with Rochester pattern in Red, Green, Regency Bath, Black and White



## Joyce

shown in Blue, Pugin Blue and White






Tiles per linear metre (3 feet)		Code	Colour	Qty
	Rectangle 151 x 24mm (6 x 1")	6421V	White	14
	Rectangle 151 x 24mm (6 x 1")	6921V	Pugin Blue	14
	Triangle 50 x 36 x 36mm (2 x 1 1/2 x 1 1/2")	6612V	Blue	20
	Triangle 50 x 36 x 36mm (2 x 1 1/2 x 1 1/2")	6412V	White	20
	Square 37 x 37mm (1 1/2 x 1 1/2")	6641V	Blue	10
	Square 37 x 37mm (1 1/2 x 1 1/2")	6941V	Pugin Blue	10

Approx border width 160mm (6 1/8")



## Wilde

shown in Red, Green, Regency Bath, Black and White

Tiles per linear metre (3 feet)		Code	Colour	Qty
	Rectangle 151 x 24mm (6 x 1")	6121V	Red	7
	Rectangle 151 x 24mm (6 x 1")	6721V	Green	14
	Square 75 x 75mm (3 x 3")	7303V	Regency Bath	5
	Triangle 149 x 106 x 106mm (6 x 4 1/8 x 4 1/8")	6116V	Red	5
	Triangle 149 x 106 x 106mm (6 x 4 1/8 x 4 1/8")	6316V	Black	5
	Triangle 104 x 73 x 73mm (4 1/8 x 3 x 3")	6414V	White	10
	Rectangle 151 x 53mm (6 x 2")	6122V	Red	7

Approx border width 241mm (9 1/2")

All patterns and borders have been calculated to include a 2mm (1/16") grout gap

## Information

We have only shown a selection of borders in this section – as you can imagine, with so many pieces to work with there are simply too many different options to show here! You can find lots more inspirational images at our gallery [www.originalstyle.com/en/victorian-floor-tile-gallery](http://www.originalstyle.com/en/victorian-floor-tile-gallery)



## Hardy

shown in White, Old London and Black

Tiles per linear metre (3 feet)	Code	Colour	Qty
■ Rectangle 151 x 24mm (6 x 1")	6321V	Black	7
■ Rectangle 151 x 24mm (6 x 1")	7221V	Old London	7
▲ Triangle 104 x 73 x 73mm (4 <sup>1</sup> / <sub>8</sub> x 3 x 3")	6314V	White	14
▲ Triangle 73 x 52 x 52mm (3 x 2 x 2")	6313V	Black	14
▲ Triangle 73 x 52 x 52mm (3 x 2 x 2")	7213V	Old London	14
■ Rectangle 151 x 53mm (6 x 2")	6322V	Black	7

Approx border width 182mm (9<sup>1</sup>/<sub>2</sub>"



## Wordsworth

shown in Red, Black, Blue, Buff and White

Tiles per linear metre (3 feet)	Code	Colour	Qty
■ Rectangle 151 x 24mm (6 x 1")	6321V	Black	7
■ Rectangle 151 x 75mm (6 x 3")	6123V	Red	7
▲ Trapezium 149 x 52mm (6 x 2")	6132V	Red	9
▲ Triangle 73 x 52 x 52mm (3 x 2 x 2")	6313V	Black	27
■ Square 106 x 106 (4 <sup>1</sup> / <sub>8</sub> x 4 <sup>1</sup> / <sub>8</sub> ")	6204V	Buff	5
■ Square 53 x 53 (2 x 2")	6402V	White	18
■ Square 53 x 53 (2 x 2")	6602V	Blue	5

Approx border width 294mm (11<sup>5</sup>/<sub>8</sub>"



## Stevenson

shown in Buff, Red, Green, Black, Brown and Royal Palladian

Tiles per linear metre (3 feet)	Code	Colour	Qty
■ Rectangle 151 x 53mm (6 x 2")	6222V	Buff	14
■ Square 75 x 75 (3 x 3")	6103V	Red	4
■ Square 75 x 75 (3 x 3")	6703V	Green	4
▲ Triangle 73 x 52 x 52mm (3 x 2 x 2")	6213V	Buff	40
▲ Triangle 73 x 52 x 52mm (3 x 2 x 2")	6313V	Black	40
■ Rectangle 151 x 53mm (6 x 2")	6522V	Brown	7
■ Rectangle 151 x 24mm (6 x 1")	7421V	Royal Palladian	14

Approx border width 372mm (14<sup>7</sup>/<sub>16</sub>"



▲ Palmerston Blue on Buff 36-tile set within a simple border and the Inverlochy pattern

## Hand Decorated Floor Tiles

On the following pages you will see our wide selection of hand decorated tiles in various sizes, colours and patterns.

Smaller tiles are ideal to use individually to add variety and contrast within a geometric tile pattern and/or border. These decorated tiles are the ideal complement to the plain colours. Based on traditional Victorian designs, the decorations are in colours designed to sit alongside the geometric tiles. Choose from panels, individual drop-ins and borders and corners in differing colours and styles, from the dainty leafy scroll of Lansdowne to the classic Greek Key.

# Tile Set Panels

## Palmerston 36-tile set

Panel size 916 x 916mm (approx. 36 x 36") including grout spaces.  
 Individual tile size 151 x 151mm (6 x 6").



▲ 6277V Palmerston Green on Buff 36-tile set



▲ 6262V Palmerston Blue on Buff 36-tile set

## Disraeli 9-tile set

Panel size 457 x 457mm (approx. 18 x 18") including grout spaces.  
 Individual tile size 151 x 151mm (6 x 6").



▲ 6276V Disraeli Green on Buff 9-tile set



▲ 6261V Disraeli Blue on Buff 9-tile set



▲ Gladstone Blue/Red framed by Telford Blue border

## Gladstone

Individual tile size 151 x 151mm (approx. 6 x 6")  
Use these four identical tiles to make a panel 304 x 304mm  
(approx. 12 x 12") including grout spaces.



▲ 6260V Blue/Red on Buff



▲ 6284V Green/Red on Buff

Please note that these decorative panels shown are not in proportion with others in this section.  
This has been done deliberately to illustrate the finer details of the decoration.





▲ Salisbury Black on Dover White

# Salisbury

Individual tile size 151 x 151mm (approx. 6 x 6")



▲ 6268V Salisbury Green on Buff



▲ 6279V Salisbury Blue on Buff



▲ 7968V Salisbury Black on White



▲ 7969V Salisbury Black on Dover White



Create a panel of any size by rotating through 90° as in these examples of a 9-tile repeat



# Individual Tiles

These beautiful hand decorated designs can be used as drop-ins within patterns and/or borders.

## Wellesley

151 x 151 mm  
(approx. 6 x 6")



6560V Green/Red on Buff



6561V White/Blue on Buff



6562V Black/Blue on Red

## Liverpool

151 x 151 mm  
(approx. 6 x 6")



6266V Blue/White on Red



6283V Green/White on Buff

## Livingstone

106 x 106 mm  
(approx. 4 1/8 x 4 1/8")



7970V  
Grey on White



7971V  
Black on White



7972V Grey on  
Dover White



7973V Black  
on Dover White



6278V  
Green on Buff



6265V  
Blue on Buff

## Cardigan 53 x 53mm (approx. 2 x 2")



7906V  
Black on Dover White



7907V  
Dark Brown on White



7908V  
Red on White



6294V  
Brown on Buff



6297V  
Buff on Red



6298V  
Buff on Green



6299V  
Black on Red



6295V  
Black on Blue

## Gordon 53 x 53mm (approx. 2 x 2")



7902V  
Black on Dover White



7903V  
Dark Brown on White



7905V  
Pale Green on White



6290V  
Brown on Buff



6287V  
Buff on Red



6288V  
Buff on Green



6289V  
Black on Red



6286V  
Buff on Black

## Colebrooke 53 x 53mm (approx. 2 x 2")



7945V  
Black on Dover White



7946V  
Red on White


## Montague 75 x 75mm (approx. 3 x 3")



7926V  
Black on Dover White



7925V  
Brown on Buff



▲ Huntingdon pattern with modified Bronte border in Dover White, Black and Grey incorporating Colebrooke Black on Dover White

## Galway 75 x 75mm (approx. 3 x 3")



7948V  
Pale Green on White




7950V  
Black on White

# Decorated borders and corners


These beautiful designs can be used as drop-ins within patterns and/or borders.

## Cavendish


151 x 151 mm (approx. 6 x 6")



7934V **External Corner**  
Black on Dover White



7932V **Border**  
Black on Dover White



7933V **Internal Corner**  
Black on Dover White



▲ Cavendish border and internal corner

### Cavendish Borders and Corners

The Cavendish border can be laid with the thicker line either on the outside or the inside of the overall scheme. Although the corners are called 'Internal' and 'External' they are interchangeable. It is advisable to establish your preference and ensure that all border and corner tiles follow the same pattern and lay it out first before installing the tiles.

## Shaftesbury

2-tile border set with matching corner tile. You could also use the corner tile as a drop-in within a pattern, similar to Liverpool, Wellesley and Gloucester.

### Corner

Each tile 151 x 151 mm (approx. 6 x 6")



6571V  
Brown on White

### Border

Border set of 2, each tile 151 x 151 mm (approx 6 x 6")



6569V  
Brown on White



6568V  
Green on Buff



6566V  
Green on Buff



▲ Shaftesbury Brown on White

These border tiles range from simple lines to complex patterns, all designed to complement the colours and patterns shown throughout the brochure

## Faraday

**Corner** 75 x 75mm (approx. 3 x 3")  
**Border** 151 x 75mm (approx. 6 x 3")



6593V  
Black on White



6592V  
Black on White

**Corner** 75 x 75mm (approx. 3 x 3")  
**Border** 151 x 75mm (approx. 6 x 3")



6591V  
Black on Red



6590V  
Black on Red

## Plymouth

**Corner** 75 x 75mm (approx. 3 x 3")  
**Border** 151 x 75mm (approx. 6 x 3")



7939V  
Black on White



7938V  
Black on White



▲ Plymouth Black on White

## Telford

**Corner** 75 x 75mm (approx. 3 x 3")



7961V  
Grey on White



7963V  
Black on White



7965V  
Grey on Dover White



7967V  
Black on Dover White



6270V  
Blue on Buff



6281V  
Green on Buff

**Border** 151 x 75mm (approx. 6 x 3")



7960V  
Grey on White



7962V  
Black on White



7964V  
Grey on Dover White



7966V  
Black on Dover White



6269V  
Blue on Buff




6280V  
Green on Buff

## Kitchener

**Corner** 75 x 75mm (approx. 3 x 3")



6573V  
Blue on Buff



6575V  
Green on Buff

**Border** 151 x 75mm (approx. 6 x 3")



6572V  
Blue on Buff



6574V  
Green on Buff



▲ Greek Key Black on White

## Elgin

### Corner

75 x 75mm  
(approx. 3 x 3")



7901V  
Brown on White



6577V  
Black on Buff



6579V  
Buff on Red

### Border

151 x 75mm  
(approx. 6 x 3")



7900V  
Brown on White



6576V  
Black on Buff



6578V  
Buff on Red



6581V  
Black on White



6583V  
Blue on White



6585V  
Red on White



6580V  
Black on White



6582V  
Blue on White



6584V  
Red on White

## Greek Key

### Corner

53 x 53mm  
(approx. 2 x 2")



6661V  
Black on Buff



6667V  
Black on White

### Border

151 x 53mm  
(approx. 6 x 2")



6660V  
Black on Buff



6666V  
Black on White



6665V  
Black on Red



6669V  
Blue on White



6664V  
Black on Red



6668V  
Blue on White



▲ Elgin Black on White



▲ Dover White Skirting Piece

## Lansdowne

**Corner**

24 x 24mm  
(approx 1 x 1")

**Border**

151 x 24mm  
(approx. 6 x 1")



6671V  
Black on Buff



6670V  
Black on Buff



6673V  
Red on Buff



6672V  
Red on Buff



6675V  
Buff on Red



6674V  
Buff on Red



6677V  
Blue on White



6676V  
Blue on White



6679V  
Green on White



6678V  
Green on White

## Melbourne

**Corner**

24 x 24mm  
(approx 1 x 1")

**Border**

151 x 24mm  
(approx. 6 x 1")



6681V  
Black Spot on Buff



6680V  
Black Spot on Buff



6683V  
Buff Spot with Black



6682V  
Buff Spot with Black



7911V  
Black Spot on  
Dover White



7910V  
Black Spot on Dover White



7913V  
Dover White Spot  
with Black



7912V  
Dover White Spot with Black



7915V  
Brown Spot on White



7914V  
Brown Spot on White

## Skirting Piece

149 x 98mm (6 x 4 7/8")

These add a neat finish and provide a smooth transition between wall and floor tiles. They can be used as a skirting wall tile (as picture above right) or laid on the floor with the curved edge next to the wall.




7137V  
Dover White




6237V  
Buff



6137V  
Red



6337V  
Black



For all  
walks of life



Our Victorian Floor Tiles are not only suitable for installing in (and outside) residential houses, they are also hardy enough to stand up to the heavy traffic in most commercial and public buildings. Here are just a few locations from around the world where you can see our tiles: churches, bars, hotels, restaurants, a university, football stadium and an enormous restored conservatory in a grand castle!



Aston Villa Football Club's Villa Park Stadium in Birmingham. The pattern in Red, Grey and White incorporating Liverpool is called Cliveden, was created especially for the location. Shown with Melville border



Prinsen Restaurant, Stockholm, Sweden. Pattern shown is Edinburgh in Red, Black and Buff



O'Leary's pub, Stockholm, Sweden. Pattern shown is Chelsea in Dover White and Regency Bath



▲ The restored Victorian Conservatory at Wentworth Castle, Yorkshire. The bespoke pattern is in Royal Palladian and Old London




▲ York pattern in Dover White and Black at Restaurant Proviant, Stockholm, Sweden



▲ Nine Fine Irishmen bar, New York New York Hotel & Casino, Las Vegas, USA. Dorchester pattern in Red and Buff with Kingsley border in Black and Red (pattern beneath chairs), Oxford pattern with Kingsley border in Black and White



▲ Arundel pattern with Bronte border in Red, Green and Buff at Sibyllans Te och Kaffehandel (Tea and Coffee Store), Stockholm, Sweden



As the tiles are robust enough for commercial applications you can be confident that they will withstand the wear and tear of everyday family life in hallways, bathrooms and kitchens as well as paths and porches. Once installed and sealed, our tiles are easy to keep clean and they will continue to look beautiful for many years to come (see Important Information on 78-83 pages for further details).


### Technical information

Both base tiles and hand decorated tiles have been tested for wear rating and have proved suitable for both residential and light commercial applications, such as churches, restaurants, bars, entrances, hotel, exhibition and sales rooms.

Palmerston Blue on Buff 36-tile set within Inverloch pattern at St Raphael's Church, Kingston upon Thames, Surrey ▲



Harry Morgan Deli Restaurant, London, Nottingham ▲  
 pattern in Brown, Black and White, with bespoke border in Brown, Black, White and Red



Bespoke pattern based on York in Dover White and Black at Energiea Pub, Bucharest, Romania ▲

# Geometric floor tiles


the possibilities  
are endless

In the previous pages of this brochure we have shown you how geometric floor patterns can be created from a selection of tiles in different shapes and colours. Some of the patterns have been faithfully recreated from authentic designs, others could be described as 'tradition with a twist' and there are a few that have a more contemporary feel.

There are also hand decorated tile panels, individual drop-ins, borders and corners in different colour options (see pages 62-71). However if you would like any of these on a different base coloured tile or have different colours we can do these for you. Our hand decorated tiles are produced in small batches in our studio in Exeter so we are able to respond to bespoke requests.



Would you like it in an alternative colour? We can hand decorate existing patterns in different colours and combinations



# Bespoke projects

What if you prefer something unique, something as individual as you are?

We are here to help, as we have already completed several bespoke tiling projects for residential homes and more commercial applications. Here are a few examples and suggestions to inspire you:

- Spell out your house name on your doorstep. Some tiles will need to be cut for this sort of project, which can be easily undertaken by a confident tiler. We can advise on the design if required.
- Logos, pictures, names can all be printed onto tiles to match your own décor.
- Got other ideas? Simply visit your nearest Original Style Victorian Floor Tile retailer for more information and to discuss your specific requirements.



Logo printed black on white tiles then cut by water jet for precision. Tiled into a field of red 151mm/6" squares. From sketch to finished foyer.

# Product information

## Colours

Here are all the shapes and colours in the range  
(please see chart on the following pages for all product codes).

WHITE	DOVER WHITE	CHESTER MEWS*	HOLKHAM DUNE*
BUFF	RED	BROWN	REVIVAL GREY*
OLD LONDON	ROYAL PALLADIAN	REGENCY BATH	GREEN
GREY	BLUE	PUGIN BLUE*	BLACK

\* New colours introduced in 2014.

### Free CAD design database

Interior designers and architects working with CAD (computer aided design) systems can obtain a free CAD database to help with the planning of geometric pattern floors. It can be downloaded from our website at [www.originalstyle.com/cad](http://www.originalstyle.com/cad)

A CAD software programme is required to run the database. It will help you:

- Visualise floor layouts in their intended settings
- Design tiling layouts from scratch
- Experiment with different colour/pattern/border combinations
- Calculate tile quantities required


3D room visualisations are also available – please contact Customer Services for more details.
























### Tip

Certain shapes have been especially designed to coordinate with others, for example: Large Classic Hexagon 185mm (7 1/4"), Diamond and Equilateral Triangle, Small Octagon 106mm (4 1/8") and Square 37mm (1 1/2"), Large Octagon 151mm (6") and Square make the classic Octagon dot pattern
























# Shapes

The dimensions shown are useful to see which tiles work together - you'll need to allow for the recommended grout gap of 2-3mm ( $1/16$  -  $1/8$ ").







NB. Pieces per m <sup>2</sup> /sq.ft are without a grout gap			RED	BUFF	BLACK	WHITE	BROWN	BLUE	GREEN	GREY
SQUARES		151 x 151mm 44 pcs per m <sup>2</sup> 6 x 6" 4 pcs per sq.ft (approx)	6106V	6206V	6306V	6406V	6506V	6606V	6706V	6806V
		106 x 106mm 89 pcs per m <sup>2</sup> 4 1/8 x 4 1/8" 8 pcs per sq.ft (approx)	6104V	6204V	6304V	6404V	6504V	6604V	6704V	6804V
		75 x 75mm 178 pcs per m <sup>2</sup> 3 x 3" 16 1/2 pcs per sq.ft (approx)	6103V	6203V	6303V	6403V	6503V	6603V	6703V	6803V
		53 x 53mm 356 pcs per m <sup>2</sup> 2 x 2" 33 pcs per sq.ft (approx)	6102V	6202V	6302V	6402V	6502V	6602V	6702V	6802V
<b>NEW SQUARE</b>		37 x 37mm 730 pcs per m <sup>2</sup> 1 1/2 x 1 1/2" 68 pcs per sq.ft (approx)	6141V	-	6341V	6441V	-	6641V	-	6841V
RECTANGLES		151 x 75mm 88 pcs per m <sup>2</sup> 6 x 3" 8 pcs per sq.ft (approx)	6123V	6223V	6323V	6423V	6523V	6623V	6723V	6823V
		151 x 53mm 125 pcs per m <sup>2</sup> 6 x 2" 11 1/2 pcs per sq.ft (approx)	6122V	6222V	6322V	6422V	6522V	6622V	6722V	6822V
		151 x 24mm 276 pcs per m <sup>2</sup> 6 x 1" 25 1/2 pcs per sq.ft (approx)	6121V	6221V	6321V	6421V	6521V	6621V	6721V	6821V
		106 x 53mm 178 pcs per m <sup>2</sup> 4 1/8 x 2" 16 1/2 pcs per sq.ft (approx)	6124V	-	6324V	6424V	-	-	-	-
<b>NEW RECTANGLE</b>		305 x 75mm 44 pcs per m <sup>2</sup> 12 x 3" 4 pcs per sq.ft (approx)	6125V	-	6325V	6425V	-	-	-	
SKIRTING		149 x 98mm 6.71 pcs per lin.m 6 x 3 7/8" 2 pcs per lin.ft. (approx)	6137V	6237V	6337V	-	-	-	-	-
STEP TREAD		151 x 75mm 6.62 pcs per lin.m 6 x 3" 2 pcs per lin.ft. (approx)	6135V	-	6335V	-	-	-	-	-
TRIANGLES		149 x 106 x 106mm 178 pcs per m <sup>2</sup> 6 x 4 1/8 x 4 1/8" 16 1/2 pcs per sq.ft (approx)	6116V	6216V	6316V	6416V	6516V	6616V	6716V	6816V
		104 x 73 x 73mm 375 pcs per m <sup>2</sup> 4 1/8 x 3 x 3" 35 pcs per sq.ft (approx)	6114V	6214V	6314V	6414V	6514V	6614V	6714V	6814V
		73 x 52 x 52mm 740 pcs per m <sup>2</sup> 3 x 2 x 2" 69 pcs per sq.ft (approx)	6113V	6213V	6313V	6413V	6513V	6613V	6713V	6813V
		50 x 36 x 36mm 1543 pcs per m <sup>2</sup> 2 x 1 1/2 x 1 1/2" 143 pcs per sq.ft (approx)	6112V	6212V	6312V	6412V	6512V	6612V	6712V	6812V
OCTAGON		151 x 151mm 44 pcs per m <sup>2</sup> 6 x 6" 4 pcs per sq.ft (approx)	6131V	6231V	6331V	6431V	6531V	6631V	6731V	6831V
<b>NEW OCTAGON</b>		106 x 106mm 89 pcs per m <sup>2</sup> 4 1/8 x 4 1/8" 8 pcs per sq.ft (approx)	6140V	-	-	6440V	-	-	-	
TRAPEZIUM		149 x 52mm 246 pcs per m <sup>2</sup> 6 x 2" 23 pcs per sq.ft (approx)	6132V	6232V	6332V	6432V	-	-	6732V	-
HEXAGON		150 x 75mm 119 pcs per m <sup>2</sup> 6 x 3" 11 pcs per sq.ft (approx)	6134V	6234V	6334V	-	6534V	-	6734V	-
CLASSIC HEXAGON		127mm 72 pcs per m <sup>2</sup> 5" 6 1/2 pcs per sq.ft (approx)	6136V	6236V	6336V	6436V	-	-	-	6836V
<b>NEW LARGE CLASSIC HEXAGON</b>		185 x 185mm 34 pcs per m <sup>2</sup> 7 1/4 x 7 1/4" 3 pcs per sq.ft (approx)	-	-	6338V	-	-	6638V	-	6838V
<b>NEW DIAMOND</b>		182 x 105mm 100 pcs per m <sup>2</sup> 7 1/8 x 4 1/8" 9 pcs per sq.ft (approx)	-	-	6339V	-	-	6639V	-	6839V
<b>NEW EQUILATERAL TRIANGLE</b>		104 x 89mm 200 pcs per m <sup>2</sup> 4 1/8 x 3 1/2" 18 1/2 pcs per sq.ft (approx)	-	-	6318V	-	-	6618V	-	6818V



NEW					NEW	NEW	NEW			
PUGIN BLUE	DOVER WHITE	OLD LONDON	REGENCY BATH	ROYAL PALLADIAN	CHESTER MEWS	HOLKHAM DUNE	REVIVAL GREY	NB. Pieces per m <sup>2</sup> /sq.ft are without a grout gap		
-	7106V	7206V	7306V	7406V	7506V	7606V	7706V		151 x 151mm 44 pcs per m <sup>2</sup> 6 x 6" 4 pcs per sq.ft (approx)	SQUARES
6904V	7104V	7204V	7304V	7404V	7504V	7604V	7704V		106 x 106mm 89 pcs per m <sup>2</sup> 4 1/8 x 4 1/8" 8 pcs per sq.ft (approx)	
-	7103V	7203V	7303V	7403V	7503V	-	7703V		75 x 75mm 178 pcs per m <sup>2</sup> 3 x 3" 16 1/2 pcs per sq.ft (approx)	
6902V	7102V	7202V	7302V	7402V	7502V	7602V	7702V		53 x 53mm 356 pcs per m <sup>2</sup> 2 x 2" 33 pcs per sq.ft (approx)	
6941V	-	7241V	-	-	-	-	-		37 x 37mm 730 pcs per m <sup>2</sup> 1 1/2 x 1 1/2" 68 pcs per sq.ft (approx)	NEW SQUARE
-	7123V	7223V	7323V	7423V	7523V	-	7723V		151 x 75mm 88 pcs per m <sup>2</sup> 6 x 3" 8 pcs per sq.ft (approx)	RECTANGLES
-	7122V	7222V	-	-	-	-	-		151 x 53mm 125 pcs per m <sup>2</sup> 6 x 2" 11 1/2 pcs per sq.ft (approx)	
6921V	7121V	7221V	7321V	7421V	7521	-	7721		151 x 24mm 276 pcs per m <sup>2</sup> 6 x 1" 25 1/2 pcs per sq.ft (approx)	
-	7124V	7224V	7324V	7424V	-	-	-		106 x 53mm 178 pcs per m <sup>2</sup> 4 1/8 x 2" 16 1/2 pcs per sq.ft (approx)	
-	-	7225V	-	-	7525V	7625V	7725V		305 x 75mm 44 pcs per m <sup>2</sup> 12 x 3" 4 pcs per sq.ft (approx)	NEW RECTANGLE
-	7137V	-	-	-	-	-	-		149 x 98mm 6.71 pcs per lin.m 6 x 3 7/8" 2 pcs per lin.ft. (approx)	SKIRTING
-	-	-	-	-	-	-	-		151 x 75mm 6.62 pcs per lin.m 6 x 3" 2 pcs per lin.ft. (approx)	STEP TREAD
-	7116V	7216V	7316V	7416V	-	-	-		149 x 106 x 106mm 178 pcs per m <sup>2</sup> 6 x 4 1/8 x 4 1/8" 16 1/2 pcs per sq.ft (approx)	TRIANGLES
-	7114V	7214V	7314V	7414V	-	-	-		104 x 73 x 73mm 375 pcs per m <sup>2</sup> 4 1/8 x 3 x 3" 35 pcs per sq.ft (approx)	
6913V	7113V	7213V	7313V	7413V	-	-	-		73 x 52 x 52mm 740 pcs per m <sup>2</sup> 3 x 2 x 2" 69 pcs per sq.ft (approx)	
6912V	7112V	7212V	7312V	7412V	-	-	-		50 x 36 x 36mm 1543 pcs per m <sup>2</sup> 2 x 1 1/2 x 1 1/2" 143 pcs per sq.ft (approx)	
-	7131V	7231V	-	-	-	-	-		151 x 151mm 44 pcs per m <sup>2</sup> 6 x 6" 4 pcs per sq.ft (approx)	OCTAGON
-	7140	7240V	-	-	-	-	-		106 x 106mm 89 pcs per m <sup>2</sup> 4 1/8 x 4 1/8" 8 pcs per sq.ft (approx)	NEW OCTAGON
-	7132V	7232V	7332V	-	-	-	-		149 x 52mm 246 pcs per m <sup>2</sup> 6 x 2" 23 pcs per sq.ft (approx)	TRAPEZIUM
-	7134V	7234V	7334V	-	-	-	-		150 x 75mm 119 pcs per m <sup>2</sup> 6 x 3" 11 pcs per sq.ft (approx)	HEXAGON
-	7136V	7236V	7336V	-	-	-	-		127mm 72 pcs per m <sup>2</sup> 5" 6 1/2 pcs per sq.ft (approx)	CLASSIC HEXAGON
-	7138V	-	-	-	7538V	7638V	7738V		185 x 185mm 34 pcs per m <sup>2</sup> 7 1/4 x 7 1/4" 3 pcs per sq.ft (approx)	NEW LARGE CLASSIC HEXAGON
6939V	7139V	-	-	-	7539V	7639V	7739V		182 x 105mm 100 pcs per m <sup>2</sup> 7 1/8 x 4 1/8" 9 pcs per sq.ft (approx)	NEW DIAMOND
6918V	7118V	-	-	-	7518V	7618V	7718V		104 x 89mm 200 pcs per m <sup>2</sup> 4 1/8 x 3 1/2" 18 1/2 pcs per sq.ft (approx)	NEW EQUILATERAL TRIANGLE

# Specifications / Spécifications / Technische Daten / Specificaties / Технические данные напольной плитки

<p>Producer Original Style Ltd, Falcon Road, Sowton Industrial Estate, Exeter, Devon EX2 7LB, England, declares that their Victorian dust pressed floor and wall tiles for internal and external uses are in conformity with 89/106/CEE directive.</p>	<p>Das Unternehmen Original Style Ltd, Falcon Road, Sowton Industrial Estate, Exeter, Devon EX2 7LB erklärt, dass die trockenengepressten Boden- und Wandfliesen „Victorian“ zur Verwendung in Innen- und Außenbereichen der Richtlinie 89/106/CEE entsprechen.</p>
 EN 14411 Dry pressed vitrified tiles group Blb for internal or external wall and flooring	 EN 14411 Trockengepresste Steinzeugfliesen, Gruppe Blb zur Verwendung als Wand- und Bodenfliesen für Innen- und Außenbereiche
<p>La société Original Style Ltd, basée à Falcon Road, Sowton Industrial Estate, Exeter, Devon EX2 7LB, confirme que ses carreaux pressés à sec Victorian, à usage intérieur et extérieur sur sols et murs, sont conformes à la directive 89/106/CEE.</p>	<p>Het bedrijf Original Style Ltd, Falcon Road, Sowton Industrial Estate, Exeter, Devon EX2 7LB, verklaart dat hun drooggeperste Victorian vloer- en wandtegels voor binnen- en buitengebruik, overeenkomstig zijn met de richtlijn 89/106/CEE.</p>
 EN 14411 Carreaux vitrifiés pressés à sec du groupe Blb pour usage intérieur et extérieur sur sols et murs	 EN 14411 Drooggeperste met een absorptie van minder dan 3% tegels van groep Blb voor wanden en vloeren binnen en buiten

<p>Tested to Testé aux normes Getestet nach Getest volgens Испытано на</p>	<p>BS EN ISO 14411, in conjunction with BS EN ISO 10545 parts 1-16 BS EN ISO 14411, en conjunction avec BS EN ISO 10545 sections 1-16 BS EN ISO 14411, in Verbindung mit BS EN ISO 10545 Teile 1-16 BS EN ISO 14411, in combinatie met BS EN ISO 10545 parts 1-16 BS EN ISO 14411, совместно с BS EN ISO 10545, разделы 1-16</p>
<p>Description Description Beschreibung Omschrijving Описание</p>	<p>Annex H, dry pressed ceramic tiles with low water absorption 0.5- 3%, Group Blb, vitrified Annexe H, carreaux en céramique pressés à sec, à faible absorption d'eau 0,5 - 3%, Groupe Blb, vitrifiés Annex H, trockenengepresste Keramikfliesen mit niedriger Wasseraufnahme 0,5 - 3%, Gruppe Blb, verglast Annex H, droog geperste keramieken tegels met lage waterabsorptie 0,5 - 3%, Group Blb, verglaasd Приложение H, керамическая плитка сухого прессования, с низкой влагопоглощаемостью – 0,5-3%, группа Blb, остеклованная</p>
<p>Dimensions and surface quality Dimensions et qualité de surface Maße und Oberflächenqualität Afmetingen en oppervlaktekwaliteit Габариты и качество поверхности</p>	<p>BS EN ISO 10545-2, Annex H: Conforms to all standards for dimension and surface quality BS EN ISO 10545-2, Annexe H: conforme à toutes les normes pour les dimensions et la qualité de surface BS EN ISO 10545-2, Annex H: Entspricht allen Normen für Größe und Oberflächenqualität BS EN ISO 10545-2, Annex H: conform alle richtlijnen voor afmetingen en kwaliteit van oppervlakte BS EN ISO 10545-2, Приложение H: соответствует всем стандартам для размеров и качества поверхности</p>
<p>Working tolerances Marges de tolérance Fertigungstoleranz Werktolerantie Производственный допуск</p>	<p>From the work size: 7cms ≤ N &lt;15cms - +/- 0.9mm N≥15cms +/- 0.6% to a max of +/- 2.0mm De la taille réelle: 7cms ≤ N &lt;15cms - +/- 0.9mm N≥15cms +/- 0.6% jusqu'à un maximum de +/- 2.0mm Von der tatsächlichen Größe: 7 cm ≤ N &lt;15 cm - +/- 0.9 mm N≥15 cm +/- 0.6 % bis max +/- 2.0mm Van tegelafmeting: 7cms ≤ N &lt;15cms - +/- 0.9mm N≥15cms +/- 0.6% tot een max van +/- 2.0mm От рабочего размера : 7cms ≤ N &lt;15cms - +/- 0,9 MM N≥15cms +/- 0,6% к макс = / - 2,0 MM</p>
<p>Mohs scale surface resistance Résistance de surface selon l'échelle de Mohs Oberflächenhärte nach Mohs-Skala Mohs schaal voor oppervlaktebestendigheid Поверхностное сопротивление по шкале Моса</p>	<p>7</p>
<p>Chemical resistance Résistance chimique Chemikalienbeständigkeit Chemische bestendigheid Химическая стойкость</p>	<p>BS EN ISO 10545-13: conforms to standard UHA, ULA, UA BS EN ISO 10545-13: conforme à toutes les normes UHA, ULA, UA BS EN ISO 10545-13: Entspricht dieser Norm UHA, ULA, UA BS EN ISO 10545-13: conform richtlijnen UHA, ULA, UA BS EN ISO 10545-13: соответствует стандарту UHA, ULA, UA</p>
<p>Thermal shock Choc thermique Thermoschock Thermale schok Перепад температур</p>	<p>BS EN ISO 10545-9: conforms to standard BS EN ISO 10545-9: conforme à toutes les normes BS EN ISO 10545-9: Entspricht dieser Norm BS EN ISO 10545-9: conform richtlijnen BS EN ISO 10545-9: соответствует стандарту</p>
<p>Coefficient of restitution Coefficient de restitution Stoßfestigkeit Restitutie coefficient Кoeffициент восстановления</p>	<p>BS EN ISO 10545-5: conforms to standard BS EN ISO 10545-5: conforme à toutes les normes BS EN ISO 10545-5: Entspricht dieser Norm BS EN ISO 10545-5: conform richtlijnen BS EN ISO 10545-5: соответствует стандарту</p>
<p>Modulus of rupture and breaking strength Résistance à la flexion et à la rupture Zug- und Biegefestigkeit Breukbestendigheid en -vastheid Модуль разрыва и прочность при разрыве</p>	<p>BS EN ISO 10545-4, &gt;1100N BS EN ISO 10545-4, &gt;1100N BS EN ISO 10545-4, &gt;1100N BS EN ISO 10545-4, &gt;1100N BS EN ISO 10545-4, &gt;1100N</p>
<p>Deep abrasion Abrasion profonde Tiefenabrieblfestigkeit Diepe afschuring Износостойкость</p>	<p>BS EN ISO 10545-6 1997: 24mm = 116mm<sup>3</sup></p>
<p>Slip resistance in shod conditions Résistance au glissement avec chaussures Rutschfestigkeit bei Verwendung von Schuhen Slipbestendigheid in droge omstandigheden Сопротивление скольжению при ношении обуви</p>	<p>DIN51130: R10</p>
<p>Inclined platform test under wet bare foot conditions Test sur plateforme inclinée et mouillée, pieds nus Test auf schräger Bühne unter nassen Barfußbedingungen Hellingstap met natte voeten Испытания на пандусной платформе босиком мокрыми ногами</p>	<p>DIN 51097: A</p>
<p>Suitability Usage Eignung Geschiktheid Применение</p>	<p>Most commercial applications, interior, exterior heavy domestic locations. If in doubt please refer to our technical department for further advice. Convient à la plupart des installations commerciales, et aux installations domestiques intérieures ou extérieures à usage fréquent. En cas de doute, prenez contact avec notre département technique pour de plus amples conseils. Für die meisten gewerblichen Anwendungen, Innen, Außen, stark benutzte Wohnbereiche. Im Zweifelsfall fragen Sie bitte unsere technische Abteilung nach Rat. Meeste commerciële toepassingen, interieur en exterieur intensief huishoudelijk gebruik. Raadpleeg onze technische afdeling voor meer informatie in geval van twijfel. В различных промышленных условиях, в помещении и на открытом воздухе. При возникновении сомнений следует обратиться за дополнительной консультацией в технический отдел компании.</p>
<p>Frost resistance Frost resistance advice Résistance au gel Conseils vis-à-vis de la résistance au gel Frostbeständigkeit Empfehlungen zur Frostbeständigkeit Vorbestendigheid Advies ten aanzien van vorstbestendigheid Морозостойчивость</p>	<p>BS EN ISO 10545-12: No damage after 100 freeze thaw cycles. Tiles should not be laid on flat asphalt covered roofs in areas subject to frost. Tiles used outdoors should have an impervious screed coating on the substrate prior to installing and laid in such a way that rainwater drains freely off them and cannot penetrate beneath and between them. They should be sealed with a UV resistant impregnator to prevent water penetration. Natural climatic conditions such as snow may cause 'spalling' (where the tile surface flakes as a result of snow freeze/thaw). No guarantees can be given against tiles being damaged by climatic conditions. BS EN ISO 10545-12: aucun endommagement après 100 cycles de gel et dégel. Il est conseillé de poser les carreaux sur les toits plats enduits d'asphalte dans les zones sujettes au gel. Si les carreaux sont posés en extérieur, le substrat sur lequel ils reposent devra être recouvert d'un enduit imperméable et lissé avant l'installation, afin que l'eau de pluie s'en écoule librement sans s'infiltrer en dessous des carreaux ou entre eux-ci. Les joints doivent être posés avec un imprégnateur insensible aux UV afin d'empêcher toute pénétration d'eau. Des conditions climatiques naturelles, telle que la neige, peuvent entraîner « l'écaillage » des carreaux (lorsque la surface des carreaux s'effrite suite au gel ou au dégel de la neige). Nous ne pouvons donner aucune garantie contre l'endommagement de nos carreaux suite aux conditions climatiques. BS EN ISO 10545-12: Beschädigungsfrei nach 100 Frost-Tau-Zyklen. Fliesen sollen nicht auf flachen Asphalt-Dächern in frostgefährdeten Gebieten verlegt werden. Im Außenbereich müssen Fliesen auf undurchlässigem Estrich so verlegt werden, dass Regenwasser frei abfließen und nicht unter bzw. zwischen den Fliesen eindringen kann. Es muss ein UV-beständiges Imprägniermittel verwendet werden, um das Eindringen von Wasser zu verhindern. Aufgrund natürlicher Klimabedingungen, wie zum Beispiel Schnee, kann es zu „Abplatzungen“ kommen (wobei die Oberfläche der Fliesen aufgrund von Frost oder tauendem Schnee abplatzt). Eine Garantie gegen die Beschädigung von Fliesen durch klimatische Bedingungen kann nicht gegeben werden. BS EN ISO 10545-12: geen schade na 100 vorst-dooicycli. Tegels dienen niet te worden gelegd op platte asfaltdekken in gebieden met vorst. Voor tegels die buiten worden gebruikt, dient de ondergrond te worden voorzien van een ondoordringbare deklaag voordat ze worden gezet. De tegels dienen zodanig te worden gezet dat het regenwater zonder belemmeringen ervan afloopt, en niet tussen de tegels kan doordringen. Ze moeten worden afgeïsoleerd met een UV-bestendige impregneerder om penetratie door het water te vermijden. Bepaalde weersomstandigheden (waarbij het oppervlak van de tegels afplakt) als gevolg van sneeuw, vriesen/dooien kunnen leiden tot afbrokkeling. De garantie is niet van toepassing bij het beschadigd raken van de tegels door aan het weer gerelateerde factoren. BS EN ISO 10545-12: отсутствие повреждения после 100 циклов замораживания и размораживания. Плитку не следует укладывать на плоские крыши, покрытые асфальтом и расположенные в регионах, подверженных отрицательным температурам. Субстрат используемой на открытом воздухе плитки следует покрыть непроницающим выравнивающим раствором до того, как производится укладка плитки. Укладку необходимо производить таким образом, чтобы капли дождя свободно стекали с плитки и не могли просочиться под плитку или между плитками. Плитку следует герметизировать с помощью пропиточного раствора, обладающего защитой от УФ-излучения, что позволит предотвратить просачивание воды. Такие природные явления, как, например, снегопад, могут привести к «растрескиванию» плитки (когда в результате замерзания/оттаивания отслаивается поверхность плитки). Мы не предоставляем гарантий на случай повреждения плитки в результате климатических условий.</p>

# Important Information

## Installation

Before installing any tiles included in this brochure, please read the Original Style Victorian Floor Tiles Fixing Guide, [www.originalstyle.com/en/guides/victorian-floor-tiles-fixing-guide](http://www.originalstyle.com/en/guides/victorian-floor-tiles-fixing-guide). We strongly recommend that our tiles are laid by an experienced professional tiler. The satisfactory installation of all ceramic tiles depends on their application to a sound, level surface and use of the correct adhesive for that surface. Laying directly into wet cement is not recommended. Detailed guidelines are set out in BS5385: Part 3: 1989.

## Grouting recommendations

Tiles should be spaced 2/3mm (1/16- 1/8") apart and grouted with a grey cement based grout. Coloured grouts, including black, are likely to stain the tiles and are NOT recommended.

## Protection against staining

Original Style Victorian floor tiles are unglazed and although they are classified as vitrified we recommend that they should be impregnated.

**Internal use:** An impregnator such as Lithofin KF Stain Stop may be used to protect against permanent staining. Special care must be taken not to apply more than the tiles can absorb and any excess must be removed. The installation should then be sealed with a wax or acrylic surface coating, such as Lithofin KF Tile Polish to make cleaning easier.

**External use:** For outside installations, use a UV resistant impregnator to protect against permanent staining. Special care must be taken not to apply more than the tiles can absorb and any excess must be removed.

Full sealing and cleaning recommendations are given in the Victorian Floor Tiles Fixing Guide at [www.originalstyle.com/en/guides/victorian-floor-tiles-fixing-guide](http://www.originalstyle.com/en/guides/victorian-floor-tiles-fixing-guide)

## Size variation

Dimensions provided are nominal. Due to the nature of the clay firing process tile dimensions may vary (See Specification page 82). Installers should particularly be aware that patterns consisting of tiles of one nominal size in two different colours may require increased grout spacing to allow for this variation.

**Caution:** The tile patterns, CAD drawings and borders are intended as approximate illustrations only. They should not be used as precise plans for any individual installation. In particular, tile cutting requirements – to finish pattern edges and to negotiate corners – will be different in each case. Original Style can accept no liability in respect of the reproduction of the designs.

## Exterior use

Original Style floor tiles are suitable for outdoor use and are frost resistant, provided that they are laid in such a way that rainwater drains freely off them and cannot penetrate beneath and between them. Tiles should not be laid on flat, asphalt-covered roofs in areas subject to frost. Tiles laid outdoors should be impregnated with Lithofin KF Stain Stop or LTP Matt Stone to increase their water repellence.

## Tile colours

Because the tiles are made of natural clays, some shade variation may occur between one tile and another of the same colour. It is therefore important to ensure that such shade differences are evenly distributed, before fixing the tiles, to obtain a satisfactory blend. The colours in the range are produced by adding stains to the natural clay. Hand decorated tiles are screen printed with inks in colours that, whilst they complement the tile colours, may not match them exactly.



## Step treads and light reflection value (Irv)

We recommend that treads of a different colour to the adjacent pattern are selected in order to provide an additional, visual reminder of the edge to steps and stairs (available in Red and Black). Step treads are 9mm (3/8") thick. They are used (as shown in photograph) to provide additional strength on edges such as stairs.

## Estimating tile quantities required

For patterns measure the area to be covered by the pattern in square metres (or 10<sup>3</sup>/<sub>4</sub> square feet) and multiply by the quantities given for specific patterns. For borders measure the length of the border in metres (3 feet) and multiply by the quantities given for specific patterns. Add 10% to your total order to allow for cutting and wastage.

## Patterns and borders

Pattern and border swatch breakdowns shown on pages 8-61 have been calculated to include a 2mm 1/16" grout gap.

All the named patterns and borders in this brochure can be supplied in any combination of the colours listed in the Product Guide table on pages 80-81. Scales shown are approximate and should not be used in the detailed planning of floor layouts. Please see tile sizes in Product Guide table. The width of borders can be varied by adding or removing rectangles and/or trapeziums from the examples shown throughout this brochure (if this is the case then a border is captioned as a 'modified' version of patterns on pages 50-61). The colour combinations shown are intended as guidelines only.

Cavendish Borders and Corners: the Cavendish border can be laid with the thicker line either on the outside or the inside of the overall scheme. Although the corners are called 'Internal' and 'External' they are interchangeable. It is advisable to establish your preference and ensure that all border and corner tiles follow the same pattern and lay it out first before installing the tiles.

## Computer aided design database

Interior designers and architects working with CAD (computer aided design) systems can obtain a free CAD database to help plan geometric pattern floors. It can be downloaded from our website at [www.originalstyle.com/cad](http://www.originalstyle.com/cad)

It will help you to:

- Visualise floor tile layouts in their intended settings
- Design tiling layouts from scratch
- Experiment with different colour/pattern/border combinations
- Calculate tile quantities required

A CAD software program is required to run the CAD database. For further information, please contact Customer Services on +44 (0)1392 473000.

## Availability

Please note that the octagon 106 x 106mm (4<sup>1</sup>/<sub>8</sub> x 4<sup>1</sup>/<sub>8</sub>") is not available in Australasia.

## Photography

Owing to variations in studio lighting and printing inks, the tile colours shown in this brochure may differ slightly from those of the actual tiles. It is always advisable to ask your Original Style supplier to show you a sample.

## Limits of liability

Original Style accepts no liability for the faulty installation of its products. In the case of any claim relating to the tiles themselves, Original Style's liability, to the extent permitted by law, is limited to either the replacement of the product or a refund of the cost of the product, and does not extend to cover any consequential loss. Claims must be reported within seven working days from receipt of the tiles. Tiles must be inspected prior to installation and claims cannot be considered after the tiles have been installed. Please be advised that installation constitutes acceptance of the quality, colour, size, texture and shade of the tiles. Original Style warrants that its tiles conform to their description and are fit for their purpose. Original Style makes no other express or implied warranty as to fitness or suitability of the products for particular installations. We extend no guarantees, express or implied, as to wear resistance or maintenance procedures.

It is imperative to follow grout and adhesive manufacturers' instructions regarding their suitability with our products. If in doubt please consult the grout/adhesive stockist from whom you purchased the products. Original Style makes no representations as to the fitness for purpose of third party adhesives and grouts.

Please note the use of certain acid based cleaning products may cause some of the tiles to react and change in character.

## Acknowledgements

We are very grateful to the following companies for their assistance with the photographic settings:

Amos Lighting	<a href="http://amoslighting.co.uk">amoslighting.co.uk</a>
A D Tiling	<a href="mailto:adinteriors.tiling@gmail.com">adinteriors.tiling@gmail.com</a>
Aston Villa Football Club	<a href="http://avfc.co.uk">avfc.co.uk</a>
Bradford University School of Management Campus	<a href="http://bradford.ac.uk">bradford.ac.uk</a>
Byggfabriken AB (Malmo, Sweden)	<a href="http://byggfabriken.com">byggfabriken.com</a>
Chadder & Co	<a href="http://chadder.com">chadder.com</a>
Colin Poole Photography	<a href="http://photoworld.co.uk">photoworld.co.uk</a>
Debenhams	<a href="http://debenhams.com">debenhams.com</a>
Eclectique	<a href="http://clectique.co.uk">clectique.co.uk</a>
Fagins Antiques	<a href="http://faginsantiques.com">faginsantiques.com</a>
Furniture Village	<a href="http://furniturevillage.co.uk">furniturevillage.co.uk</a>
Harry Morgan Restaurant	<a href="http://harryms.co.uk">harryms.co.uk</a>
Holy Trinity Church	<a href="http://holyltrinitystaustell.org">holyltrinitystaustell.org</a>
Ivybridge Antique Baths	<a href="http://antiquebaths.com">antiquebaths.com</a>
John Lewis	<a href="http://johnlewis.com">johnlewis.com</a>
Julian Surtees	<a href="http://juliansurtees.co.uk">juliansurtees.co.uk</a>
Just Shutters	<a href="http://justshutters.co.uk">justshutters.co.uk</a>
Laura Ashley	<a href="http://lauraashley.com">lauraashley.com</a>
Martyn Hicks Photography	<a href="http://martyn.hicks.com">martyn.hicks.com</a>
McBains Antiques	<a href="http://sellingantiques.co.uk">sellingantiques.co.uk</a>
Merchant House Antiques	<a href="http://merchanthouseantiques.co.uk">merchanthouseantiques.co.uk</a>
New York New York Hotel & Casino	<a href="http://nynyhotelcasino.com">nynyhotelcasino.com</a>
Orange Tree	<a href="http://theorangetree.co.uk">theorangetree.co.uk</a>
Pilgrim Antiques	<a href="http://pilgrimantiques.co.uk">pilgrimantiques.co.uk</a>
Pink String	+44(0)1392 878978
Prinsen Restaurant	<a href="http://restaurang.prinsen.com">restaurang.prinsen.com</a>
Revival	+44(0)1392 422070
Reflections	+44(0)1392 204529
Royal Bath (Bucharest, Romania)	<a href="http://royalbat.ro">royalbat.ro</a>
Samuel Heath	<a href="http://samuel-heath.com">samuel-heath.com</a>
St Raphael's Church	<a href="http://straphael.org.uk">straphael.org.uk</a>
The Very Vintage Hire Company	<a href="http://veryvintagehire.co.uk">veryvintagehire.co.uk</a>
Tones Tile Studio	<a href="http://tonestilestudio.co.uk">tonestilestudio.co.uk</a>
UKBW	<a href="http://ukbw.com">ukbw.com</a>
Vintage 57	+44(0)1460 282997
Welby & Wright	<a href="http://welbyandwright.com">welbyandwright.com</a>

# Important Information

## Installation

Avant d'installer tout carreau présenté dans cette brochure, veuillez consulter le Guide de fixation Original Style Victorian Floor Tiles, [www.originalstyle.com/fr/guides/victorian-floor-tiles-fixing-guide.html](http://www.originalstyle.com/fr/guides/victorian-floor-tiles-fixing-guide.html). Nous vous conseillons fortement de faire installer nos carreaux par un carreleur professionnel et expérimenté. Pour une bonne installation de tous les carreaux en céramique, ceux-ci doivent être posés sur une surface propre et lisse à l'aide d'une colle adaptée à cette surface. Il est déconseillé de les poser directement sur du ciment humide. Des directives détaillées sont disponibles dans BS5385: Section 3: 1989.

## Recommandations

L'écart entre chaque carreau devrait être de 2 à 3 mm et comblé avec un produit de jointoiement à base de ciment gris. Les produits de jointoiement colorés, y compris de couleur noir, risquent de tacher les carreaux et NE sont PAS conseillés.

## Protection contre le ternissement

Les carreaux de sols Victorian d'Original Style ne sont pas émaillés, et bien qu'ils soient classés comme vitrifiés, nous vous recommandons de les imprégner.

## Usage intérieur

Nous vous conseillons d'utiliser un produit d'imprégnation tel que Lithofin KF Stain Stop pour protéger vos carreaux contre les taches permanentes. Veillez à ne pas en appliquer une quantité trop élevée pour la capacité d'absorption des carreaux et à retirer tout excès de produit. Nous vous conseillons ensuite d'ajouter un revêtement de surface en cire ou acrylique, tel que Lithofin KF Tile Polish, afin de faciliter le nettoyage.

## Usage extérieur

Pour les installations en extérieur, veuillez utiliser un imprégnateur résistant aux UV pour protéger les carreaux contre les taches permanentes. Veillez à ne pas en appliquer une quantité trop élevée pour la capacité d'absorption des carreaux et à retirer tout excès de produit. Des recommandations complètes relatives au scellement et au nettoyage sont disponibles dans le Guide de fixation Victorian Floor Tiles sur [www.originalstyle.com/fr/guides/victorian-floor-tiles-fixing-guide](http://www.originalstyle.com/fr/guides/victorian-floor-tiles-fixing-guide)

## Variation de taille

Les dimensions indiquées sont nominales. A cause de la nature du processus de cuisson de l'argile, les dimensions peuvent être jusqu'à 1,2 % supérieures ou inférieures à la dimension de fabrication. Les installateurs devraient garder à l'esprit que, pour les motifs consistant de plusieurs carreaux d'une seule taille nominale mais de deux couleurs différentes, il sera peut-être nécessaire d'augmenter l'écart de joint à cause de cette variation.

**Attention:** Les motifs de carreaux, dessins par CAO et bordures ne sont que des illustrations approximatives. Il est déconseillé de les utiliser pour les plans détaillés de votre installation individuelle. Concernant la découpe des carreaux: pour la finition des bords et des motifs ainsi que les angles, chaque situation est différente. Original Style n'accepte aucune responsabilité quant à la reproduction des motifs.

## Usage extérieur

Les carreaux Original Style conviennent à un usage extérieur et sont résistants au gel, à condition qu'ils soient posés de manière à ce que l'eau de pluie s'en écoule librement et ne puisse s'infiltrer sous les carreaux ou entre eux. Il est déconseillé de poser les carreaux sur les toits plats enduits d'asphalte dans les zones sujettes au gel. Il est conseillé d'imprégner les carreaux posés en extérieur avec Lithofin KF Stain Stop ou Fila MP90 pour augmenter leur imperméabilité à l'eau.

## Couleurs des carreaux

Les carreaux sont fabriqués en argile naturelle, par conséquent certaines variations de teinte peuvent apparaître entre les carreaux d'une même couleur. Il est ainsi important de s'assurer que ces différences de teinte soient réparties de manière équilibrée, avant de procéder à l'installation, afin d'obtenir un ensemble harmonieux. Les couleurs de la gamme sont obtenues en tachant l'argile naturelle. Les carreaux décorés à la main sont imprimés à l'écran de soie avec des encres de couleur qui ne correspondent pas exactement à la couleur des carreaux, mais qui viennent la compléter.

## Nez de marche et pouvoir réflecteur



Nous vous recommandons de choisir des nez de marche d'une couleur différente du motif à côté duquel ils seront posés, afin de créer un rappel visuel de l'arête des marches et des escaliers (disponible en Red et Black). L'épaisseur des nez de marche est de 9 mm. Ils sont utilisés pour renforcer les arêtes, telles que les marches d'escalier.

## Estimer la quantité de carreaux requise

Pour les motifs, mesurez la surface à couvrir par le motif en mètres carrés puis multipliez par les quantités indiquées pour les motifs spécifiques. Pour les bordures, mesurez la longueur de la bordure en mètre puis multipliez par les quantités indiquées pour les motifs spécifiques. Nous vous conseillons de compter 10% supplémentaires pour les pertes.

## Motifs et bordures

Les quantités recommandées pour les motifs et les bordures aux pages 8 à 61 sont calculées avec un joint de 2 mm.

Tous les motifs et bordures indiqués dans cette brochure sont disponibles dans toute combinaison des couleurs indiquées en pages 80-81. Les échelles sont données à titre indicatif et ne doivent pas être prises en compte pour la planification détaillée de l'agencement de votre sol. Veuillez consulter la taille des carreaux en pages 80-81.

La largeur des bordures peut être modifiée en ajoutant ou retirant des rectangles et/ou trapèzes des exemples illustrés tout au long de cette brochure (si c'est le cas, la bordure s'accompagne alors d'une légende indiquant qu'il s'agit d'une version « modifiée » des motifs en pages 50-61). Les combinaisons de couleurs illustrées sont données uniquement à titre indicatif.

Bordures et angles Cavendish : la bordure Cavendish peut être posée avec la ligne plus épaisse à l'extérieur ou à l'intérieur du motif d'ensemble. Les angles désignés « interne » et « externe » sont interchangeables. Nous conseillons d'établir votre préférence, de veiller à ce que tous les carreaux de bordure et d'angle correspondent au motif voulu et de le réaliser au sol avant de coller.

## Bases de données de conception assistée par ordinateur

Les architectes et architectes d'intérieur travaillant avec des systèmes de CAO (conception assistée par ordinateur) peuvent obtenir une base de données CAO gratuite pour les aider à créer des sols à motif géométrique. Celle-ci peut être téléchargée à partir de notre site sur [www.originalstyle.com/cad](http://www.originalstyle.com/cad).

Elle vous aidera à :

- Visualiser l'agencement des carreaux de sol dans le contexte voulu
- Composer, à partir de zéro, la disposition des carreaux
- Essayer différentes combinaisons de couleurs/motifs/bordures
- Calculer des devis quantitatifs

Le progiciel CAD est nécessaire pour utiliser la base de données CAD. Veuillez contacter le service clients au +44 (0) 1392 473001 pour de plus amples informations.

## Photographies

L'éclairage en studio et les encres utilisées pour l'impression peuvent affecter la couleur des carreaux présentés dans ce catalogue. Avant de passer commande, il est toujours préférable de vous procurer des échantillons auprès d'un revendeur Original Style.

## Limitation de responsabilité

Original Style dégage toute responsabilité en cas d'installation incorrecte de ses produits. En cas de réclamation relative aux carreaux eux-mêmes, la responsabilité d'Original Style se tiendra, dans la limite autorisée par la loi, au remplacement du produit ou au remboursement du prix du produit, et ne couvre pas les dommages indirects. Toute réclamation doit être effectuée dans les sept jours suivant la réception des carreaux. Les carreaux doivent être inspectés avant installation. Aucune réclamation ne sera prise en compte une fois les carreaux installés. Veuillez noter que l'installation du carrelage constitue l'acceptation de la qualité, de la couleur, de la texture, de la taille et de la teinte des carreaux. Original Style garantit que ses carreaux sont conformes au descriptif fourni et qu'ils sont adaptés à l'usage pour lequel ils sont prévus. Original Style ne formule aucune garantie expresse ou implicite supplémentaire vis-à-vis de la convenance ou de la compatibilité de ses produits dans des installations spécifiques. Nous ne formulons aucune garantie, expresse ou implicite, vis-à-vis de la résistance à l'usure ou des procédures d'entretien.

Il est impératif de suivre les instructions des fabricants de colles et de ciments-joints afin d'en vérifier la compatibilité avec nos produits. En cas de doute, consultez le revendeur qui vous aura fourni la colle ou le ciment-joint. Original Style n'assumera aucune responsabilité en ce qui concerne la compatibilité ou l'usage de colles et de ciments-joints tiers.

Veuillez noter que l'utilisation de certains produits nettoyants à base d'acide peut provoquer des réactions sur certains carreaux et en modifier les caractéristiques.

# Important Information

## Installation

Lesen Sie bitte vor der Installation der in dieser Broschüre vorgestellten Fliesen die Anleitung zur Befestigung von Original Style Victorian Floor Tiles unter ([www.originalstyle.com/de/guides/victorian-floor-tiles-fixing-guide](http://www.originalstyle.com/de/guides/victorian-floor-tiles-fixing-guide)). Wir empfehlen ausdrücklich, dass unsere Fliesen von einem erfahrenen und professionellen Fliesenleger verlegt werden. Die ordnungsgemäße Installation aller keramischen Fliesen hängt von einer soliden, ebenen Oberfläche und der Verwendung des richtigen Klebers für die jeweilige Oberfläche ab. Die Verlegung direkt auf nassem Zement wird nicht empfohlen. Ausführliche Richtlinien sind in BS5385: Teil 3: 1989 zu finden.

## Empfehlungen zum verfugen

Fliesen sollten mit 2 bis 3 mm Abstand verlegt und mit einer grauen Fugenmasse auf Zementbasis verfugt werden. Farbige Fugenmörtel, einschließlich schwarz, neigen zum Verfärben der Fliesen und sind nicht zu empfehlen.

## Schutz gegen fleckenbildung

Original Style Victorian Floor Tiles sind unglasiert und obwohl sie als verglast klassifiziert sind, empfehlen wir, daß man die imprägniert.

## Innengebrauch

Es kann ein Imprägniermittel wie z. B. Lithofin KF Stain Stop verwendet werden, um gegen permanente Fleckenbildungen zu schützen. Achten Sie darauf, dass nicht mehr Imprägniermittel aufgetragen wird, als die Fliesen aufnehmen können und entfernen Sie alle Überreste. Die Installation sollte dann mit einer Wachs- oder Acryl-Oberflächenbeschichtung, wie z. B. Lithofin KF Tile Polish versiegelt werden, um die Reinigung zu erleichtern.

## Außengebrauch

Für Außeninstallationen muss ein UV-beständiges Imprägniermittel verwendet werden, um gegen permanente Fleckenbildungen zu schützen. Achten Sie darauf, dass nicht mehr Imprägniermittel aufgetragen wird, als die Fliesen absorbieren können und entfernen Sie alle Überreste.

Ausführliche Empfehlungen zur Versiegelung und Reinigung finden Sie in der Anleitung zur Verlegung von Victorian Floor Tiles unter [www.originalstyle.com/de/guides/victorian-floor-tiles-fixing-guide](http://www.originalstyle.com/de/guides/victorian-floor-tiles-fixing-guide)

## Größenabweichungen

Bei den angegebenen Maßen handelt es sich um Nennwerte. Aufgrund der Vorgänge beim Brennen von Ton können die Fliesenmaße um bis zu 1,2% vom Nennmaß abweichen. Fliesenleger müssen besonders darauf achten, dass bei Mustern, die aus einer Nenngröße in zwei verschiedenen Farben bestehen, ein größerer Fugenabstand erforderlich sein kann, um diese Unterschiede auszugleichen.

## Vorsicht

Die Fliesenmuster, CAD-Zeichnungen und Bordüren sind nur zu Illustrationszwecken gedacht. Sie dürfen nicht als genaue Pläne für eine bestimmte Installation verwendet werden. Besonders beim Fliesenschneiden – um Kantenmuster und Ecken zu erstellen – ergeben sich in jedem Fall Unterschiede. Original Style übernimmt keine Haftung für das Aussehen der verschiedenen Muster.

## Aussengebrauch

Original Style Bodenfliesen sind für den Außenbereich geeignet und frostbeständig, vorausgesetzt, dass sie so verlegt wurden, dass Regenwasser frei abfließen und nicht zwischen den Fliesen eindringen kann. Fliesen sollten nicht auf flachen Asphalt-Dächern in frostgefährdeten Gebieten verlegt werden. Im Freien verlegte Fliesen müssen mit Lithofin KF Stain Stop oder Fila MP90 imprägniert werden, um ihre wasserabweisenden Eigenschaften zu erhöhen.

## Fliesenfarben

Weil die Fliesen aus natürlichem Ton bestehen, können zwischen Fliesen der gleichen Farbe Farbtonschwankungen auftreten. Vor dem Verlegen der Fliesen muss daher darauf geachtet werden, dass diese Farbunterschiede gleichmäßig verteilt sind, um eine zufriedenstellende Komposition zu erhalten. Die Farben in dieser Produktreihe entstehen durch Zugabe von Färbemitteln zum natürlichen Ton. Handgemalte Fliesen werden im Siebdruckverfahren mit Tintenfarben bedruckt, die zwar die Fliesenfarben ergänzen, diesen aber u. U. nicht hundertprozentig entsprechen.



## Treppenstufen und lichtreflexionswert

Wir empfehlen, dass eine andere Farbe zum angrenzenden Muster gewählt wird, um eine zusätzliche, optische Trennung bei Stufen- und Treppenkanten zu erreichen (erhältlich in Red und Black). Treppenstufen sind 9 mm dick. Sie werden eingesetzt, um an Kanten, wie sie z. B. bei Treppen vorhanden sind, zusätzliche Verstärkung zu bieten.

## Kalkulieren der erforderlichen fliesenmengen

Für Muster messen Sie die zu verlegende Fläche in Quadratmetern und multiplizieren Sie diesen Wert mit der Menge, die für das jeweilige Muster angegeben ist. Für Bordüren messen Sie die Länge in Metern und multiplizieren Sie diesen Wert mit der Menge, die für das jeweilige Muster angegeben ist. Wir empfehlen, dass Sie 10% Verschnitt in Ihre Bestellung einrechnen.

## Muster und bordüren

Alle Berechnungen für Muster und Bordüren auf Seiten 8-61 basieren auf einer Fuge von 2 mm.

Alle in dieser Broschüre vorgestellten Muster und Bordüren können in beliebigen Kombinationen der auf Seite 80-81 aufgeführten Farben geliefert werden. Die Abbildungen sind nicht hundertprozentig maßstabsgetreu und dürfen nicht für die detaillierte Flächenplanung verwendet werden. Beziehen Sie sich bitte auf die Fliesenmaße auf Seite 80-81.

Die Breite der Bordüren kann durch Hinzufügen oder Entfernen von Rechtecken bzw. Trapezen aus den Beispielen in dieser Broschüre variiert werden (in diesem Fall wird die Bordüre in der Bildunterschrift als „modifizierte“ Version der Muster auf den Seiten 50-61 beschrieben). Die gezeigten Farbkombinationen sollen lediglich als Anregung dienen.

Cavendish Bordüren und Ecken: Die Cavendish Bordüre kann so verlegt werden, dass die dickere Linie entweder an der Außenseite oder an der Innenseite verläuft. Obwohl die Ecken als „Intern“ und „Extern“ bezeichnet werden, sind sie austauschbar. Es ist ratsam, sich zuerst über die eigenen Wünsche klar zu werden und danach die Bordüren und Eckfliesen vor der eigentlichen Installation probeweise auszulegen.

## Cad-datenbank

Raumgestalter und Architekten, die mit CAD-System (computergestützter Entwurf) arbeiten, können zwecks Planung von geometrischen Bodenmustern eine kostenlose CAD-Datenbank anfordern. Diese kann auf unserer Website unter [www.originalstyle.com/cad](http://www.originalstyle.com/cad) heruntergeladen werden.

Auf diese Weise können Sie:

- Fliesenanordnung im jeweiligen Zusammenhang visualisieren
- Fliesenanordnungen von Grund auf neu gestalten
- Mit verschiedenen Farb-, Muster- und Bordürenkombinationen experimentieren
- Erforderliche Mengen berechnen

Damit Sie die CAD Datenbank nutzen können muss bereits eine CAD Software auf Ihrem Rechner installiert sein. Für weitere Informationen hierzu, rufen Sie unseren Kundendienst unter Tel. +44 (0)1392 473001 an.

## Fotografie

Aufgrund von Abweichungen bei der Studiobeleuchtung und Druckfarben können die Fliesenfarben, die in dieser Broschüre dargestellt sind, leicht von den Farben der tatsächlichen Fliesen abweichen. Bevor Sie Ihre Auswahl treffen, sollten Sie zuvor immer einen Einzelhändler für Original Style nach Mustern fragen.

## Haftungsbeschränkungen

Original Style übernimmt für die fehlerhafte Installation seiner Fliesen keine Haftung. Sollte es Reklamationen bezüglich der Fliesen selbst geben, dann beschränkt sich die gesetzlich eingeräumte Haftung von Original Style lediglich auf den Artikel austausch oder Kostenrückerstattung. Reklamationen müssen innerhalb von sieben Arbeitstagen nach Erhalt der Fliesen eingereicht werden. Fliesen müssen vor der Installation kontrolliert werden. Eine Reklamation nach der Installation ist nicht möglich. Bitte beachten Sie, dass Sie durch die Installation Qualität, Farbgebung, Textur, Größe und Farbton der Fliesen akzeptieren. Original Style gewährleistet die beschreibungs- und zweckgemäße Fabrikationsausführung der Fliesen. Original Style gibt keine weiteren ausdrücklichen oder impliziten Garantien hinsichtlich Eignung der Artikel für besondere Installationsarten. Wir geben weder ausdrücklich noch implizit eine Garantieverlängerung auf Abnutzungsverhalten oder Instandhaltungsverfahren.

Befolgen Sie unbedingt die Anweisungen der Hersteller von Fugenmasse und Kleber hinsichtlich der Eignung für unsere Produkte. Im Zweifelsfall wenden Sie sich bitte an den Fachhändler für Fugenmasse / Kleber, von dem Sie die Produkte gekauft haben. Original Style übernimmt keine Verantwortung bezüglich der Gebrauchstauglichkeit von Klebern und Fugenmasse von Drittanbietern.

Die Verwendung von bestimmten, säurebasierten Reinigungsprodukten kann bei einigen Fliesen Reaktionen und Änderungen im Erscheinungsbild hervorrufen.

# Important Information

## Installatie

Raadpleeg, voordat u tegels uit deze brochure gebruikt, de installatiegids Original Style Victorian Floor Tiles, [www.originalstyle.com/nl/guides/victorian-floor-tiles-fixing-guide](http://www.originalstyle.com/nl/guides/victorian-floor-tiles-fixing-guide). We adviseren ten eerste dat onze tegels worden gezet door een ervaren, professionele tegelzetter. De juiste zetting van alle keramieken tegels is afhankelijk van hun zetting op een deugdelijke, vlakke ondergrond en het gebruik van de juiste lijmen voor die ondergrond. We raden het direct zetten op nat cement af. U kunt gedetailleerde richtlijnen nalezen in BS5385: Part 3: 1989.

## Advies ten aanzien van voegen

Een impregneerder, zoals Lithofin KF Stain Stop of HMK Moeller S234, kan worden gebruikt ter bescherming tegen permanente vlekken. Het is belangrijk dat niet meer wordt aangebracht dan de tegels kunnen absorberen. Alle overtollige impregneermiddel moet worden verwijderd. De gezette tegels kunnen vervolgens eventueel behandeld worden met een wax of acrylcoating om het schoonmaken te vereenvoudigen en de vloer een glanzende finish te geven.

## Bescherming tegen vlekken

De Victoriaanse tegels van Original Style zijn niet geglaazuurd. Ondanks dat ze worden geclassificeerd als ondoordringbaar, raden we toch impregnering aan.

## Intern gebruik

Een impregneerder, zoals Lithofin KF Stain Stop, kan worden gebruikt ter bescherming tegen permanente vlekken. Het is belangrijk dat niet meer wordt aangebracht dan de tegels kunnen absorberen. Alle overtollige impregneerder moet worden verwijderd. De gezette tegels kunnen vervolgens worden afgedicht met een wax of een acrylcoating, zoals Lithofin KF Tile Polish, om het schoonmaken te vereenvoudigen.

## Extern gebruik

Voor buitengebruik hanteert u een UV-bestendige impregneerder om de tegels te beschermen tegen permanente vlekken. Het is belangrijk dat niet meer wordt aangebracht dan de tegels kunnen absorberen. Alle overtollige impregneerder moet worden verwijderd.

Alle impregneer- en reinigingsaanbevelingen zijn te vinden in de installatiegids Victorian Floor Tiles op [www.originalstyle.com/nl/guides/victorian-floor-tiles-fixing-guide](http://www.originalstyle.com/nl/guides/victorian-floor-tiles-fixing-guide)

## Variatie in afmetingen

De gegeven afmetingen zijn nominaal. Als gevolg van de aard van het kleiverhitingsproces kunnen de afmetingen van de tegels tot aan 1,2 procent afwijken van de werkgroote (voor meer informatie zie ook pagina 84). Tegelzetter's dienen zich ervan bewust te zijn dat voor patronen met tegels van één nominale grootte in twee verschillende kleuren grotere voegnaden noodzakelijk zijn om tegemoet te komen aan deze variatie.

## Wees voorzichtig

De tegelpatronen, CAD-tekeningen en randen hebben alleen een illustratief doel. Ze dienen niet te worden gebruikt als precieze voorbeelden voor individuele installaties. Met name het snijden van tegels – om de uiteinden van patronen te voltooien en hoeken te creëren – is in elk geval anders. Original Style is niet aansprakelijk voor de reproductie van de ontwerpen.

## Exterieur gebruik

De vloertegels van Original Style zijn geschikt voor buitengebruik en zijn vorstbestendig, mits ze op zodanige wijze worden gezet dat het regenwater onbelemmerd ervan af kan lopen en niet tussen de tegels door kan dringen. Tegels dienen niet te worden gebruikt op platte asfaltvlakken in gebieden met vorst. Tegels die buiten worden gebruikt moeten worden geïmpregneerd met Lithofin KF Stain Stop of HMK Moeller S234 om de waterafstotendheid te vergroten.

## Tegelkleuren

Omdat de tegels zijn gemaakt van natuurlijke klei, kan er sprake zijn van enige variatie in schakering van tegels met dezelfde kleur. Het is daarom belangrijk dat dergelijke verschillen in schakering gelijkmatig worden verdeeld voor een bevredigend eindresultaat voordat de tegels worden gezet. De kleuren in de reeks worden geproduceerd door kleuren toe te voegen aan de natuurlijke klei. Met de hand versierde tegels worden gezeefdrukt met inkt in kleuren die niet volledig overeen hoeven te komen met de tegelkleuren, ondanks dat ze deze wel aanvullen.

## Tegels voor trappen en lichtreflectiewaarde (LRV)

We raden aan dat traptegels met een andere kleur worden geselecteerd ten opzichte van de nabijgelegen patronen voor een bijkomende visuele indicatie voor de treden en trappen (beschikbaar in Dover White, Red en Black). Traptegels zijn 9mm dik. Ze worden gebruikt (zoals afgebeeld in foto) voor extra sterkte op hoeken van bijvoorbeeld trappen.

## Schatting van benodigde hoeveelheden

Om te berekenen hoeveel tegels u nodig heeft voor een patroon, meet u het te bedekken gebied in vierkante meters en vermenigvuldigd u deze met de gegeven hoeveelheden voor specifieke patronen. Meet voor randen de lineaire meters en vermenigvuldigd deze met de gegeven hoeveelheden per patroon. In meeste gevallen is een zekere mate van snijden noodzakelijk. Wij adviseren u bij bestelling 10% extra te rekenen voor snijverlies.

## Patronen en randen

De berekeningen voor de patronen en borders op pagina 8-61 houden rekening met een voeg van 2mm.

Alle vermelde patronen en randen in deze brochure kunnen in alle op pagina 80-81 aangeduide kleurencombinaties worden geleverd. Afgebeelde schalen dienen niet te worden gebruikt voor gedetailleerde plannings van vloeren. Zie de tegelafmetingen op pagina 80-81.

De breedte van de randen kan worden aangepast door rechthoeken en/of trapeziums toe te voegen of te verwijderen aan/van de vertoonde voorbeelden in deze brochure (als dit het geval is, dan wordt dit aangeduid als een 'modified' ofwel aangepaste versie van de patronen op pagina's 50-61). De afgebeelde kleurencombinaties fungeren enkel als suggesties.

Randen en hoeken van Cavendish: de Cavendish rand kan worden aangebracht met de bredere rand aan de binnen- of de buitenkant van het ontwerp. Ondanks dat de hoeken 'Intern' en 'Extern' worden genoemd, kunnen beide worden gebruikt. We raden aan dat u goed nadenkt over uw voorkeuren, zodat alle rand- en hoektegels goed aansluiten op het patroon. Leg de tegels eerst uit voordat u ze zet.

## Database met computerpatronen

Interieurontwerpers en architecten met CAD-systemen (computerondersteund ontwerpen) kunnen een kosteloze CAD-database ontvangen voor het plannen van vloeren met geometrische vloeren. Deze kan worden gedownload op onze website: [www.originalstyle.com/cad](http://www.originalstyle.com/cad).

Hiermee kunt u:

- Tegelvloeren realiseren in de bedoelde omgeving
- Nieuwe tegelpatronen ontwerpen
- Experimenteren met verschillende combinaties van kleuren, patronen en randen
- Benodigde hoeveelheden uitrekenen

Om gebruik te maken van het CAD database heeft u een CAD software programma nodig. Voor verdere informatie kunt u contact opnemen met onze klantenservice +44 (0)1392 473001.

## Fotografie

Als gevolg van variaties in studiobelichting en printinkt kunnen de in deze brochure afgebeelde kleuren enigszins afwijken van die van de daadwerkelijke tegels. We raden altijd aan dat u uw Original Style-leverancier vraagt om enkele voorbeelden.

## Aansprakelijkheidsbeperking

Original Style is niet aansprakelijk voor de verkeerde installatie van zijn producten. In geval van claims met betrekking tot de tegels zelf is de aansprakelijkheid van Original Style, voor zover dit wettelijk is toegestaan, beperkt tot het vervangen van het product of het vergoeden van de kosten van het product, en is gevolgschade niet inbegrepen. Claims moeten binnen zeven werkdagen na ontvangst van de tegels worden ingediend. De tegels moeten worden geïnspecteerd voordat deze worden gezet. Claims worden niet behandeld nadat de tegels zijn gezet. We wijzen u erop dat tot de zetting het aanvaarden van de hoeveelheid, kleur, structuur, afmetingen en schakering van de tegels behoort. Original Style garandeert dat zijn tegels overeenkomen met hun omschrijving en geschikt zijn voor het beoogde gebruik. Original Style maakt geen andere uitdrukkelijke of impliciete garanties met betrekking tot de geschiktheid van de producten voor bepaalde installaties. We maken geen garanties, uitdrukkelijk of impliciet, ten aanzien van slijtagebestendigheid of onderhoudsmaatregelen.

Het is van groot belang dat de instructies van de producent voor voeg- en lijmmiddelen worden opgevolgd ten aanzien van hun geschiktheid in combinatie met onze producten. Raadpleeg de leverancier van de voeg- en lijmmiddelen van wie u de producten hebt



gekocht in geval van twijfel. Original Style maakt geen beweringen over de geschiktheid voor gebruik van de lijmen en voegmiddelen van derde partijen.

We wijzen u erop dat het gebruik van bepaalde bijtende reinigingsmiddelen kan leiden tot een reactie van de tegels, waarvan het uiterlijk kan veranderen.

# Важная информация

## Укладка

Перед укладкой ассортимента плитки, описанного в данной брошюре, необходимо ознакомиться с Руководством по укладке напольной плитки Victorian производства компании Original Style на сайте [www.originalstyle.com/en/guides/victorian-floor-tiles-fixing-guide](http://www.originalstyle.com/en/guides/victorian-floor-tiles-fixing-guide). Настоятельно рекомендуем, чтобы укладка плитки производилась профессиональным плиточником. Качество укладки керамической плитки зависит от того, насколько прочная и ровная поверхность пола, а также от того, используется ли подходящий для такой поверхности клеящий материал. Не рекомендуется производить укладку непосредственно на влажный цементный раствор. Подробные инструкции по укладке приведены в стандарте BS5385: часть 3: 1989.

## Рекомендации по затирочным материалам

Межплиточное расстояние должно составлять 2-3 мм. Рекомендуется использовать серый затирочный материал на цементной основе. Цветные затирочные материалы, в том числе черный, могут привести к образованию пятен на плитке, поэтому их использование НЕ рекомендуется.

## Защита от пятен

Хотя неглазурованная напольная плитка Victorian производства компании Original Style классифицируется как керамическая остеклованная, мы рекомендуем пропитать плитку соответствующим раствором.

**Использование в помещении:** чтобы предотвратить образование пятен на поверхности плитки, рекомендуем использовать специальный раствор Lithofin KF Stain Stop. Особенно важно не наносить больше раствора, чем способна впитать плитка. Кроме того, необходимо удалять все излишки раствора. Уложенную плитку следует герметизировать с помощью воскового или акрилового покрытия Lithofin KF Tile Polish, чтобы облегчить процесс ее чистки в дальнейшем.

**Использование на открытом воздухе:** для плитки, предназначенной для использования на открытом воздухе, рекомендуется использовать раствор с защитой от УФ-излучения, что позволит предотвратить образование пятен на поверхности плитки. Особенно важно не наносить больше раствора, чем способна впитать плитка. Подробные рекомендации по герметизации и чистке приведены в Руководстве по укладке напольной плитки Victorian производства компании Original Style на сайте [www.originalstyle.com/en/guides/victorian-floor-tiles-fixing-guide](http://www.originalstyle.com/en/guides/victorian-floor-tiles-fixing-guide)

## Разные размеры

В брошюре указаны условные размеры. Ввиду особенностей процесса обработки глины, размеры плитки могут быть почти на 1,2% меньше или больше рабочего размера. Плиточникам необходимо учитывать, что для создания узоров, включающих плитку одного условного размера, но двух разных цветов, может потребоваться увеличить межплиточное расстояние.

Внимание: узоры плитки, машинные оригиналы и бордюры приведены только в качестве иллюстрации. Их не следует использовать в качестве четкого плана индивидуальной укладки. Необходимо отметить, что требования по резке плитки, то есть по шлифовке кромки рисунка и бордюров, отличаются для каждого конкретного случая. Компания Original Style не несет ответственности за воспроизведение дизайна, представленного в брошюре.

## Использование на открытом воздухе

Напольная плитка производства компании Original Style пригодна для использования на открытом воздухе и отличается морозостойчивыми свойствами. Укладку необходимо производить таким образом, чтобы капли дождя свободно стекали с плитки и не могли просочиться под плитку или между плитками. Плитку не следует укладывать на плоские крыши, покрытые асфальтом и расположенные в регионах, подверженных отрицательным температурам. Чтобы улучшить водоотталкивающие свойства плитки, ее необходимо пропитать одним из следующих растворов: Lithofin KF Stain Stop или Fila MP90.

## Цвета плитки

Поскольку плитка производится из природной глины, плитки одного и того же цвета могут быть разных оттенков. Поэтому важно проследить, чтобы слегка отличающиеся оттенки были равномерно распределены на поверхности до того, как будет уложена плитка. Плитка окрашивается с помощью добавления пигментов в природную глину. Плитка украшается вручную трафаретным оттиском, благодаря чему хотя узор выгодно оттеняет цвета плитки, он может им не соответствовать.



## Накладка на ступени и коэффициент отражения света

Рекомендуется использовать накладку такого цвета, который отличается от смежного узора плитки, чтобы визуально отделить край ступени и лестницы (в наличии цвета Red и Black). Толщина накладки составляет 9 мм (3/8 дюйма). Накладка используется для обеспечения дополнительной прочности на краях ступеней и лестниц (показано на рисунке).

## Подсчет необходимого количества

Чтобы рассчитать узоры, следует необходимую площадь в квадратных метрах умножить на количества, указанные для конкретного узора. Чтобы рассчитать бордюры, следует умножить длину бордюра в метрах на количества, указанные для конкретного узора – Добавьте 10 % к общему количеству заказа, чтобы учесть на резку и отходы.

## Узоры и бордюры

Раскладки и бордюры, показанные на страницах 8-61 были рассчитаны с учетом 2мм пробела на затирочные швы.

Все указанные в брошюре узоры и бордюры поставляются в любой комбинации цветов, перечисленных в таблице с Ассортиментом продукции, приведенной на стр. 80-81. Масштабы указаны примерно и не должны применяться для окончательной планировки. См. размеры в таблице с Ассортиментом продукции. Ширину бордюров можно изменять, добавляя или удаляя прямоугольники и (или) трапеции из приведенных в брошюре примеров (в таких случаях бордюры отмечены как «измененные» варианты узоров на стр. 50-61). Указанные сочетания цветов предназначены только в качестве вариантов.

Бордюры и угловые элементы коллекции Cavendish: бордюры коллекции Cavendish можно укладывать с более широкой каймой либо снаружи, либо внутри общего узора. Хотя угловые элементы отмечены как «внутренние» и «внешние», они взаимозаменяемы. Рекомендуется выбрать один вариант как предпочтительный, а затем проследить, чтобы все бордюры и угловые элементы соответствовали узору до того, как начать укладывать плитку.

## База данных компьютерного проектирования

Дизайнеры интерьеров и архитекторы, работающие с системами компьютерного проектирования, могут получить бесплатную базу данных, которая позволит планировать геометрические напольные узоры. Базу данных можно скачать с нашего веб-сайта: [www.originalstyle.com/cad](http://www.originalstyle.com/cad) База данных позволяет:

- визуально представить схему укладки напольной плитки в требуемой обстановке;
- создать схему укладки плитки с нуля;
- экспериментировать с разными цветами/узорами/сочетаниями бордюров;
- подсчитать необходимые количества.

Для использования базы данных требуется соответствующее программное обеспечение. За дополнительной информацией просьба обращаться в отдел обслуживания заказчиков по телефону +44 (0)1392 473001.

## Страница с техническими данными

Компания Original Style Ltd, расположенная по адресу Falcon Road, Sowton Industrial Estate, Exeter, Devon EX2 7LB, England (Англия), настоящим заявляет, что производимая компанией керамическая напольная и настенная плитка полусухого прессования коллекции Victorian для использования в помещении и на открытом воздухе соответствует требованиям Директивы 89/106/СЕЕ.

### Mosaics



The largest range of mosaics in Europe:  
glass, metal, stone, shell, wood, porcelain

### Splashbacks



Glass splashbacks and upstands  
in a choice of colours

### Glassworks



A huge collection of glass tiles  
including large formats

### Earthworks



Natural stone tiles and  
mosaics for walls and floors

### Tileworks



Contemporary porcelain and ceramic tiles  
for floors and walls

### Odyssey



Tiles inspired by journeys  
of discovery

### La Belle Collection



An exquisite selection of  
hand-crafted tiles

### Designer Classics



Wall tiles and coordinating mouldings  
in subtle contemporary colours

### Artworks



Traditional wall tiles to coordinate  
with the Victorian Floor Tile range

Original Style also produce other ranges of ceramic tiles, natural stone, mosaics and glass tiles.  
Please ask your retailer for copies of these brochures. Please return this brochure to your Original Style stockist after use.

The 'Original Style' logo is a registered trade mark of Original Style Ltd.  
Original Style Limited is registered in England number 3018117.  
Registered Office: Falcon Road, Sowton Industrial Estate, Exeter, Devon EX2 7LF, England

Your Original Style stockist

£2.00 €3.00 \$3.50

VFT3/08/15

GENERAL ENQUIRIES  
Tel: +44 (0)1392 473004  
Fax: +44 (0)1392 473014

UK SALES  
Tel: +44 (0)1392 473000  
Fax: +44 (0)1392 473010

USA SALES  
Tel: 0 11 44 1392 473002  
Fax: 1-866 881 6609 (toll free)

REST OF WORLD SALES  
Tel: +44 (0)1392 473001  
Fax: +44 (0)1392 473011

Email: [info@originalstyle.com](mailto:info@originalstyle.com)  
Website: [www.originalstyle.com](http://www.originalstyle.com)