Woodwarm Gas Range





Handcrafted in Devon



Instant control at the touch of a button.

Designed for style, comfort and maximum efficiency, our Gas Range brings instant control at the touch of a button.

The range features the Phoenix and Kalido models, both of which run on either Natural Gas or LPG.

Phoenix Gas Stoves are handcrafted in Devon to the highest possible standards and are modelled on the popular Phoenix Multifuel Range, with it's large feature glass door.

The Phoenix Range comes with the option of a unique fan assisted convection system and with a choice of log or coal effect.

Phoenix 3 Gas Stove

- Remote controlled
- Thermosatically controlled
- Log or coal effect
- Runs on Natural Gas or LPG
- Conventional or Balanced flue
- Interchangeable top or rear flue
- Option of unique fan assisted convection system

As shown opposite





Phoenix 5 Gas Stove

- Log or coal effect
- Conventional or balanced flue
- Interchangeable top or rear flue



Phoenix 7 Gas Stove

- Remote controlled
- Thermosatically controlled
- Log or coal effect
- Balanced flue only

- Option of unique fan assisted





• Interchangeable top or rear flue





Kalido 77 Fire

Remote controlled

- Thermosatically controlled
- Unique fan assisted convection system
- Runs on Natural Gas or LPG
- Conventional flue
- Interchangeable top or rear flue



6

Kalido 73 Fire

- 5kW Stove
- Remote controlled
- Thermosatically controlled
- Unique fan assisted convection system
- Log effect
- Runs on Natural Gas or LPG
- Conventional flue
- Interchangeable top or rear flue



Kalido 73 with Stand

- 5kW Stove
- Remote controlled
- Thermosatically controlled
- Unique fan assisted convection system
- Log effect
- Runs on Natural Gas or LPG
- Conventional flue
- Interchangeable top or rear flue

7

Gas Stove Specifications

Kalido Range

Kalido & Phoenix Colours: Black


Model	Kalido 73 (Std Trim)	Kalido 73 (Glass Trim)	Kalido 77 (Std Trim)	Kalido 77 (Glass Trim)
Output (kW)	5	5	7	7
Efficiency	82%	82%	82%	82%
Gas Type				
Natural Gas	v	~	~	v
LPG	v	~	~	~
Flue Type	Conventional	Conventional	Conventional	Conventional
Flue Size	127mm	127mm	127mm	127mm
Height	525mm	541mm	558mm	575mm
Width	730mm	762mm	770mm	860mm
Depth	375mm	375mm	425mm	420mm
Opening Required				
Height	490mm	490mm	525mm	525mm
Width	645mm	645mm	685mm	685mm
Depth	375mm	375mm	420mm	420mm
Electricity Supply Required	240V	240V	240V	240V
Fully Remote Controlled	v	~	~	~
Fan Assisted Convection	v	~	~	~
Energy Rating	A	А	A	А

Phoenix Conventional Flue Gas Stove Range

Phoenix Balanced Flue Gas Stove Range

Model	Phoe	enix 3	Phoe	enix 5
Туре	NG	LPG	NG	LPG
Output (kW)	4	3.5	5.5	5.5
Efficiency	83%	83%	88%	88%
leight Standard Stove	555	mm	637	mm
leight Tall Version	755	mm	837	mm
Vidth	421	mm	552	mm
Depth	365	mm	307	mm
Flue Size	127	mm	127	mm
Height To Centre Of Rear Flue	465	mm	547	mm
Top Flue Centre From Rear Of Stove	91 r	nm	91 r	nm
*Electricity Supply Required	24	0V	240V	
Fully Remote Controlled		/	4	
Optional Fan Assisted Convection		/		/
Energy Rating	ŀ	4	ŀ	4

*240V power supply only required if choosing the option of Fan Assisted Convection.



Metal Developments Ltd. The Workshop, Wheatcroft Farm, Cullompton, Devon EX15 1RA

Telephone: 01884 822916 Fax: 01884 829156 Email: chris@woodwarmstoves.co.uk

www.woodwarmstoves.co.uk

