

> PRINT > COPY > SCAN > FAX

TASKalfa 3051ci TASKalfa 3551ci TASKalfa 4551ci TASKalfa 5551ci

A3 COLOUR MULTIFUNCTIONALS

# HIGH QUALITY COLOUR OUTPUT AND RELIABILITY





## COMPLICATED OFFICE LIFE MADE EASY

The modern office has become so complex that it demands ever more attention, time and energy from your office staff. That's why we created the TASKalfa series – a range of reliable and easy to use multifunctionals.

### A HIGH-QUALITY COLOUR ALL-ROUNDER.


Our new colour multifunctionals are extremely productive due to their output, scanning and finishing speeds. With their highcapacity finishing options and high-volume paper handling capabilities, they have been designed to suit your specific requirements.

Choose from a number of paper feeders and various finishing options for fast continuous printing and high volume operations. Our advanced colour and toner technology ensures that all your prints will be of amazing quality and colour clarity. We know that you are aware of your environmental footprint. This is why we have developed a new technology that makes these new TASKalfa multifunctionals considerably more energyefficient.

Reliability is a key issue for us: our new MFPs have far less downtime, produce less waste and manage long uninterrupted high-volume print runs better than ever before. This is possible due to our unique long-life components that are extraordinarily durable and reliable.



- > UP TO 55/50 PAGES PER MINUTE A4 IN BLACK AND WHITE AND COLOUR (TASKalfa 5551ci).
- > FIERY CONTROLLER\* FOR HIGH PRODUCTIVITY AND COLOUR QUALITY.
- > TIME TO FIRST COPY 4.7 SECONDS IN COLOUR (TASKalfa 5551ci).
- > UP TO 3.5 GB RAM + 320 GB HDD STORAGE (TASKalfa 5551ci/4551ci).
- > EXPANDABLE FAX FUNCTIONS\*: DUAL FAX, NETWORK FAX, AND INTERNET FAX.
- > SELECTABLE ONE-PATH DUPLEX AND REVERSING DOCUMENT PROCESSOR.\*
- > INDIVIDUAL PAPER HANDLING INCLUDING PRODUCTIVE FINISHING OPTIONS AND VARIOUS PAPER FEEDERS FOR UP TO 7,650 SHEETS AND 8 MEDIA TYPES.
- > SECURITY-ORIENTED: DATA SECURITY KIT\*: COPY GUARD KIT\*: SUPPORT FOR ID CARD AUTHENTICATION INTEGRATED AND MULTIPLE CARD TECHNOLOGIES.
- > LONG-LIFE COMPONENTS PROVIDE EXCEPTIONAL EFFICIENCY, RELIABILITY AND LESS WASTE.
  - \* OPTIONAL.



## SUPERIOR USABILITY THAT INCREASES YOUR PRODUCTIVITY

To simplify your daily office life even more, our TASKalfa devices have the ability to turn scanned documents into text files. This not only allows you to search the scanned document, but also to edit and share it.

You can access all settings for printing, copying and scanning as well as the optional fax function from the new colour touch panel. The large size of the panel and its ease if yse ensure that your employees can easily select the functions they want to use.





ONE TOUCH ACCESS Frequently used features are only a click away


ACCESSIBILITY DISPLAY Magnified control panel capabilities for visually impaired

HOME KEY Easily access your customised control panel home page with this hard key

# SPOTLIGHT YOUR BUSINESS

## YOUR DOCUMENTS IN UNMATCHED COLOUR QUALITY.

A high-quality colour printout can make the difference between an average business presentation and a deeply convincing one. Our MFPs allow you to produce documents with high colour consistency, clarity and gradation in the simplest way possible to quickly enhance the appearance of your business. You may complement your MFP with a Fiery controller to heighten its productivity and a professional ICC based colour management option for it to deliver even more precise print-outs from very large data sizes.





- > Our long-life printer drum with an amorphous-silicon surface lasts for at least 600,000 prints.
- > High reliability = less downtime
  = more savings.



- > Low energy consumption.
- > Uses energy only when it is needed.
- > Long-life components save resources.



- Customisable home screen with simple and intuitive menu structure.
- Improved driver with enhanced functionality and usability.
- > Up to 4 USB hosts for devices such as IC Card Readers, USB keyboards and USB devices to scan-to or print-from.



## SECURITY, FLEXIBILITY AND LESS STRESS

## PEACE OF MIND WITH SECURE DOCUMENT MANAGEMENT.

To safeguard against potential security risks, these TASKalfa devices are equipped with IPsec, IPv6 and PDF encryption as standard. For even greater security, you can add KYOCERA's optional Data Security Kit that effectively deletes and overwrites all data stored on the hard disk during the printing, copying or

scanning process. To increase the protection of your most sensitive data even further, we also offer an optional card authentication function that prevents unauthorised accessing of the data.

### TAILOR THE DEVICE TO YOUR INDIVIDUAL NEEDS.

HyPAS<sup>™</sup>, KYOCERA's open software development platform allows you to integrate the device into your existing business workflow. By offering the possiblity of integrating the device from the control panel into existing applications, the MFP acts like an interface between users and the workflows, thus delivering higher productivity and improved efficiency. Once configured, it will leave you free to focus on other matters.

# PAPER HANDLING TO MATCH YOUR EXACT NEEDS

7 BINS MAILBOX SORTER MT-730 Ideal for large departments, separates different users' output into 7 trays.





4000-SHEET FINISHER DF-790 Particularly suited for large outputs. With optional stapling and hole punching function.

BF-730 OPTIONAL FOR DF-790 Booklet and tri-folding unit.

TASKalfa<sup>\*\*</sup>











> PPM COLOUR A4	30 pages per minute	35 pages per minute	45 pages per minute	50 pages per minute
> PPM BLACK & WHITE A4	30 pages per minute	35 pages per minute	45 pages per minute	55 pages per minute
> SCANNER SPEED	100 scans per minute	100 scans per minute	160 scans per minute	160 scans per minute
> MAX. PAPER CAPACITY	7,150 sheets	7,150 sheets	7,650 sheets	7,650 sheets

## PAPER HANDLING SOLUTIONS TO MATCH EVERY NEED.

Select from a complete range of paper-handling options. Two document processors and two finishers – one of them with an optional booklet unit – can be added to your basic MFP. Additional paper trays can provide your device with a paper capacity of up to 7,650 sheets for hours of non-stop printing in eight different paper formats.



DUPLEX DOCUMENT PROCESSOR DP-772 Scans double-sided documents in one path.



3000-SHEET PAPER FEEDER PF-770 Ideal for large print runs in A4.

**500-SHEET MULTIMEDIA** 

Paper feeder for special media types. To be combined with PF-730 and PF-740. Only for TASKalfa 4551ci/5551ci.

TRAY PF-780











3000-SHEET PAPER FEEDER PF-740 Supports A4, B5 and letter formats.

### CARD AUTHENTICATION

The card authentication function not only provides an automated process for authenticating a user for access to the MFP features and sensitive data, it also allows a personalised use of the device.

### DOCUMENT PROCESSOR DP-770

Single-pass document processor that scans one side of a page, then flips it and scans the other side.



MULTI PURPOSE TRAY For up to 150 sheets.

3000-SHEET PAPER FEEDER PF-740 Allow your device to handle heavy workloads. The 3000-sheet paper feeder is ideal for different paper sizes e.g. A4, B5 and letter formats.

#### GENERAL

Technology: KYOCERA Laser Colour, HyPAS™ solution platform Engine speed (pages per minute):

TASKalfa 3051ci: Up to 30/15 ppm A4/A3 in colour and b/w TASKalfa 3551ci: Up to 35/17 ppm A4/A3 in colour and b/w TASKalfa 4551ci: Up to 45/22 ppm A4/A3 in colour and b/w TASKalfa 5551ci: Up to 50/25 ppm A4/A3 in colour, up to 55/27 A4/A3 in b/w

Resolution: 600 x 600 dpi, Multi-bit technology for print quality of 9,600 dpi equivalent x 600 dpi

#### Warm-up time from power on:

TASKalfa 3051ci/3551ci: Approx. 25 seconds or less TASKalfa 4551ci/5551ci: Approx. 30 seconds or less

#### Time to first page:

TASKalfa 3051ci: Approx. 5.5 sec. or less in b/w; 7.3 sec. or less in colour TASKalfa 3551ci: Approx. 4.8 sec. or less in b/w; 6.4 sec. or less in colour TASKalfa 4551ci; Approx. 3.9 sec. or less in b/w; 5.1 sec. or less in colour TASKalfa 5551ci: Approx. 3.4 sec. or less in b/w; 4.7 sec. or less in colour CPU: TASKalfa 3051ci/3551ci: Freescale QorlQ P1022 (Dual Core) 800MHz TASKalfa 4551ci/5551ci: Freescale QorlQ P1022 (Dual Core) 1067MHz

#### Memory (standard max.):

TASKalfa 3051ci/3551ci: 3.5 GB RAM + 160 GB HDD TASKalfa 4551ci/5551ci: 3.5 GB RAM + 320 GB HDD Standard interface: USB 2.0 (Hi-Speed), USB Host 2.0, Fast Ethernet 10Base-T/100BaseTX/1000BaseT, slot for optional print server, slot for optional SD-card, slot for optional Fax System

Dimensions (W x D x H): Main unit: 668 x 767 x 747 mm Weight: Main unit approx. 114 kg

Power source: AC 220 V ~ 240 V, 50/60 Hz

#### Power consumption:

TASKalfa 3051ci - Printing: 730 W (in colour), 660 W (in b/w) Ready mode: 200 W, Sleep mode: Recover priority 9.2 W or less, Energy saving priority 1.8 W or less

TASKalfa 3551ci - Printing: 740 W (in colour), 690 W (in b/w). Ready mode: 200 W, Sleep mode: Recover priority 9.2 W or less, Energy saving priority 1.7 W or less

TASKalfa 4551ci - Printing: 1030 W (in colour), 990 W (in b/w), Ready mode: 200 W, Sleep mode: Recover priority 10.7 W or less, Energy saving priority 1.8 W or less

TASKalfa 5551ci - Printing: 1140 W (in colour), 1050 W (in b/w). Ready mode: 200 W, Sleep mode: Recover priority 10.7 W or less, Energy saving priority 1.8 W or less

### Noise level (sound pressure level ISO 7779/ISO 9296):

TASKalfa 3051ci: Printing monochrome: 48.3 dB(A) LpA / colour 48.5 dB(A) LpA, Ready mode: 36.5 dB(A) LpA TASKalfa 3551ci: Printing b/w 48.3 dB(A) LpA/ colour 49.0 dB(A) LpA, Ready mode 38.0 dB(A) LpA TASKalfa 4551ci: Printing b/w 49.9 dB(A) LpA/ ur 50.2 dB(A) LpA, Ready mode 38.3 dB(A) LpA TASKalfa 5551ci: Printing b/w 51.4 dB(A) LpA/ colour 50.7 dB(A) LpA, Ready mode 36.1 dB(A) LpA Safety standards: GS, TÜV, CE

This unit is manufactured according to ISO 9001 quality standard and ISO 14001 environmental standard. RoHs compatibility

#### PAPER HANDLING

All paper capacities quoted are based on a max paper thickness of 0.11mm. Please use paper recommended by KYOCERA under normal environmental conditions.

#### Input capacity:

150-sheet multi-purpose tray, 60-300 g/m<sup>2</sup> (banner 136-163 g/m² ), A6R-305 x 457 mm, Tab paper (136-256 g/m² ) banner max. 305 x 1,220 mm; 2 x 500-sheet universal paper cassette, 60–220 g/m² (TASKalfa 3051ci/3551ci), 60–256 g/m² (TASKalfa 4551ci/5551ci), 140 x 182–305 x 457 mm Max. input capacity with options: TASKalfa 3051ci/3551ci: 7,150 sheets A4 TASKalfa 4551ci/5551ci: 7,650 sheets A4 Duplex unit: Duplex as standard supports A5R–305 x 457 mm, 60–256 g/m²

Output capacity: 250 sheets face-down, max. output capacity 320 sheets

#### PRINT FUNCTIONS

#### Controller language: PRESCRIBE IIC

Emulations: PCL6 (PCL5c / PCL-XL), KPDL3 (PostScript 3 compatible), PDF Direct Print, XPS Direct Print **Operating systems:** All current Windows operating systems, Mac OS X version 10.4 or higher, UNIX LINUX, as well as other operating systems on request

Fonts/barcodes: 93 outline fonts (PCL), 136 fonts (KPDL3), 8 fonts (Windows Vista), 1 Bitmap font, 45 types of onedimensional barcodes plus two-dimensional barcode (PDF-417) Print features: Encrypted PDF Direct Print, IPP printing

email printing, WSD print, secure printing via SSL, IPsec, SNMPv3, Quick copy, proof and hold, private print, job storage and job management functionality

#### COPY FUNCTIONS

Max. original size: A3 Continuous copying: 1-999

### Zoom range: 25-400% in 1% steps

Preset magnification ratios: 5R/5E Digital features: Scan-once-copy-many, electronic sort, 2in1 and 4in1 function, image repeat copy, page numbering, cover mode, booklet copy, interrupt copy, form overlay, stamp function and skip blank page function. Exposure mode: Auto, manual: 7 or 13 steps

Image adjustments: Text + photo, text, photo, map

#### AN FUNCTIONS

Functionality: Scan-to-email, Scan-to-FTP, Scan-to-SMB, Scan-to-USB Host, Scan-to-box, Network TWAIN, WSD scan Scan speed: (A4, 300 dpi with DP-772) TAS Kalfa 3051ci/3551ci: b/w 100 images per minute, colour 100 images per minute TAS Kalfa 4551ci/5551ci: b/w 160 images per minute, colour 160 images per minute Scan resolution: 600 dpi, 400 dpi, 300 dpi, 200 dpi, 200 x 100 dpi, 200 x 400 dpi (256 greyscales)

Max. scan size: A3

Original recognition: Text, photo, text + photo, optimised for OCR Network protocol: TCP/IP

File types: PDF (high compressive, encrypted, PDF/A), Searchable PDF (Option), JPEG, TIFF, XPS

#### FAX FUNCTIONS (optional)

Compatibility: ITU-T Super G3 Modem speed: Max. 33.6 kbps Transmission speed: Max. 3 seconds (JBIG) **Fax resolution:** Normal: 200 x 100 dpi, Fine: 200 x 200 dpi Superfine: 200 x 400 dpi, Ultrafine: 400 x 400 dpi Maximum original size: A3 Compression method: JBIG, MMR, MR, MH Memory: Standard 12 MB, max. 128 MB Features: Opt. Internet-fax, network faxing, rotate transmission, rotate reception, duplex fax reception, memory reception, mailbox, remote diagnostics, dual fax with second fax system CONSUMABLES Average continuous toner yield in accordance with 5% coverage A4.

TASKalfa 3051ci/3551ci TK-8305K Toner-Kit: Toner Black for 25,000 pages

TK-8305C, TK-8305M, TK-8305Y Toner-Kits: Toner Cyan, Magenta, Yellow for 15,000 pages

TASKalfa 4551ci/5551ci

TK-8505K Toner-Kit: Toner Black for 30,000 pages TK-8505C, TK-8505M, TK-8505Y Toner-Kits: Toner Cyan,

Magenta, Yellow for 20,000 pages WT-860 Waste Toner Bottle: 25,000 sheets

(in accordance with 5% coverage b/w: colour=7:3) Staple cartridge: SH-10 for DF-770, BF-730, SH-12 for DF-790

#### OPTIONS

Fax System (W) B, Internet Fax Kit (A)

Scan Extension Kit (A):

Scan to searchable PDF solution (embedded OCR) Printing System (13): Fiery Controlle

Printing System Interface Kit (B): Interface board for Fiery Paper handling

DP-770(B) Document processor: (reversing document processor), 100 sheets, 45-160 g/m², A5R-A3, folio DP-772 Document processor: (one-path duplex scanning) 175 sheets; 35–220 g/m² (simplex), 50–220 g/m² (duplex) A5R-A3 folio

PF-730(B) Paper feeder: 2 x 500 sheets, 60-256 g/m<sup>2</sup>, A5R-305 x 457 mm, folio

PF-740(B) Paper feeder: 3,000 sheets, 60-256 g/m<sup>2</sup>, A4, B5, letter PF-770 A4 side deck: 3,000 sheets, 60-300 g/m<sup>2</sup>, A4, B5

PF-780(B) Multimedia tray and paper path unit: (for TASKalfa 4550ci/5550ci), 500 sheets, 60–256 g/m², A5R–305 x 457 mm DT-730(B) Document tray, DT-730(B) Document tray

DF-790(C)\* Document finisher + AK-731: Main tray: max. 4,000 sheets A4 (3,000 sheets with attachment BF-730); max. 60–300 g/m²; max. B5R–305 x 457 mm Sub tray: 200 sheets A4; 60–300 g/m²; A6R–305 x 457 mm Sub tray (top): 100 sheets; 60–300 g/m²; A6R–A4 Stapling up to 65 sheets A4 or 30 sheets A3 at 3 positions, B5-305 x 457 mm

#### DF-770(D)\* Document finisher + AK-731:

Main tray: 1,000 sheets A4, 60-300 g/m², B5E-305 x 457 mm, 3 positions stapling up to 50 sheets A4 or 30 sheets A3 Sub tray: 100 sheets A4, 60–300 g/m², A4–A6R

PH-7C/PH-7D Punch unit for DF-790(C)/DF-770(D): 2-hole/4-hole/Swedish type, 60–300 g/m<sup>2</sup>, A5R–A3

MT-730(B) Mailbox sorter for DF-790(C): 7 bins x 100 sheets A4, 50 sheets A3/B4, 60–163 g/m<sup>2</sup>

MT-730(B) Mailbox sorter for DF-790(C):

Half folding: 60–256 g/m², A3, B4, A4R Booklet: max. 16 sheets (64 pages, 60–90 g/m²) Non-staple folding: max. 5 sheets (60–90 g/m²) Tri-folding: 60–120 g/m², A4R

Multi tri-folding: 5 sheets (60-90 g/m2), 3 sheets (91-120 g/m2)

BF-730 Booklet and tri-folding unit for DF-790(C) Half folding: 60-256 g/m², A3, B4, A4R

Booklet: max. 16 sheets (64 pages, 60-90 g/m<sup>2</sup>)

Non-staple folding: max. 5 sheets (60–90 g/m²)

Tri-folding: 60-120 g/m<sup>2</sup>, A4R

Multi tri-folding: 5 sheets (60–90 g/m²), 3 sheets (91–120 g/m²) JS-730 Job separator:

30-sheet internal job separator, 60–256 g/m², A5R–A3 JS-731 Job separator: 70-sheet external job separator, 60–256 g/m<sup>2</sup>, A5R–A3

\*Bridge unit AK-731 is required for the use of DF-790(C) and DF-770(D).

Banner Guide (A): Banner paper feeding guide, up to 10 sheets Fax memory

MM-16-128: Image memory (128 MB)

Security

Data security kit (E):

In line with ISO 15408 (Common Criteria) with security level EAL3 Printed Document Guard Kit (B)

USB IC Card Reader: Card Authentication Kit (B)AC Card Reader Holder (E) UG-33: ThinPrint support

UG-34: Emulation (IBM Proprinter/EPSON LQ-850/Diablo 630) Optional interface

IB-50: Gigabit-Ethernet board 10BaseT/100BaseTX/1000Base

TIB-51: Wireless Lan Interface

Platen cover (E) CB-730: Wooden cabinet CB-731: Metal cabinet



KYOCERA Document Solutions (UK) Ltd Eldon Court, 75 - 77 London Road, Reading RG1 5BS Tel: 0118 931 1500 – Fax: 0118 931 1108 www.kyoceradocumentsolutions.co.uk - info@duk.kyocera.com

\* KYOCERA Document Solutions does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

