

Calcined Guyanan Bauxite 3.0-5.0mm

Calcined Guyanan Bauxite is one of the hardest natural minerals after diamond.

Chemical Analysis

	%
Al ₂ O ₃	75-88
SiO ₂	6-18
TiO ₂	2-3
Fe ₂ O ₃	0.5-2.5
MgO	0-0.2
P ₂ O ₅	0-0.3
K ₂ O	0-0.4
CaO	0-0.4
V ₂ O ₅	0-0.5
ZrO ₂	0-0.15
Na ₂ O	0-0.05


Physical Data

Particle Shape	Angular
Colour	Grey
Specific Gravity g/cm ³	3.70
Bulk Density g/cm ³	2.75-3.1
Hardness (Mohs)	9
Moisture Content	0.5-1.5%
Polished Stone Value	70 minimum
Aggregate Abrasion Value	10 maximum
Loss on ignition	0.1-0.5%

Commodity Code

2606 000000

Particle Size Distribution



Packing

25 kilo bags on pallets of 1000 kilos and bulk bags

Issue 1 February 2016

All information is given in good faith but is indicative only and does not constitute a specification.

Boud Minerals Limited

West Bank, Sutton Bridge
Lincolnshire PE12 9UR, UK
Tel: +44 (0)1406 351988
Fax: +44 (0)1406 350897
Email: sales@boud.com
Web: www.boud.com

Boud Minerals AB

Håkantorpsvägen 109
SE-26391 Höganäs, Sweden
Tel: +46 42 333741
Fax: +46 42 333829
Email: sweden@boud.com
Web: www.boud.com