

IN DRS A Since 1988

INNOVATIONS IN ILLUMINATION
- MARINE & RV -





DRSA has supplied only Light Fixtures, Electrical Devices and other associated electrical products for the Marine Industry for more than 25 years. No other products compete for our loyalty, attention and investment.

DRSA provides fixtures fully assembled to your specifications. A variety of finishes, lights, bulbs, colors and covers are available to meet your needs.

There is NO minimum order quantity. We ask only that you give us 90-day projections on your monthly usage report in order for us to have ample inventory for your purchasing and production requirements.

We have streamlined processes to improve communications and keep operation costs down, allowing us to pass savings on to our customers.

We have a strong customer service focused team to make sure you get what you need when you need it. We partner with you to assure your success.

Technical support is provided for Boat Builder, Dealers and end users.

We offer a LIFETIME WARRANTY on all products except for bulbs to you and the owner's of your Yachts.

We carry liability insurance of \$3,000,000.00 per incident.

DRSA takes pride in participating in numerous boat shows such as IBEX, Miami Boat Show, Palm Beach Boat Show and Ft. Lauderdale International Boat Show.

DRSA provides only the highest quality fixtures and electrical products engineered for the marine environment. Our reputation for quality, support and service is unquestioned.

	Index	
	Pacific Utility LED Low Profile	1
SEAL SE	Pacific Utility Fluorescent	2
Model	Bullet	3
Service Control	CSA600 LED Engine	4
TO THE PARTY AND ADDRESS OF THE PARTY AND ADDR	CSA400 4 Inch LED Engine	5
	C-Rail	6
	LED Lamps & Bulbs	7
	LED Rope Light	9
ŝ	Dimmable LED Tape Light	11
	RGB LED Controller w/ Remote	12
	LED Spreader Lights	14
8	1Ft LED Tape Strip Light	16
	Marine Light Fixtures	18
	Company Information	51






Innovations In Illumination - Marine & RV -


Pacific Utility LED Low Profile



Item#	Description	List Price
005.203500.LPO	12/24V DC Daylight White, 1850 Lumen, 5000K, 14W	\$180.00
005.203407.LPO	12/24V DC Cool White, 1850 Lumen, 6500K, 14W	\$180.00
005.203500.LP2	100-240V AC & 12VDC Daylight White, 1850 Lumen, 5000K, 14W	\$260.00
005.203524.LP2	100-240V AC & 24VDC Daylight White, 1850 Lumen, 5000K, 14W	\$260.00
005.203407.LP2	100-240V AC & 12VDC Cool White, 1850 Lumen, 6500K, 14W	\$260.00
005.203424.LP2	100-240V AC & 24VDC Cool White, 1850 Lumen, 6500K, 14W	\$260.00

Quantity Discounts		
1 to 5	List	
6 to 15	2.5%	
16 to 50	5%	
50+	7.5%	











Innovations In Illumination - Marine & RV -

Pacific Utility / Engine Room Light




Item#	Description	List Price
005.203500.000	12/24V DC Daylight White, 1850 Lumen, 5000K, 14W	\$175.00
005.203500.165	12/24V DC Cool White, 1850 Lumen, 6500K, 14W	\$175.00
005.203500.002	100-240VAC & 12V DC Daylight White, 1850L, 5000K, 14W	\$255.00
005.203500.065	100-240VAC & 12V DC Cool White, 1850L, 6500K, 14W	\$255.00
005.203524.002	100-240VAC & 24VDC Daylight White, 1850L, 5000K, 14W	\$255.00
005.203524.065	100-240VAC & 24VDC Cool White, 1850L, 6500K, 14W	\$255.00

Quantity Discounts		
1 to 5	List	
6 to 15	2.5%	
16 to 50	5%	
50+	7.5%	


A: 11 Inches / 280 mm

B: 5 1/16 Inches / 128 mm

C: 3 1/16 Inches / 77 mm



Dual Voltage Wiring Diagram



AMERICAN MADE WITH PRIDE





Bullet

This micro-sized LED fixture comes packed with an astonishing powerful light output comparable to a fixture that is many times larger.



Less Than 10mm wide Less Than 15mm deep





- White
- Red
- Blue
- Green
- Multi-Color

Innovations in illumination for more than 25 years, DRSA designs, develops, manufactures and imports luminaires, light bulbs and LEDs to illuminate your entire vessel from bow to stern. Our responsive staff has over 100 years of combined marine and lighting expertise. Let us provide your complete lighting solutions.

All sales are subject to DRSA's Terms and Conditions of Sale FOB Riviera Beach FL Prices subject to change without notice

www.drsa.com





CSA600 LED Engine

Features

Number of LEDs 15 Integral Driver and Heatsink

Dimmable

Power: 12/24 V DC

Power Consumption: 5.5 Watts Beam Angle: 120 degrees

Lumens: 600 Daylight White (5000K)

550 Warm White (2700K)


Size: 1.799" (45.7mm) Diameter x 0.715"

(18.16mm) High

Available in Daylight White and Warm White



Item#	Description	List Price
008.CSA600.010	5.5W 550 Lumen LED Engine, Warm White (2700K), 12/24V DC	\$63.00
006.CSA600.020	5.5W 600 Lumen LED Engine, Daylight White (5000K), 12/24V DC	\$63.00



* * * *	4
AMERICAN MADE WITH P	RIDE

6 to 15 2.5% 16 to 50 5% 50+ 7.5%

1 to 5

Quantity Discounts

List







CSA400 4 Inch LED Engine



Features

Number of LEDs 18 Integral Driver and Heatsink Dimmable

Power: 12/24V DC

Power Consumption: 4.5 Watts Beam Angle: 90 degrees

Lumens: 520 Daylight White (5000K)

480 Warm White (2700K)

Size: 4" Diameter

Available in Daylight White and Warm White

Perfect LED solution for larger lights. Less heat, lower energy draw, lower maintenance costs and a beautiful, dimmable light source.

Item#	Description	List Price
006.CSA400.010	4 Inch LED Engine Warm White, 12/24V DC, 480 Lumen, 2700K, 4.5W	\$60.00
006.CSA400.020	4 Inch LED Engine Daylight White, 12/24V DC, 520 Lumen, 5000K, 4.5W	\$60.00

Quantity Discounts
1 to 5 List
8 to 15 2.5%
16 to 50 5%
50+ 7.5%









C-Rail LED Light

- Marine & RV -



Features

12VDC / 24VDC Optional Max Wattage 10w LED PCB (Printed Circuit Board) 300 Lumens varies with Color Clear Lens

Colors

Red White

Amber Green

Finishes

Stainless Steel (316) SS (316) Powder Coat Black SS (316) Powder Coat White

Coming Soon - Aluminum

Available Sizes

Length - 3 3/4" Rail Sizes - 1" and 1 1/4"

Comging Soon - More Sizes

Installation Instructions

- 1) Drill hole in railing and de-burr hole.
- 2) Run Power Wires into railing. Connect to 12VDC power source.
- 3) Place Lens over PCB to mark screw hole
- 4) Remove backing from water resistant tape on back of PCB and adhere into place on railing.
- 5) Drill and tap screw holes.
- 6) Place lens in housing and install over PCB
- Install mounting screws.
- 24V Systems Will Require 24VDC to 12VDC Converter





LED Lamps & Bulbs



G4 Rose 8 FI	10-30V AC/DC	1.3W 100-120LM	, Dimmable, 25mm Dia
OT Dase, U LEI	J. 10-30 V MOIDO	, 1.544, 100-120LM	, Diffilliable, 20ffilli Dia

Item#	Description	List Price
006.281040.401	Side Pin, Warm White	\$16.75
006.281040.402	Side Pin, Cool White	\$16.75
006.281040.403	Back Pin, Long Prong, Warm White	\$16.75
008.281040.404	Back Pin, Long Prong, Cool White	\$16.75
006.281040.501	Side Pin, Blue	\$16.75
006.281040.502	Back Pin, Long Prong, Blue	\$16.75
006.281040.503	Side Pin, Red	\$16.75
006.281040.504	Back Pin, Long Prong, Red	\$16.75
006.281040.505	Side Pin, Green	\$16.75
006.281040.506	Back Pin, Long Prong, Green	\$16.75



G4 Base, 12 LED, 10-30V AC/DC, 1.5W, 120-140LM, Dimmable, 30mm Dia

Item#	Description	List Price
006.281040.411	Side Pin, Warm White	\$19.95
006.281040.412	Side Pin, Cool White	\$19.95
006.281040.413	Back Pin, Long Prong, Warm White	\$19.95
006.281040.414	Back Pin, Long Prong, Cool White	\$19.95
006.281040.511	Side Pin, Blue	\$19.95
006.281040.512	Back Pin, Long Prong, Blue	\$19.95
008.281040.513	Side Pin, Red	\$19.95
008.281040.514	Back Pin, Long Prong, Red	\$19.95
006.281040.515	Side Pin, Green	\$19.95
006.281040.516	Back Pin, Long Prong, Green	\$19.95



G4 Base, Bi-Color, 12 LED, 12V or 24V AC, Dimmable, 30mm Dia

Item#	Description	List Price
006.281040.701	Cool White / Blue - 12V Side Pin	\$22.95
006.281040.702	Cool White / Blue - 24V Side Pin	\$22.95
006.281040.703	Warm White / Red - 12V Side Pin	\$22.95
006.281040.704	Warm White / Red - 24V Side Pin	\$22.95
006.281040.705	Cool White / Green - 12V Side Pin	\$22.95
006.281040.706	Cool White / Green - 24V Side Pin	\$22.95
006.281040.707	Cool White / Blue - 12V Back Pin	\$22.95
006.281040.708	Cool White / Blue - 24V Back Pin	\$22.95
006.281040.709	Warm White / Red - 12V Back Pin	\$22.95
006.281040.710	Warm White / Red - 24V Back Pin	\$22.95
006.281040.711	Cool White/ Green 12V Back Pin	\$22.95
006.281040.712	Cool White / Green 24V Back Pin	\$22.95

also available with leads in place of pins - same price



^{**}also available with leads in place of pins - same price**

^{**}also available with leads in place of pins - same price**

G6.35 Base, "Tower" Style, 10-30V AC/DC, 1.5W, 120-140LM, Dimmable

Item#	Description	List Price
006.281040.601	9 LED, Warm White	\$16.75
006.281040.602	9 LED, Cool White	\$16.75
006.281040.611	13 LED, Warm White	\$17.95
006.281040.612	13 LED, Cool White	\$17.95



GX5.3 MR16 and GU10, 12V or 24 AC/DC Dimmable

Item#	Description	List Price
	GX5.3 LED MR16 5W Warm White	\$24.95
	GX5.3 LED MR16 5W Cool White	\$24.95
	GU10 LED 5W Warm White	\$29.95
	GU10 LED 5W Cool White	\$29.95
	GU10 LED 5W Warm White. Available in 110V-220V AC	\$29.95



SV8 Festoon 12V or 24V DC

Item#	Description	List Price
006.135406.200	SV8 LED T10 36MM 12V DC Cool White	\$12.00
006.135406.201	SV8 LED T10 36MM 24V DC Cool White	\$12.00
006.135406.202	SV8 LED T10 36MM 12V DC Warm White	\$12.00
006.135406.203	SV8 LED T10 36MM 24V DC Warm White	\$12.00
008.135406.204	SV8 LED T10 36MM 12V DC Blue	\$12.00
006.135406.205	SV8 LED T10 36MM 24V DC Blue	\$12.00
006.135406.211	SV8 LED T10 36MM 12V DC Red	\$12.00
006.135406.212	SV8 LED T10 36MM 24V DC Red	\$12.00
006.135406.213	SV8 LED T10 36MM 12V DC Green	\$12.00
006.135406.209	SV8 LED T10 36MM 24V DC Green	\$12.00
006.133406.003	SV8 LED T10 41MM 12V DC Cool White	\$12.00
006.133406.004	SV8 LED T10 41MM 24V DC Cool White	\$12.00
008.133406.005	SV8 LED T10 41MM 12V DC Warm White	\$12.00
006.133406.006	SV8 LED T10 41MM 24V DC Warm White	\$12.00



4 Inch LED Engine 12V or 24V AC/DC

Item#	Description	List Price
008.CSA400.010	Warm White, 480 Lumen, 2700K, 4.5W	\$60.00
006.CSA400.020	Daylight White, 520 Lumen, 5000K, 4.5W	\$60.00



CSA600 LED Engine 12V or 24V AC/DC

Item#	Description	List Price
008.CSA600.010	5.5W 550 Lumen LED Engine, Warm White (2700K)	\$63.00
006.CSA600.020	5.5W 600 Lumen LED Engine, Daylight White (5000K)	\$63.00



Quad Color LED for Retrofit

Item#	Description	List Price
006.281040.803	Warm White/Blue/Red/Green, 24V AC/DC, 50mm Dia, back cable	es \$29.95
008 281040 801	Warm White/Blue/Red/Green, 12V AC/DC, 50mm Dia, back cable	ac \$20.05







LED Rope Light

10mm (3/8") LED Rope Light 12VDC

Item#	Description	List Price
005.362043.000	Warm White	\$5.60/FT
005.361975.000	Cool White	\$5.60/FT
005.361977.000	Blue	\$5.60/FT
005.361976.000	Red	\$5.60/FT



10mm (3/8") LED Rope Light 24VDC

Item#	Description	List Price
005.362090.000	Warm White	\$5.60/FT
005.361684.000	Cool White	\$5.60/FT
005.361683.000	Blue	\$5.60/FT
005.213805.000	Red	\$5.60/FT



10mm (3/8") LED Rope Light 120VAC

Item#	Description	List Price
005.362090.110	Warm White	\$5.60/FT
005.265911.000	Cool White	\$5.60/FT
005.265912.000	Blue	\$5.60/FT
005.265913.000	Red	\$5.60/FT



10mm (3/8") LED Rope Light 220VAC

Item#	Description	List Price
005.265920.000	Warm White	\$5.60/FT
005.265921.000	Cool White	\$5.60/FT
005.265922.000	Blue	\$5.60/FT
005.265923.000	Red	\$5.60/FT



13mm (1/2") LED Rope Light 12VDC

Item#	Description	List Price
005.362170.000	Warm White	\$6.00/FT
005.265905.000	Cool White	\$6.00/FT
005.361629.000	Blue	\$6.00/FT
005.361630.000	Red	\$6.00/FT



13mm (1/2") LED Rope Light 24VDC

Item#	Description	List Price
005.362045.000	Warm White	\$6.00/FT
005.265906.000	Cool White	\$6.00/FT
005.265907.000	Blue	\$6.00/FT
005.215751.001	Red	\$6.00/FT





LED Rope Light

13mm (1/2") LED Rope Light 120VAC

Item#	Description	List Price
005.265914.000	Warm White	\$6.00/FT
005.265910.000	Cool White	\$6.00/FT
005.265915.000	Blue	\$6.00/FT
005.265916.000	Red	\$6.00/FT



13mm (1/2") LED Rope Light 220VAC

Item#	Description	List Price
005.265909.000	Warm White	\$6.00/FT
005.265908.000	Cool White	\$6.00/FT
005.265917.000	Blue	\$6.00/FT
005.265918.000	Red	\$6.00/FT



Rope Light Accessories 13mm (1/2")

Item#	Description	List Price
005.217805.000	Power Cord DC Female 18"	\$8.00
005.217405.000	Connector Male	\$4.00
005.215605.000	Union M/F	\$1.25
005.218405.000	End Cap	\$.20
005.218605.000	Mounting Clip	\$.12
005 265805 000	Mounting Track 4'	\$4.80



Rope Light Accessories 10mm (3/8")

Item#	Description	List Price
005.217805.000	Power Cord DC Female 18"	\$8.00
005.217405.000	Connector Male	\$4.00
005.215605.000	Union M/F	\$1.25
005.218405.000	End Cap	\$.20
005.218605.000	Mounting Clip	\$.12
005.265805.000	Mounting Track 4'	\$4.80



3/8" or 1/2"	12VDC	24VDC	110/120VAC	220/240VAC
Wattage	2.52 W/FT	2.52 W/FT	3W/FT	5.52W/FT
Max Run	30 FT	60FT	200FT	300FT
Cut Length	4"	8"	24"	36"
LED Spacing	1"	1"	1"	1"

Lumens Info

Warm White	180-216 lm per meter
Cool White	240-264 Im per meter
Blue Red	19-48 Im per meter
Red	48-80 Im per meter

www.drsa.com LED TAPE LIGHT



Innovations In Illumination - Marine & RV -

Dimmable Solid Core LED Tape Lighting

- 12v or 24VDC
- 140 Degree Viewing Angle
- Dimmable
- IP68
- UV Protected
- 16.5 FT (5M) L x 1/2" W x 5/32" H
- 14.4W/Meter
- Large LEDs (SMD 5050)
- 900-1020 Lumens/meter
- LED Spacing 10mm
- · Max Run 2 Rolls in Series
- 24v Cut Length 4" 12V Cut Length 2"



Item#	Description	List Price
005.117200.505	Warm White, 12VDC	\$145
005.117100.505	Cool White, 12VDC	\$145
005.117200.050	Blue, 12VDC	\$145
005.384110.505	Red, 12VDC	\$145
005.364111.505	Green, 12VDC	\$145
005.117000.505	RGB, 12VDC	\$165
005.117224.505	Warm White, 24VDC	\$145
005.117100.024	Cool White, 24VDC	\$145
005.117100.245	Blue, 24VDC	\$145
005.117100.524	Red, 24VDC	\$145
005.364111.524	Green, 24VDC	\$145
005.117000.245	RGB, 24VDC	\$165

DRSA also offers a lower output tape light (4.8W/m) at 360/420 lm/m.

Accessories for 16.5' Rolls

Item#	Description	List Price
007.80050R.000	LED Remote RGB Controller, Black	\$57.95
007.800500.000	LED RGB Controller, Touch Panel, Black	\$57.95
007.800500.100	LED RGB Controller, Touch Panel, White	\$57.95
004.117100.100	LED Tape Light Pliable Mounting Clips	\$00.15
004.265205.012	12mm LED Tape Track 4'	\$13.95
004.117100.200	LED Tape Light End Caps (Large LEDs)	\$00.15

"All cuts and joints must be properly sealed to maintain IP68 Rating

Our LED Tape Light comes with a variety of choices.

You can choose what best suits your needs with many different light colors and voltage options.















RGB LED Controller with Remote





- Capacitance and wireless touch technology, no mechanical wear
- 12-24V DC working voltage with input polarity protection
- The latest PWM control technology, delicate light performance, no flicker
- High power dimmer control with max 4A per channel (3 channels)
- Wireless RF control
- Multi Type functions for color, modes, speed and brightness

This sleek design Remote Touch Controller is our new high-end user-friendly controller. Adopting high precision capacitance touch control chip, this wireless controller is easy to use and quickly allows you to change color, mode and brightness.

Controller

www.drsa.com

Supply Voltage: DC 12~24V

Output: 3 Channels

Connection Mode: Common Anode

Dimmer Method: PWM

Static Power: 1W

Output Current: 4A(each channel)

Output Power: 12V 216W,24V 432W

Remote

Frequency: 433MHZ

Controllable Distance: 20 Meters

Battery: (3) AAA

* Also Available as Wall Mount Controller





HIGH POWER LED SPREADER LAMPS







Features & Benefits

Multi-chip power LED's deliver cool, efficient daylight-white illumination.

Built for the marine industry to IP-87 standards. Constructed of marine grade aluminum. White, Stainless Steel or custom powder coat finishes.

High and low operation: "low beam" setting

Combinations of all spot or all flood beams are also available.

Built-in constant-current LED drivers with 96% circuit efficiency.

Exterior surfaces are primed with Liquiguard PC for aluminum, then TCIG powdercoated for a durable finish.

Available with polished 316 stainless steel bezel.

5 year limited warranty

Custom Bezels Available

HP3

1.2 amps at 12V DC, .6 amp at 24V DC .4 amp at 32V DC 12-36V DC 1800 lumens

HP6

2.5 amps at 12V, 1.2 amps at 24V
.9 amps at 32V DC, 1 amp at 90-264V AC
Power input range - 12-36V DC, AC has
external driver
3600 lumens total output
Compare to 120V 300W Halogen

HP12


5 amps at 12V DC, 2.5 amps at 24V DC 1.7 amps at 32V DC, 1 amp at 120V AC 12-36V DC systems, 100-240V AC 7200 lumens total output Compare to 120V 500W Halogen


Item#	Description	List Price
005.363184.000	Floodlight Spreader 12-36V DC LED 3xCW HP3	\$230.00
005.363166.000	Floodlight Spreader 12-36V DC LED 6xCW HP6	\$525.00
005.363155.000	Floodlight Spreader 12-36V DC LED 12xCW HP12	\$875.00



www.drsa.com Spreader Lights

HP 3 or HP3/B






Flush mount bezel, available in polished 316 SS




HP6







HP6



Cut-out: 3-3/4 x 4-3/4"

HP 12






Cut-out: 4-3/4 x 7-1/2"

NOTE: Ventilation is required.

Lamp MUST be installed in an area of sufficient air space to permit cooling from heat sink. Wire chase should be sufficient. If there is less than 2 inches behind the heat sink, ventilation must be added.





Innovations in illumination for more than 25 years, DRSA designs, develops, manufactures and imports luminaires, light bulbs and LEDs to illuminate your entire vessel from bow to stern. Our responsive staff has over 100 years of combined marine and lighting expertise. Let us provide your complete lighting solutions.

Marine Light Fixtures



INNOVATIONS IN ILLUMINATION
- MARINE & RV -


www.drsa.com Reading Lights





Innovations In Illumination - Marine & RV -

Admiralty Head



A: 13/4 Inches - 44mm

B: 25/8 x 13/16 Inches - 64 x 20mm

C: 6 Inches - 153mm



Socket	Bulb Options	Max Wattage	Voltage	Mounting Styles	Bulb Color	Fixture Finish
G4	LED	10W	Low	Screw	*See Below	Oil Rubbed Bronze
	Halogen					Nickel Satin
	Xenon		AC/DC	Surface		Polished Brass
	20.0000000					Polished Chrome
						Powder Coating

*Bulb Source Options

Socket	Type	Color	Voltage	Dimmable
G4	Halogen	White	12v or 24v	Yes
	Xenon	White	12v or 24v	Yes
Single Color LED	Cool White, Warm White, Blue, Red, Green	10v-30v	Yes	
	Bi-Color LED	Cool White & Blue, Warm White & Red. Cool White & Green		Yes






Exterior IP65

Innovations In Illumination - Marine & RV -

Anacortes



A: 43/4 Inches - 120mm

B: 23/16 Inches - 55mm

C: 21/2 Inches - 63.5mm

D: 1/8 Inches - 2.5mm

IP66 Rated



Socket	Bulb Options	Max Wattage	Voltage	Mounting Styles	Bulb Color	Fixture Finish
G4	LED	20W (G4)	Low	Clips	*See Below	Stainless Polish
G9	Halogen	25W (G9)		Screws		Powder Coating
	Xenon		AC/DC	Flush		

*Bulb Source Options

Halogen Kenon	White White	12v or 24v	Yes
	White	12.00	
		12v or 24v	Yes
Single Color LED	Cool White, Warm White, Blue Red, Green	10v-30v	Yes
Bi-Color LED	Cool White & Blue, Warm White Red, Cool White & Green	te &	Yes
CSA600	Cool White 5.5W 600 Lum	en	Yes
	ED i-Color ED	ED Red, Green ii-Color Cool White & Blue, Warm White ED Red, Cool White & Green SA600 Warm White 5.5W 550 Lum Cool White 5.5W 600 Lum	ED Red, Green 10v-30v ii-Color Cool White & Blue, Warm White & ED Red, Cool White & Green SA600 Warm White 5.5W 550 Lumen Cool White 5.5W 600 Lumen






Interior Exterior IP55

Innovations In Illumination - Marine & RV -

Antigua





B: 25/8 Inches - 67mm

C: 1 1/4 Inches - 32mm

D: 3/8 Inches - 10mm

IP55 Rated



Socket	Bulb Options	Max Wattage	Voltage	Mounting Styles	Bulb Color	Fixture Finish
G4	LED	20W	Low	Screw	*See Below	White
LED Engine	Halogen	1.000				Nickel Satin
	Xenon		AC/DC	Flush		Polished Brass
	0000000000					Polished Chrome
			,			Powder Coating

*Bulb Source Options

Socket	Type	Color	Voltage	Dimmable
G4	Halogen	White	12v or 24v	Yes
	Xenon	White	12v or 24v	Yes
Single Color LED		Cool White, Warm White, Blue, Red, Green	10v-30v	Yes
	8i-Color LED	Cool White & Blue, Warm White & Red, Cool White & Green		Yes
	CSA600	Warm White 5.5W 550 Lumen Cool White 5.5W 600 Lumen		
	LED Engine	Multi Color 5.5W 500 Lumen	12v/24v	Yes



www.drsa.com Courtesy Lights



Interior Exterior IP65

Innovations In Illumination - Marine & RV -

Bimini





A: 17/16 x 3 1/16 Inches - 36 x 77mm

B: 1 x 2 Inches - 25 x 51mm

C: 17/8 Inches - 47mm

D: 5/16 Inches - 8mm

IP65 Rated



Socket	Bulb Options	Max Wattage	Voltage	Mounting Styles	Bulb Color	Fixture Finish
SV8	LED Board	3W	Low	Screw	*See Below	White
Disc	Incandescent					Nickel Satin
			DC	Flush		Polished Brass
						Polished Chrome
						Powder Coating

*Bulb Source Options

Socket	Type	Color	Voltage	Dimmable
SV8	Incandescent	White	12v or 24v	Yes
LED Board	LED	White, Blue, Red	12v or 24v	Yes
SV8 LED	LED	White, Blue, Red, Green	12v or 24v	Yes





Utility IP55

Innovations In Illumination - Marine & RV -

Boot Key Oval

Available in 2 sizes Large & Small

Large

A: 5 1/16 Inches / 128 mm

B: 11 1/4 Inches / 286 mm

C: 6 3/8 Inches / 162 mm


Small

A: 47/16 Inches / 112 mm

B: 8 3/4 Inches / 223 mm

C: 47/16 Inches / 112 mm

IP55 Rated Metal





Socket	Bulb Options	Max Wattage	Voltage	Mounting Styles	Bulb Color	Fixture Finish
E27	LED (WW, CW)	Small 60W	Low	Screw	*See Below	White
GY6.35	Halogen (White)	Large 100W	High	Surface		
LED Engine	Xenon (White)		AC/DC			
	Incandescent (White)					

*Bulb Source Options


Socket	Туре	Color V		Voltage	Dimmable	
GY6.35 LED CSA600	1.8W Tower CW, WW			9v-36v	Yes	
	CSA600	Warm White	5.5W	550 Lumen		-
		Cool White	5.5W	600 Lumen		1
	LED Engine Multi Color 5.5W 500 Lu		500 Lumen	12v/24v	Yes	



Utility IP55

Innovations In Illumination - Marine & RV -

Boot Key Round



Available in 2 sizes Large & Small

Large

A: 9 1/2 Inches / 242 mm

B: 5 1/16 Inches / 128 mm

Small

A: 7 3/4 Inches / 200 mm

B: 47/16 Inches / 112 mm



Socket	Bulb Options	Max Wattage	Voltage	Mounting Styles	Bulb Color	Fixture Finish
E27	LED (WW, CW)	Small 60W	Low	Screw	*See Below	White
GY6.35	Halogen (White)	Large 100W	High	Surface		
LED Engine	Xenon (White)		AC/DC			
	Incandescent (White)					

*Bulb Source Options

Socket Type		Color		Voltage	Dimmable	
GY6.35	LED	1.8W Tower	ćw, wy	v	9v-36v	Yes
	CSA600	Warm White	5.5W	550 Lumen		
		Cool White	5.5W	600 Lumen		
	LED Engine	Multi Color	5.5W	500 Lumen	12v/24v	Yes


www.drsa.com Courtesy Lights





Innovations In Illumination - Marine & RV -

Challenger





A: 35 mm

B: 6.25 mm

C: 19 mm

D: 19 mm



Socket	Bulb Options	Max Wattage	Voltage	Mounting Styles	Bulb Color	Fixture Finish
Bullet	LED	1.5W	Low	Screw	ww	Polished Chrome
	74,000		9-32v AC/DC	Flush	CW	
					BLUE	
					RED	
					RGB	








Interior Exterior IP65

Innovations In Illumination - Marine & RV -

Corsica



A: 3 15/16 Inches - 100mm

B: 23/8 Inches - 61mm

C: 25/16 Inches - 58mm

D: 1/2 Inch - 13mm

IP65 Rating



Socket	Bulb Options	Max Wattage	Voltage	Mounting Styles	Bulb Color	Fixture Finish
G4	LED	20W	Low	Screw	*See Below	White
LED Engine	Halogen					Nickel Satin
	Xenon		AC/DC	Flush		Polished Brass
						Polished Chrome
						Powder Coating

*Bulb Source Options


Socket	Type	Color			Voltage	Dimmable
G4	Halogen	White			12v or 24v	Yes
	Xenon	White		12v or 24v	Yes	
	Single Color LED	Cool White, Warm White, Blue, Red, Green			10v-30v	Yes
	8i-Color LED	Cool White & Red, Cool Whi			Yes	
	CSA600	Warm White Cool White		550 Lumen 600 Lumen	1-27-03-5	
	LED Engine	Multi Color 5.5W 500 Lumen			12//24/	Yes







Dome Ledge



A: 67/8 Inches - 174mm

B: 23/16 Inches - 55mm

IP55 Rated



Socket	Bulb Options	Max Wattage	Voltage	Mounting Styles	Bulb Color	Fixture Finish
G4	LED	20W	Low	Screw	*See Below	Polished Chrome
LED Engine	Halogen					Powder Coating
	Xenon		AC/DC	Surface		

*Bulb Source Options

Socket	Type	Color	Voltage	Dimmable
G4	Halogen	White	12v or 24v	Yes
815d	Xenon	White	12v or 24v	Yes
GY6.35 LED Engine	Single Color LED	Cool White, Warm White Blue, Red & Green	10v-30v	Yes
	Bi-Color LED	Cool White & Blue, Warm White & Red, Cool White & Green		Yes
	CSA600 LED Engine	Warm White 5.5W 550 Lumen Cool White 5.5W 600 Lumen Multi Color 5.5W 500 Lumen	12v/24v	Yes
	CSA400 LED Engine Dual Color	Warm White 4.5W 480 Lumen Daylight Wh. 4.5W 520 Lumen Add Blue, Green or Red to CSA400	12v/24v	Yes






Interior Exterior IP55

Innovations In Illumination - Marine & RV -

Dome Point





A: 5 1/2 Inches - 140mm

B: 19/16 Inches - 40mm

IP55 Rated



Socket	Bulb Options	Max Wattage	Voltage	Mounting Styles	Bulb Color	Fixture Finish
G4	LED	20W	Low	Screw	*See Below	Polished Chrome
LED Engine	Halogen					Powder Coating
	Xenon		AC/DC	Surface		

*Bulb Source Options

Socket	Type	Color	Voltage	Dimmable	
G4	Halogen	White	12v or 24v	Yes	
815d	Xenon	White	12v or 24v	Yes	
GY6.35 LED Engine	Single Color LED	Cool White, Warn Blue, Red & Green	10v-30v	Yes	
	Bi-Color LED	Cool White & Blue Red, Cool White &			Yes
	CSA600	Warm White 5.5 Cool White 5.5			
	LED Engine	Multi Color 5.5	W 500 Lumen	12v/24v	Yes








Innovations In Illumination - Marine & RV -

Emerald



A: 3 1/4 Inches - 83mm

B: 2 Inches - 53mm

C: 5/8 Inches - 17mm

D: 3/8 Inches - 9.5mm



Socket	Bulb Options	Max Wattage	Voltage	Mounting Styles	Bulb Color	Fixture Finish
G4	LED	10W	Low	Screw	*See Below	Polished Chrome
LED Engine	Halogen			Flush		
	Xenon		AC/DC			

*Bulb Source Options

Socket	Type	Color	Voltage	Dimmable
G4	Halogen	White	12v or 24v	Yes
	Xenon	White	12v or 24v	Yes
	Single Color LED	10v-30v	Yes	
BI-Color LED CSA600	Cool White & Blue, Warm White & Red, Cool White & Green		Yes	
	CSA600	Warm White 5.5W 550 Lumen Cool White 5.5W 600 Lumen		
10 /	LED Engine	Multi Color 5.5W 500 Lumen	12v/24v	Yes








Innovations In Illumination - Marine & RV -

Expedition






B: 27/16 Inches - 62mm

C: 1 3/4 Inches - 45mm

D: 3/16 Inches - 5mm



Socket	Bulb Options	Max Wattage	Voltage	Mounting Styles	Bulb Color	Fixture Finish
G4	LED	20W	Low	Spring Clip	*See Below	Stainless Polish
LED Engine	Halogen			5.000.000.000.000		Gold Polish
	Xenon		AC/DC	Flush		Nickel Satin
						White
						Gold / Stainless
						Powder Coating

*Bulb Source Options

Socket	Type	Color	Voltage	Dimmable
G4	Halogen	White	12v or 24v	Yes
	Xenon	White	12v or 24v	Yes
8	Single Color LED	Cool White, Warm White, Blue, Red, Green	10v-30v	Yes Yes
	Bi-Color LED	Cool White & Blue, Warm White & Red, Cool White & Green		
	CSA600	Warm White 5.5W 550 Lumen Cool White 5.5W 600 Lumen		
	LED Engine	Multi Color 5.5W 500 Lumen	12v/24v	Yes








Innovations In Illumination - Marine & RV -





A: 3 1/8 x 3 1/8 Inches - 80 x 80mm

B: 27/16 x 2 7/16 Inches - 62 x 62mm

C: 13/4 Inches - 45mm

D: 3/16 Inches - 5mm



Socket	Bulb Options	Max Wattage	Voltage	Mounting Styles	Bulb Color	Fixture Finish
G4	LED	20W	Low	Spring Clip	*See Below	Polished Chrome
LED Engine	Halogen			50.00.000.000.000		Powder Coating
	Xenon		AC/DC	Flush		Nickel Satin
						Gold Polish
						140-14-

*Bulb Source Options


Socket	Type	Color	Voltage	Dimmable
G4 & G9	Halogen	White	12v or 24v	Yes
	Xenon	White	12v or 24v	Yes
	Single Color LED	Cool White, Warm White, Blue, Red, Green	10v-30v	Yes
	Bi-Color LED	Cool White & Blue, Warm White & Red, Cool White & Green		Yes
	CSA600 LED Engine	Warm White 5.5W 550 Lumen Cool White 5.5W 600 Lumen Multi Color 5.5W 500 Lumen	12v or 24v	Yes
GX5.3 MR16	LED	Warm White , Cool White	12v or 24v	







Fiji



A: 6 Inches - 151mm

B: 13/8 Inches - 35mm



G4	150					
	LED	20W (G4)	Low	Screw	*See Below	White
G9	Halogen	25W (G9)				Antend Cont.
	Xenon		AC/DC	Surface		

*Bulb Source Options

Socket	Туре	Color	Voltage	Dimmable
G4 & G9	Halogen	White	12v or 24v	Yes
	Xenon	White	12v or 24v	Yes
	Single Color LED	10v-30v	Yes	
BI-Color LED		Cool White & Blue, Warm Whi Red, Cool White & Green	te	Yes
	LED Engine	Warm White 5.5W 550 Lum Cool White 5.5W 600 Lum Multi Color 5.5W 500 Lum	nen	Yes




www.drsa.com Reading Lights





Innovations In Illumination - Marine & RV -

Hilton Head



A: 13/4 Inches - 45mm

B: 13/16 x 2 1/2 Inches - 20 x 64mm

C: 4 5/16 Inches - 110mm



Socket	Bulb Options	Max Wattage	Voltage	Mounting Styles	Bulb Color	Fixture Finish
G4	LED	10W	Low	Screw	*See Below	Oil Rubbed Bronze
	Halogen			37.02/00/07/07		Nickel Satin
	Xenon		AC/DC	Surface		Polished Brass
				0.000		Polished Chrome
						Powder Coating

*Bulb Source Options

Socket	Type	Color	Voltage	Dimmable
G4	Halogen	White	12v or 24v	Yes
	Xenon	White	12v or 24v	Yes
	Single Color LED	Cool White, Warm White, Blue, Red, Green	10v-30v	Yes
	Bi-Color LED	Cool White & Blue, Warm White & Red, Cool White & Green		Yes






Interior Exterior IP55

Innovations In Illumination - Marine & RV -

Jamaica



A: 6 1/8 Inches - 156mm

B: 4 3/4 Inches - 121mm

C: 1 9/16 Inches - 39mm

D: 1/16 Inches - 2mm



Socket	Bulb Options	Max Wattage	Voltage	Mounting Styles	Bulb Color	Fixture Finish
G4	LED	20W	Low	Spring Clip	*See Below	White
LED Engine	Halogen		High			Nickel Satin
B15d	Xenon		AC/DC	Flush		Polished Brass
GY6.35						Polished Chrome
						Bounday Conting

*Bulb Source Options

Socket	Type	Color	Voltage	Dimmable
G4	Halogen	White	12v or 24v	Yes
815d	Xenon	White	12v or 24v	Yes
GY6.35 LED Engine	Single Color LED	Cool White, Warm White Blue, Red & Green	10v-30v	Yes
	Bi-Color LED	Cool White & Blue, Warm White & Red, Cool White & Green		Yes
	CSA600 LED Engine	Warm White 5.5W 550 Lumen Cool White 5.5W 600 Lumen Multi Color 5.5W 500 Lumen	12v/24v	Yes
	CSA400 LED Engine Dual Color	Warm White 4.5W 480 Lumen Daylight Wh. 4.5W 520 Lumen Add Blue, Green or Red to CSA400	12v/24v	Yes






Interior Exterior IP55

Innovations In Illumination - Marine & RV -

Kingston





B: 3 1/2 Inches - 89mm

C: 1 1/4 Inches - 32mm

D: 1/16 Inches - 2mm

IP55 Rated



Socket	Bulb Options	Max Wattage	Voltage	Mounting Styles	Bulb Color	Fixture Finish
G4	LED	20W	Low	Spring Clips	*See Below	White
LED Engine	Halogen					Nickel Satin
	Xenon		AC/DC	Flush		Polished Brass
						Polished Chrome
						Powder Coating

*Bulb Source Options

Socket	Type	Color			Voltage	Dimmable
G4	Halogen	White			12v or 24v	Yes
	Xenon	White	White			Yes
	Single Color LED	Cool White, W Red, Green	Varm W	10v-30v	Yes	
Bi-Color LED CSA600 LED Engine	Cool White & Blue, Warm White & Red, Cool White & Green				Yes	
	CSA600	Warm White Cool White				
	LED Engine	Multi Color 5.5W 500 Lumen			12v/24v	Yes




www.drsa.com Reading Lights





Innovations In Illumination - Marine & RV -

Liberty



A: 23/16 Inches - 55mm

B: 13/16 x 2 1/2 Inches - 20 x 64mm

C: 4 5/16 Inches - 110mm



Socket	Bulb Options	Max Wattage	Voltage	Mounting Styles	Bulb Color	Fixture Finish
G4	LED	10W	Low	Screw	*See Below	Polished Brass
	Halogen					Polished Chrome
	Xenon		AC/DC	Surface		Powder Coating

*Bulb Source Options

Socket	Type	Color	Voltage	Dimmable
G4	Halogen	White	12v or 24v	Yes
	Xenon	White	12v or 24v	Yes
	Single Color LED			Yes
	Bi-Color LED	Cool White & Blue, Warm White & Red. Cool White & Green		Yes








Innovations In Illumination - Marine & RV -

Little Beach



A: 29/16 Inches - 65mm

B: 23/16 Inches - 55mm

C: 7/8 Inches - 22mm

D: 3/16 Inches - 5mm



Socket	Bulb Options	Max Wattage	Voltage	Mounting Styles	Bulb Color	Fixture Finish
G4	LED	10W	Low	Screw	*See Below	White
LED Engine	Halogen			33378078384		Nickel Satin
	Xenon		AC/DC	Flush		Polished Brass
						Polished Chrome
						Powder Coating

*Bulb Source Options

Socket	Type	Color	Voltage	Dimmable
G4	Halogen	White	12v or 24v	Yes
	Xenon	White	12v or 24v	Yes
	Single Color LED	Cool White, Warm White, Blue, Red, Green	10v-30v	Yes
1	8i-Color LED	Cool White & Blue, Warm White & Red, Cool White & Green		Yes
	CSA600	Warm White 5.5W 550 Lumen Cool White 5.5W 600 Lumen		
37 /	LED Engine	Multi Color 5.5W 500 Lumen	12v/24v	Yes




www.drsa.com Reading Lights





Innovations In Illumination - Marine & RV -

Little Inagua





B: 13/16 x 23/16 Inches - 30 x 56mm

C: 4 1/2 Inches - 115mm

D: 23/4 Inches - 70mm



Socket	Bulb Options	Max Wattage	Voltage	Mounting Styles	Bulb Color	Fixture Finish
G4	LED	10W	Low	Screw	*See Below	White
	Halogen					Nickel Satin
	Xenon		AC/DC	Surface		Polished Brass
				5587584.0		Polished Chrome
						Powder Coating

*Bulb Source Options


Socket	Type	Color	Voltage	Dimmable
G4 Halogen	Halogen	White	12v or 24v	Yes
	Xenon	White	12v or 24v	Yes
	Single Color LED	Cool White, Warm White, Blue, Red, Green	10v-30v	Yes
Bi-Color UED		Cool White & Blue, Warm White & Red. Cool White & Green		Yes







Marco



A: 29/16 Inches - 65mm

B: 23/16 Inches - 55mm

C: 1 5/8 Inches - 42mm

D: 3/16 Inches - 5mm



Socket	Bulb Options	Max Wattage	Voltage	Mounting Styles	Bulb Color	Fixture Finish
G4	LED	10W	Low	Spring Clip	*See Below	White
	Halogen					Nickel Satin
	Xenon		AC/DC	Flush		Polished Brass
						Polished Chrome
						Powder Coating

*Bulb Source Options

Socket	Type	Color	Voltage	Dimmable
G4	Halogen	White	12v or 24v	Yes
	Xenon	White	12v or 24v	Yes
	Single Color LED	Cool White, Warm White, Blue, Red, Green	10v-30v	Yes
	Bi-Color LED	Cool White & Blue, Warm White & Red. Cool White & Green		Yes




www.drsa.com Reading Lights





Innovations In Illumination - Marine & RV -

Marianas



A: 1 15/16 Inches - 50mm

B: 13/16 x 2 3/8 Inches - 20 x 60mm

C: 3 1/8 Inches - 80mm

D: 4 1/2 Inches - 115mm



Socket	Bulb Options	Max Wattage	Voltage	Mounting Styles	Bulb Color	Fixture Finish
GX5.3	LED	10W	Low	Screw		Polished Brass
MR16	Halogen			Coult Obel Only		Polished Chrome
	Xenon	3W Non Dimmable	AC/DC	Surface	Cool White	Powder Coating
		5W Dimmable			Warm White	

*Bulb Source Options


Socket	Type	Color	Voltage	Dimmable
GX5.3	LED MR16	Warm White 5W	10v-30v	Yes
GX5.3	LED MR16	Cool White 3W	10v-30v	No





Innovations In Illumination - Marine & RV -

Mission Bay



A: 1 15/16 Inches - 50mm

B: 13/16 x 2 3/8 Inches - 20 x 60mm

C: 4 1/2 Inches - 110mm

D: 23/16 Inches - 55mm



Socket	Bulb Options	Max Wattage	Voltage	Mounting Styles	Bulb Color	Fixture Finish
G4	LED	20W	Low	Screw	*See Below	Nickel Satin
	Halogen	150000				Polished Brass
	Xenon		AC/DC	Surface		Polished Chrome
						Powder Coating

*Bulb Source Options

Socket	Type	Color	Voltage	Dimmable
G4	Halogen	White	12v or 24v	Yes
	Xenon	White	12v or 24v	Yes
	Single Color LED	Cool White, Warm White, Blue, Red, Green	10v-30v	Yes
	Bi-Color LED	Cool White & Blue, Warm White & Red. Cool White & Green		Yes






Interior Exterior IP55

Innovations In Illumination - Marine & RV -

Montserrat



A: 3 1/4 Inches - 83mm

B: 2 1/8 Inches - 54mm

C: 7/8 Inches - 23mm

D: 3/8 Inches - 10mm

IP55 Rated



Socket	Bulb Options	Max Wattage	Voltage	Mounting Styles	Bulb Color	Fixture Finish
G4	LED	20W	Low	Screw	*See Below	White
LED Engine	Halogen			330000000		Nickel Satin
	Xenon		AC/DC	Flush		Polished Brass
						Polished Chrome
						Powder Coating

*Bulb Source Options

Socket	Type	Color	Voltage	Dimmable
G4	Halogen	White	12v or 24v	Yes
	Xenon	White	12v or 24v	Yes
	Single Color LED	Cool White, Warm White, Blue, Red, Green	10v-30v	Yes
	8i-Color LED	Cool White & Blue, Warm White & Red, Cool White & Green	&	Yes
	CSA600	Warm White 5.5W 550 Lumen Cool White 5.5W 600 Lumen		
	LED Engine	Multi Color 5.5W 500 Lumen	12v/24v	Yes






Interior Exterior IP55

Innovations In Illumination - Marine & RV -

Negril



A: 3 1/2 Inches - 89mm

B: 3 1/16 Inches - 77mm

C: 1 1/4 Inches - 32mm

D: 1/16 Inches - 2mm

IP55 Rated



Socket	Bulb Options	Max Wattage	Voltage	Mounting Styles	Bulb Color	Fixture Finish
G4	LED	20W	Low	Spring Clip	*See Below	White
LED Engine	Halogen					Nickel Satin
	Xenon		AC/DC	Flush		Polished Brass
						Polished Chrome
						Powder Coating

*Bulb Source Options

Socket	Type	Color	Voltage	Dimmable
G4	Halogen	White	12v or 24v	Yes
	Xenon	White	12v or 24v	Yes
	Single Color LED	Cool White, Warm White, Blue, Red, Green	10v-30v	Yes
	Cool White & Blue, Warm White & Red, Cool White & Green		Yes	
10	LED Engine	Multi Color 5.5W 500 tumen	12v/24v	Yes








Innovations In Illumination - Marine & RV -

North Beach





A: 3 1/8 Inches - 80mm

B: 23/4 Inches - 70mm

C: 1 Inches - 25mm

D: 3/16 Inches - 5mm

Socket	Bulb Options	Max Wattage	Voltage	Mounting Styles	Bulb Color	Fixture Finish
G4	LED	20W	Low	Spring Clip	*See Below	White
LED Engine	Halogen					Nickel Satin
	Xenon		AC/DC	Flush		Polished Brass
						Polished Chrome
						Powder Coating

*Bulb Source Options

Socket	Type	Color	Voltage	Dimmable
G4	Halogen	White	12v or 24v	Yes
	Xenon	White	12v or 24v	Yes
	Single Color LED	10v-30v	Yes	
	8i-Color LED	Cool White & Blue, Warm White & Red, Cool White & Green		Yes
	CSA600	Warm White 5.5W 550 Lumen Cool White 5.5W 600 Lumen		
	LED Engine	Multi Color 5.5W 500 Lumen	12v/24v	Yes








Innovations In Illumination - Marine & RV -

Pearl



A: 3 9/16 Inches - 90mm

B: 2 11/16 Inches - 68mm

C: 3 1/8 Inches - 80mm

D: 3/16 Inches - 5mm



Socket	Bulb Options	Max Wattage	Voltage	Mounting Styles	Bulb Color	Fixture Finish
GU10	LED	35W	Low	Spring Clip	*See Below	White
LED Engine	Halogen		High			Nickel Satin
	Xenon		AC/DC	Flush		Black Nickel
						Powder Coating
						Stainless Polish

*Bulb Source Options

Socket	Type	Color	Voltage	Dimmable
GU10	LED	Warm White 5W	10v-30v	Yes
GU10	LED	Cool White 5W	10v-30v	Yes
GU10	LED	Warm White SW	110vac	Yes
CSA600	0.00	Warm White 5.5W 550 Lumen Cool White 5.5W 600 Lumen	1	
LED Engine	LED	Multi Color 5.5W 500 tumer	12v/24v	Yes








Innovations In Illumination - Marine & RV -

Pioneer



A: 3 1/8 x 3 1/8 Inches - 80 x 80mm

B: 27/16 x 2 7/16 Inches - 62 x 62mm

C: 1 3/4 Inches - 45mm

D: 3/16 Inches - 5mm



Socket	Bulb Options	Max Wattage	Voltage	Mounting Styles	Bulb Color	Fixture Finish
G4	LED	10W	Low	Spring Clip	*See Below	Polished Chrome
LED Engine	Halogen			Flush		
	Xenon		AC/DC			

*Bulb Source Options

Socket	Type	Color			Voltage	Dimmable
G4	Halogen	White			12v or 24v	Yes
	Xenon	White	White			Yes
	Single Color LED	Cool White, Wa Red, Green	rm W	hite, Blue,	10v-30v	Yes
	8i-Color LED	Cool White & Blue, Warm White & Red, Cool White & Green				Yes
	CSA600	Warm White 5 Cool White 5			1	
	LED Engine	Multi Color 5.5W 500 Lumen			12v/24v	Yes








Innovations In Illumination - Marine & RV -

Ruby





A: 4 Inches - 101mm

B: 21/2 Inches - 64.6mm

C: 1 Inch - 26mm

D: 3/8 Inch - 9.5mm

Socket	Bulb Options	Max Wattage	Voltage	Mounting Styles	Bulb Color	Fixture Finish
G4	LED	10W	Low	Screw	*See Below	Polished Chrome
LED Engine	Halogen			Flush		
	Xenon		AC/DC			

*Bulb Source Options

Socket	Type	Color	Voltage	Dimmable
G4	Halogen	White	12v or 24v	Yes
Xenon		White	12v or 24v	Yes
	Single Color LED	Cool White, Warm White, Blue, Red, Green	10v-30v	Yes
BI-Color UED CSA600 UED Engine		Cool White & Blue, Warm White & Red, Cool White & Green		
	Warm White 5.5W 550 Lumen Cool White 5.5W 600 Lumen			
	LED Engine	Multi Color 5.5W 500 Lumen	12v/24v	Yes








Innovations In Illumination - Marine & RV -

San Pedro



A: 3 9/16 Inches - 90mm

B: 27/8 Inches - 73mm

C: 215/16 Inches - 75mm

D: 3/16 Inches - 5mm

Swivel



Socket	Bulb Options	Max Wattage	Voltage	Mounting Styles	Bulb Color	Fixture Finish
GX5.3	LED	35W	Low	Spring Clip	*See Below	White
LED Engine	Halogen		High			Black Nickel
	Xenon		AC/DC	Flush		Polished Gold
						Polished Chrome
						Powder Coating

*Bulb Source Options

Socket	Type	Color	Voltage	Dimmable
GX5.3	LED MR16	Warm White SW	12v/24v	Yes
GX5.3	LED MR16	Cool White SW	12v/24v	Yes
CSA600	100	Warm White 5.5W 550 Lumer Cool White 5.5W 600 Lumer	1	
LED Engine	LED	Multi Color 5.5W 500 Lumer	12v/24v	Yes








Innovations In Illumination - Marine & RV -

Teo



A: 27/8 Inches 73mm

B: 2/1/8 Inches 54mm

C: 1/2 Inch 13.65mm

D: 3/8 Inch 4.9mm



10W	Low	Corour		
		Screw	*See Below	Brushed Chrome
	AC/DC	Flush		
		AC/DC	AC/DC Flush	AC/DC Flush

*Bulb Source Options

Socket	Type	Color	Voltage	Dimmable	
G4 Halogen	Halogen	White	12v or 24v	Yes	
	Xenon	White	12v or 24v	Yes	
	Single Color LED	Cool White, Warm White, Blue, Red, Green	10v-30v	Yes	
	Bi-Color LED	Cool White & Blue, Warm White & Red. Cool White & Green		Yes	






Utility IP44

Innovations In Illumination - Marine & RV -

Tybee





B: 7 11/16 Inches / 195 mm

C: 4 3/4 Inches / 120 mm





Socket	Bulb Options	Max Wattage	Voltage	Mounting Styles	Bulb Color	Fixture Finish
E27	LED (WW, CW)	40W	Low	Screw	*See Below	White
GY6.35	Halogen (White)		High	Surface		
LED Engine	Xenon (White)		AC/DC			
	Incandescent (White)					

*Bulb Source Options


Socket	Туре	Color		- 3	Voltage	Dimmable
GY6.35	LED	1.8W Tower	12v/24v	Yes		
		Warm White	5.5W	550 Lumen		
	-10000	Cool White	5.5W	600 Lumen	Section 1	
	LED Engine	Multi Color	5.5W	500 Lumen	12v/24v	Yes





Innovations In Illumination - Marine & RV -

Voyager



A: 3 1/8 Inches - 80mm

B: 2 1/2 Inches - 64mm

C: 1 3/8 Inches - 35mm

D: 3/8 Inches - 10mm





Socket	Bulb Options	Max Wattage	Voltage	Mounting Styles	Bulb Color	Fixture Finish
G4	LED	20W	Low	Spring Clip	*See Below	White
LED Engine	Halogen	100.000				Nickel Satin
	Xenon		AC/DC	Flush		Polished Brass
						Polished Chrome
						Powder Coating
						Chrome/Brass Polish
						Brass/Chrome Polish

*Bulb Source Options

Socket	Туре	Color	Voltage	Dimmable
G4 & G9	Halogen	White	12v or 24v	Yes
	Xenon	White	12v or 24v	Yes
	Single Color LED	Cool White, Warm White, Blue, Red, Green	10v-30v	Yes
	Bi-Color LED	Cool White & Blue, Warm White & Red, Cool White & Green	Yes	Yes
	CSA600 LED Engine	Warm White 5.5W 550 Lumen Cool White 5.5W 600 Lumen Multi Color 5.5W 500 Lumen	12v or 24v	Yes
GX5.3 MR16	LED	Warm White , Cool White	12v or 24v	Yes





7950 Central Industrial Drive • Suite 106 • Riviera Beach, FL 33404 Phone: (561) 842-5704 • (800) 844-8593 • Fax: 561-842-5705

Important Customer Information

Office Hours 8:00 a.m. - 5:00 p.m. Monday - Friday - Eastern Standard Time

Phone (561)842-5704 or toll free (800)844-8593

Fax (561)842-5705 Website http://www.drsa.com

E-mail mail@drsa.com

Mailing Address Ship To Address

DRSA DRSA

P.O. Box 14447 7950 Central Industrial Dr, Ste 106

North Palm Beach, FL 33408-0447 Riviera Beach, FL 33404

Payment Methods Discover - MasterCard - Visa - American Express

C.O.D. - Wire Transfer - Check - Cash (on site)

Account Terms Net 30 for approved business accounts

Invoice Method Upon shipping a customer's order DRSA will email invoice to

customer.

Paying Your Bill Please include the invoice number on the check so that payment is

posted properly to your account. There is a 1.1/2% monthly charge on

all past due accounts.

Special Orders We will gladly accommodate Special Orders for our customers.

Special Orders require a 50% non-refundable deposit.

Return Policy All returned goods must be accompanied by an RMA# (issued by

DRSA) and the original Invoice number of each returned item. Please

mark the RMA# on the outside of each box. Returns may be subject to a restocking fee.

Shipping Options We presently use UPS, FedEx, and DHL. If no preference is declared

by a customer, we use UPS Ground.

Damage Claims Claims for goods are damaged in transit must be reported to DRSA

upon receipt of shipment. We will provide instructions at that time.

Goods must remain in original packaging and shipping carton for UPS

(or other carrier) to process claim.









7950 Central Industrial Drive • Suite 106 • Riviera Beach, FL 33404 Phone: (561) 842-5704 • (800) 844-8593 • Fax: 561-842-5705

History & Overview

In the 1980's there were no dedicated marine lighting manufactures or distributors. Most lights used on "boats" were stock residential lights with bulky, unattractive controls and electrical outlets. DRSA was founded in 1988 to supply the marine industry a clearly superior alternative to these products.

Now, under the leadership of sole owner Cathy Smith, DRSA continues to provide only the highest quality fixtures and electrical products engineered for the marine environment. We offer customized solutions to assure that **your** goals – from design and engineering to operations and logistics – are achieved. We focus on stellar customer service, technical support, research and development.

Our products include a complete array of light fixtures and electrical components including transformers, bulbs, accessories and innovative LED products. DRSA has the ability to custom design, test and manufacture fixtures to meet your exact specifications and décor requirements.

Our warranty policy extends to the end-user. Should any DRSA lighting fixture or electrical component fail during normal use for the life of the product, we will replace the component free of charge (certain exclusions apply).

DRSA can provide you with the most innovative, up-to-date, quality products available anywhere. No other marine lighting or electrical company can deliver the depth of knowledge, selection of products, and design capabilities, along with the personal service of your DRSA Marketing and Support Team.

We invite you to give us the opportunity to demonstrate our capabilities and assist you with all of your marine lighting and electrical needs.









7950 Central Industrial Drive • Suite 106 • Riviera Beach, FL 33404 Phone: (561) 842-5704 • (800) 844-8593 • Fax: 561-842-5705

Warranty Policy

Daniel R. Smith & Associates, Inc. (dba DRSA) will repair or replace at our option, any DRSA or CSA brand product that is defective for the life of that product. Should an exact replacement be unavailable, a product of similar quality and dimensions will be substituted. Certain exclusions apply (see below). In addition, any manufacturer's warranty available will pass to the purchaser.

Exclusions:

- All disposable, one-time use products including, but not limited to, fuses, bulbs, lamps and certain non-replaceable, disposable lighting fixtures.
- All special order, non-stock, one-of-a-kind items.
- Any product that has not been properly maintained.
- 4. Any product that has been user modified.
- Any product that has exceeded the rated capacity specified on the fixture such as the use of a 20-watt bulb in a 10-watt rated fixture.
- Any product that is used in an application for which it is not intended such as the use of an interior fixture in an exterior application.
- Improperly installed products.
- 8. Freight costs and any labor costs associated with warranty items.
- Unpaid for items such as, but not limited to, samples.

DRSA products are provided on an "as is" basis. DRSA assumes no responsibilities or liabilities for the installation of any product or its proper use. Any problems reported to DRSA will be worked upon on a "best effort" basis. DRSA does not warrant that all reported problems will be resolved. DRSA makes no warranty, expressed or implied, with regard to the on-time delivery, installation or use of any product. All implied Warranties, including the warranties of merchantability and fitness for a particular purpose, are hereby excluded. In no event will DRSA be liable for any lost profits, lost savings, or other consequential, special, or indirect damages, even if DRSA has been advised of the possibility of such losses or damages. In any event, DRSA liability arising out of any kind of legal claim, whether in tort, contract, or otherwise in connection with the purchase, installation or use of a product will not exceed the product's unit Price paid by the initial purchaser. Purchaser deems acceptance of this warranty and exclusions by purchasing and accepting products from DRSA.









7950 Central Industrial Drive • Suite 106 • Riviera Beach, FL 33404 Phone: (561) 842-5704 • (800) 844-8593 • Fax: 561-842-5705

Care and Maintenance of Marine Light Fixtures

Every precaution has been taken in the manufacturing of our fixtures. We recommend that you inspect your product for defects prior to installation.

This fixture should be installed and wired in accordance with the National Fire Protection Association and standards set forth by the American Boat and Yacht Council preferably by a professional electrician. All line voltage fixtures must be grounded.

Installation locations must be free of existing cables and obstructions. Proper clearance at the rear of the fixture is essential for effective heat dissipation. Do not install the fixture where it will come in contact with flammable objects. All electrical connections must be secured.

It is essential that the proper voltage, wattage and polarity be observed in order to avoid possible injury or damage.

Bulb contact configuration must be correct. Handle all bulbs with great care. Never touch halogen bulbs with your bare hands. Direct contact with your skin will damage or decrease the life of the bulb.

Switches are a potential ignition source. Do not install a "self switched" fixture in an area requiring ignition protection unless it is clearly marked and identified as ignition protection compliant.

To remove smudges, fingerprints and dust, rub surfaces gently with a clean soft cloth. To eliminate accumulated salt spray, clean with soft cloth and fresh water. Do not use chemical cleaning agents such as window cleaners or polishing sprays on the fixture's finish. They may dissolve the clear-coat finish and tamishing will commence.

If you are uncertain about a fixture or experience difficulty, please contact our technical department for assistance.









7950 Central Industrial Drive • Suite 106 • Riviera Beach, FL 33404 Phone: (561) 842-5704 • (800) 844-8593 • Fax: 561-842-5705

Recommendations Regarding Marine Lights and Electrical Devices

Potential Radio Frequency Interference (RFI) and/or Electromagnetic Interference (EMI) may be encountered when using various electronic devices including, but not limited to, digital switching units (dill 11ners) and fluorescent ballast's. Careful consideration should be given when installing such devices including, but not limited to, radio frequency receivers used for communication or navigation, digital engine controllers, etc.

DRSA assumes no liability with regard to any product exhibiting these characteristics or any corrective action required to eliminate any of the above mentioned characteristics. We recommend that any electrical or electronic product used on boats be installed and/or serviced by a qualified marine electrician familiar with marine power switching electronics following A.B.Y.C., V.L., and S.A.E. standards and specifications.







