

# Hamilton® Sheer CFX®

## Concealed Fixing Accessories on Stylish Flat Plates

Sheer CFX® are simple and elegant, flat-plate switches and sockets. The range features Hamilton's patented CFX® 4 point face plate clipping system allowing concealed fixing for a clean and contemporary finish that looks stylish in any environment. Sheer CFX® also benefits from an integral gasket that forms part of the mounting frame, this is ideal for use on walls that are not perfectly flat.

- Minimalist, modern flat plate
- Six finishes
- Concealed fixing
- Integral gasket – ideal for imperfectly flat walls
- Grid Fix and Eurofix options also available (see separate GRID-IT and EuroFix sections)



87C 2X40



84C DTRID W



81C T22



89C SPN AB-B




84C 1X40



88C R22 BK-B

### Hamilton Sheer CFX® Concealed Fixing


← Plate Depth 4.5 mm including gasket



**Hamilton®** *fashion, finish, function and flexibility*







# Hamilton Sheer CFX®

## Concealed Fixing Rocker Switches



87C R26 BC-W



Plate Finish	Insert Finish	Insert Surround Colour	1 gang 10AX 2 way Rocker	2 gang 10AX 2 way Rocker	3 gang 10AX 2 way Rocker	4 gang 10AX 2 way Rocker	6 gang 10AX 2 way Rocker
			Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>R21</b> Product Code	Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>R22</b> Product Code	Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>R23</b> Product Code	Nominal Plate Size: 145 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>R24</b> Product Code	Nominal Plate Size: 145 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>R26</b> Product Code
<b>Bright Chrome</b> 	<b>Bright Chrome</b> <b>Bright Chrome</b>	<b>White</b> <b>Black</b>	87C R21 BC-W 87C R21 BC-B	87C R22 BC-W 87C R22 BC-B	87C R23 BC-W 87C R23 BC-B	87C R24 BC-W 87C R24 BC-B	87C R26 BC-W 87C R26 BC-B
<b>Polished Brass</b> 	<b>Polished Brass</b> <b>Polished Brass</b>	<b>White</b> <b>Black</b>	81C R21 PB-W 81C R21 PB-B	81C R22 PB-W 81C R22 PB-B	81C R23 PB-W 81C R23 PB-B	81C R24 PB-W 81C R24 PB-B	81C R26 PB-W 81C R26 PB-B
<b>Satin Brass</b> 	<b>Satin Brass</b> <b>Satin Brass</b>	<b>White</b> <b>Black</b>	82C R21 SB-W 82C R21 SB-B	82C R22 SB-W 82C R22 SB-B	82C R23 SB-W 82C R23 SB-B	82C R24 SB-W 82C R24 SB-B	82C R26 SB-W 82C R26 SB-B
<b>Antique Brass</b> 	<b>Antique Brass</b>	<b>Black</b>	89C R21 AB-B	89C R22 AB-B	89C R23 AB-B	89C R24 AB-B	89C R26 AB-B
<b>Satin Stainless</b> 	<b>Satin Stainless</b> <b>Satin Stainless</b>	<b>White</b> <b>Black</b>	84C R21 SS-W 84C R21 SS-B	84C R22 SS-W 84C R22 SS-B	84C R23 SS-W 84C R23 SS-B	84C R24 SS-W 84C R24 SS-B	84C R26 SS-W 84C R26 SS-B
<b>Black Nickel</b> 	<b>Black Nickel</b>	<b>Black</b>	88C R21 BK-B	88C R22 BK-B	88C R23 BK-B	88C R24 BK-B	88C R26 BK-B

Sheer CFX R21 is a UK Registered Design Certificate No. 3020754  
Sheer CFX SS2 is a UK Registered Design Certificate No. 3020755

Sheer CFX R21 is a Chinese Registered Design Certificate No. 566274  
Sheer CFX SS2 is a Chinese Registered Design Certificate No. 561340

Sheer CFX R21 is an Indian Registered Design Certificate No. 462  
Sheer CFX SS2 is an Indian Registered Design Certificate No. 463



# Hamilton® Sheer CFX®

## Concealed Fixing Rocker Switches



89C R31 AB-B



### 1 gang 10AX Intermediate Rocker

Nominal Plate Size: 86 x 86 mm  
Min. Wall Box Depth: 25 mm  
Technical Insert Reference: **R31**  
**Product Code**

### 2 gang 10AX Intermediate Rocker







Nominal Plate Size: 86 x 86 mm  
Min. Wall Box Depth: 25 mm  
Technical Insert Reference: **R32**  
**Product Code**

### 1 gang 10AX Push To Make/Break Retractive Rocker

Nominal Plate Size: 86 x 86 mm  
Min. Wall Box Depth: 25 mm  
Technical Insert Reference: **CFXRRT**  
**Product Code**

### 1 gang 10A Triple Pole Rocker

Nominal Plate Size: 86 x 86 mm  
Min. Wall Box Depth: 25 mm  
Technical Insert Reference: **TP**  
**Product Code**

Plate Finish	Insert Finish	Insert Surround Colour	1 gang 10AX Intermediate Rocker	2 gang 10AX Intermediate Rocker	1 gang 10AX Push To Make/Break Retractive Rocker	1 gang 10A Triple Pole Rocker
<b>Bright Chrome</b> 	<b>Bright Chrome</b> <b>Bright Chrome</b> <b>White Plastic</b> <b>Black Plastic</b>	<b>White</b> <b>Black</b> <b>White</b> <b>Black</b>	87C R31 BC-W 87C R31 BC-B - -	87C R32 BC-W 87C R32 BC-B - -	87C RRT BC-W 87C RRT BC-B - -	- - 87C TP WH-W 87C TP BL-B
<b>Polished Brass</b> 	<b>Polished Brass</b> <b>Polished Brass</b> <b>White Plastic</b> <b>Black Plastic</b>	<b>White</b> <b>Black</b> <b>White</b> <b>Black</b>	81C R31 PB-W 81C R31 PB-B - -	81C R32 PB-W 81C R32 PB-B - -	81C RRT PB-W 81C RRT PB-B - -	- - 81C TP WH-W 81C TP BL-B
<b>Satin Brass</b> 	<b>Satin Brass</b> <b>Satin Brass</b> <b>White Plastic</b> <b>Black Plastic</b>	<b>White</b> <b>Black</b> <b>White</b> <b>Black</b>	82C R31 SB-W 82C R31 SB-B - -	82C R32 SB-W 82C R32 SB-B - -	82C RRT SB-W 82C RRT SB-B - -	- - 82C TP WH-W 82C TP BL-B
<b>Antique Brass</b> 	<b>Antique Brass</b> <b>Black Plastic</b>	<b>Black</b> <b>Black</b>	89C R31 AB-B -	89C R32 AB-B -	89C RRT AB-B -	- 89C TP BL-B
<b>Satin Stainless</b> 	<b>Satin Stainless</b> <b>Satin Stainless</b> <b>White Plastic</b> <b>Black Plastic</b>	<b>White</b> <b>Black</b> <b>White</b> <b>Black</b>	84C R31 SS-W 84C R31 SS-B - -	84C R32 SS-W 84C R32 SS-B - -	84C RRT SS-W 84C RRT SS-B - -	- - 84C TP WH-W 84C TP BL-B
<b>Black Nickel</b> 	<b>Black Nickel</b> <b>Black Plastic</b>	<b>Black</b> <b>Black</b>	88C R31 BK-B -	88C R32 BK-B -	88C RRT BK-B -	- 88C TP BL-B







# Hamilton Sheer CFX®

## Concealed Fixing Rocker Switches



88C R222 BK-B



Plate Finish	Insert Finish	Insert Surround Colour	<b>1 gang 20AX 2 way Rocker</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>R212</b> <b>Product Code</b>	<b>2 gang 20AX 2 way Rocker</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>R222</b> <b>Product Code</b>	<b>3 gang 20AX 2 way Rocker</b> Nominal Plate Size: 145 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>R232</b> <b>Product Code</b>	<b>4 gang 20AX 2 way Rocker</b> Nominal Plate Size: 145 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>R242</b> <b>Product Code</b>	<b>1 gang 20AX Intermediate Rocker</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>R312</b> <b>Product Code</b>	<b>2 gang 20AX Intermediate Rocker</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>R322</b> <b>Product Code</b>
<b>Bright Chrome</b> 	<b>Bright Chrome</b> <b>Bright Chrome</b>	<b>White</b> <b>Black</b>	87C R212 BC-W 87C R212 BC-B	87C R222 BC-W 87C R222 BC-B	87C R232 BC-W 87C R232 BC-B	87C R242 BC-W 87C R242 BC-B	87C R312 BC-W 87C R312 BC-B	87C R322 BC-W 87C R322 BC-B
<b>Polished Brass</b> 	<b>Polished Brass</b> <b>Polished Brass</b>	<b>White</b> <b>Black</b>	81C R212 PB-W 81C R212 PB-B	81C R222 PB-W 81C R222 PB-B	81C R232 PB-W 81C R232 PB-B	81C R242 PB-W 81C R242 PB-B	81C R312 PB-W 81C R312 PB-B	81C R322 PB-W 81C R322 PB-B
<b>Satin Brass</b> 	<b>Satin Brass</b> <b>Satin Brass</b>	<b>White</b> <b>Black</b>	82C R212 SB-W 82C R212 SB-B	82C R222 SB-W 82C R222 SB-B	82C R232 SB-W 82C R232 SB-B	82C R242 SB-W 82C R242 SB-B	82C R312 SB-W 82C R312 SB-B	82C R322 SB-W 82C R322 SB-B
<b>Antique Brass</b> 	<b>Antique Brass</b>	<b>Black</b>	89C R212 AB-B	89C R222 AB-B	89C R232 AB-B	89C R242 AB-B	89C R312 AB-B	89C R322 AB-B
<b>Satin Stainless</b> 	<b>Satin Stainless</b> <b>Satin Stainless</b>	<b>White</b> <b>Black</b>	84C R212 SS-W 84C R212 SS-B	84C R222 SS-W 84C R222 SS-B	84C R232 SS-W 84C R232 SS-B	84C R242 SS-W 84C R242 SS-B	84C R312 SS-W 84C R312 SS-B	84C R322 SS-W 84C R322 SS-B
<b>Black Nickel</b> 	<b>Black Nickel</b>	<b>Black</b>	88C R212 BK-B	88C R222 BK-B	88C R232 BK-B	88C R242 BK-B	88C R312 BK-B	88C R322 BK-B



# Hamilton® Sheer CFX®

## Concealed Fixing Toggle Switches



87C T23



**1 gang  
20AX 2 way  
Toggle**

Nominal Plate Size:  
86 x 86 mm  
Min. Wall Box  
Depth: 35 mm  
Technical Insert  
Reference: **T21**  
Product Code

**2 gang  
20AX 2 way  
Toggle**

Nominal Plate Size:  
86 x 86 mm  
Min. Wall Box  
Depth: 35 mm  
Technical Insert  
Reference: **T22**  
Product Code

**3 gang  
20AX 2 way  
Toggle**

Nominal Plate Size:  
145 x 86 mm  
Min. Wall Box  
Depth: 35 mm  
Technical Insert  
Reference: **T23**  
Product Code

**4 gang  
20AX 2 way  
Toggle**

Nominal Plate Size:  
145 x 86 mm  
Min. Wall Box  
Depth: 35 mm  
Technical Insert  
Reference: **T24**  
Product Code

**1 gang 20AX  
Intermediate  
Toggle**

Nominal Plate Size:  
86 x 86 mm  
Min. Wall Box  
Depth: 35 mm  
Technical Insert  
Reference: **T31**  
Product Code

Plate Finish

Insert Finish

Bright Chrome

Bright Chrome

87C T21

87C T22

87C T23

87C T24

87C T31



Polished Brass

Polished Brass

81C T21

81C T22

81C T23

81C T24

81C T31



Satin Brass

Satin Brass

82C T21

82C T22

82C T23

82C T24

82C T31



Antique Brass

Antique Brass

89C T21

89C T22

89C T23

89C T24

89C T31



Satin Stainless

Satin Stainless

84C T21

84C T22

84C T23

84C T24

84C T31



Black Nickel

Black Nickel

88C T21

88C T22

88C T23


88C T24

88C T31



## Concealed Fixing Hotel Card Switch with LED

Adjustable Time Delay 10 seconds - 5 minutes. Suitable for 44 mm and 54 mm width hotel Key Cards.



81C CKNX PB-B



**1 gang  
10A (6AX)  
On/Off with  
Blue LED  
Locator**

Nominal Plate Size:  
86 x 86 mm

Min. Wall Box  
Depth: 35 mm







Technical Insert  
Reference: **C11**  
Product Code

**1 gang 12-24V  
AC/DC +/-10%  
On/Off with  
Blue LED Locator  
(Suitable  
for KNX BUS  
System)**

Nominal Plate Size:  
86 x 86 mm

Min. Wall Box  
Depth 35 mm

Technical Insert  
Reference: **CKNX**  
Product Code

Plate Finish	Insert Finish	Insert Surround Colour		
<b>Bright Chrome</b> 	<b>Bright Chrome</b> <b>Bright Chrome</b>	<b>White</b> <b>Black</b>	87C C11 BC-W 87C C11 BC-B	87C CKNX BC-W 87C CKNX BC-B
<b>Polished Brass</b> 	<b>Polished Brass</b> <b>Polished Brass</b>	<b>White</b> <b>Black</b>	81C C11 PB-W 81C C11 PB-B	81C CKNX PB-W 81C CKNX PB-B
<b>Satin Brass</b> 	<b>Satin Brass</b> <b>Satin Brass</b>	<b>White</b> <b>Black</b>	82C C11 SB-W 82C C11 SB-B	82C CKNX SB-W 82C CKNX SB-B
<b>Antique Brass</b> 	<b>Antique Brass</b>	<b>Black</b>	89C C11 AB-B	89C CKNX AB-B
<b>Satin Stainless</b> 	<b>Satin Stainless</b> <b>Satin Stainless</b>	<b>White</b> <b>Black</b>	84C C11 SS-W 84C C11 SS-B	84C CKNX SS-W 84C CKNX SS-B
<b>Black Nickel</b> 	<b>Black Nickel</b>	<b>Black</b>	88C C11 BK-B	88C CKNX BK-B



# Hamilton Sheer CFX®

## Concealed Fixing Power Sockets



89C SS2 AB-B



Plate Finish	Insert Finish	Insert Surround Colour	1 gang 13A Double Pole Switched Socket		2 gang 13A Double Pole Switched Socket		1 gang 2A Unswitched Socket		1 gang 5A Unswitched Socket		1 gang 13A Unswitched Socket		2 gang 13A Unswitched Socket		Shaver Dual Voltage Unswitched Socket	
			Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: SS1 Product Code	Nominal Plate Size: 145 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: SS2 Product Code	Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: US2 Product Code	Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: US5 Product Code	Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: US13 Product Code	Nominal Plate Size: 145 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: US99 Product Code	Nominal Plate Size: 86 x 145 mm Min. Wall Box Depth: 47 mm Technical Insert Reference: SHS Product Code							
	Bright Chrome	White	87C SS1 BC-W	87C SS2 BC-W	-	-	-	-	-	-	-	-	-	-	-	-
	Bright Chrome	Black	87C SS1 BC-B	87C SS2 BC-B	-	-	87C US2 W	87C US5 W	87C US13 W	87C US99 W	87C SHS W	-	-	-	-	-
	White Plastic	White	-	-	87C US2 B	87C US5 B	87C US13 B	87C US99 B	87C SHS B	-	-	-	-	-	-	-
	Polished Brass	White	81C SS1 PB-W	81C SS2 PB-W	-	-	-	-	-	-	-	-	-	-	-	-
	Polished Brass	Black	81C SS1 PB-B	81C SS2 PB-B	-	-	81C US2 W	81C US5 W	81C US13 W	81C US99 W	81C SHS W	-	-	-	-	-
	White Plastic	White	-	-	81C US2 B	81C US5 B	81C US13 B	81C US99 B	81C SHS B	-	-	-	-	-	-	-
	Satin Brass	White	82C SS1 SB-W	82C SS2 SB-W	-	-	-	-	-	-	-	-	-	-	-	-
	Satin Brass	Black	82C SS1 SB-B	82C SS2 SB-B	-	-	82C US2 W	82C US5 W	82C US13 W	82C US99 W	82C SHS W	-	-	-	-	-
	White Plastic	White	-	-	82C US2 B	82C US5 B	82C US13 B	82C US99 B	82C SHS B	-	-	-	-	-	-	-
	Antique Brass	Black	89C SS1 AB-B	89C SS2 AB-B	-	-	89C US2 B	89C US5 B	89C US13 B	89C US99 B	89C SHS B	-	-	-	-	-
	Antique Brass	Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Black Plastic	Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Satin Stainless	White	84C SS1 SS-W	84C SS2 SS-W	-	-	-	-	-	-	-	-	-	-	-	-
	Satin Stainless	Black	84C SS1 SS-B	84C SS2 SS-B	-	-	84C US2 W	84C US5 W	84C US13 W	84C US99 W	84C SHS W	-	-	-	-	-
	White Plastic	White	-	-	84C US2 B	84C US5 B	84C US13 B	84C US99 B	84C SHS B	-	-	-	-	-	-	-
	Black Nickel	Black	88C SS1 BK-B	88C SS2 BK-B	-	-	88C US2 B	88C US5 B	-	-	-	-	-	-	-	-
	Black Nickel	Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Black Plastic	Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-

## USB Power Sockets

## Concealed Fixing Key Switches



81C USB99 B



87C KEL W



**2 gang 13A  
Unswitched Socket  
+ 2 x USB  
Charging Points**  
Nominal Plate Size:  
144 x 86 mm  
Min. Wall Box  
Depth: 35 mm  
Technical Insert  
Reference: **USB99**  
Product Code

Plate Finish	Insert Colour	
Bright Chrome	White Plastic Black Plastic	87C USB99 W 87C USB99 B
Polished Brass	White Plastic Black Plastic	81C USB99 W 81C USB99 B
Satin Brass	White Plastic Black Plastic	82C USB99 W 82C USB99 B
Antique Brass	Black Plastic	89C USB99 B
Satin Stainless	White Plastic Black Plastic	84C USB99 W 84C USB99 B
Black Nickel	Black Plastic	88C USB99 B



**1 gang  
20AX 2 way  
Key Switch**  
Nominal Plate  
Size: 86 x 86 mm  
Min. Wall Box  
Depth: 25 mm  
Technical Insert  
Reference: **K21**  
Product Code



**1 gang 20AX  
2 way Key  
Switch "EMG  
LTG TEST"**  
Nominal Plate  
Size: 86 x 86 mm  
Min. Wall Box  
Depth 25 mm  
Technical Insert  
Reference: **KEL**  
Product Code

Plate Finish	Insert Colour		
Bright Chrome	White Plastic Black Plastic	87C K21 W 87C K21 B	87C KEL W 87C KEL B
Polished Brass	White Plastic Black Plastic	81C K21 W 81C K21 B	81C KEL W 81C KEL B
Satin Brass	White Plastic Black Plastic	82C K21 W 82C K21 B	82C KEL W 82C KEL B
Antique Brass	Black Plastic	89C K21 B	89C KEL B
Satin Stainless	White Plastic Black Plastic	84C K21 W 84C K21 B	84C KEL W 84C KEL B
Black Nickel	Black Plastic	88C K21 B	88C KEL B



## Concealed Fixing Television Coaxial Sockets



82C TVFM B



**1 gang  
Non Isolated  
TV  
1 In/1 Out**

Nominal Plate  
Size: 86 x 86 mm

Min. Wall Box  
Depth: 25 mm

Technical Insert  
Reference: TV

**Product Code**



**Isolated  
TV/FM  
Diplexer  
1 In/2 Out**

Nominal Plate  
Size: 86 x 86 mm

Min. Wall Box  
Depth: 25 mm

Technical Insert  
Reference: TVFM

**Product Code**



**1 gang  
Isolated  
TV  
1 In/1 Out**

Nominal Plate  
Size: 86 x 86 mm

Min. Wall Box  
Depth: 25 mm

Technical Insert  
Reference: TVI

**Product Code**



**2 gang  
Non Isolated  
TV + Satellite  
2 In/2 Out**

Nominal Plate  
Size: 86 x 86 mm

Min. Wall Box  
Depth: 35 mm

Technical Insert  
Reference: TVSAT

**Product Code**



**1 gang  
Non Isolated  
Satellite**

Nominal Plate  
Size: 86 x 86 mm

Min. Wall Box  
Depth 35 mm

Technical Insert  
Reference: SATN

**Product Code**



**1 gang  
Isolated  
Satellite**

Nominal Plate  
Size: 86 x 86 mm

Min. Wall Box  
Depth 35 mm

Technical Insert  
Reference: SATI

**Product Code**

**Plate Finish**

**Insert Colour**

**Bright Chrome**

**White Plastic  
Black Plastic**

87C TV W  
87C TV B

87C TVFM W  
87C TVFM B

87C TVI W  
87C TVI B

87C TVSAT W  
87C TVSAT B

87C SATN W  
87C SATN B

87C SATI W  
87C SATI B



**Polished Brass**

**White Plastic  
Black Plastic**

81C TV W  
81C TV B

81C TVFM W  
81C TVFM B

81C TVI W  
81C TVI B

81C TVSAT W  
81C TVSAT B

81C SATN W  
81C SATN B

81C SATI W  
81C SATI B



**Satin Brass**

**White Plastic  
Black Plastic**

82C TV W  
82C TV B

82C TVFM W  
82C TVFM B

82C TVI W  
82C TVI B

82C TVSAT W  
82C TVSAT B

82C SATN W  
82C SATN B

82C SATI W  
82C SATI B



**Antique Brass**

**Black Plastic**

89C TV B

89C TVFM B

89C TVI B

89C TVSAT B

89C SATN B

89C SATI B



**Satin Stainless**

**White Plastic  
Black Plastic**

84C TV W  
84C TV B

84C TVFM W  
84C TVFM B

84C TVI W  
84C TVI B

84C TVSAT W  
84C TVSAT B

84C SATN W  
84C SATN B

84C SATI W  
84C SATI B



**Black Nickel**

**Black Plastic**

88C TV B

88C TVFM B

88C TVI B

88C TVSAT B

88C SATN B

88C SATI B





84C DTRID W



**Non Isolated TV/FM/Satellite Triplexer 1 In/3 Out**

Nominal Plate Size: 86 x 86 mm  
Min. Wall Box Depth: 35 mm

Technical Insert Reference: **DTRID**

**Product Code**

**1 gang Non Isolated TV (Female)**

Nominal Plate Size: 86 x 86 mm  
Min. Wall Box Depth: 35 mm

Technical Insert Reference: **DTVF**

**Product Code**

**1 gang Non Isolated TV (Male)**

Nominal Plate Size: 86 x 86 mm  
Min. Wall Box Depth: 35 mm

Technical Insert Reference: **DTVM**

**Product Code**

**1 gang Non Isolated Satellite**

Nominal Plate Size: 86 x 86 mm  
Min. Wall Box Depth: 35 mm

Technical Insert Reference: **DSAT**

**Product Code**

**Non Isolated TV/FM/Satellite 1/Satellite 2 Quadplexer 2 In/4 Out**

Nominal Plate Size: 86 x 86 mm  
Min. Wall Box Depth: 35 mm

Technical Insert Reference: **DENT**

**Product Code**

**Non Isolated TV/FM/Satellite 1/Satellite 2 Quadplexer 2 In/4 Out + TVF + TCS**

Nominal Plate Size: 145 x 86 mm  
Min. Wall Box Depth: 35 mm

Technical Insert Reference: **DSAT+**

**Product Code**

**Plate Finish**

**Insert Colour**

**Bright Chrome**

**White Plastic  
Black Plastic**

87C DTRID W  
87C DTRID B

87C DTVF W  
87C DTVF B

87C DTVM W  
87C DTVM B

87C DSAT W  
87C DSAT B

87C DENT W  
87C DENT B

87C DSAT+ W  
87C DSAT+ B



**Polished Brass**

**White Plastic  
Black Plastic**

81C DTRID W  
81C DTRID B

81C DTVF W  
81C DTVF B

81C DTVM W  
81C DTVM B

81C DSAT W  
81C DSAT B

81C DENT W  
81C DENT B

81C DSAT+ W  
81C DSAT+ B



**Satin Brass**

**White Plastic  
Black Plastic**

82C DTRID W  
82C DTRID B

82C DTVF W  
82C DTVF B

82C DTVM W  
82C DTVM B

82C DSAT W  
82C DSAT B

82C DENT W  
82C DENT B

82C DSAT+ W  
82C DSAT+ B



**Antique Brass**

**Black Plastic**

89C DTRID B

89C DTVF B

89C DTVM B

89C DSAT B

89C DENT B

89C DSAT+ B



**Satin Stainless**

**White Plastic  
Black Plastic**

84C DTRID W  
84C DTRID B

84C DTVF W  
84C DTVF B

84C DTVM W  
84C DTVM B

84C DSAT W  
84C DSAT B

84C DENT W  
84C DENT B

84C DSAT+ W  
84C DSAT+ B



**Black Nickel**

**Black Plastic**

88C DTRID B

88C DTVF B

88C DTVM B

88C DSAT B

88C DENT B

88C DSAT+ B





# Hamilton® Sheer CFX®

## Concealed Fixing Telephone and Data Outlets



82C TCM W



### 1 gang Telephone Master

Nominal Plate Size: 86 x 86 mm  
Min. Wall Box Depth: 25 mm  
Technical Insert Reference: TCM  
**Product Code:**



### 1 gang Telephone Slave

Nominal Plate Size: 86 x 86 mm  
Min. Wall Box Depth: 25 mm  
Technical Insert Reference: TCS  
**Product Code:**



### 1 gang RJ12 Outlet Unshielded

Nominal Plate Size: 86 x 86 mm  
Min. Wall Box Depth: 35 mm  
Technical Insert Reference: J12  
**Product Code:**



### 2 gang RJ12 Outlet Unshielded

Nominal Plate Size: 86 x 86 mm  
Min. Wall Box Depth: 35 mm  
Technical Insert Reference: 2J12  
**Product Code:**



### 1 gang RJ45 CAT 5E Outlet Unshielded

Nominal Plate Size: 86 x 86 mm  
Min. Wall Box Depth: 35 mm  
Technical Insert Reference: J45  
**Product Code:**



### 2 gang RJ45 CAT 5E Outlet Unshielded

Nominal Plate Size: 86 x 86 mm  
Min. Wall Box Depth: 35 mm  
Technical Insert Reference: 2J45  
**Product Code:**

Plate Finish	Insert Colour	Product Code	Product Code	Product Code	Product Code	Product Code	Product Code
<b>Bright Chrome</b> 	<b>White Plastic</b> <b>Black Plastic</b>	87C TCM W 87C TCM B	87C TCS W 87C TCS B	87C J12 W 87C J12 B	87C 2J12 W 87C 2J12 B	87C J45 W 87C J45 B	87C 2J45 W 87C 2J45 B
	<b>Polished Brass</b> 	<b>White Plastic</b> <b>Black Plastic</b>	81C TCM W 81C TCM B	81C TCS W 81C TCS B	81C J12 W 81C J12 B	81C 2J12 W 81C 2J12 B	81C J45 W 81C J45 B
<b>Satin Brass</b> 	<b>White Plastic</b> <b>Black Plastic</b>	82C TCM W 82C TCM B	82C TCS W 82C TCS B	82C J12 W 82C J12 B	82C 2J12 W 82C 2J12 B	82C J45 W 82C J45 B	82C 2J45 W 82C 2J45 B
<b>Antique Brass</b> 	<b>Black Plastic</b>	89C TCM B	89C TCS B	89C J12 B	89C 2J12 B	89C J45 B	89C 2J45 B
<b>Satin Stainless</b> 	<b>White Plastic</b> <b>Black Plastic</b>	84C TCM W 84C TCM B	84C TCS W 84C TCS B	84C J12 W 84C J12 B	84C 2J12 W 84C 2J12 B	84C J45 W 84C J45 B	84C 2J45 W 84C 2J45 B
<b>Black Nickel</b> 	<b>Black Plastic</b>	88C TCM B	88C TCS B	88C J12 B	88C 2J12 B	88C J45 B	88C 2J45 B



88C 45SS1 BK-B



**1 gang 20AX  
Double Pole  
Rocker + Neon**

Nominal Plate Size:  
86 x 86 mm  
Min. Wall Box  
Depth: 25 mm  
Technical Insert  
Reference: **DPN**  
Product Code



**1 gang 45A  
Double Pole  
Red Rocker +  
Neon**

Nominal Plate Size:  
86 x 86 mm  
Min. Wall Box  
Depth: 35 mm  
Technical Insert  
Reference: **45N**  
Product Code



**45A Double Pole  
Red Rocker +  
Neon + 13A  
Switched Socket**

Nominal Plate Size:  
145 x 86 mm  
Min. Wall Box  
Depth: 35 mm  
Technical Insert  
Reference: **45SS1**  
Product Code

Plate Finish	Insert Finish	Insert Surround Colour	1 gang 20AX Double Pole Rocker + Neon	1 gang 45A Double Pole Red Rocker + Neon	45A Double Pole Red Rocker + Neon + 13A Switched Socket
<b>Bright Chrome</b> 	Bright Chrome Bright Chrome Red Plastic Red Plastic	White Black White Black	87C DPN BC-W 87C DPN BC-B - -	- - 87C 45N W 87C 45N B	87C 45SS1 BC-W 87C 45SS1 BC-B - -
<b>Polished Brass</b> 	Polished Brass Polished Brass Red Plastic Red Plastic	White Black White Black	81C DPN PB-W 81C DPN PB-B - -	- - 81C 45N W 81C 45N B	81C 45SS1 PB-W 81C 45SS1 PB-B - -
<b>Satin Brass</b> 	Satin Brass Satin Brass Red Plastic Red Plastic	White Black White Black	82C DPN SB-W 82C DPN SB-B - -	- - 82C 45N W 82C 45N B	82C 45SS1 SB-W 82C 45SS1 SB-B - -
<b>Antique Brass</b> 	Antique Brass Red Plastic	Black Black	89C DPN AB-B -	- 89C 45N B	89C 45SS1 AB-B -
<b>Satin Stainless</b> 	Satin Stainless Satin Stainless Red Plastic Red Plastic	White Black White Black	84C DPN SS-W 84C DPN SS-B - -	- - 84C 45N W 84C 45N B	84C 45SS1 SS-W 84C 45SS1 SS-B - -
<b>Black Nickel</b> 	Black Nickel Red Plastic	Black Black	88C DPN BK-B -	- 88C 45N B	88C 45SS1 BK-B -



# Hamilton® Sheer CFX®

## Concealed Fixing Connection Units



84C SPN SS-W









### 1 gang 13A Double Pole Fused Spur + Neon

Nominal Plate Size:  
86 x 86 mm  
Min. Wall Box  
Depth: 35 mm  
Technical Insert  
Reference: **SPN**  
Product Code



### 1 gang 13A Fuse with Red Neon Halo

Nominal Plate Size:  
86 x 86 mm  
Min. Wall Box  
Depth 35 mm  
Technical Insert  
Reference: **FN**  
Product Code

Plate Finish	Insert Finish	Insert Surround Colour	1 gang 13A Double Pole Fused Spur + Neon	1 gang 13A Fuse with Red Neon Halo
<b>Bright Chrome</b> 	<b>Bright Chrome</b> <b>Bright Chrome</b> <b>Bright Chrome</b>	<b>White</b> <b>Black</b> <b>Red Neon</b>	87C SPN BC-W 87C SPN BC-B -	- - 87C FN BC-R
<b>Polished Brass</b> 	<b>Polished Brass</b> <b>Polished Brass</b> <b>Polished Brass</b>	<b>White</b> <b>Black</b> <b>Red Halo</b>	81C SPN PB-W 81C SPN PB-B -	- - 81C FN PB-R
<b>Satin Brass</b> 	<b>Satin Brass</b> <b>Satin Brass</b> <b>Satin Brass</b>	<b>White</b> <b>Black</b> <b>Red Halo</b>	82C SPN SB-W 82C SPN SB-B -	- - 82C FN SB-R
<b>Antique Brass</b> 	<b>Antique Brass</b> <b>Antique Brass</b>	<b>Black</b> <b>Red Halo</b>	89C SPN AB-B -	- 89C FN AB-R
<b>Satin Stainless</b> 	<b>Satin Stainless</b> <b>Satin Stainless</b> <b>Satin Stainless</b>	<b>White</b> <b>Black</b> <b>Red Halo</b>	84C SPN SS-W 84C SPN SS-B -	- - 84C FN SS-R
<b>Black Nickel</b> 	<b>Black Nickel</b> <b>Black Nickel</b>	<b>Black</b> <b>Red Halo</b>	88C SPN BK-B -	- 88C FN BK-R

# Hamilton Sheer CFX®

## Concealed Fixing Leading Edge Push On/Off Resistive Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base. Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.

Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



87C 2X40



**1 gang 400W  
2 way Dimmer**

Nominal Plate  
Size: 86 x 86 mm  
Min. Wall Box  
Depth: 35 mm

Technical Insert  
Reference: **1X40**

**Product Code**

**2 gang 400W  
2 way Dimmer  
(Max. 300 watts  
per gang)**

Nominal Plate  
Size: 86 x 86 mm  
Min. Wall Box  
Depth: 35 mm

Technical Insert  
Reference: **2X40**

**Product Code**

**3 gang 400W  
2 way Dimmer**

Nominal Plate  
Size: 145 x 86 mm  
Min. Wall Box  
Depth: 35 mm

Technical Insert  
Reference: **3X40**

**Product Code**

**4 gang 400W  
2 way Dimmer  
(Max. 300 watts  
per gang)**

Nominal Plate  
Size: 145 x 86 mm  
Min. Wall Box  
Depth: 35 mm

Technical Insert  
Reference: **4X40**

**Product Code**

**1 gang 600W  
2 way Dimmer**

Nominal Plate  
Size: 86 x 86 mm  
Min. Wall Box  
Depth 35 mm

Technical Insert  
Reference: **1X60**

**Product Code**

**1 gang 1000W  
2 way Dimmer**

Nominal Plate  
Size: 145 x 86 mm  
Min. Wall Box  
Depth 35 mm

Technical Insert  
Reference: **1X1K**

**Product Code**

**Plate Finish**

**Insert Finish**

**Bright Chrome**

**Bright Chrome**

87C 1X40

87C 2X40

87C 3X40

87C 4X40

87C 1X60

87C 1X1K



**Polished Brass**

**Polished Brass**

81C 1X40

81C 2X40

81C 3X40

81C 4X40

81C 1X60

81C 1X1K



**Satin Brass**

**Satin Brass**

82C 1X40

82C 2X40

82C 3X40

82C 4X40

82C 1X60

82C 1X1K



**Antique Brass**

**Antique Brass**

89C 1X40

89C 2X40

89C 3X40

89C 4X40

89C 1X60

89C 1X1K



**Satin Stainless**

**Satin Stainless**

84C 1X40

84C 2X40

84C 3X40

84C 4X40

84C 1X60

84C 1X1K



**Black Nickel**

**Black Nickel**

88C 1X40

88C 2X40

88C 3X40

88C 4X40

88C 1X60

88C 1X1K





# Hamilton® Sheer CFX®

## Concealed Fixing Leading Edge Push On/Off Inductive Dimmers

Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



84C 1X2V









### 1 gang 200VA 2 way Dimmer

Nominal Plate Size:  
86 x 86 mm  
Min. Wall Box  
Depth: 35 mm  
Technical Insert  
Reference: **1X2V**  
Product Code



### 1 gang 300VA 2 way Dimmer

Nominal Plate Size:  
86 x 86 mm  
Min. Wall Box  
Depth: 35 mm  
Technical Insert  
Reference: **1X3V**  
Product Code

Plate Finish	Insert Finish		
Bright Chrome	Bright Chrome	87C 1X2V	87C 1X3V
			
Polished Brass	Polished Brass	81C 1X2V	81C 1X3V
			
Satin Brass	Satin Brass	82C 1X2V	82C 1X3V
			
Antique Brass	Antique Brass	89C 1X2V	89C 1X3V
			
Satin Stainless	Satin Stainless	84C 1X2V	84C 1X3V
			
Black Nickel	Black Nickel	88C 1X2V	88C 1X3V
			

# Hamilton Sheer CFX®

## Concealed Fixing Trailing Edge Push On/Off Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base. Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.

Note: When using mains voltage halogen load transformers - maximum rating is 210VA. Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



89C 4XTE



**1 gang  
250W/210VA  
Trailing Edge  
Multi-Way  
Dimmer**

Nominal Plate Size:  
86 x 86 mm

Min. Wall Box  
Depth: 35 mm

Technical Insert  
Reference: 1XTE

**Product Code**



**2 gang  
250W/210VA  
Trailing Edge  
Multi-Way  
Dimmer**

Nominal Plate Size:  
86 x 86 mm

Min. Wall Box  
Depth: 35 mm

Technical Insert  
Reference: 2XTE

**Product Code**



**3 gang  
250W/210VA  
Trailing Edge  
Multi-Way  
Dimmer**

Nominal Plate Size:  
145 x 86 mm

Min. Wall Box  
Depth: 35 mm

Technical Insert  
Reference: 3XTE

**Product Code**






**4 gang  
250W/210VA  
Trailing Edge  
Multi-Way  
Dimmer**

Nominal Plate Size:  
145 x 86 mm

Min. Wall Box  
Depth: 35 mm

Technical Insert  
Reference: 4XTE

**Product Code**

Plate Finish	Insert Finish	Product Code	Product Code	Product Code	Product Code
<b>Bright Chrome</b> 	<b>Bright Chrome</b>	87C 1XTE	87C 2XTE	87C 3XTE	87C 4XTE
<b>Polished Brass</b> 	<b>Polished Brass</b>	81C 1XTE	81C 2XTE	81C 3XTE	81C 4XTE
<b>Satin Brass</b> 	<b>Satin Brass</b>	82C 1XTE	82C 2XTE	82C 3XTE	82C 4XTE
<b>Antique Brass</b> 	<b>Antique Brass</b>	89C 1XTE	89C 2XTE	89C 3XTE	89C 4XTE
<b>Satin Stainless</b> 	<b>Satin Stainless</b>	84C 1XTE	84C 2XTE	84C 3XTE	84C 4XTE
<b>Black Nickel</b> 	<b>Black Nickel</b>	88C 1XTE	88C 2XTE	88C 3XTE	88C 4XTE



## Concealed Fixing Trailing Edge Touch Master Multi-Way Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base. Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.

Note: When using mains voltage halogen load transformers - maximum rating is 210VA. Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



**1 gang**  
250W/210VA  
Trailing Edge  
Multi-Way Touch  
Master Dimmer

Nominal Plate Size:  
86 x 86 mm

Min. Wall Box  
Depth: 35 mm

Technical Insert  
Reference: 1XTM  
Product Code

**2 gang**  
250W/210VA  
Trailing Edge  
Multi-Way Touch  
Master Dimmer

Nominal Plate Size:  
86 x 86 mm

Min. Wall Box  
Depth: 35 mm

Technical Insert  
Reference: 2XTM  
Product Code

**3 gang**  
250W/210VA  
Trailing Edge  
Multi-Way Touch  
Master Dimmer

Nominal Plate Size:  
145 x 86 mm

Min. Wall Box  
Depth: 35 mm

Technical Insert  
Reference: 3XTM  
Product Code

**4 gang**  
250W/210VA  
Trailing Edge  
Multi-Way Touch  
Master Dimmer

Nominal Plate Size:  
145 x 86 mm

Min. Wall Box  
Depth: 35 mm

Technical Insert  
Reference: 4XTM  
Product Code


Plate Finish	Insert Finish	Insert Surround Colour	1 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 1XTM Product Code	2 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 2XTM Product Code	3 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer Nominal Plate Size: 145 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 3XTM Product Code	4 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer Nominal Plate Size: 145 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 4XTM Product Code
<b>Bright Chrome</b> 	<b>Bright Chrome</b> Bright Chrome	<b>White</b> Black	87C 1XTM BC-W 87C 1XTM BC-B	87C 2XTM BC-W 87C 2XTM BC-B	87C 3XTM BC-W 87C 3XTM BC-B	87C 4XTM BC-W 87C 4XTM BC-B
<b>Polished Brass</b> 	<b>Polished Brass</b> Polished Brass	<b>White</b> Black	81C 1XTM PB-W 81C 1XTM PB-B	81C 2XTM PB-W 81C 2XTM PB-B	81C 3XTM PB-W 81C 3XTM PB-B	81C 4XTM PB-W 81C 4XTM PB-B
<b>Satin Brass</b> 	<b>Satin Brass</b> Satin Brass	<b>White</b> Black	82C 1XTM SB-W 82C 1XTM SB-B	82C 2XTM SB-W 82C 2XTM SB-B	82C 3XTM SB-W 82C 3XTM SB-B	82C 4XTM SB-W 82C 4XTM SB-B
<b>Antique Brass</b> 	<b>Antique Brass</b>	<b>Black</b>	89C 1XTM AB-B	89C 2XTM AB-B	89C 3XTM AB-B	89C 4XTM AB-B
<b>Satin Stainless</b> 	<b>Satin Stainless</b> Satin Stainless	<b>White</b> Black	84C 1XTM SS-W 84C 1XTM SS-B	84C 2XTM SS-W 84C 2XTM SS-B	84C 3XTM SS-W 84C 3XTM SS-B	84C 4XTM SS-W 84C 4XTM SS-B
<b>Black Nickel</b> 	<b>Black Nickel</b>	<b>Black</b>	88C 1XTM BK-B	88C 2XTM BK-B	88C 3XTM BK-B	88C 4XTM BK-B

# Hamilton Sheer CFX®

## Concealed Fixing Touch Slave Controllers

Note: To only be used with Touch Master Dimmers Note: Tungsten filament GU10 lamps must be branded and with a fused base.

Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%. Note: When using mains voltage halogen load transformers - maximum rating is 210VA.



87C 1XTS BC-W

Insert  
Surround  
Colour



### 1 gang Multi-Way Touch Slave Controller

Nominal Plate Size:  
86 x 86 mm

Min. Wall Box  
Depth: 35 mm

Technical Insert  
Reference: 1XTS  
Product Code



### 2 gang Multi-Way Touch Slave Controller

Nominal Plate Size:  
86 x 86 mm

Min. Wall Box  
Depth: 35 mm

Technical Insert  
Reference: 2XTS  
Product Code



### 3 gang Multi-Way Touch Slave Controller

Nominal Plate Size:  
145 x 86 mm

Min. Wall Box  
Depth: 35 mm

Technical Insert  
Reference: 3XTS  
Product Code



### 4 gang Multi-Way Touch Slave Controller

Nominal Plate Size:  
145 x 86 mm

Min. Wall Box  
Depth: 35 mm

Technical Insert  
Reference: 4XTS  
Product Code

Plate Finish

Insert Finish

White  
Black

Bright Chrome

Bright Chrome  
Bright Chrome

White  
Black

87C 1XTS BC-W  
87C 1XTS BC-B

87C 2XTS BC-W  
87C 2XTS BC-B

87C 3XTS BC-W  
87C 3XTS BC-B

87C 4XTS BC-W  
87C 4XTS BC-B



Polished Brass

Polished Brass  
Polished Brass

White  
Black

81C 1XTS PB-W  
81C 1XTS PB-B

81C 2XTS PB-W  
81C 2XTS PB-B

81C 3XTS PB-W  
81C 3XTS PB-B

81C 4XTS PB-W  
81C 4XTS PB-B



Satin Brass

Satin Brass  
Satin Brass

White  
Black

82C 1XTS SB-W  
82C 1XTS SB-B

82C 2XTS SB-W  
82C 2XTS SB-B

82C 3XTS SB-W  
82C 3XTS SB-B

82C 4XTS SB-W  
82C 4XTS SB-B



Antique Brass

Antique Brass

Black

89C 1XTS AB-B

89C 2XTS AB-B

89C 3XTS AB-B

89C 4XTS AB-B



Satin Stainless

Satin Stainless  
Satin Stainless

White  
Black

84C 1XTS SS-W  
84C 1XTS SS-B

84C 2XTS SS-W  
84C 2XTS SS-B

84C 3XTS SS-W  
84C 3XTS SS-B

84C 4XTS SS-W  
84C 4XTS SS-B



Black Nickel

Black Nickel

Black

88C 1XTS BK-B

88C 2XTS BK-B

88C 3XTS BK-B

88C 4XTS BK-B





## Concealed Fixing GRID-IT Grid Fix Plates complete with Fixing Grid

Minimum Wall Box Depth dependant on GRID-IT insert fitted - please see the GRID-IT section for our complete range of inserts.



### 1 gang Aperture Grid Fix Plate

Nominal Plate Size:  
86 x 86 mm

Technical Insert  
Reference: **1GP**

**Product Code**



### 2 gang Aperture Grid Fix Plate

Nominal Plate Size:  
86 x 86 mm

Technical Insert  
Reference: **2GP**

**Product Code**



### 3 gang Aperture Grid Fix Plate

Nominal Plate Size:  
145 x 86 mm

Technical Insert  
Reference: **3GP**

**Product Code**



### 4 gang Aperture Grid Fix Plate

Nominal Plate Size:  
145 x 86 mm

Technical Insert  
Reference: **4GP**

**Product Code**

#### Plate Finish

#### Bright Chrome



87C 1GP

87C 2GP

87C 3GP

87C 4GP

#### Polished Brass



81C 1GP

81C 2GP

81C 3GP

81C 4GP

#### Satin Brass



82C 1GP

82C 2GP

82C 3GP

82C 4GP

#### Antique Brass



89C 1GP

89C 2GP

89C 3GP

89C 4GP

#### Satin Stainless



84C 1GP

84C 2GP

84C 3GP

84C 4GP

#### Black Nickel



88C 1GP

88C 2GP

88C 3GP

88C 4GP

## Spare Grids complete with Gasket



### 1 gang Grid with Gasket

Nominal Grid Size:  
86 x 86 mm

Technical Insert  
Reference: **8C1G**

**Product Code**

8C 1G



### 2 gang Grid with Gasket

Nominal Grid Size:  
86 x 86 mm

Technical Insert  
Reference: **8C2G**

**Product Code**

8C 2G



### 3 gang Grid with Gasket

Nominal Grid Size:  
145 x 86 mm

Technical Insert  
Reference: **8C3G**

**Product Code**

8C 3G



### 4 gang Grid with Gasket

Nominal Grid Size:  
145 x 86 mm

Technical Insert  
Reference: **8C4G**


**Product Code**

8C 4G

# Hamilton Sheer CFX®

## Concealed Fixing EuroFix Plates complete with Fixing Grid

Minimum Wall Box Depth is dependent on the EuroFix insert fitted - please see the EuroFix section for our complete range of inserts.



81C EURO2



### 1 Module EuroFix Plate

Nominal Plate Size: 86 x 86 mm

Aperture: 25 x 50 mm

Technical Insert Reference: **EURO1**

**Product Code**



### 2 Module EuroFix Plate

Nominal Plate Size: 86 x 86 mm

Aperture: 50 x 50 mm

Technical Insert Reference: **EURO2**

**Product Code**



### 3 Module EuroFix Plate

Nominal Plate Size: 145 x 86 mm

Aperture: 75 x 50 mm

Technical Insert Reference: **EURO3**

**Product Code**



### 4 Module EuroFix Plate

Nominal Plate Size: 145 x 86 mm

Aperture: 100 x 50 mm

Technical Insert Reference: **EURO4**

**Product Code**

**Plate Finish**

**Bright Chrome**



**Polished Brass**



**Satin Brass**



**Antique Brass**



**Satin Stainless**



**Black Nickel**



87C EURO1

87C EURO2

87C EURO3

87C EURO4

81C EURO1

81C EURO2

81C EURO3

81C EURO4

82C EURO1

82C EURO2

82C EURO3

82C EURO4

89C EURO1

89C EURO2

89C EURO3

89C EURO4

84C EURO1

84C EURO2

84C EURO3

84C EURO4

88C EURO1

88C EURO2

88C EURO3

88C EURO4

## Concealed Fixing Blank Plates



84C BPS



### Single Blank Plate

Nominal Plate Size: 86 x 86 mm

Technical Insert Reference: **BPS**

**Product Code**



### Double Blank Plate

Nominal Plate Size: 145 x 86 mm

Technical Insert Reference: **BPD**

**Product Code**

**Plate Finish**

**Bright Chrome**



**Polished Brass**



**Satin Brass**



**Antique Brass**



**Satin Stainless**



**Black Nickel**



87C BPS

87C BPD

81C BPS

81C BPD

82C BPS

82C BPD

89C BPS

89C BPD

84C BPS

84C BPD

88C BPS

88C BPD