

## Diametrical Ring Size Listing Individual Ring Types and Set Numbers



Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
2.000	3/32 102	3/32 401	3/16 501				7707	4
2 1/16	1/8 401	1/8 401	1/8 401	1/8 401			8266	2
2 3/8	3/32 032	3/32 126	3/16 870 732				5671	4
2 3/8	3/32 362	3/32 126	3/16 870 732				2C5671	4
2.441	1.50 362	1.50 126	2.80 859 732				2C4449	3
2.441	1.50 362	1.50 126	2.80 859 732				2C4807	4
2.441	2.00 102	2.00 401	4.00 055 732				6717	4
2.441	2.00 362	2.00 401	4.00 055 732				2C6717	4
2 1/2	1/8 126	1/8 126	1/8 126	1/8 126	1/8 126		268	2
2.500	1.20 398	1.50 126	2.50 995 732				2C7432	3
2 1/2	3/32 126	3/32 126	1/8 126	3/32 126	1/8 126		7887	1
2.542	1/16 032	1/16 401	1/16 401	5/32 058 732			4732	4
2.542	1/16 032	1/16 032	1/16 401	1/8 716 710 825			6742	4
2.542	1/16 362	1/16 032	1/16 401	1/8 710 732 825			2C6742	4
2.559	1.50 215	1.50 123	3.00 553 881				2C4148	4
2.559	1.75 102	2.00 401	3.50 054 732				4369	4

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
2.559	1.75 <b>362</b>	2.00 <b>401</b>	3.50 <b>054</b> <b>732</b>				<b>2C4369</b>	<b>4</b>
2.559	1.75 <b>102</b>	2.00 <b>401</b>	4.00 <b>055</b> <b>732</b>				<b>6796</b>	<b>4</b>
2.559	1.75 <b>362</b>	2.00 <b>401</b>	4.00 <b>055</b> <b>732</b>				<b>2C6796</b>	<b>4</b>
2 9/16	1/16 <b>032</b>	1/16 <b>401</b>	5/32 <b>058</b> <b>732</b>				<b>4798</b>	<b>1</b>
2.579	1.50 <b>032</b>	1.50 <b>126</b>	2.80 <b>859</b> <b>732</b>				<b>4234</b>	<b>4</b>
2.579	1.50 <b>362</b>	1.50 <b>126</b>	2.80 <b>859</b> <b>732</b>				<b>2C4234</b>	<b>4</b>
2.579	1.50 <b>201</b>	1.50 <b>202</b>	2.50 <b>248</b> <b>881</b>				<b>2D7448</b>	<b>1</b>
2.598	1.20 <b>398</b>	1.20 <b>126</b>	2.50 <b>995</b> <b>732</b>				<b>2C5136</b>	<b>4</b>
2.618	1.20 <b>322</b>	1.20 <b>406</b>	2.50 <b>995N</b> <b>714</b>				<b>2N7434</b>	<b>3</b>
2 5/8	3/32 <b>126</b>	3/32 <b>126</b>	3/16 <b>871</b> <b>732</b>				<b>4457</b>	<b>2</b>
2 5/8	3/32 <b>126</b>	3/32 <b>126</b>	3/16 <b>501</b> <b>826</b>	3/32 <b>126</b>	3/16 <b>501</b> <b>826</b>		<b>4465</b>	<b>2</b>
2 5/8	3/32 <b>126</b>	3/32 <b>126</b>	3/16 <b>871</b> <b>732</b>	3/16 <b>126</b> <b>126</b>			<b>4469</b>	<b>2</b>
2 5/8	3/32 <b>102</b>	3/32 <b>126</b>	3/16 <b>871</b> <b>732</b>				<b>7859</b>	<b>4</b>
2 5/8	3/32 <b>362</b>	3/32 <b>126</b>	3/16 <b>871</b> <b>732</b>				<b>2C7859</b>	<b>4</b>
2 5/8	3/32 <b>126</b>	3/32 <b>126</b>	3/16 <b>501</b>				<b>7888</b>	<b>1</b>
2.638	1.20 <b>398</b>	1.20 <b>126</b>	2.50 <b>995</b> <b>005</b>				<b>2C4580</b>	<b>4</b>
2.638	1.20 <b>398</b>	1.20 <b>126</b>	2.80 <b>999</b> <b>732</b>				<b>2C5250</b>	<b>4</b>

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
2.638	1.20 398	1.20 126	2.00 989 732				2C5298	4
2.638	1.20 322	1.20 435	2.00 987 714				2N5298	4
2.638	1/16 102	1/16 102	1/8 501 826				6942	1
2.638	1/16 362	1/16 102	1/8 501 826				2C6942	1
2.642	1.20 398	1.50 401	2.00 986 732				2C4808	4
2.642	1.00 398	1.00 123	1.50 981 005				2C5207	4
2.677	1.00 398	1.20 126	2.00 993 005				2C4220	4
2.677	2.00 362	2.00 401	4.00 058 732				2C4422	4
2.677	1.50 032	1.50 126	2.80 859 732				4696	4
2.677	1.50 363	1.50 126	2.80 859 732				2C4696	4
2.677	2.00 362	2.00 401	3.00 054 732				2C4753	2
2.677	1.20 398	1.50 126	3.00 996 732				2C5059	4
2.697	1.20 398	1.20 126	2.50 995 732				2C4522	4
2.697	1.20 398	1.50 126	2.80 859 732				2C5039	3
2.697	1.50 362	1.50 126	2.80 859 732				2C5083	4
2.697	1.20 398	1.20 126	2.50 995 732				2C5273	1

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
2.697	1.50 <b>362</b>	1.50 <b>126</b>	2.80 <b>859</b> <b>732</b>				<b>2C6185</b>	<b>3</b>
2.704	1.50 <b>032</b>	1.75 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>4856</b>	<b>4</b>
2.704	1.50 <b>363</b>	1.75 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>2C4856</b>	<b>4</b>
2.704	1.20 <b>398</b>	1.50 <b>401</b>	2.00 <b>989</b> <b>732</b>				<b>2C5205</b>	<b>4</b>
2.716	1.20 <b>398</b>	1.50 <b>126</b>	2.50 <b>995</b> <b>732</b>				<b>2C4549</b>	<b>4</b>
2.716	1.50 <b>363</b>	1.50 <b>126</b>	2.50 <b>995</b> <b>732</b>				<b>2C4995</b>	<b>4</b>
2.718	1/16 <b>102</b>	1/16 <b>102</b>	5/32 <b>058</b> <b>732</b>				<b>6893</b>	<b>4</b>
2.736	1.75 <b>362</b>	2.50 <b>401</b>	4.00 <b>055</b> <b>732</b>				<b>2C4484</b>	<b>4</b>
2.736	1.50 <b>362</b>	1.50 <b>126</b>	4.00 <b>055</b> <b>732</b>				<b>2C4673</b>	<b>4</b>
2.736	1.75 <b>032</b>	2.00 <b>401</b>	4.00 <b>055</b> <b>732</b>				<b>6192</b>	<b>4</b>
2.736	1.75 <b>362</b>	2.00 <b>401</b>	4.00 <b>055</b> <b>732</b>				<b>2C6192</b>	<b>4</b>
2.740	2.00 <b>205</b>	1.50 <b>206</b>	2.00 <b>248</b> <b>881</b>				<b>2D7101</b>	<b>1</b>
2.740	1.50 <b>239</b>	1.50 <b>123</b>	2.00 <b>248</b> <b>881</b>				<b>2D7836</b>	<b>4</b>
2.744	1.20 <b>398</b>	1.20 <b>126</b>	2.00 <b>934</b> <b>005</b>				<b>2C4597</b>	<b>4</b>
2.745	1/16 <b>102</b>	1/16 <b>102</b>	3/16 <b>871</b> <b>732</b>				<b>4244</b>	<b>2</b>
2.745	3/32 <b>102</b>	3/32 <b>102</b>	1/8 <b>501</b>				<b>5044</b>	<b>2</b>

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
2 3/4	3/32 126	3/32 126	3/16 871 732				6008	2
2 3/4	3/32 126	3/32 126	3/32 126	3/16 871 732	3/16 501		6009	2
2 3/4	3/16 126	3/16 126	3/16 871 732				6128	1
2.756	2.00 032	2.00 401	4.00 055 732				4373	4
2.756	2.00 362	2.00 401	4.00 055 732				2C4373	4
2.756	2.00 032	2.00 401	3.50 055 732				4481	2
2.756	2.00 362	2.00 401	3.50 055 732				2C4481	2
2.756	1.75 032	2.00 401	3.50 055 732				4652	4
2.756	1.75 362	2.00 401	3.50 055 732				2C4652	4
2.756	1.50 032	1.50 126	3.00 054 732				5013	4
2.756	1.50 363	1.50 126	3.00 054 732				2C5013	4
2.756	1.20 398	1.20 126	2.50 995 732				2C5051	4
2.756	1.50 032	1.50 126	2.80 859 732				6163	3
2.756	1.50 362	1.50 126	2.80 859 732				2C6163	3
2.756	2.00 362	2.00 401	3.50 055 732				2C6779	4
2.756	2.00 362	2.00 401	4.00 058 732				2C6880	4

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
2.768	1.50 362	1.50 126	3.00 996 732				2C4273	4
2.775	1.50 335	1.50 126	3.00 996 732				2M5015	4
2.780	1.49 032	1.49 406	4.00 200 881				4050	4
2.780	1.50 032	1.50 126	3.00 054 732				4355	4
2.780	1/16 102	1/16 102	5/32 058 732				4731	4
2.780	3/32 102	3/32 102	3/16 870 732	3/32 126	3/16 501		4967	2
2.780	1/16 102	1/16 102	1/16 102	5/32 058 732			6802	4
2.780	1/16 362	1/16 102	1/16 102	5/32 058 732			2C6802	4
2.787	1.20 398	1.20 126	2.50 995 732				2C5052	4
2.795	1.00 398	1.20 126	2.00 993 005				2C4047	4
2.795	1.00 322	1.00 123	2.00 248 881				2N4057	3
2.795	1.00 398	1.20 406	2.00 987 714				2C4068	4
2.795	1.20 322	1.20 236	2.00 987 714				2N4126	4
2.795	2.00 032	2.00 401	4.00 056 732				4342	4
2.795	2.00 362	2.00 401	4.00 056 732				2C4342	4
2.795	1.50 032	1.50 126	2.80 859 732				4362	4
2.795	1.50 362	1.50 126	2.80 859 732				2C4362	4

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
2.795	1.20 398	1.50 126	3.00 054 732				2C4451	4
2.795	1.00 398	1.00 123	1.50 981 005				2C4598	3
2.795	1.50 032	1.50 126	4.00 058 732				4618	4
2.795	1.50 362	1.50 126	4.00 058 732				2C4618	4
2.795	1/16 102	1/16 102	1/8 501				6938	2
2.795	1/16 362	1/16 102	1/8 501				2C6938	2
2.798	1.50 032	1.50 126	3.00 054 732				4517	4
2.798	1.50 362	1.50 126	3.00 054 732				2C4517	4
2.798	1.20 398	1.50 126	2.00 989 732				2C5276	4
2.815	1.20 398	1.20 126	2.00 990 732				2C4089	4
2.815	1.50 032	1.50 126	3.00 054 732				5264	4
2.815	1.50 362	1.50 126	3.00 054 732				2C5264	4
2.815	1.20 398	1.20 435	2.00 993 005				2C5389	4
2.827	1.50 032	1.50 126	4.00 058 732				4694	4
2.827	1.50 362	1.50 126	4.00 058 732				2C4694	4
2.831	1.20 398	1.50 435	2.50 989 732				2C5637	4

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
2.835	1.00 <b>322</b>	1.20 <b>406</b>	2.00 <b>987</b> <b>714</b>				<b>2N4079</b>	<b>3</b>
2.835	1.00 <b>326</b>	1.20 <b>406</b>	2.00 <b>248</b> <b>881</b>				<b>2N4104</b>	<b>4</b>
2.835	1.50 <b>376</b>	1.50 <b>406</b>	2.50 <b>199</b> <b>881</b>				<b>2C4128</b>	<b>4</b>
2.835	1.00 <b>322</b>	1.00 <b>123</b>	2.00 <b>987</b> <b>714</b>				<b>2N4149</b>	<b>3</b>
2.835	2.00 <b>362</b>	2.00 <b>401</b>	4.00 <b>058</b> <b>732</b>				<b>2C4424</b>	<b>4</b>
2.835	1.50 <b>032</b>	2.00 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>4486</b>	<b>4</b>
2.835	1.50 <b>362</b>	2.00 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>2C4486</b>	<b>4</b>
2.835	1.20 <b>398</b>	1.20 <b>126</b>	2.50 <b>995</b> <b>732</b>				<b>2C4813</b>	<b>1</b>
2.835	1.20 <b>398</b>	1.20 <b>126</b>	2.50 <b>995</b> <b>732</b>				<b>2C5189</b>	<b>3</b>
2.835	1.50 <b>363</b>	1.50 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>2C5251</b>	<b>4</b>
2.835	1.20 <b>398</b>	1.20 <b>126</b>	2.00 <b>990</b> <b>732</b>				<b>2C5266</b>	<b>4</b>
2.835	1.00 <b>398</b>	1.00 <b>123</b>	1.50 <b>981</b> <b>005</b>				<b>2C5681</b>	<b>4</b>
2.835	1.50 <b>032</b>	1.50 <b>126</b>	2.80 <b>859</b> <b>732</b>				<b>6116</b>	<b>4</b>
2.835	1.50 <b>362</b>	1.50 <b>126</b>	2.80 <b>859</b> <b>732</b>				<b>2C6116</b>	<b>4</b>
2.835	1.50 <b>032</b>	1.50 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>6131</b>	<b>4</b>
2.835	1.50 <b>362</b>	1.50 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>2C6131</b>	<b>4</b>



Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
2.835	1.00 <b>398</b>	1.20 <b>126</b>	2.80 <b>859</b> <b>732</b>				<b>2C6174</b>	<b>4</b>
2.835	2.00 <b>362</b>	2.00 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>2C6709</b>	<b>6</b>
2.835	2.00 <b>362</b>	2.00 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>2C6752</b>	<b>4</b>
2.835	1.50 <b>362</b>	2.00 <b>401</b>	3.00 <b>054</b> <b>732</b>				<b>2C9356</b>	<b>4</b>
----- 2.854	1.20 <b>398</b>	1.00 <b>126</b>	2.00 <b>990</b> <b>732</b>				<b>2C4107</b>	<b>4</b>
2.854	1.20 <b>322</b>	1.20 <b>406</b>	2.00 <b>987</b> <b>714</b>				<b>2N4141</b>	<b>4</b>
2.854	1.20 <b>398</b>	1.20 <b>126</b>	2.00 <b>990</b> <b>732</b>				<b>2C5252</b>	<b>4</b>
2.854	1.00 <b>398</b>	1.00 <b>123</b>	2.00 <b>990</b> <b>732</b>				<b>2C5392</b>	<b>4</b>
2.854	1.20 <b>398</b>	1.50 <b>126</b>	2.00 <b>990</b> <b>732</b>				<b>2C5675</b>	<b>1</b>
2.854	1.20 <b>322</b>	1.50 <b>126</b>	2.00 <b>990</b> <b>732</b>				<b>2N5675</b>	<b>1</b>
----- 2.874	1.20 <b>322</b>	1.20 <b>126</b>	2.00 <b>990</b> <b>732</b>				<b>2N4096</b>	<b>4</b>
2.874	1.50 <b>032</b>	1.50 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>4347</b>	<b>4</b>
2.874	1.50 <b>362</b>	1.50 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>2C4347</b>	<b>4</b>
2.874	2.00 <b>032</b>	2.00 <b>401</b>	4.00 <b>058</b> <b>732</b>				<b>4410</b>	<b>6</b>
2.874	2.00 <b>362</b>	2.00 <b>401</b>	4.00 <b>058</b> <b>732</b>				<b>2C4410</b>	<b>6</b>
2.874	1.50 <b>032</b>	1.50 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>4633</b>	<b>4</b>
2.874	1.50 <b>363</b>	1.50 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>2C4633</b>	<b>4</b>

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
2.874	1.50 <b>326</b>	1.50 <b>435</b>	3.00 <b>054</b> <b>732</b>				<b>2N4633</b>	<b>4</b>
2.874	1.00 <b>398</b>	1.20 <b>610</b>	2.00 <b>990</b> <b>732</b>				<b>2C5253</b>	<b>4</b>
2.874	1.00 <b>398</b>	1.00 <b>123</b>	1.50 <b>981</b> <b>005</b>				<b>2C5723</b>	<b>4</b>
2.874	1.50 <b>239</b>	1.50 <b>218</b>	3.00 <b>204</b> <b>881</b>				<b>2D5856</b>	<b>1</b>
2.874	2.00 <b>032</b>	2.00 <b>401</b>	2.80 <b>859</b> <b>732</b>				<b>6195</b>	<b>1</b>
2.874	2.00 <b>032</b>	2.00 <b>401</b>	4.00 <b>058</b> <b>732</b>				<b>6714</b>	<b>4</b>
2.874	2.00 <b>362</b>	2.00 <b>401</b>	4.00 <b>058</b> <b>732</b>				<b>2C6714</b>	<b>4</b>
2.874	1.75 <b>032</b>	2.00 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>6870</b>	<b>4</b>
2.874	1.75 <b>362</b>	2.00 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>2C6870</b>	<b>4</b>
2 7/8	1/16 <b>102</b>	1/16 <b>102</b>	1/16 <b>102</b>	5/32 <b>058</b> <b>732</b>			<b>5897</b>	<b>4</b>
2.890	1.20 <b>398</b>	1.20 <b>126</b>	2.00 <b>993</b> <b>005</b>				<b>2C4162</b>	<b>4</b>
2.898	1.50 <b>362</b>	1.50 <b>401</b>	2.80 <b>996</b> <b>732</b>				<b>2C4158</b>	<b>4</b>
2.900	1/16 <b>102</b>	1/16 <b>401</b>	5/32 <b>058</b> <b>732</b>				<b>6840</b>	<b>4</b>
2.900	1/16 <b>362</b>	1/16 <b>401</b>	5/32 <b>058</b> <b>732</b>				<b>2C6840</b>	<b>4</b>
2.902	2.50 <b>213</b>	1.95 <b>209</b>	2.50 <b>248</b> <b>881</b>				<b>2D7270</b>	<b>1</b>
2.905	1.20 <b>398</b>	1.20 <b>126</b>	2.00 <b>990</b> <b>732</b>				<b>2C4874</b>	<b>4</b>

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
2.911	1.50 <b>032</b>	1.75 <b>401</b>	3.00 <b>054</b> <b>732</b>				<b>4858</b>	<b>4</b>
2.911	1.50 <b>363</b>	1.75 <b>401</b>	3.00 <b>054</b> <b>732</b>				<b>2C4858</b>	<b>4</b>
2.911	1.20 <b>398</b>	1.50 <b>126</b>	2.00 <b>993</b> <b>732</b>				<b>2C5259</b>	<b>4</b>
2.913	1.20 <b>398</b>	1.20 <b>126</b>	2.50 <b>995</b> <b>732</b>				<b>2C4184</b>	<b>3</b>
2.913	1.20 <b>398</b>	1.50 <b>435</b>	2.80 <b>859</b> <b>732</b>				<b>2C4208</b>	<b>3</b>
2.913	1.20 <b>322</b>	1.50 <b>126</b>	2.80 <b>859</b> <b>732</b>				<b>2N4208</b>	<b>3</b>
2.913	1.20 <b>398</b>	1.50 <b>435</b>	2.80 <b>859</b> <b>732</b>				<b>2C4258</b>	<b>4</b>
2.913	1.00 <b>398</b>	1.20 <b>126</b>	2.80 <b>859</b> <b>732</b>				<b>2C4363</b>	<b>4</b>
2.913	1.20 <b>398</b>	2.80 <b>859</b>	<b>732</b>				<b>2C4364</b>	<b>4</b>
2.913	1.50 <b>032</b>	1.50 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>4396</b>	<b>4</b>
2.913	1.50 <b>362</b>	1.50 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>2C4396</b>	<b>4</b>
2.913	1.50 <b>327</b>	1.50 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>2M4396</b>	<b>4</b>
2.913	1.50 <b>032</b>	1.50 <b>126</b>	2.80 <b>859</b> <b>732</b>				<b>4435</b>	<b>4</b>
2.913	1.50 <b>362</b>	1.50 <b>126</b>	2.80 <b>859</b> <b>732</b>				<b>2C4435</b>	<b>4</b>
2.913	1.60 <b>362</b>	2.00 <b>401</b>	4.00 <b>058</b> <b>732</b>				<b>2C4471</b>	<b>4</b>
2.913	1.20 <b>398</b>	2.80 <b>859</b>	<b>732</b>				<b>2C4738</b>	<b>3</b>

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
2.913	1.20 398	1.20 126	3.00 996 732				2C4774	4
2.913	1.20 398	1.20 126	2.50 995 732				2C4944	4
2.913	1.50 032	1.75 401	3.00 054 732				4988	4
2.913	1.50 362	1.75 401	3.00 054 732				2C4988	4
2.913	1.20 398	1.20 126	3.00 996 732				2C5025	2
2.913	2.00 102	2.00 401	4.00 058 732				5988	4
2.913	2.00 362	2.00 401	4.00 058 732				2C5988	4
2.913	1.20 398	1.20 126	2.80 996 732				2C6173	4
2.913	1.50 362	2.00 401	4.00 058 732				2C9503	2
2.933	1.50 032	1.75 401	3.00 056 732				4467	4
2.933	1.20 322	1.20 126	2.00 993 732				2N5672	3
2.940	1/16 102	1/16 401	5/32 056 732				6817	6
2.940	1/16 362	1/16 401	5/32 056 732				2C6817	6
2.953	1.00 322	1.00 406	2.00 248 881				2N4069	3
2.953	1.75 032	2.00 401	4.00 056 732				4248	4
2.953	1.75 362	2.00 401	4.00 056 732				2C4248	4

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
2.953	2.00 032	2.50 401	4.00 056 732				4360	4
2.953	2.00 362	2.50 401	4.00 056 732				2C4360	4
2.953	1.20 398	1.50 435	4.00 058 732				2C4631	4
2.953	1.20 322	1.50 435	4.00 058 732				2N4631	4
2.953	1.50 032	1.50 401	4.00 058 732				4632	6
2.953	1.50 363	1.50 435	4.00 058 732				2C4632	6
2.953	1.20 398	1.50 435	2.80 859 732				2C4640	4
2.953	1.00 398	1.20 126	2.80 859 732				2C4690	4
2.953	1.50 032	1.75 401	3.00 054 732				4693	4
2.953	1.50 363	1.75 401	3.00 054 732				2C4693	4
2.953	1.50 032	1.75 401	4.00 056 732				4714	4
2.953	1.50 363	1.75 401	4.00 056 732				2C4714	4
2.953	1.50 032	1.50 126	3.00 996 732				4772	6
2.953	1.50 363	1.50 126	3.00 996 732				2C4772	6
2.953	1.20 398	1.50 435	2.80 996 732				2C4868	4
2.953	1.20 398	1.20 126	2.50 995 732				2C4901	4
2.953	1.20 398	1.50 435	3.00 054 732				2C4962	4

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
2.953	1.00 <b>398</b>	1.20 <b>126</b>	2.80 <b>996</b> <b>732</b>				<b>2C4974</b>	<b>4</b>
2.953	1.50 <b>032</b>	1.50 <b>435</b>	2.50 <b>995</b> <b>732</b>				<b>5021</b>	<b>4</b>
2.953	1.50 <b>363</b>	1.50 <b>435</b>	2.50 <b>995</b> <b>732</b>				<b>2C5021</b>	<b>4</b>
2.953	2.00 <b>102</b>	2.00 <b>401</b>	4.00 <b>058</b> <b>732</b>				<b>5030</b>	<b>1</b>
2.953	1.75 <b>032</b>	2.00 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>5068</b>	<b>4</b>
2.953	1.75 <b>362</b>	2.00 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>2C5068</b>	<b>4</b>
2.953	1.50 <b>032</b>	1.50 <b>435</b>	3.00 <b>054</b> <b>732</b>				<b>5076</b>	<b>4</b>
2.953	1.50 <b>363</b>	1.50 <b>435</b>	3.00 <b>054</b> <b>732</b>				<b>2C5076</b>	<b>4</b>
2.953	1.75 <b>362</b>	2.00 <b>401</b>	3.00 <b>054</b> <b>732</b>				<b>2C5086</b>	<b>4</b>
2.953	1.20 <b>398</b>	1.20 <b>126</b>	2.00 <b>993</b> <b>005</b>				<b>2C5091</b>	<b>4</b>
2.953	1.20 <b>322</b>	1.20 <b>435</b>	2.00 <b>987</b> <b>714</b>				<b>2N5091</b>	<b>4</b>
2.953	1.00 <b>398</b>	1.20 <b>126</b>	2.00 <b>993</b> <b>005</b>				<b>2C5111</b>	<b>4</b>
2.953	1.20 <b>398</b>	1.50 <b>435</b>	2.80 <b>859</b> <b>732</b>				<b>SC5558</b>	<b>4</b>
2.953	1.50 <b>032</b>	1.50 <b>435</b>	4.00 <b>058</b> <b>732</b>				<b>6179</b>	<b>4</b>
2.953	1.50 <b>363</b>	1.50 <b>435</b>	4.00 <b>058</b> <b>732</b>				<b>2C6179</b>	<b>4</b>
2.953	2.00 <b>102</b>	2.00 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>6797</b>	<b>6</b>

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
2.953	2.00 362	2.00 401	4.00 056 732				2C6797	6
2.953	2.00 032	2.00 401	4.00 056 732				6813	4
2.953	2.00 362	2.00 401	4.00 056 732				2C6813	4
2.953	2.00 032	2.00 401	4.00 856 732				6818	4
2.953	2.00 362	2.00 401	4.00 856 732				2C6818	4
2.953	1/16 102	1/16 102	1/8 501				6939	2
2.953	1.50 032	1.50 435	4.00 056 732				7228	4
2.953	1.50 363	1.50 435	4.00 553 881				2D7228	4
2.953	3.00 213	1.95 202	2.50 204 881				2D7254	1
2.953	2.50 271	1.95 406	2.00 248 881				2D7431	4
2.953	1.75 362	2.00 401	3.00 054 732				2C9372	4
2.964	1.00 398	1.20 126	2.50 995 732				2C4919	4
2.965	1.75 363	2.00 401	4.00 058 732				2C4844	4
2.972	1.50 376	1.50 126	3.00 054 732				2C4146	4
2.972	1.20 398	1.20 126	2.00 993 005				2C4576	4
2.972	1.20 398	1.50 126	3.00 054 732				2C4668	4
2.972	1.50 032	1.50 126	3.00 996 732				4782	4

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
2.972	1.50 <b>363</b>	1.50 <b>126</b>	3.00 <b>996</b> <b>732</b>				<b>2C4782</b>	<b>4</b>
2.972	1.50 <b>032</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>732</b>				<b>4863</b>	<b>4</b>
2.972	1.50 <b>363</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>732</b>				<b>2C4863</b>	<b>4</b>
2.972	1.20 <b>398</b>	1.50 <b>126</b>	2.80				<b>2C4884</b>	<b>4</b>
2.972	1.20 <b>398</b>	1.20 <b>126</b>	2.50 <b>934</b> <b>732</b>				<b>2C5184</b>	<b>4</b>
2.972	1.50 <b>032</b>	1.50 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>5716</b>	<b>4</b>
2.972	1.50 <b>363</b>	1.50 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>2C5716</b>	<b>4</b>
2.972	1.50 <b>327</b>	1.50 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>2M5716</b>	<b>4</b>
2.984	1.50 <b>032</b>	1.75 <b>401</b>	3.00 <b>054</b> <b>732</b>				<b>4859</b>	<b>4</b>
2.984	1.50 <b>362</b>	1.75 <b>401</b>	3.00 <b>054</b> <b>732</b>				<b>2C4859</b>	<b>4</b>
2.992	1.20 <b>398</b>	1.20 <b>126</b>	2.50 <b>995</b> <b>732</b>				<b>2C4087</b>	<b>4</b>
2.992	2.00 <b>102</b>	2.00 <b>401</b>	4.00 <b>058</b> <b>732</b>				<b>4266</b>	<b>4</b>
2.992	2.00 <b>362</b>	2.00 <b>401</b>	4.00 <b>058</b> <b>732</b>				<b>2C4266</b>	<b>4</b>
2.992	1.75 <b>102</b>	2.00 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>4330</b>	<b>4</b>
2.992	1.75 <b>362</b>	2.00 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>2C4330</b>	<b>4</b>
2.992	1.50 <b>032</b>	1.50 <b>435</b>	2.80 <b>861</b> <b>732</b>				<b>4459</b>	<b>3</b>



Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
2.992	1.50 <b>362</b>	1.50 <b>435</b>	2.80 <b>861</b> <b>732</b>				<b>2C4459</b>	<b>3</b>
2.992	1.50 <b>032</b>	2.00 <b>401</b>	4.00 <b>055</b> <b>732</b>				<b>4460</b>	<b>4</b>
2.992	1.50 <b>362</b>	2.00 <b>401</b>	4.00 <b>055</b> <b>732</b>				<b>2C4460</b>	<b>4</b>
2.992	1.50 <b>032</b>	2.00 <b>401</b>	4.00 <b>055</b> <b>732</b>				<b>4479</b>	<b>4</b>
2.992	1.50 <b>362</b>	2.00 <b>401</b>	4.00 <b>055</b> <b>732</b>				<b>2C4479</b>	<b>4</b>
2.992	1.50 <b>032</b>	2.00 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>4493</b>	<b>4</b>
2.992	1.50 <b>362</b>	2.00 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>2C4493</b>	<b>4</b>
2.992	1.20 <b>398</b>	1.50 <b>126</b>	2.50 <b>995</b> <b>732</b>				<b>2C4565</b>	<b>4</b>
2.992	1.50 <b>032</b>	1.50 <b>435</b>	2.80 <b>861</b> <b>732</b>				<b>4659</b>	<b>4</b>
2.992	1.50 <b>362</b>	1.50 <b>435</b>	2.80 <b>861</b> <b>732</b>				<b>2C4659</b>	<b>4</b>
2.992	2.00 <b>362</b>	1.50 <b>435</b>	3.00 <b>054</b> <b>732</b>				<b>2C4751</b>	<b>4</b>
2.992	1.50 <b>363</b>	2.00 <b>401</b>	4.00 <b>058</b> <b>732</b>				<b>2C4830</b>	<b>4</b>
2.992	1.50 <b>032</b>	2.00 <b>401</b>	4.00 <b>055</b> <b>732</b>				<b>4831</b>	<b>4</b>
2.992	1.50 <b>363</b>	2.00 <b>401</b>	4.00 <b>055</b> <b>732</b>				<b>2C4831</b>	<b>4</b>
2.992	1.20 <b>398</b>	1.50 <b>126</b>	3.00 <b>996</b> <b>732</b>				<b>2C4875</b>	<b>4</b>
2.992	1.50 <b>032</b>	1.50 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>4932</b>	<b>4</b>
2.992	1.50 <b>362</b>	1.50 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>2C4932</b>	<b>4</b>

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
2.992	1.50 <b>032</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>732</b>				<b>4935</b>	<b>4</b>
2.992	1.50 <b>362</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>732</b>				<b>2C4935</b>	<b>4</b>
2.992	1.50 <b>362</b>	2.80 <b>996</b> <b>732</b>					<b>2C4958</b>	<b>4</b>
2.992	1.20 <b>398</b>	1.20 <b>126</b>	2.50 <b>995</b> <b>732</b>				<b>2C5182</b>	<b>4</b>
2.992	1.50 <b>032</b>	1.60 <b>102</b>	2.50 <b>995</b> <b>732</b>				<b>5248</b>	<b>4</b>
2.992	1.50 <b>362</b>	1.60 <b>102</b>	2.50 <b>995</b> <b>732</b>				<b>2C5248</b>	<b>4</b>
2.992	1.20 <b>398</b>	2.00 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>2C6146</b>	<b>4</b>
2.992	1.50 <b>032</b>	1.50 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>6151</b>	<b>4</b>
2.992	1.50 <b>362</b>	1.50 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>2C6151</b>	<b>4</b>
2.992	1.50 <b>327</b>	1.50 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>2M6151</b>	<b>4</b>
2.992	1.50 <b>032</b>	1.50 <b>126</b>	2.80 <b>861</b> <b>732</b>				<b>6153</b>	<b>2</b>
2.992	1.50 <b>362</b>	1.50 <b>126</b>	2.80 <b>861</b> <b>732</b>				<b>2C6153</b>	<b>2</b>
2.992	2.00 <b>212</b>	2.00 <b>214</b>	2.50 <b>248</b> <b>881</b>				<b>2D7296</b>	<b>1</b>
2.993	1/16 <b>102</b>	1/16 <b>102</b>	1/8 <b>501</b>				<b>5119</b>	<b>2</b>
3.000	1/8 <b>362</b>	1/8 <b>102</b>	1/8 <b>102</b>	1/8 <b>126</b>	3/16 <b>825</b>		<b>2C710</b>	<b>4</b>
3.000	1/8 <b>032</b>	1/8 <b>126</b>	1/8 <b>126</b>	1/4 <b>860</b> <b>732</b>			<b>727</b>	<b>4</b>

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.000	1/8 362	1/8 126	1/8 126	1/4 860 732			2C727	4
3.000	1/8 032	1/8 126	1/8 126	1/4 860 732			4182	6
3.000	3/32 102	3/32 102	3/32 401	3/16 871 732			5149	1
3.000	3/32 102	3/32 102	1/8 102	3/16 501			5172	2
3.000	1.50 334	1.50 126	2.80 861 732				2M6198	1
3.000	1/16 102	1/16 102	3/16 860 732				6457	2
3.000	1/8 362	1/8 126	1/8 126	3/16 871 732			2C7758	4
3.012	1.50 362	1.50 126	2.00 993 005				2C4175	4
3.012	2.00 032	2.50 126	4.00 056 732				4282	4
3.012	2.00 363	2.50 126	4.00 056 732				2C4282	4
3.012	2.00 032	2.00 401	4.00 056 732				4492	4
3.012	2.00 362	2.00 401	4.00 056 732				2C4492	4
3.012	1.75 362	2.00 401	3.00 204 881				2D4498	5
3.012	1.20 398	1.20 126	2.00 993 005				2C4526	4
3.012	1.50 032	1.50 401	3.00 054 732				4819	4
3.012	1.50 362	1.50 401	3.00 054 732				2C4819	4
3.012	1.75 032	2.00 401	3.00 054 732				4832	4

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.012	1.75 <b>363</b>	2.00 <b>401</b>	3.00 <b>054</b> <b>732</b>				<b>2C4832</b>	<b>4</b>
3.012	1.50 <b>362</b>	1.50 <b>401</b>	2.50 <b>995</b> <b>732</b>				<b>2C5022</b>	<b>4</b>
3.012	1.20 <b>398</b>	1.20 <b>126</b>	2.50 <b>995</b> <b>732</b>				<b>2C5154</b>	<b>4</b>
3.012	1.20 <b>398</b>	1.50 <b>401</b>	2.50 <b>995</b> <b>732</b>				<b>2C5177</b>	<b>4</b>
3.012	1.20 <b>398</b>	1.50 <b>401</b>	2.50 <b>995</b> <b>732</b>				<b>2C5294</b>	<b>4</b>
3.012	1.20 <b>398</b>	1.50 <b>126</b>	2.00 <b>993</b> <b>005</b>				<b>2C5391</b>	<b>4</b>
3.012	1.20 <b>322</b>	1.50 <b>126</b>	2.00 <b>987</b> <b>714</b>				<b>2N5391</b>	<b>4</b>
3.012	1.20 <b>398</b>	1.20 <b>126</b>	2.00 <b>993</b> <b>005</b>				<b>2C5438</b>	<b>4</b>
3.012	1.20 <b>322</b>	1.20 <b>126</b>	2.00 <b>993</b> <b>005</b>				<b>2N5438</b>	<b>4</b>
3.012	1.75 <b>215</b>	2.00 <b>209</b>	3.00 <b>204</b> <b>881</b>				<b>2C7148</b>	<b>1</b>
3.016	2.00 <b>032</b>	2.00 <b>401</b>	4.00 <b>058</b> <b>732</b>				<b>4473</b>	<b>4</b>
3.016	2.00 <b>362</b>	2.00 <b>401</b>	4.00 <b>058</b> <b>732</b>				<b>2C4473</b>	<b>4</b>
3.027	2.00 <b>032</b>	2.00 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>675</b>	<b>4</b>
3.027	2.00 <b>362</b>	2.00 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>2C675</b>	<b>4</b>
3.027	1.50 <b>032</b>	1.50 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>4353</b>	<b>4</b>
3.027	1.50 <b>362</b>	1.50 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>2C4353</b>	<b>4</b>

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.031	1.20 398	1.50 401	2.00 993 005				2C4181	4
3.031	1.50 032	1.50 861	2.80 732				4241	4
3.031	1.50 335	1.50 861	2.80 732				2M4241	4
3.031	1.20 398	1.20 435	2.00 993 005				2C4504	4
3.031	1.20 398	1.20 126	2.80 861 732				2C4646	4
3.031	1.50 335	1.50 401	3.00 054 732				2M4765	1
3.031	1.50 032	1.50 126	3.00 054 732				4803	4
3.031	1.50 363	1.50 126	3.00 054 732				2C4803	4
3.031	1.75 032	2.00 401	4.00 058 732				4843	4
3.031	1.75 363	2.00 401	4.00 058 732				2C4843	4
3.031	2.00 102	2.00 401	4.00 058 732				4851	4
3.031	1.50 032	1.50 401	2.00 993 005				4977	4
3.031	1.50 363	1.50 401	2.00 993 005				2C4977	4
3.031	2.00 363	1.75 102	3.00 553 881				2D4981	4
3.031	1.20 398	1.20 126	2.50 995 732				2C5159	4
3.031	2.50 362	2.50 401	4.00 056 732				2C5868	4

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.031	1.50 <b>032</b>	1.50 <b>401</b>	4.00 <b>058</b> <b>732</b>				<b>6134</b>	<b>4</b>
3.031	1.50 <b>363</b>	1.50 <b>401</b>	4.00 <b>058</b> <b>732</b>				<b>2C6134</b>	<b>4</b>
3.031	1.20 <b>398</b>	1.50 <b>401</b>	4.00 <b>058</b> <b>732</b>				<b>2C6154</b>	<b>4</b>
3.031	1.50 <b>032</b>	2.00 <b>435</b>	4.00 <b>058</b> <b>732</b>				<b>6175</b>	<b>4</b>
3.031	1.50 <b>363</b>	2.00 <b>435</b>	4.00 <b>058</b> <b>732</b>				<b>2C6175</b>	<b>4</b>
3.031	1.50 <b>322</b>	2.00 <b>435</b>	4.00 <b>058</b> <b>732</b>				<b>2N6175</b>	<b>4</b>
3.031	2.00 <b>102</b>	2.00 <b>435</b>	4.00 <b>055</b> <b>732</b>				<b>6741</b>	<b>4</b>
3.031	2.00 <b>362</b>	2.00 <b>435</b>	4.00 <b>055</b> <b>732</b>				<b>2C6741</b>	<b>4</b>
3.031	2.00 <b>102</b>	2.00 <b>435</b>	4.00 <b>056</b> <b>732</b>				<b>6780</b>	<b>4</b>
3.031	2.00 <b>362</b>	2.00 <b>435</b>	4.00 <b>056</b> <b>732</b>				<b>2C6780</b>	<b>4</b>
3.031	1.75 <b>032</b>	2.00 <b>435</b>	4.00 <b>056</b> <b>732</b>				<b>6857</b>	<b>4</b>
3.031	1.75 <b>362</b>	2.00 <b>435</b>	4.00 <b>056</b> <b>732</b>				<b>2C6857</b>	<b>4</b>
3.031	1.75 <b>362</b>	2.00 <b>435</b>	4.00 <b>056</b> <b>732</b>				<b>2C7215</b>	<b>4</b>
----- 3.039	1.75 <b>326</b>	1.75 <b>257</b>	3.00 <b>203</b> <b>881</b>				<b>2D7821</b>	<b>4</b>
----- 3.041	1.60 <b>032</b>	2.00 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>5019</b>	<b>4</b>
3.041	1.60 <b>327</b>	2.00 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>2M5019</b>	<b>4</b>
----- 3.047	1.20 <b>398</b>	1.20 <b>126</b>	2.50 <b>995</b> <b>732</b>				<b>2C5196</b>	<b>4</b>

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.051	1.50 032	1.50 126	2.80 861 732				6140	4
3.051	1.50 363	1.50 126	2.80 861 732				2C6140	4
3.054	1.00 398	1.00 123	2.00 993 005				2C4354	4
3.055	1.50 032	1.50 401	3.00 054 732				4812	4
3.055	1.50 362	1.50 401	3.00 054 732				2C4812	4
3.055	1.20 398	1.50 401	2.00 993 005				2C5218	4
3.067	1.20 398	1.20 126	2.00 993 005				2C4115	4
3.067	1.20 398	1.50 126	2.50 995 732				2C4569	4
3.071	1.20 398	1.20 126	2.50 533 732				2C4118	4
3.071	1.20 398	1.50 126	2.50 533 732				2C4170	6
3.071	1.20 398	1.20 126	2.50 995 732				2C4186	4
3.071	1.20 398	1.50 126	4.00 058 732				2C4237	4
3.071	1.50 032	1.50 126	4.00 058 732				4265	4
3.071	1.50 362	1.50 126	4.00 058 732				2C4265	4
3.071	1.50 327	1.50 126	4.00 058 732				2M4265	4
3.071	2.00 032	2.00 126	4.00 056 732				4381	4

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.071	2.00 362	2.00 126	4.00 056 732				2C4381	4
3.071	1.50 362	2.00 126	4.00 056 732				2C4412	4
3.071	1.20 398	1.20 126	2.00 990 732				2C4439	4
3.071	1.50 362	1.50 126	2.50 533 732				2C4619	2
3.071	1.50 032	1.50 102	2.80 861 732				4662	4
3.071	1.50 363	1.50 102	2.80 861 732				2C4662	4
3.071	2.00 362	2.00 401	4.00 052 732				2C4682	6
3.071	1.20 398	1.50 126	2.80 861 732				2C4692	2
3.071	1.50 032	1.50 126	3.00 054 732				4737	4
3.071	1.50 362	1.50 126	3.00 054 732				2C4737	4
3.071	1.20 398	1.50 126	2.80 861 732				2C4778	3
3.071	2.00 362	2.00 401	3.00 054 732				2C4864	4
3.071	1.20 398	1.50 126	2.50 533 732				2C4994	4
3.071	1.50 327	1.75 401	3.50 058 732				2M5026	4
3.071	1.20 398	1.50 126	3.00 054 732				2C5115	4
3.071	1.50 032	1.50 126	3.00 996 732				5289	6
3.071	1.50 363	1.50 126	3.00 996 732				2C5289	6



Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.071	1.20 398	1.20 126	2.00 990 732				2C5393	3
3.071	1.75 032	2.00 401	4.00 860 732				6197	4
3.071	1.75 362	2.00 401	4.00 860 732				2C6197	4
3.071	1.50 032	1.50 102	2.80 861 732				6240	6
3.071	1.50 363	1.50 102	2.80 861 732				2C6240	6
3.071	2.00 362	2.00 401	4.00 056 732				2C6757	6
3.071	2.00 362	2.50 401	4.00 056 732				2C6804	4
3.071	2.00 032	2.00 401	4.00 055 732				6860	4
3.071	2.00 362	2.00 401	4.00 055 732				2C6860	4
3.071	2.00 032	2.00 401	4.00 056 732				6871	4
3.071	2.00 362	2.00 401	4.00 056 732				2C6871	4
3.071	1.75 362	2.00 401	3.00 553 881				2D7239	4
3.071	1.50 362	1.75 401	4.00 056 732				2C9520	4
3.083	1.75 205	2.00 214	3.00 204 881				2D7284	1
3.090	1.50 327	1.50 126	3.00 054 732				2M9365	4
3.090	1.20 398	1.50 126	2.50 934 732				2C9369	4

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.110	1.20 322	1.50 406	2.00 987 714				2N4071	4
3.110	1.20 398	1.20 126	2.00 934 005				2C4199	4
3.110	1.20 398	1.20 126	2.00 990 005				2C4356	4
3.110	2.00 032	2.00 401	5.00 871 732				4413	4
3.110	2.00 362	2.00 401	5.00 871 732				2C4413	4
3.110	1.75 362	2.00 126	4.00 056 732				2C4448	4
3.110	2.00 032	2.50 401	4.00 056 732				4482	4
3.110	2.00 362	2.50 401	4.00 056 732				2C4482	4
3.110	1.20 398	1.50 126	2.00 993 005				2C4596	4
3.110	1.20 398	1.50 126	3.00 872 732				2C4602	4
3.110	1.20 398	1.50 126	2.50 995 732				2C4621	4
3.110	2.00 032	1.50 126	3.00 054 732				4758	4
3.110	2.00 335	1.50 126	3.00 204 881				2D4758	4
3.110	1.20 398	1.20 126	3.00 996 732				2C4947	4
3.110	1.20 398	1.50 126	3.00 054 732				2C5301	4
3.110	1.20 398	1.20 126	2.00 993 005				2C5828	4

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.110	1.20 398	1.50 126	2.00 990 005				2C5855	4
3.110	1.50 032	2.00 126	4.00 056 732				6143	4
3.110	1.50 362	2.00 126	4.00 056 732				2C6143	4
3.110	1/16 102	1/16 102	1/8 870 732				6941	1
3.110	2.00 217	1.50 218	3.00 204 881				2C7424	1
3.110	2.00 276	2.00 236	3.00 203 881				2D7540	4
3 1/8	3/32 032	3/32 126	3/16 871 732				680	6
3 1/8	3/32 362	3/32 126	3/16 871 732				2C680	6
3 1/8	5/64 032	5/64 126	3/16 871 732				690	6
3 1/8	3/32 032	3/32 126	3/16 871 732				828	4
3 1/8	3/32 362	3/32 126	3/16 871 732				2C828	4
3 1/8	1/16 363	1/16 126	5/32 058 732				2C6170	2
3 1/8	1/8 362	1/8 126	1/8 126	1/4 860 732			2C7543	4
3 1/8	3/32 362	3/32 126	1/4 860 732				2C7696	4
3.130	2.00 032	2.50 126	5.00 860 732				4304	4
3.130	2.00 362	2.50 126	5.00 860 732				2C4304	4
3.130	1.50 362	1.50 126	2.50 995 732				2C4313	4

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.130	1.75 <b>032</b>	2.00 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>4490</b>	<b>4</b>
3.130	1.75 <b>363</b>	2.00 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>2C4490</b>	<b>4</b>
3.130	1.75 <b>327</b>	2.00 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>2M4490</b>	<b>4</b>
3.130	2.00 <b>363</b>	2.50 <b>126</b>	5.00 <b>870</b> <b>732</b>				<b>2C4828</b>	<b>4</b>
3.130	1.75 <b>032</b>	2.00 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>4833</b>	<b>4</b>
3.130	1.75 <b>363</b>	2.00 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>2C4833</b>	<b>4</b>
3.130	1.20 <b>398</b>	1.50 <b>126</b>	2.50 <b>995</b> <b>732</b>				<b>2C5135</b>	<b>4</b>
3.130	1.75 <b>205</b>	2.00 <b>126</b>	3.00 <b>204</b> <b>881</b>				<b>2D5854</b>	<b>1</b>
3.130	1.75 <b>032</b>	2.00 <b>126</b>	5.00 <b>860</b> <b>732</b>				<b>6117</b>	<b>4</b>
3.130	1.75 <b>362</b>	2.00 <b>126</b>	5.00 <b>860</b> <b>732</b>				<b>2C6117</b>	<b>4</b>
3.130	1.75 <b>032</b>	2.50 <b>126</b>	5.00 <b>860</b> <b>732</b>				<b>6118</b>	<b>4</b>
3.130	1.75 <b>362</b>	2.50 <b>126</b>	5.00 <b>860</b> <b>732</b>				<b>2C6118</b>	<b>4</b>
3.130	1.75 <b>363</b>	2.00 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>2C6145</b>	<b>5</b>
3.147	1.60 <b>032</b>	2.00 <b>126</b>	4.00 <b>860</b> <b>732</b>				<b>5653</b>	<b>4</b>
3.147	1.60 <b>363</b>	2.00 <b>126</b>	4.00 <b>860</b> <b>732</b>				<b>2C5653</b>	<b>4</b>
3.147	1.60 <b>327</b>	2.00 <b>126</b>	4.00 <b>860</b> <b>732</b>				<b>2M5653</b>	<b>4</b>

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.150	1.20 <b>322</b>	1.75 <b>275</b>	3.00 <b>996</b> <b>732</b>				<b>2N4138</b>	<b>4</b>
3.150	1.50 <b>362</b>	1.75 <b>401</b>	3.50 <b>055</b> <b>732</b>				<b>2C4291</b>	<b>4</b>
3.150	1.50 <b>376</b>	1.75 <b>406</b>	3.00 <b>200</b> <b>881</b>				<b>2C4329</b>	<b>6</b>
3.150	1.20 <b>398</b>	1.50 <b>126</b>	2.00 <b>993</b> <b>005</b>				<b>2C4501</b>	<b>6</b>
3.150	1.50 <b>362</b>	1.50 <b>126</b>	2.00 <b>993</b> <b>005</b>				<b>2C4559</b>	<b>6</b>
3.150	1.50 <b>102</b>	2.00 <b>126</b>	3.50 <b>055</b> <b>732</b>				<b>4617</b>	<b>6</b>
3.150	1.50 <b>362</b>	2.00 <b>126</b>	3.50 <b>055</b> <b>732</b>				<b>2C4617</b>	<b>6</b>
3.150	1.00 <b>398</b>	1.20 <b>126</b>	2.00 <b>993</b> <b>005</b>				<b>2C4623</b>	<b>2</b>
3.150	1.20 <b>398</b>	1.20 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>2C4647</b>	<b>4</b>
3.150	1.50 <b>032</b>	1.50 <b>401</b>	3.00 <b>054</b> <b>732</b>				<b>4691</b>	<b>4</b>
3.150	1.50 <b>362</b>	1.50 <b>401</b>	3.00 <b>054</b> <b>732</b>				<b>2C4691</b>	<b>4</b>
3.150	1.50 <b>327</b>	1.50 <b>401</b>	3.00 <b>054</b> <b>732</b>				<b>2M4691</b>	<b>4</b>
3.150	2.00 <b>032</b>	2.00 <b>401</b>	3.00 <b>054</b> <b>732</b>				<b>4709</b>	<b>4</b>
3.150	2.00 <b>362</b>	2.00 <b>401</b>	3.00 <b>204</b> <b>881</b>				<b>2D4709</b>	<b>4</b>
3.150	3.00 <b>102</b>	3.00 <b>102</b>	3.00 <b>401</b>	4.00 <b>058</b> <b>732</b>			<b>4964</b>	<b>1</b>
3.150	1.50 <b>102</b>	1.50 <b>102</b>	3.00 <b>054</b> <b>732</b>				<b>5032</b>	<b>1</b>

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.150	1.20 398	1.20 126	2.50 995 732				2C5143	4
3.150	1.20 398	1.50 401	2.50 995 732				2C5221	6
3.150	3.00 102	3.00 401	5.00 501				5755	4
3.150	3.00 102	3.00 401	4.75 871 732				5806	6
3.150	2.00 219	2.00 209	3.00 204 881				2M5860	1
3.150	2.00 032	2.50 401	5.00 871 732				6113	4
3.150	2.00 362	2.50 401	5.00 871 732				2C6113	4
3.150	1.20 398	1.50 126	4.00 056 732				2C6141	4
3.150	1.50 032	2.00 126	4.00 058 732				6155	4
3.150	1.50 362	2.00 126	4.00 058 732				2C6155	4
3.150	1.50 102	1.50 126	4.00 056 732				6177	4
3.150	1.50 363	1.50 126	4.00 056 732				2C6177	4
3.150	2.00 032	2.00 401	4.00 056 732				6761	4
3.150	2.00 362	2.00 401	4.00 056 732				2C6761	4
3.150	1.50 102	2.00 401	4.00 056 732				6814	4
3.150	1.50 362	2.00 401	4.00 056 732				2C6814	4
3.150	2.00 032	2.00 401	4.00 056 732				6876	6

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.150	2.00 <b>362</b>	2.00 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>2C6876</b>	<b>6</b>
3.150	2.50 <b>220</b>	2.00 <b>209</b>	3.00 <b>204</b> <b>881</b>				<b>2M7332</b>	<b>1</b>
3.150	2.00 <b>212</b>	2.00 <b>209</b>	3.00 <b>204</b> <b>881</b>				<b>2D7352</b>	<b>1</b>
3.150	3.00 <b>225</b>	2.00 <b>210</b>	3.00 <b>204</b> <b>881</b>				<b>2C7357</b>	<b>1</b>
3.150	2.50 <b>205</b>	2.00 <b>210</b>	3.00 <b>204</b> <b>881</b>				<b>2D7412</b>	<b>1</b>
3.150	1.50 <b>032</b>	1.75 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>9519</b>	<b>4</b>
3.150	1.50 <b>362</b>	1.75 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>2C9519</b>	<b>4</b>
----- 3.160	1/16 <b>102</b>	1/16 <b>102</b>	1/16 <b>102</b>	5/32 <b>056</b> <b>732</b>			<b>6738</b>	<b>4</b>
3.160	1/16 <b>102</b>	1/16 <b>102</b>	5/32 <b>056</b> <b>732</b>				<b>9526</b>	<b>4</b>
----- 3.161	1.50 <b>032</b>	1.50 <b>401</b>	3.00 <b>054</b> <b>005</b>				<b>4918</b>	<b>6</b>
3.161	1.50 <b>363</b>	1.50 <b>401</b>	3.00 <b>054</b> <b>005</b>				<b>2C4918</b>	<b>6</b>
----- 3.169	1.00 <b>398</b>	1.00 <b>123</b>	1.50 <b>981</b> <b>005</b>				<b>2C4113</b>	<b>4</b>
3.169	2.00 <b>032</b>	2.00 <b>126</b>	4.00 <b>860</b> <b>732</b>				<b>4293</b>	<b>4</b>
3.169	2.00 <b>362</b>	2.00 <b>126</b>	4.00 <b>860</b> <b>732</b>				<b>2C4293</b>	<b>4</b>
3.169	1.50 <b>102</b>	2.00 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>4476</b>	<b>4</b>
3.169	1.50 <b>362</b>	2.00 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>2C4476</b>	<b>4</b>

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.169	1.20 398	1.20 126	2.00 993 005				2C5185	4
3.169	1.50 032	1.75 401	3.00 054 732				5247	4
3.169	1.50 362	1.75 401	3.00 054 732				2C5247	4
3.169	1.50 032	2.00 126	4.00 056 732				5254	4
3.169	1.50 032	1.50 401	4.00 058 732				5300	4
3.169	1.20 398	1.00 123	2.00 993 005				2C5395	4
3.173	1.75 032	2.00 401	4.00 056 732				4253	4
3.173	1.75 363	2.00 401	4.00 056 732				2C4253	4
3.173	1.50 032	1.50 401	4.00 058 732				4367	4
3.173	1.50 363	1.50 401	4.00 058 732				2C4367	4
3.173	1.50 032	1.60 126	2.50 995 732				5194	4
3.173	1.50 363	1.60 126	2.50 995 732				2C5194	4
3.173	2.00 032	2.00 401	4.00 056 732				6172	4
3.173	2.00 363	2.00 401	4.00 056 732				2C6172	4
3 3/16	3/32 362	3/32 126	5/32 860 732	5/32 501			2C523	4
3 3/16	3/32 032	3/32 126	5/32 860 732	5/32 501			529	8
3 3/16	3/32 032	3/32 126	3/16 860 732	3/16 501			533	8



Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3 3/16	3/32 362	3/32 126	3/16 860 732	3/16 501			2C533	8
3 3/16	3/32 362	3/32 126	3/16 860 732				2C535	4
3 3/16	3/32 362	3/32 126	3/16 860 732	3/16 501			2C549	4
3 3/16	1/16 032	5/64 126	5/32 056 732				677	4
3 3/16	1/16 363	5/64 126	5/32 056 732				2C677	4
3 3/16	1/16 327	5/64 126	5/32 056 732				2M677	4
3 3/16	3/32 362	3/32 126	5/32 860 732				2C825	4
3 3/16	5/64 032	5/64 126	3/16 860 732				4417	4
3 3/16	5/64 362	5/64 126	3/16 860 732				2C4417	4
3 3/16	1/16 327	1/16 126	5/32 860 732				2M4915	1
3 3/16	5/64 032	5/64 126	3/16 860 732				5075	8
3 3/16	1/16 336	5/64 126	5/32 860 732				2M5545	4
3 3/16	5/64 032	5/64 401	5/32 860 732				5981	4
3 3/16	5/64 362	5/64 401	5/32 860 732				2C5981	4
3 3/16	1/16 032	1/16 126	5/32 056 732				6166	2
3 3/16	1/16 327	1/16 126	5/32 056 732				2M6166	2

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3 3/16	1/16 102	5/32 860 732					6948	1
3 3/16	1/16 102	1/16 102	5/32 860 732				6953	1
3 3/16	1/16 102	1/16 102	3/16 860 732				7003	2
3 3/16	1/16 327	1/16 126	3/16 860 732				2M7003	2
3 3/16	3/32 362	3/32 126	5/32 056 732	5/32 501			2C7505	4
3 3/16	3/32 362	3/32 126	3/32 126	3/16 860 732			2C7564	4
3 3/16	1/16 363	5/64 126	5/32 860 732				2C9502	4
3 3/16	1/16 336	5/64 126	5/32 860 732				2M9502	4
3.189	1.20 322	1.50 406	2.00 203 881				2N4097	6
3.189	1.50 032	1.75 126	3.00 054 732				4341	4
3.189	1.50 362	1.75 126	3.00 054 732				2C4341	4
3.189	1.50 335	1.75 126	3.00 054 732				2M4341	4
3.189	1.00 398	1.20 126	2.00 990 005				2C4357	4
3.189	1.50 335	1.70 126	3.00 553 881				2D4541	5
3.189	1.50 335	1.75 126	2.00 993 005				2M4584	6
3.189	1.00 398	1.20 126	2.00 993 005				2C4590	4
3.189	1.75 032	2.00 126	3.00 054 732				4600	4

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.189	1.75 <b>362</b>	2.00 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>2C4600</b>	<b>4</b>
3.189	1.20 <b>398</b>	1.50 <b>126</b>	2.80 <b>861</b> <b>732</b>				<b>2C4658</b>	<b>4</b>
3.189	1.50 <b>032</b>	1.50 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>4665</b>	<b>4</b>
3.189	1.50 <b>363</b>	1.50 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>2C4665</b>	<b>4</b>
3.189	1.00 <b>398</b>	1.20 <b>126</b>	2.80 <b>861</b> <b>732</b>				<b>2C4666</b>	<b>4</b>
3.189	1.50 <b>032</b>	1.50 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>4683</b>	<b>4</b>
3.189	1.50 <b>335</b>	1.50 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>2M4683</b>	<b>4</b>
3.189	1.50 <b>322</b>	1.50 <b>126</b>	3.00 <b>987</b> <b>714</b>				<b>2N4683</b>	<b>4</b>
3.189	1.20 <b>398</b>	1.50 <b>126</b>	2.80 <b>861</b> <b>732</b>				<b>2C4684</b>	<b>4</b>
3.189	1.20 <b>398</b>	1.50 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>2C4733</b>	<b>4</b>
3.189	1.20 <b>322</b>	1.50 <b>126</b>	3.00 <b>987</b> <b>714</b>				<b>2N4733</b>	<b>4</b>
3.189	1.20 <b>398</b>	1.20 <b>126</b>	2.80 <b>997</b> <b>732</b>				<b>2C4769</b>	<b>4</b>
3.189	1.20 <b>398</b>	1.50 <b>126</b>	3.00 <b>997</b> <b>732</b>				<b>2C4773</b>	<b>4</b>
3.189	1.20 <b>398</b>	1.20 <b>126</b>	2.00 <b>993</b> <b>005</b>				<b>2C4850</b>	<b>4</b>
3.189	1.50 <b>363</b>	1.50 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>2C4867</b>	<b>4</b>
3.189	1.50 <b>032</b>	1.75 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>4921</b>	<b>6</b>

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.189	1.50 <b>363</b>	1.75 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>2C4921</b>	<b>6</b>
3.189	1.75 <b>032</b>	2.00 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>4922</b>	<b>5</b>
3.189	1.75 <b>362</b>	2.00 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>2C4922</b>	<b>5</b>
3.189	1.50 <b>032</b>	1.75 <b>126</b>	2.00 <b>993</b> <b>005</b>				<b>4923</b>	<b>4</b>
3.189	1.50 <b>335</b>	1.75 <b>126</b>	2.00 <b>993</b> <b>005</b>				<b>2M4923</b>	<b>4</b>
3.189	1.20 <b>398</b>	1.75 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>2C4993</b>	<b>5</b>
3.189	1.50 <b>327</b>	1.50 <b>401</b>	2.00 <b>203</b> <b>881</b>				<b>2D5020</b>	<b>6</b>
3.189	1.20 <b>398</b>	1.50 <b>126</b>	2.00 <b>934</b> <b>935</b>				<b>2C5095</b>	<b>4</b>
3.189	1.00 <b>398</b>	1.20 <b>126</b>	2.80 <b>861</b> <b>732</b>				<b>SC5572</b>	<b>4</b>
3.189	1.50 <b>032</b>	1.50 <b>126</b>	2.80 <b>861</b> <b>732</b>				<b>6180</b>	<b>4</b>
3.189	1.50 <b>362</b>	1.50 <b>126</b>	2.80 <b>861</b> <b>732</b>				<b>2C6180</b>	<b>4</b>
3.189	1.50 <b>327</b>	1.50 <b>126</b>	2.80 <b>861</b> <b>732</b>				<b>2M6180</b>	<b>4</b>
3.189	1.75 <b>205</b>	2.00 <b>130</b>	3.00 <b>204</b> <b>881</b>				<b>2D7282</b>	<b>1</b>
3.189	2.50 <b>212</b>	2.00 <b>130</b>	3.00 <b>204</b> <b>881</b>				<b>2D7476</b>	<b>1</b>
3.189	1.75 <b>363</b>	2.00 <b>130</b>	2.00 <b>203</b> <b>881</b>				<b>2C7487</b>	<b>1</b>
3.189	2.00 <b>255</b>	1.75 <b>123</b>	3.00 <b>553</b> <b>881</b>				<b>2D7545</b>	<b>5</b>
3.189	2.00 <b>255</b>	1.75 <b>275</b>	2.00 <b>203</b> <b>881</b>				<b>2D7827</b>	<b>5</b>

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.189	2.50 <b>255</b>	2.50 <b>123</b>	3.00 <b>553</b> <b>881</b>				<b>2D7834</b>	<b>5</b>
3.200	1.60 <b>335</b>	2.00 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>2M4787</b>	<b>4</b>
3.208	1.20 <b>398</b>	1.50 <b>126</b>	3.00 <b>997</b> <b>732</b>				<b>2C4770</b>	<b>4</b>
3.208	1.20 <b>398</b>	1.50 <b>126</b>	2.80 <b>997</b> <b>732</b>				<b>2C5104</b>	<b>4</b>
3.208	1.20 <b>398</b>	1.20 <b>126</b>	2.50 <b>995</b> <b>732</b>				<b>2C5173</b>	<b>4</b>
3.209	1.50 <b>032</b>	1.50 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>5201</b>	<b>4</b>
3.212	1.20 <b>398</b>	1.50 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>2C4551</b>	<b>4</b>
3.212	1.20 <b>398</b>	1.50 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>2C5160</b>	<b>6</b>
3.212	1.50 <b>032</b>	1.50 <b>401</b>	3.00 <b>054</b> <b>732</b>				<b>5200</b>	<b>4</b>
3.212	1.50 <b>363</b>	1.50 <b>401</b>	3.00 <b>054</b> <b>732</b>				<b>2C5200</b>	<b>4</b>
3.212	1.50 <b>363</b>	1.50 <b>401</b>	3.00 <b>054</b> <b>732</b>				<b>2C5245</b>	<b>4</b>
3.212	1.50 <b>363</b>	1.50 <b>401</b>	3.00 <b>997</b> <b>732</b>				<b>2C5269</b>	<b>2</b>
3.218	1.75 <b>032</b>	2.50 <b>401</b>	4.00 <b>860</b> <b>732</b>				<b>4544</b>	<b>6</b>
3.218	1.75 <b>363</b>	2.50 <b>401</b>	4.00 <b>860</b> <b>732</b>				<b>2C4544</b>	<b>6</b>
3.226	1.50 <b>032</b>	1.50 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>4261</b>	<b>4</b>
3.226	1.50 <b>327</b>	1.50 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>2M4261</b>	<b>4</b>

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.228	1.20 <b>398</b>	1.50 <b>126</b>	2.00 <b>993</b> <b>005</b>				<b>2C4108</b>	<b>6</b>
3.228	1.20 <b>322</b>	1.50 <b>406</b>	2.00 <b>987</b> <b>714</b>				<b>2N4108</b>	<b>1</b>
3.228	1.20 <b>322</b>	1.50 <b>126</b>	2.50 <b>987</b> <b>714</b>				<b>2N4129</b>	<b>4</b>
3.228	1.50 <b>032</b>	1.50 <b>126</b>	4.00 <b>872</b> <b>732</b>				<b>4218</b>	<b>4</b>
3.228	1.50 <b>327</b>	1.50 <b>126</b>	4.00 <b>872</b> <b>732</b>				<b>2M4218</b>	<b>4</b>
3.228	2.00 <b>032</b>	2.00 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>4294</b>	<b>4</b>
3.228	2.00 <b>362</b>	2.00 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>2C4294</b>	<b>4</b>
3.228	1.50 <b>032</b>	1.50 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>4301</b>	<b>4</b>
3.228	1.50 <b>327</b>	1.50 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>2M4301</b>	<b>4</b>
3.228	1.50 <b>032</b>	1.50 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>4393</b>	<b>4</b>
3.228	1.50 <b>362</b>	1.50 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>2C4393</b>	<b>4</b>
3.228	1.50 <b>032</b>	2.00 <b>126</b>	4.00 <b>055</b> <b>732</b>				<b>4461</b>	<b>4</b>
3.228	1.50 <b>362</b>	2.00 <b>126</b>	4.00 <b>055</b> <b>732</b>				<b>2C4461</b>	<b>4</b>
3.228	2.00 <b>363</b>	2.00 <b>126</b>	2.80 <b>861</b> <b>732</b>				<b>2C4475</b>	<b>1</b>
3.228	1.20 <b>398</b>	1.50 <b>126</b>	2.00 <b>934</b> <b>005</b>				<b>2C4548</b>	<b>4</b>
3.228	2.00 <b>032</b>	2.00 <b>126</b>	4.50 <b>870</b> <b>732</b>				<b>4630</b>	<b>4</b>

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.228	1.50 032	1.50 126	3.00 054 732				4745	4
3.228	1.50 327	1.50 126	3.00 054 732				2M4745	4
3.228	1.75 032	2.00 126	3.00 054 732				4766	4
3.228	1.75 362	2.00 126	3.00 054 732				2C4766	4
3.228	1.50 032	1.50 126	3.00 054 732				4801	4
3.228	1.50 363	1.50 126	3.00 054 732				2C4801	4
3.228	1.50 032	1.75 126	4.00 058 732				4802	4
3.228	1.50 327	1.75 126	4.00 058 732				2M4802	4
3.228	2.00 363	2.00 126	4.00 056 732				2C4826	4
3.228	1.20 398	1.50 126	3.00 054 732				2C4891	4
3.228	1.50 362	1.50 126	4.00 058 732				2C4926	4
3.228	1.20 398	1.20 126	2.50 995 732				2C4943	4
3.228	1.20 398	1.50 126	2.50 995 732				2C4984	4
3.228	1.20 398	1.20 126	3.00 997 732				2C5087	4
3.228	1.20 398	1.20 126	2.00 993 005				2C5825	4
3.228	3.00 221	2.00 209	3.00 204 881				2D7259	1
3.228	1.75 362	2.00 401	4.00 056 732				2C7333	4

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.228	2.50 <b>217</b>	2.00 <b>210</b>	2.00 <b>248</b> <b>881</b>				<b>2C7340</b>	<b>1</b>
3.228	3.00 <b>221</b>	2.00 <b>210</b>	3.00 <b>204</b> <b>881</b>				<b>2D7355</b>	<b>1</b>
3.228	2.00 <b>205</b>	2.00 <b>214</b>	2.00 <b>248</b> <b>881</b>				<b>2D7366</b>	<b>1</b>
3.228	1.50 <b>362</b>	2.00 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>2C9377</b>	<b>4</b>
3.230	1.20 <b>398</b>	1.50 <b>126</b>	2.00 <b>993</b> <b>005</b>				<b>2C5144</b>	<b>4</b>
3.236	2.00 <b>205</b>	2.00 <b>210</b>	3.00 <b>204</b> <b>881</b>				<b>2D5858</b>	<b>1</b>
3.236	2.00 <b>362</b>	2.00 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>2C5858</b>	<b>4</b>
3.236	2.00 <b>226</b>	1.50 <b>218</b>	3.00 <b>204</b> <b>881</b>				<b>2C7428</b>	<b>1</b>
3.240	1.20 <b>398</b>	1.50 <b>126</b>	3.00 <b>997</b> <b>732</b>				<b>2C4669</b>	<b>4</b>
3.244	1.20 <b>398</b>	1.50 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>2C4794</b>	<b>6</b>
3.244	1.20 <b>398</b>	1.50 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>2C4886</b>	<b>8</b>
3.247	2.00 <b>363</b>	2.00 <b>401</b>	3.00 <b>054</b> <b>732</b>				<b>2C4821</b>	<b>4</b>
3.248	1.20 <b>322</b>	1.50 <b>406</b>	2.00 <b>248</b> <b>881</b>				<b>2N4144</b>	<b>1</b>
3.248	1.20 <b>398</b>	1.50 <b>126</b>	2.00 <b>934</b> <b>935</b>				<b>2C4562</b>	<b>5</b>
3.248	1.20 <b>398</b>	1.75 <b>126</b>	3.00 <b>997</b> <b>732</b>				<b>2C4563</b>	<b>1</b>
3.248	1.20 <b>398</b>	1.50 <b>126</b>	2.00 <b>934</b> <b>935</b>				<b>2C4639</b>	<b>4</b>



Ring Size & Type - Diametrical Index

<b>CYL DIA</b>	<b>1ST GROOVE</b>	<b>2ND GROOVE</b>	<b>3RD GROOVE</b>	<b>4TH GROOVE</b>	<b>5TH GROOVE</b>	<b>6TH GROOVE</b>	<b>PART NUMBER</b>	<b>NO OF CYL</b>
3.248	1.20 <b>322</b>	1.50 <b>406</b>	2.00 <b>987</b> <b>714</b>				<b>2N4639</b>	<b>4</b>
3.248	1.20 <b>398</b>	1.50 <b>126</b>	2.00 <b>934</b> <b>935</b>				<b>2C4924</b>	<b>6</b>
3.248	1.50 <b>362</b>	1.75 <b>126</b>	3.00 <b>997</b> <b>732</b>				<b>2C4927</b>	<b>1</b>
3.248	1.00 <b>398</b>	1.20 <b>126</b>	1.50 <b>981</b> <b>005</b>				<b>2C5382</b>	<b>4</b>
3.248	1.20 <b>398</b>	1.20 <b>126</b>	2.00 <b>993</b> <b>005</b>				<b>2C5385</b>	<b>4</b>
3.248	1.20 <b>322</b>	1.20 <b>406</b>	2.00 <b>248</b> <b>881</b>				<b>2N5385</b>	<b>4</b>
3.248	1.50 <b>032</b>	1.50 <b>126</b>	2.00 <b>934</b> <b>935</b>				<b>6190</b>	<b>4</b>
3.248	1.50 <b>363</b>	1.50 <b>126</b>	2.00 <b>934</b> <b>935</b>				<b>2C6190</b>	<b>4</b>
3.248	1.50 <b>362</b>	2.00 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>2C6801</b>	<b>4</b>
3.248	2.00 <b>032</b>	2.00 <b>401</b>	5.00 <b>871</b> <b>732</b>				<b>6823</b>	<b>4</b>
3.248	2.00 <b>362</b>	2.00 <b>401</b>	5.00 <b>871</b> <b>732</b>				<b>2C6823</b>	<b>4</b>
3.248	2.50 <b>211</b>	2.00 <b>210</b>	3.00 <b>204</b> <b>881</b>				<b>2D7104</b>	<b>1</b>
3.248	2.50 <b>238</b>	2.00 <b>218</b>	3.00 <b>204</b> <b>881</b>				<b>2C7133</b>	<b>1</b>
3.248	2.00 <b>217</b>	2.00 <b>218</b>	3.00 <b>204</b> <b>881</b>				<b>2C7538</b>	<b>1</b>
3.248	1.50 <b>032</b>	1.50 <b>126</b>	2.00 <b>934</b> <b>935</b>				<b>9547</b>	<b>5</b>
3.248	1.50 <b>363</b>	1.50 <b>126</b>	2.00 <b>934</b> <b>935</b>				<b>2C9547</b>	<b>5</b>

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3 1/4	3/32 032	3/32 126	5/32 860 732	5/32 501			144	6
3 1/4	3/32 362	3/32 126	5/32 860 732	5/32 501			2C144	6
3 1/4	1/8 032	1/8 126	5/32 860 732	5/32 501			441	6
3 1/4	3/32 032	1/8 126	5/32 860 732	5/32 501			443	6
3 1/4	3/32 032	3/32 126	5/32 860 732	5/32 501			446	8
3 1/4	3/32 032	3/32 126	3/16 860 732				619	8
3 1/4	1/8 032	1/8 126	1/8 126	3/16 860 732			4072	6
3 1/4	1/8 362	1/8 126	1/8 126	3/16 860 732			2C4072	6
3 1/4	3/32 032	3/32 126	3/32 126	3/16 860 732			4215	4
3 1/4	3/32 362	3/32 126	3/32 126	3/16 860 732			2C4215	4
3 1/4	5/64 032	5/64 126	3/16 860 732				4398	2
3 1/4	1/8 032	1/8 126	3/16 860 732				5060	4
3 1/4	1/8 362	1/8 126	3/16 860 732				2C5060	4
3 1/4	3/32 032	3/32 126	3/32 126	3/16 860 732			5123	2
3 1/4	3/32 362	3/32 126	3/32 126	3/16 860 732			2C5123	2
3 1/4	5/64 032	5/64 401	3/16 860 732				5909	4

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3 1/4	5/64 362	5/64 401	3/16 860 732				2C5909	4
3 1/4	5/64 032	5/64 401	3/16 860 732				5914	6
3 1/4	3/32 032	1/8 126	3/16 860 732				6022	4
3 1/4	3/32 362	1/8 126	3/16 860 732				2C6022	4
3 1/4	5/64 032	5/64 126	5/64 126	3/16 860 732			6184	2
3 1/4	5/64 362	5/64 126	5/64 126	3/16 860 732			2C6184	2
3 1/4	3/32 032	3/32 126	3/16 860 732				6261	2
3 1/4	1/16 102	5/32 860	732				6949	1
3 1/4	1/16 102	1/16 102	5/32 056 732				6954	1
3 1/4	3/32 032	3/32 126	5/32 860 732	5/32 501			7582	4
3 1/4	3/32 362	3/32 126	5/32 860 732	5/32 501			2C7582	4
3 1/4	3/32 032	3/32 126	3/32 126	3/16 860 732			7584	4
3 1/4	3/32 362	3/32 126	3/32 126	3/16 860 732			2C7584	4
3 1/4	3/32 032	3/32 126	3/16 860 732				7689	4
3 1/4	3/32 362	3/32 126	3/16 860 732				2C7689	4
3 1/4	3/32 032	3/32 126	3/16 860 732				7785	1
3 1/4	3/32 362	3/32 126	3/16 860 732				2C7785	1

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3 1/4	1/8 362	1/8 126	1/8 126	3/16 860 732			2C7789	4
3 1/4	1/8 032	1/8 126	3/16 860 732				7843	2
3 1/4	1/8 362	1/8 126	3/16 860 732				2C7843	2
3 1/4	1/8 032	1/8 126	1/8 126	3/16 860 732			7868	1
----- 3.256	1.50 362	1.50 126	4.00 058 732				2C4499	4
3.256	1.50 327	1.50 126	4.00 058 732				2M4499	4
3.256	1.20 398	1.50 126	2.00 934 935				2C4909	4
3.256	1.50 032	1.75 401	3.00 054 732				4990	4
3.256	1.50 362	1.75 401	3.00 054 732				2C4990	4
----- 3.264	1.50 362	1.75 126	3.00 054 732				2C5074	6
----- 3.268	1.20 322	1.75 406	2.00 987 714				2N4055	4
3.268	1.50 032	1.50 126	2.80 861 732				4221	4
3.268	1.50 376	1.50 126	2.80 861 732				2C4221	4
3.268	2.00 370	2.00 126	4.00 553 881				2D4223	4
3.268	1.20 398	1.50 126	4.00 056 732				2C4446	4
3.268	1.20 398	1.50 126	2.50 995 732				2C4510	1

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.268	1.20 398	1.75 126	3.00 997 732				2C4528	1
3.268	1.50 032	1.75 126	4.00 058 732				4614	4
3.268	1.50 362	1.75 126	4.00 058 732				2C4614	4
3.268	1.50 032	1.50 126	3.00 054 732				4651	4
3.268	1.50 376	1.50 126	3.00 054 732				2C4651	4
3.268	1.50 326	1.50 435	3.00 987 714				2N4651	4
3.268	1.20 398	1.20 126	2.80 861 732				2C4739	4
3.268	1.20 398	1.50 126	3.00 054 732				2C4749	4
3.268	1.20 398	1.50 126	3.00 997 732				2C4771	4
3.268	2.00 032	2.00 126	3.00 054 732				4865	4
3.268	2.00 362	2.00 126	3.00 204 881				2D4865	4
3.268	1.50 102	1.50 126	4.00 058 732				4951	4
3.268	1.50 362	1.50 126	4.00 058 732				2C4951	4
3.268	2.00 370	2.00 126	3.00 054 732				2C5016	4
3.268	1.75 032	1.75 126	4.00 056 732				5046	4
3.268	1.75 362	1.75 126	4.00 056 732				2C5046	4
3.268	1.20 398	1.20 126	2.50 995 732				2C5316	4

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.268	2.50 <b>032</b>	2.50 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>5376</b>	<b>2</b>
3.268	1.50 <b>032</b>	1.50 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>5573</b>	<b>4</b>
3.268	1.50 <b>376</b>	1.50 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>2C5573</b>	<b>4</b>
3.268	2.00 <b>102</b>	2.00 <b>401</b>	4.00 <b>058</b> <b>732</b>				<b>5782</b>	<b>6</b>
3.268	1.50 <b>376</b>	1.50 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>2C5881</b>	<b>4</b>
3.268	1.50 <b>032</b>	2.00 <b>401</b>	4.00 <b>860</b> <b>732</b>				<b>6148</b>	<b>6</b>
3.268	1.50 <b>362</b>	2.00 <b>401</b>	4.00 <b>860</b> <b>732</b>				<b>2C6148</b>	<b>6</b>
3.268	1.50 <b>032</b>	1.50 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>6162</b>	<b>6</b>
3.268	1.50 <b>362</b>	1.50 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>2C6162</b>	<b>6</b>
3.268	1.50 <b>327</b>	1.50 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>2M6162</b>	<b>6</b>
3.268	2.00 <b>032</b>	2.00 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>6793</b>	<b>4</b>
3.268	2.00 <b>362</b>	2.00 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>2C6793</b>	<b>4</b>
3.268	2.00 <b>032</b>	2.00 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>6831</b>	<b>4</b>
3.268	2.00 <b>362</b>	2.00 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>2C6831</b>	<b>4</b>
3.268	2.00 <b>032</b>	2.00 <b>401</b>	4.00 <b>058</b> <b>732</b>				<b>6856</b>	<b>6</b>
3.268	2.00 <b>362</b>	2.00 <b>401</b>	4.00 <b>058</b> <b>732</b>				<b>2C6856</b>	<b>6</b>

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.268	3.50 <b>224</b>	2.00 <b>202</b>	3.00 <b>204</b> <b>881</b>				<b>2M7157</b>	<b>1</b>
3.268	3.00 <b>221</b>	2.00 <b>202</b>	3.00 <b>204</b> <b>881</b>				<b>2D7351</b>	<b>1</b>
3.268	2.00 <b>240</b>	2.00 <b>126</b>	2.00 <b>248</b> <b>881</b>				<b>2D7367</b>	<b>1</b>
3.268	2.00 <b>220</b>	2.00 <b>126</b>	2.00 <b>248</b> <b>881</b>				<b>2M7382</b>	<b>1</b>
3.268	2.00 <b>239</b>	2.00 <b>123</b>	3.00 <b>204</b> <b>881</b>				<b>2D7435</b>	<b>1</b>
3.268	2.00 <b>255</b>	1.75 <b>123</b>	2.00 <b>248</b> <b>881</b>				<b>2D7440</b>	<b>4</b>
3.268	2.00 <b>213</b>	2.00 <b>223</b>	3.00 <b>204</b> <b>881</b>				<b>2D7468</b>	<b>1</b>
3.268	1.50 <b>239</b>	1.50 <b>406</b>	2.00 <b>553</b> <b>881</b>				<b>2D7528</b>	<b>4</b>
3.268	1.75 <b>239</b>	2.00 <b>123</b>	3.00 <b>204</b> <b>881</b>				<b>2D7534</b>	<b>6</b>
3.268	2.00 <b>227</b>	2.00 <b>123</b>	3.00 <b>203</b> <b>881</b>				<b>2D7810</b>	<b>4</b>
3.276	1.50 <b>326</b>	1.75 <b>406</b>	3.00 <b>987</b> <b>714</b>				<b>2N4187</b>	<b>6</b>
3.287	1.20 <b>398</b>	1.50 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>2C4928</b>	<b>6</b>
3.307	1.50 <b>032</b>	1.50 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>4217</b>	<b>4</b>
3.307	1.50 <b>336</b>	1.50 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>2M4217</b>	<b>4</b>
3.307	2.00 <b>032</b>	2.00 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>4247</b>	<b>4</b>
3.307	2.00 <b>362</b>	2.00 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>2C4247</b>	<b>4</b>
3.307	1.50 <b>032</b>	1.75 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>4250</b>	<b>4</b>

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.307	1.50 <b>362</b>	1.75 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>2C4250</b>	<b>4</b>
3.307	1.50 <b>102</b>	1.75 <b>401</b>	4.50 <b>871</b> <b>732</b>				<b>4280</b>	<b>4</b>
3.307	1.50 <b>362</b>	1.75 <b>401</b>	4.50 <b>871</b> <b>732</b>				<b>2C4280</b>	<b>4</b>
3.307	1.50 <b>102</b>	2.00 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>4340</b>	<b>6</b>
3.307	1.50 <b>362</b>	2.00 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>2C4340</b>	<b>6</b>
3.307	1.20 <b>398</b>	1.00 <b>123</b>	2.00 <b>990</b> <b>005</b>				<b>2C4434</b>	<b>4</b>
3.307	1.20 <b>398</b>	1.20 <b>126</b>	2.50 <b>995</b> <b>732</b>				<b>2C4521</b>	<b>4</b>
3.307	1.50 <b>032</b>	1.50 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>4555</b>	<b>4</b>
3.307	1.50 <b>362</b>	1.50 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>2C4555</b>	<b>4</b>
3.307	1.50 <b>032</b>	1.50 <b>126</b>	2.00 <b>993</b> <b>005</b>				<b>4557</b>	<b>2</b>
3.307	1.50 <b>362</b>	1.50 <b>126</b>	2.00 <b>993</b> <b>005</b>				<b>2C4557</b>	<b>2</b>
3.307	1.20 <b>398</b>	1.50 <b>126</b>	2.00 <b>993</b> <b>005</b>				<b>2C4573</b>	<b>2</b>
3.307	1.20 <b>322</b>	1.50 <b>406</b>	2.00 <b>987</b> <b>714</b>				<b>2N4573</b>	<b>4</b>
3.307	1.20 <b>398</b>	1.20 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>2C4644</b>	<b>6</b>
3.307	1.50 <b>362</b>	1.75 <b>401</b>	3.00 <b>054</b> <b>732</b>				<b>2C4762</b>	<b>6</b>
3.307	1.50 <b>362</b>	1.75 <b>401</b>	3.00 <b>054</b> <b>732</b>				<b>2C4763</b>	<b>4</b>



Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.307	1.50 032	2.00 126	4.00 058 732				4788	4
3.307	1.50 362	2.00 126	4.00 058 732				2C4788	4
3.307	1.50 336	1.50 126	3.50 058 732				2M4955	4
3.307	1.20 398	1.50 126	2.50 995 732				2C4959	4
3.307	1.20 326	1.50 435	2.50 987 714				2N4959	4
3.307	1.20 398	1.20 126	2.80 997 732				2C4973	4
3.307	1.20 326	1.20 126	2.80 997 732				2N4973	4
3.307	1.20 398	1.20 126	2.50 995 732				2C4980	6
3.307	1.20 398	1.50 126	2.50 995 732				2C5109	6
3.307	1.20 398	1.20 126	2.00 993 005				2C5223	4
3.307	2.00 032	3.00 401	5.00 871 732				5925	4
3.307	2.00 362	3.00 401	5.00 871 732				2C5925	4
3.307	2.00 032	3.00 401	5.00 871 732				6137	6
3.307	2.00 362	3.00 401	5.00 871 732				2C6137	6
3.307	2.00 032	2.00 401	4.50 871 732				6713	4
3.307	2.00 362	2.00 401	4.50 871 732				2C6713	4
3.307	1.75 205	1.75 218	3.00 204 881				2D7167	1

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.307	3.00 <b>221</b>	2.00 <b>406</b>	3.00 <b>203</b> <b>881</b>				<b>2D7279</b>	<b>1</b>
3.307	2.50 <b>217</b>	2.00 <b>210</b>	3.00 <b>204</b> <b>881</b>				<b>2C7288</b>	<b>1</b>
3.307	2.00 <b>205</b>	1.75 <b>218</b>	3.00 <b>204</b> <b>881</b>				<b>2D7290</b>	<b>1</b>
3.307	3.00 <b>221</b>	2.00 <b>210</b>	2.00 <b>248</b> <b>881</b>				<b>2D7299</b>	<b>1</b>
3.307	2.50 <b>211</b>	2.00 <b>210</b>	2.00 <b>248</b> <b>881</b>				<b>2D7343</b>	<b>1</b>
3.307	2.50 <b>205</b>	2.00 <b>202</b>	2.00 <b>248</b> <b>881</b>				<b>2D7374</b>	<b>1</b>
3.307	2.50 <b>241</b>	1.75 <b>218</b>	3.00 <b>204</b> <b>881</b>				<b>2D7376</b>	<b>1</b>
3.307	2.50 <b>241</b>	2.00 <b>214</b>	3.00 <b>204</b> <b>881</b>				<b>2D7455</b>	<b>1</b>
3.307	1.75 <b>322</b>	1.75 <b>406</b>	2.00 <b>248</b> <b>881</b>				<b>2D7816</b>	<b>1</b>
3.307	1.00 <b>398</b>	1.20 <b>126</b>	2.80 <b>861</b> <b>732</b>				<b>SC8513</b>	<b>4</b>
3.307	1.50 <b>102</b>	2.00 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>9516</b>	<b>4</b>
3.307	1.50 <b>362</b>	2.00 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>2C9516</b>	<b>4</b>
3.310	1.50 <b>032</b>	1.50 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>6152</b>	<b>4</b>
3.310	1.50 <b>376</b>	1.50 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>2C6152</b>	<b>4</b>
3.310	2.00 <b>032</b>	2.00 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>9101</b>	<b>4</b>
3.310	2.00 <b>362</b>	2.00 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>2C9101</b>	<b>4</b>

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3 5/16	3/32 032	3/32 126	3/16 860 732				473	6
3 5/16	3/32 032	3/32 126	5/32 860 732	5/32 501			4233	6
3 5/16	3/32 032	3/32 126	3/16 860 732				6627	1
3 5/16	5/64 032	5/64 401	3/16 860 732				6726	4
3 5/16	5/64 032	3/32 126	3/32 126	1/4 860 732			6912	6
3 5/16	1/16 102	5/32 860	732				6950	1
3 5/16	1/16 102	1/16 102	5/32 860 732				6955	1
3.313	1/16 102	1/16 102	3/16 860 732				7024	2
3 5/16	3/32 032	3/32 126	5/32 860 732	5/32 501			7537	4
3 5/16	1/8 362	1/8 126	1/8 126	3/16 860 732			2C7578	4
3.325	3.00 378	2.00 406	3.00 553 881				2D7803	1
3.327	1.50 032	1.50 126	2.80 861 732				4681	4
3.327	1.50 363	1.50 126	2.80 861 732				2C4681	4
3.327	1.50 032	1.50 126	3.00 054 732				4750	6
3.327	1.50 362	1.50 126	3.00 054 732				2C4750	6
3.327	2.00 376	2.00 126	3.00 553 881				2D4954	4

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.327	1.50 <b>032</b>	1.50 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>6156</b>	<b>4</b>
3.327	1.50 <b>363</b>	1.50 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>2C6156</b>	<b>4</b>
3.338	1.50 <b>032</b>	1.50 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>4635</b>	<b>4</b>
3.338	1.50 <b>362</b>	1.50 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>2C4635</b>	<b>4</b>
3.338	1.50 <b>363</b>	1.50 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>2C4834</b>	<b>4</b>
3.338	1.50 <b>032</b>	1.75 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>4848</b>	<b>4</b>
3.338	1.50 <b>327</b>	1.75 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>2M4848</b>	<b>4</b>
3.338	1.50 <b>032</b>	1.75 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>6193</b>	<b>4</b>
3.338	1.50 <b>362</b>	1.75 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>2C6193</b>	<b>4</b>
3.338	1.50 <b>327</b>	1.75 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>2M6193</b>	<b>4</b>
3.341	1.50 <b>032</b>	1.75 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>4887</b>	<b>4</b>
3.341	1.50 <b>327</b>	1.75 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>2M4887</b>	<b>4</b>
3.341	1.50 <b>032</b>	1.50 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>4889</b>	<b>4</b>
3.341	1.50 <b>335</b>	1.50 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>2M4889</b>	<b>4</b>
3.341	1.50 <b>335</b>	1.75 <b>130</b>	3.00 <b>054</b> <b>732</b>				<b>2M4987</b>	<b>4</b>
3.341	1.20 <b>398</b>	1.75 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>2C4991</b>	<b>4</b>
3.341	1.20 <b>398</b>	1.50 <b>126</b>	2.50 <b>995</b> <b>732</b>				<b>2C4992</b>	<b>4</b>

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.341	1.20 <b>398</b>	1.50 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>2C5150</b>	<b>4</b>
3.344	5/64 <b>032</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>834</b>	<b>6</b>
3.344	5/64 <b>362</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C834</b>	<b>6</b>
3.346	1.20 <b>398</b>	1.50 <b>126</b>	2.50 <b>995</b> <b>732</b>				<b>2C4106</b>	<b>4</b>
3.346	1.20 <b>220</b>	1.50 <b>406</b>	2.50 <b>995</b> <b>732</b>				<b>2M4106</b>	<b>4</b>
3.346	2.00 <b>272</b>	2.00 <b>123</b>	2.00 <b>248</b> <b>881</b>				<b>2D4143</b>	<b>4</b>
3.346	2.00 <b>032</b>	2.00 <b>126</b>	5.00 <b>871</b> <b>732</b>				<b>4415</b>	<b>4</b>
3.346	2.00 <b>362</b>	2.00 <b>126</b>	5.00 <b>871</b> <b>732</b>				<b>2C4415</b>	<b>4</b>
3.346	1.20 <b>398</b>	1.20 <b>126</b>	2.00 <b>993</b> <b>732</b>				<b>2C4558</b>	<b>4</b>
3.346	1.20 <b>398</b>	1.50 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>2C4613</b>	<b>4</b>
3.346	1.20 <b>398</b>	1.20 <b>126</b>	2.80 <b>861</b> <b>732</b>				<b>2C4654</b>	<b>4</b>
3.346	2.00 <b>362</b>	1.50 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>2C4661</b>	<b>4</b>
3.346	1.20 <b>398</b>	1.50 <b>126</b>	3.00 <b>997</b> <b>732</b>				<b>2C4768</b>	<b>4</b>
3.346	1.20 <b>398</b>	1.20 <b>126</b>	2.80 <b>997</b> <b>732</b>				<b>2C4779</b>	<b>5</b>
3.346	1.20 <b>398</b>	1.50 <b>126</b>	2.80 <b>997</b> <b>732</b>				<b>2C4933</b>	<b>4</b>
3.346	2.00 <b>376</b>	2.00 <b>126</b>	4.00 <b>553</b> <b>881</b>				<b>2D5058</b>	<b>6</b>

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.346	1.20 <b>398</b>	1.50 <b>126</b>	2.00 <b>993</b> <b>005</b>				<b>2C5203</b>	<b>4</b>
3.346	2.50 <b>032</b>	2.50 <b>401</b>	5.00 <b>871</b> <b>732</b>				<b>5993</b>	<b>4</b>
3.346	2.50 <b>362</b>	2.50 <b>401</b>	5.00 <b>871</b> <b>732</b>				<b>2C5993</b>	<b>4</b>
3.346	2.50 <b>032</b>	2.50 <b>401</b>	5.00 <b>871</b> <b>732</b>				<b>5994</b>	<b>6</b>
3.346	2.50 <b>362</b>	2.50 <b>401</b>	5.00 <b>871</b> <b>732</b>				<b>2C5994</b>	<b>6</b>
3.346	2.00 <b>032</b>	2.00 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>6171</b>	<b>4</b>
3.346	2.00 <b>362</b>	2.00 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>2C6171</b>	<b>4</b>
3.346	3.00 <b>362</b>	3.00 <b>032</b>	3.00 <b>401</b>	5.50 <b>860</b> <b>732</b>	5.50		<b>2C6832</b>	<b>2</b>
3.346	2.00 <b>032</b>	2.00 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>6872</b>	<b>4</b>
3.346	2.00 <b>362</b>	2.00 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>2C6872</b>	<b>4</b>
3.346	1.50 <b>032</b>	1.50 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>6899</b>	<b>4</b>
3.346	1.50 <b>362</b>	1.50 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>2C6899</b>	<b>4</b>
3.346	1.50 <b>327</b>	1.50 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>2M6899</b>	<b>4</b>
3.346	3.50 <b>213</b>	2.00 <b>210</b>	3.00 <b>204</b> <b>881</b>				<b>2D7176</b>	<b>1</b>
3.346	2.00 <b>225</b>	2.00 <b>210</b>	3.00 <b>204</b> <b>881</b>				<b>2C7425</b>	<b>1</b>
3.346	2.50 <b>273</b>	2.00 <b>126</b>	2.00 <b>248</b> <b>881</b>				<b>2D7549</b>	<b>4</b>
3.346	2.50 <b>274</b>	1.50 <b>406</b>	2.00 <b>203</b> <b>881</b>				<b>2D7811</b>	<b>4</b>

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.346	1.50 <b>362</b>	2.00 <b>401</b>	3.00 <b>054</b> <b>732</b>				<b>2C9340</b>	<b>4</b>
3.358	1.50 <b>376</b>	1.75 <b>406</b>	3.00 <b>553</b> <b>881</b>				<b>2C4192</b>	<b>4</b>
3.366	1.50 <b>102</b>	1.75 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>4664</b>	<b>4</b>
3.366	1.50 <b>362</b>	1.75 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>2C4664</b>	<b>4</b>
3.366	2.00 <b>102</b>	2.00 <b>401</b>	5.00 <b>871</b> <b>732</b>				<b>4841</b>	<b>4</b>
3.366	2.00 <b>363</b>	2.00 <b>126</b>	5.00 <b>871</b> <b>732</b>				<b>2C4841</b>	<b>4</b>
3.366	1.75 <b>202</b>	2.00 <b>406</b>	5.00 <b>553</b> <b>881</b>				<b>5277</b>	<b>4</b>
3.366	1.75 <b>032</b>	2.00 <b>401</b>	5.00 <b>860</b> <b>732</b>				<b>6165</b>	<b>4</b>
3.366	1.75 <b>362</b>	2.00 <b>401</b>	5.00 <b>860</b> <b>732</b>				<b>2C6165</b>	<b>4</b>
3.366	2.00 <b>032</b>	3.00 <b>401</b>	5.00 <b>860</b> <b>732</b>				<b>6772</b>	<b>4</b>
3.366	2.00 <b>032</b>	2.00 <b>401</b>	5.00 <b>871</b> <b>732</b>				<b>6781</b>	<b>4</b>
3.366	2.00 <b>362</b>	2.00 <b>401</b>	5.00 <b>871</b> <b>732</b>				<b>2C6781</b>	<b>4</b>
3.374	2.50 <b>032</b>	2.50 <b>401</b>	4.75 <b>871</b> <b>732</b>				<b>5738</b>	<b>6</b>
3.374	2.50 <b>362</b>	2.50 <b>401</b>	4.75 <b>871</b> <b>732</b>				<b>2C5738</b>	<b>6</b>
3 3/8	3/32 <b>362</b>	3/32 <b>102</b>	5/32 <b>860</b> <b>732</b>	5/32 <b>501</b>			<b>2C438</b>	<b>6</b>
3 3/8	5/64 <b>032</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>474</b>	<b>8</b>

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3 3/8	5/64 032	5/64 126	3/16 860 732				662	6
3 3/8	5/64 362	5/64 126	3/16 860 732				2C662	6
3 3/8	1/8 362	5/32 102	5/32 401	1/4 860 732			2C726	4
3.375	3/32 102	3/32 102	3/32 102	3/16 871 732	3/16 501		5960	4
3 3/8	5/64 032	5/64 126	3/16 860 732				6474	1
3 3/8	5/64 362	5/64 126	3/16 860 732				2C6474	1
3 3/8	5/64 032	5/64 401	3/16 860 732				6874	4
3 3/8	5/64 362	5/64 401	3/16 860 732				2C6874	4
3 3/8	3/32 362	3/32 126	3/16 860 732				2C7144	4
3 3/8	3/32 362	1/8 126	1/8 126	1/4 860 732			2C7207	4
3 3/8	1/8 362	1/8 126	1/8 126	1/4 553 881			2D7536	4
3 3/8	3/32 362	3/32 126	3/32 126	1/4 860 732			2C7558	4
3 3/8	3/32 362	3/32 126	3/32 126	3/16 860 732			2C7671	4
3 3/8	1/8 362	1/8 126	1/8 126	3/16 860 732			2C7762	4
3.386	1.20 398	1.50 126	2.00 993 005				2C4179	4
3.386	1.20 322	1.50 406	2.50 987 714				2N4189	4
3.386	2.00 336	2.00 435	4.00 553 881				2D4210	4



Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.386	1.50 032	1.50 435	4.00 058 732				4219	4
3.386	1.50 362	1.50 435	4.00 058 732				2C4219	4
3.386	1.50 327	1.50 435	4.00 058 732				2M4219	4
3.386	1.75 362	2.50 401	4.00 056 732				2C4303	6
3.386	2.50 362	2.00 435	5.00 553 881				2D4390	4
3.386	2.00 032	2.00 126	4.00 860 732				4394	6
3.386	2.00 362	2.00 126	4.00 860 732				2C4394	6
3.386	1.50 032	1.50 126	3.00 872 732				4601	4
3.386	1.50 397	1.50 126	3.00 872 732				2M4601	4
3.386	1.20 398	1.50 435	4.00 058 732				2C4653	4
3.386	1.20 398	1.50 126	2.50 995 732				2C4703	4
3.386	1.50 376	1.50 435	4.00 058 732				2C4713	6
3.386	1.50 032	1.50 435	2.80 861 732				4754	6
3.386	1.50 376	1.50 435	2.80 861 732				2C4754	6
3.386	1.50 397	1.50 435	2.80 861 732				2M4754	6
3.386	1.20 398	1.20 126	2.00 993 005				2C4835	4

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.386	1.60 <b>102</b>	1.75 <b>126</b>	3.00 <b>997</b> <b>732</b>				<b>4876</b>	<b>4</b>
3.386	1.60 <b>362</b>	1.75 <b>126</b>	3.00 <b>997</b> <b>732</b>				<b>2C4876</b>	<b>4</b>
3.386	1.50 <b>335</b>	1.50 <b>126</b>	3.00 <b>997</b> <b>732</b>				<b>2M4896</b>	<b>6</b>
3.386	1.50 <b>397</b>	1.50 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>2M4946</b>	<b>6</b>
3.386	1.20 <b>398</b>	1.20 <b>126</b>	2.80 <b>997</b> <b>732</b>				<b>2C4969</b>	<b>4</b>
3.386	1.20 <b>398</b>	1.20 <b>126</b>	2.80 <b>997</b> <b>732</b>				<b>2C4971</b>	<b>6</b>
3.386	2.00 <b>335</b>	2.00 <b>435</b>	3.00 <b>553</b> <b>881</b>				<b>2D4989</b>	<b>4</b>
3.386	1.20 <b>398</b>	1.50 <b>435</b>	3.00 <b>054</b> <b>732</b>				<b>2C4996</b>	<b>6</b>
3.386	1.20 <b>398</b>	1.20 <b>126</b>	3.00 <b>997</b> <b>732</b>				<b>2C5005</b>	<b>4</b>
3.386	2.50 <b>372</b>	2.50 <b>401</b>	3.00 <b>204</b> <b>881</b>				<b>2D5043</b>	<b>4</b>
3.386	1.50 <b>032</b>	1.75 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>5065</b>	<b>4</b>
3.386	1.50 <b>397</b>	1.75 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>2M5065</b>	<b>4</b>
3.386	1.20 <b>398</b>	1.20 <b>126</b>	2.00 <b>993</b> <b>005</b>				<b>2C5089</b>	<b>4</b>
3.386	1.50 <b>397</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>732</b>				<b>2M5094</b>	<b>6</b>
3.386	1.20 <b>398</b>	1.50 <b>126</b>	2.50 <b>995</b> <b>732</b>				<b>2C5130</b>	<b>4</b>
3.386	1.20 <b>322</b>	1.50 <b>435</b>	2.50 <b>995</b> <b>732</b>				<b>2N5130</b>	<b>4</b>
3.386	1.20 <b>398</b>	1.50 <b>126</b>	2.50 <b>995</b> <b>732</b>				<b>2C5142</b>	<b>8</b>

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.386	1.20 398	1.50 126	2.00 993 005				2C5239	6
3.386	1.75 032	1.50 126	4.00 058 732				5281	4
3.386	1.50 032	1.50 435	4.00 058 732				5664	4
3.386	1.50 362	1.50 435	4.00 058 732				2C5664	4
3.386	1.50 397	1.50 435	4.00 058 732				2M5664	4
3.386	1.50 032	2.00 126	4.00 056 732				6142	6
3.386	1.50 362	2.00 126	4.00 056 732				2C6142	6
3.386	1.50 376	2.00 126	4.00 056 732				2C6150	6
3.386	1/16 102	1/16 102	5/32 058 732				6735	4
3.386	1/16 362	1/16 102	5/32 058 732				2C6735	4
3.386	2.00 032	2.50 401	4.00 860 732				6846	4
3.386	2.00 362	2.50 401	4.00 860 732				2C6846	4
3.386	2.50 211	2.00 210	3.00 204 881				2D7145	1
3.386	1.20 398	1.20 126	2.00 248 881				2C7194	4
3.386	2.50 212	2.00 202	3.00 204 881				2D7329	1
3.386	2.00 212	2.00 210	3.00 204 881				2D7365	1

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.386	2.00 <b>212</b>	2.00 <b>210</b>	2.00 <b>248</b> <b>881</b>				<b>2D7451</b>	<b>1</b>
3.386	2.00 <b>226</b>	1.50 <b>218</b>	2.00 <b>248</b> <b>881</b>				<b>2C7465</b>	<b>1</b>
3.386	2.00 <b>385</b>	2.00 <b>135</b>	3.00 <b>203</b> <b>881</b>				<b>2D7809</b>	<b>4</b>
3.386	1.50 <b>032</b>	2.00 <b>435</b>	4.00 <b>056</b> <b>732</b>				<b>9514</b>	<b>4</b>
3.386	1.50 <b>362</b>	2.00 <b>435</b>	4.00 <b>056</b> <b>732</b>				<b>2C9514</b>	<b>4</b>
3.391	5/64 <b>032</b>	5/64 <b>126</b>	5/32 <b>860</b> <b>732</b>				<b>674</b>	<b>4</b>
3.391	5/64 <b>362</b>	5/64 <b>126</b>	5/32 <b>860</b> <b>732</b>				<b>2C674</b>	<b>4</b>
3.394	1.60 <b>032</b>	2.00 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>4900</b>	<b>4</b>
3.394	1.60 <b>363</b>	2.00 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>2C4900</b>	<b>4</b>
3.394	2.50 <b>227</b>	2.00 <b>202</b>	3.00 <b>204</b> <b>881</b>				<b>2C7498</b>	<b>1</b>
3.400	5/64 <b>032</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>687</b>	<b>6</b>
3.400	5/64 <b>362</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C687</b>	<b>6</b>
3.400	5/64 <b>327</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2M687</b>	<b>6</b>
3.401	1.50 <b>362</b>	2.00 <b>401</b>	3.00 <b>054</b> <b>732</b>				<b>2C4519</b>	<b>4</b>
3.401	1.50 <b>032</b>	1.50 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>4523</b>	<b>4</b>
3.401	1.50 <b>363</b>	1.50 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>2C4523</b>	<b>4</b>
3.401	1.50 <b>032</b>	1.75 <b>401</b>	3.00 <b>054</b> <b>732</b>				<b>4800</b>	<b>4</b>

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.401	1.50 <b>363</b>	1.75 <b>401</b>	3.00 <b>054</b> <b>732</b>				<b>2C4800</b>	<b>4</b>
3.401	1.50 <b>032</b>	2.00 <b>401</b>	4.00 <b>058</b> <b>732</b>				<b>4804</b>	<b>4</b>
3.401	1.50 <b>363</b>	2.00 <b>401</b>	4.00 <b>058</b> <b>732</b>				<b>2C4804</b>	<b>4</b>
3.401	1.50 <b>032</b>	2.00 <b>401</b>	4.00 <b>860</b> <b>732</b>				<b>6139</b>	<b>4</b>
3.401	1.50 <b>362</b>	2.00 <b>401</b>	4.00 <b>860</b> <b>732</b>				<b>2C6139</b>	<b>4</b>
3.405	1.50 <b>362</b>	1.50 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>2C4638</b>	<b>4</b>
3.405	1.50 <b>032</b>	1.50 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>4638</b>	<b>4</b>
3.405	1.20 <b>398</b>	1.50 <b>126</b>	2.80 <b>997</b> <b>732</b>				<b>2C4780</b>	<b>4</b>
3.405	1.20 <b>398</b>	1.50 <b>126</b>	3.00 <b>997</b> <b>732</b>				<b>2C4783</b>	<b>4</b>
3.405	2.00 <b>362</b>	2.00 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>2C5591</b>	<b>4</b>
3.405	2.00 <b>032</b>	2.00 <b>126</b>	2.50 <b>126</b>	4.00 <b>860</b> <b>732</b>			<b>9505</b>	<b>6</b>
3.405	2.00 <b>362</b>	2.00 <b>126</b>	2.50 <b>126</b>	4.00 <b>056</b> <b>732</b>			<b>2C9505</b>	<b>6</b>
3.406	2.00 <b>032</b>	2.50 <b>126</b>	5.00 <b>871</b> <b>732</b>				<b>4466</b>	<b>4</b>
3.406	2.00 <b>362</b>	2.50 <b>126</b>	5.00 <b>871</b> <b>732</b>				<b>2C4466</b>	<b>4</b>
3.413	1.20 <b>398</b>	1.20 <b>126</b>	2.50 <b>995</b> <b>732</b>				<b>2C5265</b>	<b>6</b>
3.413	1.20 <b>398</b>	1.20 <b>435</b>	2.00 <b>993</b> <b>732</b>				<b>2C5384</b>	<b>6</b>

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.425	1.20 398	1.00 123	2.00 993 005				2C4122	4
3.425	1.50 335	1.50 102	4.00 058 732				2M4207	4
3.425	2.00 032	2.00 126	5.00 871 732				4298	4
3.425	2.00 362	2.00 126	5.00 871 732				2C4298	4
3.425	1.50 362	1.50 102	5.00 871 732				2C4299	4
3.425	2.00 032	2.50 126	4.00 056 732				4320	4
3.425	2.00 362	2.50 126	4.00 056 732				2C4320	4
3.425	2.00 032	2.00 126	5.00 871 732				4416	6
3.425	2.00 362	2.00 126	5.00 871 732				2C4416	6
3.425	1.50 362	1.50 102	2.50 401	4.00 056 732			2C4542	4
3.425	1.20 398	1.20 126	4.00 058 732				2C4645	6
3.425	1.50 032	1.50 126	3.00 997 732				4686	4
3.425	1.50 397	1.50 126	3.00 997 732				2M4686	4
3.425	1.50 102	1.50 102	3.00 054 732				4756	1
3.425	1.50 032	1.50 126	3.00 872 732				4761	8
3.425	1.50 335	1.50 126	3.00 872 732				2M4761	8

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.425	1.20 398	1.20 126	2.80 997 732				2C4767	4
3.425	1.20 398	1.50 126	3.00 872 732				2C4895	8
3.425	1.20 398	1.20 126	3.00 997 732				2C5006	4
3.425	1.20 398	1.20 435	3.00 987 714				2N5006	4
3.425	1.20 398	1.20 126	2.00 993 005				2C5147	4
3.425	1.20 398	1.20 126	2.00 990 732				2C5148	4
3.425	2.00 362	2.00 126	3.00 054 732				2C5163	1
3.425	1.20 398	1.20 126	2.50 995 732				2C5179	4
3.425	1.75 032	2.00 126	4.00 056 732				5497	4
3.425	2.50 220	2.00 126	3.00 204 881				2D5627	1
3.425	5/64 032	5/64 401	5/32 056 732				5957	6
3.425	5/64 362	5/64 401	5/32 056 732				2C5957	6
3.425	1.50 102	1.50 102	4.00 058 732				6149	4
3.425	1.50 362	1.50 102	4.00 058 732				2C6149	4
3.425	1.50 327	1.50 102	4.00 058 732				2M6149	4
3.425	2.00 032	2.00 126	4.00 056 732				6157	4
3.425	2.00 362	2.00 126	4.00 056 732				2C6157	4

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.425	2.00 <b>327</b>	2.00 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>2M6157</b>	<b>4</b>
3.425	1.50 <b>032</b>	1.50 <b>126</b>	2.80 <b>861</b> <b>732</b>				<b>6196</b>	<b>6</b>
3.425	1.50 <b>335</b>	1.50 <b>126</b>	2.80 <b>861</b> <b>732</b>				<b>2M6196</b>	<b>6</b>
3.425	2.00 <b>362</b>	1.50 <b>126</b>	2.80 <b>861</b> <b>732</b>				<b>2C6239</b>	<b>6</b>
3.425	1.50 <b>362</b>	2.50 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>2C7275</b>	<b>4</b>
3.425	2.50 <b>220</b>	1.75 <b>209</b>	2.50 <b>204</b> <b>881</b>				<b>2M7298</b>	<b>1</b>
3.425	3.00 <b>228</b>	1.75 <b>209</b>	2.50 <b>204</b> <b>881</b>				<b>2M7349</b>	<b>1</b>
3.425	2.50 <b>222</b>	2.00 <b>214</b>	3.00 <b>204</b> <b>881</b>				<b>2D7495</b>	<b>1</b>
3.425	3.00 <b>363</b>	2.00 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>2C9506</b>	<b>4</b>
----- 3.433	2.00 <b>032</b>	2.50 <b>401</b>	4.00 <b>860</b> <b>732</b>				<b>6830</b>	<b>4</b>
3.433	2.00 <b>362</b>	2.50 <b>401</b>	4.00 <b>860</b> <b>732</b>				<b>2C6830</b>	<b>4</b>
----- 3 7/16	3/32 <b>032</b>	3/32 <b>126</b>	3/16 <b>860</b> <b>732</b>	3/16 <b>501</b>			<b>429</b>	<b>8</b>
3 7/16	3/32 <b>032</b>	3/32 <b>126</b>	5/32 <b>860</b> <b>732</b>	5/32 <b>501</b>			<b>445</b>	<b>6</b>
3 7/16	3/32 <b>362</b>	3/32 <b>126</b>	5/32 <b>860</b> <b>732</b>	5/32 <b>501</b>			<b>2C445</b>	<b>6</b>
3 7/16	3/32 <b>032</b>	3/32 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>618</b>	<b>6</b>
3 7/16	5/64 <b>032</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>627</b>	<b>8</b>



Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3 7/16	5/64 032	5/64 126	3/16 860 732				663	6
3 7/16	5/64 362	5/64 126	3/16 860 732				2C663	6
3 7/16	1/16 032	1/16 126	1/8 860 732				669	6
3 7/16	1/16 362	1/16 126	1/8 860 732				2C669	6
3 7/16	1/16 327	1/16 126	1/8 860 732				2M669	6
3 7/16	3/32 032	1/8 126	1/8 126	3/16 860 732	3/16 501		4288	4
3 7/16	3/32 362	1/8 126	1/8 126	3/16 860 732	3/16 501		2C4288	4
3 7/16	1/16 032	1/16 126	3/16 501				4609	2
3 7/16	3/32 362	1/8 126	3/16 860 732				2C4878	6
3 7/16	1/16 327	1/16 126	5/32 860 732				2M4916	1
3 7/16	1/8 032	1/8 126	1/8 126	3/16 860 732			5063	4
3 7/16	1/8 362	1/8 126	1/8 126	3/16 860 732			2C5063	4
3 7/16	1/8 362	1/8 126	1/8 126	3/16 501 825	3/16 501		2C5102	6
3 7/16	3/32 032	1/8 126	1/8 126	3/16 860 732	3/16 501		5106	6
3 7/16	3/32 362	1/8 126	1/8 126	3/16 860 732	3/16 501		2C5106	6
3 7/16	3/32 362	3/32 126	3/16 860 732				2C5127	6
3 7/16	3/32 032	3/32 126	3/16 501				5193	2

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3 7/16	3/32 362	3/32 126	3/16 860 732				2C5193	2
3 7/16	3/32 362	1/8 126	3/16 860 732	3/16 501			2C5263	6
3 7/16	3/32 362	3/32 126	3/32 126	1/4 860 732			2C5669	4
3 7/16	1/16 032	1/16 126	3/16 860 732				6482	2
3 7/16	1/16 327	1/16 126	3/16 860 732				2M6482	2
3 7/16	3/32 032	3/32 126	3/16 860 732				6588	1
3 7/16	3/32 362	3/32 126	3/16 860 732				2C6588	1
3 7/16	5/64 362	5/64 362	3/16 860 732				2C6638	1
3 7/16	5/64 032	3/32 126	3/32 126	1/4 860 732			6677	4
3 7/16	5/64 362	3/32 126	3/32 126	1/4 860 732			2C6677	4
3 7/16	5/64 327	3/32 126	3/32 126	1/4 860 732			2M6677	4
3 7/16	5/64 032	3/32 126	3/32 126	1/4 860 732			6678	6
3 7/16	5/64 362	3/32 126	3/32 126	1/4 860 732			2C6678	6
3 7/16	3/32 362	3/32 126	3/16 860 732				2C7501	4
3 7/16	3/32 362	3/32 126	3/32 126	3/16 860 732	3/16 501		2C7585	4
3 7/16	3/32 362	3/32 126	3/32 126	1/4 860 732			2C7681	4

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3 7/16	3/32 032	3/32 126	3/32 126	3/16 860 732			7705	4
3 7/16	3/32 362	3/32 126	3/32 126	3/16 860 732			2C7705	4
3 7/16	3/32 362	3/32 126	1/8 126	1/4 860 732			2C7790	4
3.445	1.20 398	1.50 126	2.50 995 732				2C4174	4
3.445	1.50 335	1.50 126	4.00 056 732				2M4206	4
3.445	1.50 032	1.50 126	4.00 872 732				4222	4
3.445	1.50 362	1.50 126	4.00 872 732				2C4222	4
3.445	1.50 335	1.50 126	4.00 872 732				2M4222	4
3.445	1.50 335	1.50 126	3.00 997 732				2M4676	6
3.445	1.50 335	1.50 126	3.00 997 732				2M4678	8
3.445	1.50 032	1.50 126	4.00 856 732				4689	6
3.445	1.50 397	1.50 126	4.00 856 732				2M4689	6
3.445	1.50 397	1.50 126	3.00 054 732				2M4734	4
3.445	1.20 398	1.20 126	3.00 872 732				2C4759	4
3.445	1.50 335	1.50 126	4.00 872 732				2M4880	4
3.445	1.20 398	1.20 126	3.00 997 732				2C4902	6
3.445	1.20 398	1.50 126	3.00 872 732				2C4948	4

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.445	1.20 <b>398</b>	1.50 <b>126</b>	2.50 <b>995</b> <b>732</b>				<b>2C5125</b>	<b>4</b>
3.445	1.20 <b>398</b>	1.50 <b>126</b>	2.50 <b>995</b> <b>732</b>				<b>2C5131</b>	<b>6</b>
3.445	1.20 <b>398</b>	1.20 <b>126</b>	2.50 <b>995</b> <b>732</b>				<b>2C5158</b>	<b>4</b>
3.445	1.20 <b>326</b>	1.20 <b>126</b>	2.50 <b>987</b> <b>714</b>				<b>2N5158</b>	<b>4</b>
3.445	1.50 <b>397</b>	1.50 <b>126</b>	2.00 <b>993</b> <b>005</b>				<b>2M5168</b>	<b>4</b>
3.445	1.20 <b>398</b>	1.20 <b>126</b>	3.00 <b>621</b> <b>732</b>				<b>SC5556</b>	<b>4</b>
3.445	1.50 <b>032</b>	1.50 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>5652</b>	<b>4</b>
3.445	1.50 <b>363</b>	1.50 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>2C5652</b>	<b>4</b>
3.445	1.50 <b>327</b>	1.50 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>2M5652</b>	<b>4</b>
3.449	1.20 <b>398</b>	1.00 <b>123</b>	2.00 <b>990</b> <b>732</b>				<b>2C5146</b>	<b>6</b>
3.461	1.20 <b>398</b>	1.50 <b>126</b>	3.00 <b>997</b> <b>732</b>				<b>2C4817</b>	<b>4</b>
3.464	1.50 <b>322</b>	1.75 <b>406</b>	2.50 <b>987</b> <b>714</b>				<b>2N4059</b>	<b>6</b>
3.464	1.75 <b>032</b>	2.00 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>4257</b>	<b>4</b>
3.464	1.75 <b>327</b>	2.00 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>2M4257</b>	<b>4</b>
3.464	1.50 <b>032</b>	2.00 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>4279</b>	<b>4</b>
3.464	1.50 <b>362</b>	2.00 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>2C4279</b>	<b>4</b>

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.464	1.50 362	1.75 126	4.00 056 732				2C4290	6
3.464	1.50 362	1.50 126	4.00 856 732				2C4365	4
3.464	2.00 362	2.00 032	2.00 401	5.00 553 881			2D4423	4
3.464	1.20 398	1.50 126	2.00 993 005				2C4437	8
3.464	1.50 335	1.50 126	3.00 872 005				2M4447	8
3.464	1.75 327	2.00 126	4.00 872 732				2M4455	4
3.464	1.50 032	2.00 401	4.00 056 732				4488	6
3.464	1.50 362	2.00 401	4.00 056 732				2C4488	6
3.464	1.20 398	1.50 126	2.00 993 005				2C4564	4
3.464	1.20 398	1.50 126	2.80 997 732				2C4567	6
3.464	1.20 398	1.50 126	2.50 995 732				2C5228	4
3.464	1.20 398	1.20 126	2.00 993 005				2C5297	4
3.464	2.00 032	2.00 126	4.00 872 732				5654	8
3.464	2.00 362	2.00 126	4.00 872 732				2C5654	8
3.464	2.00 327	2.00 126	4.00 872 732				2M5654	8
3.464	2.00 032	2.00 126	2.80 999 732				6121	1
3.464	2.00 032	2.00 401	5.00 871 732				6837	4

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.464	2.00 362	2.00 401	5.00 871 732				2C6837	4
3.464	2.00 032	2.50 401	4.00 056 732				6854	4
3.464	2.00 362	2.50 401	4.00 056 732				2C6854	4
3.464	2.00 032	2.00 126	2.00 126	4.50 871 732			6861	4
3.464	2.00 362	2.00 126	2.00 126	4.50 871 732			2C6861	4
3.465	2.50 221	2.00 206	2.50 204 881				2D7138	1
3.465	2.50 212	2.00 229	3.00 204 881				2D7291	1
3.484	1.50 335	1.75 126	3.00 054 732				2M4976	6
3.484	1.20 398	1.20 126	2.00 991 005				2C5090	4
3.484	1.20 398	1.20 435	2.00 987 714				2N5090	4
3.484	1.00 398	1.00 123	2.00 991 005				2C5267	4
3.484	2.00 032	2.50 401	4.00 056 732				5623	4
3.484	2.00 362	2.50 401	4.00 056 732				2C5623	4
3.484	2.00 032	2.50 401	4.00 860 732				6886	4
3.484	2.00 362	2.50 401	4.00 860 732				2C6886	4
3.496	1.50 362	1.50 126	3.00 054 732				2C5283	6

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.497	1/16 032	1/16 126	5/32 860 732				6164	2
3.497	1/16 327	1/16 126	5/32 860 732				2M6164	2
3.498	1/16 327	1/16 126	5/32 860 732				2M4917	1
3.498	1/16 032	1/16 126	3/16 860 732				6127	2
3.498	1/16 327	1/16 126	3/16 860 732				2M6127	2
3 1/2	1/8 032	1/8 126	3/16 860 732				133	6
3 1/2	1/8 362	1/8 126	3/16 860 732				2C133	6
3 1/2	3/32 032	3/32 126	3/16 860 732				458	8
3 1/2	3/32 362	3/32 126	3/16 860 732				2C534	6
3 1/2	3/32 032	3/32 126	3/16 860 732				562	8
3 1/2	3/32 362	3/32 126	3/16 860 732				2C562	8
3 1/2	5/64 032	5/64 126	3/16 860 732				582	6
3 1/2	5/64 362	5/64 126	3/16 860 732				2C582	6
3 1/2	5/64 327	5/64 126	3/16 860 732				2M582	6
3 1/2	3/32 032	3/32 126	3/16 860 732	3/16 501			611	6
3 1/2	5/64 032	5/64 126	3/16 860 732				652	8

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3 1/2	5/64 <b>363</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C652</b>	<b>8</b>
3 1/2	5/64 <b>327</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2M652</b>	<b>8</b>
3 1/2	3/32 <b>032</b>	1/8 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>4048</b>	<b>8</b>
3.500	1.60 <b>032</b>	1.60 <b>126</b>	4.75 <b>860</b> <b>732</b>				<b>4289</b>	<b>8</b>
3.500	1.60 <b>362</b>	1.60 <b>126</b>	4.75 <b>860</b> <b>732</b>				<b>2C4289</b>	<b>8</b>
3 1/2	1/8 <b>362</b>	1/8 <b>126</b>	1/8 <b>126</b>	3/16 <b>860</b> <b>732</b>			<b>2C5117</b>	<b>4</b>
3 1/2	3/32 <b>032</b>	1/8 <b>126</b>	3/16 <b>860</b> <b>732</b>	3/16 <b>501</b>			<b>6130</b>	<b>1</b>
3 1/2	3/32 <b>362</b>	1/8 <b>126</b>	3/16 <b>860</b> <b>732</b>	3/16 <b>501</b>			<b>2C6130</b>	<b>1</b>
3.500	1.75 <b>362</b>	2.00 <b>401</b>	4.00 <b>860</b> <b>732</b>				<b>2C6167</b>	<b>4</b>
3.500	1.75 <b>362</b>	2.00 <b>401</b>	4.00 <b>860</b> <b>732</b>				<b>2C6168</b>	<b>6</b>
3 1/2	3/32 <b>362</b>	3/32 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C6189</b>	<b>4</b>
3 1/2	1/8 <b>032</b>	1/8 <b>126</b>	3/16 <b>860</b> <b>732</b>	3/16 <b>501</b>			<b>6337</b>	<b>6</b>
3 1/2	3/32 <b>032</b>	3/32 <b>126</b>	3/16 <b>501</b>				<b>6427</b>	<b>1</b>
3.500	3/32 <b>032</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>6667</b>	<b>1</b>
3 1/2	5/64 <b>032</b>	5/64 <b>401</b>	3/16 <b>860</b> <b>732</b>				<b>6810</b>	<b>4</b>
3 1/2	5/64 <b>327</b>	5/64 <b>401</b>	3/16 <b>860</b> <b>732</b>				<b>2M6810</b>	<b>4</b>
3 1/2	5/64 <b>032</b>	5/64 <b>401</b>	3/16 <b>860</b> <b>732</b>				<b>6825</b>	<b>6</b>



Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3 1/2	3/32 032	3/32 126	3/32 126	3/16 860 732			7119	4
3 1/2	3/32 362	3/32 126	3/32 126	3/16 860 732			2C7119	4
3 1/2	3/32 032	3/32 126	3/32 126	1/4 860 732			7123	4
3 1/2	3/32 362	3/32 126	3/32 126	1/4 860 732			2C7123	4
3 1/2	3/32 362	3/32 126	3/32 126	1/4 860 732			2C7503	4
3 1/2	1/8 362	1/8 126	3/16 860 732				2C7844	2
3.504	1.75 376	2.00 126	4.00 056 732				2C4214	4
3.504	1.75 362	2.00 126	4.00 056 732				2C4228	6
3.504	1.50 032	1.50 126	4.75 860 732				4256	4
3.504	1.50 397	1.50 126	4.75 860 732				2M4256	4
3.504	1.50 032	2.00 126	4.75 860 732				4408	4
3.504	1.50 397	2.00 126	4.75 860 732				2M4408	4
3.504	2.00 032	1.50 126	4.00 056 732				4452	4
3.504	2.00 362	1.50 126	4.00 056 732				2C4452	4
3.504	2.00 327	1.50 126	4.00 056 732				2M4452	4
3.504	1.50 032	1.50 126	4.00 872 732				4456	6

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.504	1.50 <b>397</b>	1.50 <b>126</b>	4.00 <b>872</b> <b>732</b>				2M4456	6
3.504	1.20 <b>398</b>	1.20 <b>126</b>	2.00 <b>990</b> <b>732</b>				2C4516	4
3.504	1.20 <b>398</b>	1.50 <b>126</b>	2.80 <b>861</b> <b>732</b>				2C4650	6
3.504	1.50 <b>032</b>	1.50 <b>126</b>	2.80 <b>861</b> <b>732</b>				4660	4
3.504	1.50 <b>363</b>	1.50 <b>126</b>	2.80 <b>861</b> <b>732</b>				2C4660	4
3.504	1.20 <b>398</b>	1.50 <b>126</b>	2.50 <b>995</b> <b>732</b>				2C4701	6
3.504	2.00 <b>032</b>	2.00 <b>126</b>	4.75 <b>860</b> <b>732</b>				4705	4
3.504	2.00 <b>362</b>	2.00 <b>126</b>	4.75 <b>860</b> <b>732</b>				2C4705	4
3.504	1.75 <b>327</b>	2.00 <b>126</b>	3.50 <b>056</b> <b>732</b>				2M4820	4
3.504	1.20 <b>398</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>005</b>				2C4888	6
3.504	1.20 <b>398</b>	1.20 <b>126</b>	2.80 <b>997</b> <b>732</b>				2C4972	6
3.504	1.20 <b>398</b>	1.50 <b>126</b>	3.00 <b>997</b> <b>732</b>				2C4979	6
3.504	1.20 <b>397</b>	1.50 <b>126</b>	3.00 <b>997</b> <b>732</b>				2M4979	6
3.504	1.20 <b>398</b>	1.50 <b>126</b>	2.50 <b>872</b> <b>005</b>				2C5077	6
3.504	1.20 <b>398</b>	1.20 <b>126</b>	2.50 <b>995</b> <b>732</b>				2C5099	4
3.504	1.50 <b>032</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>005</b>				5107	6
3.504	1.50 <b>397</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>005</b>				2M5107	6

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.504	1.50 397	2.00 126	3.50 056 732				2M5145	6
3.504	1.20 398	1.20 126	2.50 995 732				2C5162	4
3.504	1.00 398	1.20 126	1.50 981 005				2C5225	6
3.504	1.50 032	2.00 126	4.75 860 732				5632	6
3.504	1.50 363	2.00 126	4.75 860 732				2C5632	6
3.504	1.50 397	2.00 126	4.75 860 732				2M5632	6
3.504	1.50 032	2.00 126	4.75 872 732				5650	4
3.504	1.50 397	2.00 126	4.75 872 732				2M5650	4
3.504	1.50 032	1.50 126	4.00 056 732				5673	4
3.504	1.50 363	1.50 126	4.00 056 732				2C5673	4
3.504	2.50 376	2.00 126	4.50 553 881				2D5674	4
3.504	1.50 032	1.50 126	4.00 052 005				5762	6
3.504	1.50 363	1.50 126	4.00 052 005				2C5762	6
3.504	1.50 397	1.50 126	4.00 052 005				2M5762	6
3.504	1.50 032	1.50 126	4.75 872 732				6169	4
3.504	1.50 397	1.50 126	4.75 872 732				2M6169	4

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.504	1.50 <b>032</b>	2.00 <b>126</b>	4.75 <b>872</b> <b>732</b>				<b>6194</b>	<b>6</b>
3.504	1.50 <b>397</b>	2.00 <b>126</b>	4.75 <b>872</b> <b>732</b>				<b>2M6194</b>	<b>6</b>
3.504	1.50 <b>397</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>005</b>				<b>2M6209</b>	<b>4</b>
3.504	1.50 <b>032</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>005</b>				<b>6209</b>	<b>4</b>
3.504	2.50 <b>244</b>	2.00 <b>229</b>	3.00 <b>204</b> <b>881</b>				<b>2C7292</b>	<b>1</b>
3.504	3.00 <b>228</b>	1.75 <b>218</b>	2.50 <b>204</b> <b>881</b>				<b>2M7328</b>	<b>1</b>
3.504	2.50 <b>230</b>	1.75 <b>209</b>	2.50 <b>204</b> <b>881</b>				<b>2M7423</b>	<b>1</b>
3.504	2.00 <b>389</b>	2.00 <b>135</b>	3.00 <b>203</b> <b>881</b>				<b>2D7531</b>	<b>4</b>
----- 3.512	1.20 <b>398</b>	1.20 <b>126</b>	2.50 <b>995</b> <b>005</b>				<b>2C5863</b>	<b>6</b>
----- 3.516	1.50 <b>032</b>	1.50 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>4603</b>	<b>4</b>
3.516	1.50 <b>363</b>	1.50 <b>126</b>	4.00 <b>058</b> <b>732</b>				<b>2C4603</b>	<b>4</b>
3.516	2.00 <b>032</b>	2.00 <b>126</b>	4.75 <b>860</b> <b>732</b>				<b>5690</b>	<b>4</b>
3.516	2.00 <b>362</b>	2.00 <b>126</b>	4.75 <b>860</b> <b>732</b>				<b>2C5690</b>	<b>4</b>
3.516	2.00 <b>327</b>	2.00 <b>126</b>	4.75 <b>860</b> <b>732</b>				<b>2M5690</b>	<b>4</b>
----- 3.524	1.20 <b>398</b>	1.50 <b>126</b>	2.50 <b>995</b> <b>005</b>				<b>2C4963</b>	<b>6</b>
----- 3.528	1.60 <b>337</b>	1.50 <b>406</b>	2.50 <b>995</b> <b>732</b>				<b>2M4085</b>	<b>4</b>
----- 3.539	1.50 <b>327</b>	1.75 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>2M5070</b>	<b>2</b>

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.539	2.50 <b>211</b>	2.00 <b>229</b>	3.00 <b>204</b> <b>881</b>				<b>2D7368</b>	<b>1</b>
3.539	2.00 <b>205</b>	2.00 <b>234</b>	2.00 <b>248</b> <b>881</b>				<b>2D7377</b>	<b>1</b>
3.543	1.00 <b>398</b>	1.00 <b>123</b>	2.00 <b>991</b> <b>005</b>				<b>2C4132</b>	<b>4</b>
3.543	2.00 <b>032</b>	2.00 <b>126</b>	4.50 <b>860</b> <b>732</b>				<b>4171</b>	<b>4</b>
3.543	1.50 <b>335</b>	1.50 <b>126</b>	2.50 <b>995</b> <b>732</b>				<b>2M4197</b>	<b>4</b>
3.543	2.00 <b>032</b>	2.50 <b>126</b>	4.00 <b>860</b> <b>732</b>	4.00 <b>501</b>			<b>4229</b>	<b>6</b>
3.543	2.00 <b>362</b>	2.50 <b>126</b>	4.00 <b>860</b> <b>732</b>	4.00 <b>501</b>			<b>2C4229</b>	<b>6</b>
3.543	2.00 <b>032</b>	3.00 <b>126</b>	4.00 <b>860</b> <b>732</b>				<b>4276</b>	<b>4</b>
3.543	1/16 <b>362</b>	5/64 <b>126</b>	5/32 <b>056</b> <b>732</b>				<b>2C4441</b>	<b>12</b>
3.543	1.20 <b>398</b>	1.20 <b>126</b>	2.80 <b>861</b> <b>732</b>				<b>2C4667</b>	<b>6</b>
3.543	1.50 <b>363</b>	1.50 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>2C4679</b>	<b>6</b>
3.543	1.50 <b>335</b>	1.50 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>2M4679</b>	<b>6</b>
3.543	1.20 <b>398</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>732</b>				<b>2C4898</b>	<b>4</b>
3.543	1.20 <b>397</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>732</b>				<b>2M4898</b>	<b>4</b>
3.543	1.50 <b>335</b>	1.20 <b>126</b>	2.80 <b>861</b> <b>732</b>				<b>2M4940</b>	<b>6</b>
3.543	1.20 <b>398</b>	1.20 <b>126</b>	2.50 <b>995</b> <b>732</b>				<b>2C5278</b>	<b>4</b>

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.543	2.00 <b>032</b>	2.00 <b>126</b>	2.00 <b>126</b>	4.50 <b>860</b> <b>732</b>			<b>5486</b>	<b>4</b>
3.543	2.00 <b>362</b>	2.00 <b>126</b>	2.00 <b>126</b>	4.50 <b>553</b> <b>881</b>			<b>2D5486</b>	<b>4</b>
3.543	1.75 <b>032</b>	2.00 <b>401</b>	4.00 <b>860</b> <b>732</b>				<b>5562</b>	<b>4</b>
3.543	1.75 <b>362</b>	2.00 <b>401</b>	4.00 <b>860</b> <b>732</b>				<b>2C5562</b>	<b>4</b>
3.543	2.50 <b>376</b>	2.00 <b>126</b>	4.00 <b>553</b> <b>881</b>				<b>2D5643</b>	<b>4</b>
3.543	2.00 <b>362</b>	2.00 <b>401</b>	5.00 <b>871</b> <b>732</b>				<b>2C6864</b>	<b>4</b>
3.543	2.00 <b>032</b>	3.00 <b>126</b>	4.00 <b>860</b> <b>732</b>				<b>9100</b>	<b>6</b>
----- 3.551	1.50 <b>032</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>732</b>				<b>4628</b>	<b>8</b>
3.551	1.50 <b>397</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>732</b>				<b>2M4628</b>	<b>8</b>
3.551	1.50 <b>336</b>	1.50 <b>126</b>	2.50 <b>995</b> <b>732</b>				<b>2M4755</b>	<b>8</b>
3.551	1.50 <b>032</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>732</b>				<b>4814</b>	<b>10</b>
3.551	1.50 <b>397</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>732</b>				<b>2M4814</b>	<b>10</b>
3.551	1.20 <b>398</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>732</b>				<b>2C5018</b>	<b>8</b>
----- 3.555	1.75 <b>362</b>	1.75 <b>126</b>	4.00 <b>860</b> <b>732</b>				<b>2C4443</b>	<b>4</b>
----- 3 9/16	3/32 <b>032</b>	1/8 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>135</b>	<b>6</b>
3 9/16	3/32 <b>362</b>	1/8 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C135</b>	<b>6</b>
3 9/16	3/32 <b>032</b>	3/32 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>136</b>	<b>6</b>

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3 9/16	3/32 362	3/32 126	3/16 860 732				2C136	6
3 9/16	1/8 362	1/8 126	1/8 126	3/16 860 732			2C468	6
3 9/16	5/64 032	5/64 126	3/16 860 732				630	8
3 9/16	5/64 032	5/64 126	3/16 860 732				666	6
3 9/16	5/64 362	5/64 126	3/16 860 732				2C666	6
3 9/16	5/64 327	5/64 126	3/16 860 732				2M666	6
3.563	3.00 222	2.50 435	3.00 553 881				2D4513	4
3.563	2.00 363	2.00 126	4.00 553 881				2D4620	4
3 9/16	3/32 362	1/8 126	1/8 126	3/16 860 732			2C5047	6
3 9/16	3/32 362	3/32 126	3/32 126	3/16 860 732			2C5257	6
3 9/16	3/32 362	1/8 126	3/16 860 732				2C5280	6
3 9/16	3/32 362	3/32 126	3/16 860 732				2C5360	2
3.563	1.75 362	1.75 126	4.75 871 732				2C5928	4
3 9/16	3/32 032	3/32 126	3/16 860 732	3/16 501			6338	6
3 9/16	3/32 032	3/32 126	3/32 126	3/16 860 732	3/16 501		6786	4
3 9/16	3/32 362	3/32 126	3/32 126	3/16 553 881	3/16 501		2D6786	4

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.563	1.75 362	1.75 126	4.75 860 732	4.75 501			2C6834	4
3 9/16	5/64 032	5/64 126	3/16 860 732				6962	1
3 9/16	3/32 362	3/32 126	3/32 126	3/16 501 825			2C7106	4
3 9/16	3/32 362	3/32 126	3/32 126	3/16 501 825	3/16 501		2C7136	6
3 9/16	1/8 362	1/8 126	1/8 126	3/16 501 825	3/16 501		2C7513	6
3 9/16	3/32 362	3/32 126	3/32 126	1/4 860 732			2C7547	4
3 9/16	3/32 362	3/32 126	1/4 860 732				2C7687	6
3 9/16	1/8 362	1/8 126	1/8 860 732	1/4 501			2C7742	2
----- 3.575	2.00 032	2.50 126	4.00 860 732				599	4
3.575	2.00 362	2.50 126	4.00 860 732				2C599	4
3.575	1.60 032	2.00 126	4.00 860 732				4286	4
3.575	1.60 363	2.00 126	4.00 860 732				2C4286	4
----- 3.579	3.00 345	2.00 126	4.00 553 881				2M4724	4
3.579	3.00 345	2.00 126	4.00 553 881				2M4934	5
3.579	1.50 326	1.75 406	3.00 203 881				2N7442	4
----- 3.582	1.50 032	1.50 126	4.00 870 732				4480	4
3.582	1.50 362	1.50 126	4.00 870 732				2C4480	4



CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.582	1.20 398	1.20 126	3.00 997 732				2C4561	8
3.582	1.50 335	1.50 126	3.00 872 732				2M5120	6
3.582	3.00 032	2.00 126	4.00 553 881				5325	4
3.582	3.00 345	2.00 126	4.00 553 881				2M5325	4
3.582	3.00 362	2.00 126	4.00 553 881				2C5564	1
3.582	2.00 363	2.00 126	4.00 860 732				2C5659	1
3.582	1.50 032	2.00 126	4.00 860 732				5691	6
3.582	1.50 362	2.00 126	4.00 860 732				2C5691	6
3.583	2.50 211	2.00 209	3.00 204 881				2C7361	1
3.583	2.50 211	2.00 257	3.00 203 881				2D7522	4
3.587	1.50 032	1.50 126	4.00 870 732				4453	6
3.587	1.50 335	1.50 126	4.00 870 732				2M4453	6
3.587	1.20 398	1.50 126	3.00 997 732				2C4670	6
3.587	2.00 336	2.00 126	2.80 553 881				2D5042	4
3.587	2.00 032	2.00 126	4.00 870 732				5595	4
3.587	2.00 362	2.00 126	4.00 870 732				2C5595	4

Ring Size & Type - Diametrical Index

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.587	2.00 <b>327</b>	2.00 <b>126</b>	4.00 <b>870</b> <b>732</b>				<b>2M5595</b>	<b>4</b>
3.587	2.50 <b>370</b>	2.00 <b>370</b>	4.00 <b>204</b> <b>881</b>				<b>2D5666</b>	<b>4</b>
3.587	1.50 <b>032</b>	1.50 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>5667</b>	<b>4</b>
3.587	1.50 <b>363</b>	1.50 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>2C5667</b>	<b>4</b>
3.587	2.50 <b>231</b>	2.00 <b>236</b>	4.00 <b>204</b> <b>881</b>				<b>2M7379</b>	<b>1</b>
3.587	2.00 <b>226</b>	2.00 <b>218</b>	4.00 <b>204</b> <b>881</b>				<b>2C7454</b>	<b>1</b>
3.601	3/32 <b>103</b>	3/32 <b>103</b>	1/8 <b>103</b>	1/4 <b>502</b>	1/4		<b>7140</b>	<b>1</b>
3.602	1.50 <b>362</b>	1.50 <b>126</b>	2.80 <b>997</b> <b>732</b>				<b>2C4899</b>	<b>6</b>
3.616	1.50 <b>032</b>	1.50 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>4722</b>	<b>6</b>
3.616	1.50 <b>363</b>	1.50 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>2C4722</b>	<b>6</b>
3.622	1.50 <b>032</b>	2.00 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>4178</b>	<b>4</b>
3.622	1.50 <b>032</b>	1.50 <b>401</b>	4.00 <b>870</b> <b>732</b>				<b>4216</b>	<b>4</b>
3.622	1.50 <b>363</b>	1.50 <b>401</b>	4.00 <b>870</b> <b>732</b>				<b>2C4216</b>	<b>4</b>
3.622	1.50 <b>335</b>	1.50 <b>401</b>	4.00 <b>870</b> <b>732</b>				<b>2M4216</b>	<b>4</b>
3.622	2.00 <b>370</b>	2.00 <b>126</b>	4.00 <b>204</b> <b>881</b>				<b>2D4225</b>	<b>4</b>
3.622	1.50 <b>032</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>005</b>				<b>4284</b>	<b>8</b>
3.622	1.50 <b>327</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>005</b>				<b>2M4284</b>	<b>8</b>

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.622	1.20 398	1.00 123	2.00 991 005				2C4358	4
3.622	1.50 032	1.50 126	3.00 054 005				4468	4
3.622	1.50 335	1.50 126	3.00 054 005				2M4468	4
3.622	2.00 032	2.00 126	4.75 860 732				4625	6
3.622	2.00 362	2.00 126	4.75 860 732				2C4625	6
3.622	1.50 032	1.50 126	4.00 870 732				4649	6
3.622	1.50 335	1.50 126	4.00 870 732				2M4649	6
3.622	1.50 032	2.00 401	3.50 058 732				4736	6
3.622	1.50 362	2.00 401	3.50 058 732				2C4736	6
3.622	1.50 327	2.00 401	3.50 058 732				2M4736	6
3.622	1.20 398	1.50 401	2.80 861 732				2C4881	6
3.622	1.20 398	1.50 126	4.00 872 005				2C4893	6
3.622	1.20 397	1.50 126	4.00 872 005				2M4893	6
3.622	1.20 398	1.50 126	3.00 054 005				2C4903	6
3.622	1.20 398	1.50 126	3.00 054 005				2C5027	4
3.622	2.00 032	2.00 401	5.00 860 732				5084	6

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.622	2.00 362	2.00 401	5.00 860 732				2C5084	6
3.622	1.20 398	1.20 126	2.50 995 732				2C5134	4
3.622	1.20 398	1.20 126	3.00 997 732				2C5183	6
3.622	1.20 398	1.50 401	2.00 991 005				2C5211	8
3.622	1.20 398	1.20 126	2.00 991 005				2C5260	6
3.622	1.50 363	1.50 401	2.00 991 005				2C5296	8
3.622	1.50 335	1.50 126	2.00 991 005				2M5296	8
3.622	2.00 032	2.00 401	4.00 056 732				5364	4
3.622	2.00 362	2.00 401	4.00 056 732				2C5364	4
3.622	2.00 327	2.00 401	4.00 056 732				2M5364	4
3.622	1.75 032	2.50 126	4.00 860 732				5490	8
3.622	1.75 362	2.50 126	4.00 860 732				2C5490	8
3.622	2.00 032	2.50 126	4.00 870 732				5645	4
3.622	2.00 362	2.50 126	4.00 870 732				2C5645	4
3.622	2.00 327	2.50 126	4.00 870 732				2M5645	4
3.622	1.20 398	1.50 401	4.00 056 732				2C5657	4
3.622	1.75 032	2.00 401	4.00 056 732				5692	4

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.622	1.75 <b>363</b>	2.00 <b>401</b>	4.00 <b>056</b> <b>732</b>				<b>2C5692</b>	<b>4</b>
3.622	1.75 <b>363</b>	2.00 <b>401</b>	3.50 <b>059</b> <b>732</b>				<b>2C5760</b>	<b>8</b>
3.622	1.20 <b>398</b>	1.20 <b>126</b>	2.00 <b>991</b> <b>005</b>				<b>2C5877</b>	<b>6</b>
3.622	5/64 <b>032</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>6800</b>	<b>6</b>
3.622	5/64 <b>362</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C6800</b>	<b>6</b>
3.622	2.00 <b>232</b>	2.00 <b>218</b>	4.00 <b>204</b> <b>881</b>				<b>2C7356</b>	<b>1</b>
3.622	2.00 <b>376</b>	1.50 <b>363</b>	3.00 <b>203</b> <b>881</b>				<b>2D7359</b>	<b>4</b>
3.622	2.50 <b>225</b>	2.00 <b>210</b>	4.00 <b>204</b> <b>881</b>				<b>2C7458</b>	<b>1</b>
3 5/8	3/32 <b>032</b>	3/32 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>563</b>	<b>6</b>
3 5/8	3/32 <b>032</b>	3/32 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>564</b>	<b>8</b>
3 5/8	3/32 <b>362</b>	3/32 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C564</b>	<b>8</b>
3 5/8	5/64 <b>032</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>633</b>	<b>8</b>
3 5/8	5/64 <b>362</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C633</b>	<b>8</b>
3 5/8	5/64 <b>327</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2M633</b>	<b>8</b>
3 5/8	5/64 <b>032</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>653</b>	<b>6</b>
3 5/8	5/64 <b>362</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C653</b>	<b>6</b>

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3 5/8	5/64 327	5/64 126	3/16 860 732				2M653	6
3 5/8	1/8 362	1/8 126	1/8 126	3/16 860 732			2C4008	6
3 5/8	1/16 327	1/16 126	3/16 860 732				2M5721	1
3 5/8	5/64 327	5/64 126	3/16 860 732				2M5722	1
3 5/8	1/8 126	1/8 126	3/16 860 732				5838	1
3 5/8	1/8 362	1/8 126	3/16 860 732				2C5838	1
3 5/8	3/32 032	3/32 126	3/16 501 825				6215	2
3 5/8	1/16 327	1/16 126	5/32 860 732				2M6958	1
3 5/8	3/32 362	3/32 126	3/32 126	3/16 501 825			2C7153	6
3 5/8	3/32 362	3/32 126	3/16 501 825				2C7155	4
3 5/8	1/8 362	1/8 126	1/8 126	3/16 860 732			2C7567	4
3 5/8	3/32 362	3/32 126	3/32 126	3/16 860 732			2C7581	4
3 5/8	3/32 032	3/32 126	3/32 126	3/16 860 732			7593	4
3 5/8	3/32 362	3/32 126	3/32 126	3/16 860 732			2C7593	4
3.625	1/8 362	1/8 126	1/8 126	3/16 860 732			2C7659	4
3 5/8	3/32 032	3/32 126	3/32 126	3/16 860 732			7663	4
3 5/8	3/32 362	3/32 126	3/32 126	1/4 860 732			2C7677	4

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3 5/8	1/8 362	1/8 126	1/8 126	3/16 860 732			2C7745	4
3 5/8	3/32 362	3/32 126	3/16 860 732				2C7945	6
3.630	1.20 397	1.20 126	2.50 995 732				2M4599	8
3.632	1.20 398	1.50 126	3.00 997 732				2C4931	6
3.632	1.50 032	1.50 126	3.00 872 005				4937	6
3.632	1.50 327	1.50 126	3.00 872 005				2M4937	6
3.632	1.20 398	1.50 126	2.50 995 732				2C5114	6
3.642	1.20 398	1.50 401	2.00 991 005				2C4147	8
3.646	1.50 032	1.50 126	4.00 870 732				4637	4
3.646	1.50 335	1.50 126	4.00 870 732				2M4637	4
3.657	1.50 336	1.75 126	2.50 985 732				2M5304	6
3.661	1.20 322	1.50 126	2.00 987 714				2N4077	8
3.661	2.00 032	2.50 126	4.00 860 732				4205	6
3.661	2.00 362	2.50 126	4.00 860 732				2C4205	6
3.661	1.60 032	1.75 126	3.50 058 732				4450	6
3.661	1.60 363	1.75 126	3.50 058 732				2C4450	6

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.661	1.60 <b>327</b>	1.75 <b>126</b>	3.50 <b>058</b> <b>732</b>				2M4450	6
3.661	1.50 <b>032</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>732</b>				4636	6
3.661	1.50 <b>327</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>732</b>				2M4636	6
3.661	1.75 <b>363</b>	1.75 <b>126</b>	3.50 <b>056</b> <b>732</b>				2C4672	6
3.661	1.50 <b>032</b>	1.50 <b>126</b>	3.50 <b>058</b> <b>732</b>				4746	6
3.661	1.50 <b>327</b>	1.50 <b>126</b>	3.50 <b>058</b> <b>732</b>				2M4746	6
3.661	1.20 <b>398</b>	1.20 <b>126</b>	2.50 <b>995</b> <b>732</b>				2C4781	6
3.661	1.20 <b>397</b>	1.20 <b>126</b>	2.50 <b>995</b> <b>732</b>				2M4781	6
3.661	1.50 <b>032</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>732</b>				4790	8
3.661	1.50 <b>335</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>732</b>				2M4790	8
3.661	1.50 <b>032</b>	1.50 <b>126</b>	3.00 <b>997</b> <b>732</b>				4883	6
3.661	1.50 <b>327</b>	1.50 <b>126</b>	3.00 <b>997</b> <b>732</b>				2M4883	6
3.661	1.50 <b>335</b>	1.50 <b>126</b>	2.80 <b>861</b> <b>732</b>				2M4892	8
3.661	1.20 <b>398</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>732</b>				2C4894	8
3.661	1.75 <b>363</b>	2.00 <b>126</b>	3.00 <b>997</b> <b>732</b>				2C4997	4
3.661	1.50 <b>335</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>732</b>				2M5014	6
3.661	1.20 <b>398</b>	1.50 <b>126</b>	2.50 <b>995</b> <b>732</b>				2C5024	8



CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.661	1.20 398	1.50 126	2.50 995 732				2C5137	4
3.661	1.20 398	1.50 126	2.50 995 732				2C5139	5
3.661	1.20 397	1.50 126	2.50 995 732				2M5139	5
3.661	1.20 397	1.50 126	2.50 995 732				2M5165	8
3.661	1.20 398	1.20 126	2.50 995 732				2C5186	8
3.661	1.20 397	1.50 126	2.50 995 732				2M5227	6
3.661	2.00 032	2.00 126	4.00 056 732				6119	4
3.661	2.00 362	2.00 126	4.00 056 732				2C6119	4
3.661	2.00 326	1.50 236	2.00 203 881				2D7277	4
3.661	2.00 252	2.00 218	4.00 200 881				7384	1
3.661	2.00 217	2.00 218	4.00 204 881				2C7384	1
3.661	2.50 335	2.00 126	4.00 204 881				2D9349	4
3.661	3.00 376	2.00 401	4.00 200 881				2D9384	4
3.671	5/64 032	5/64 126	3/16 860 732				5477	8
3.671	5/64 362	5/64 126	3/16 860 732				2C5477	8
3.671	5/64 327	5/64 126	3/16 860 732				2M5477	8

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.677	1.20 <b>398</b>	1.20 <b>126</b>	2.00 <b>934</b> <b>732</b>				<b>2C4571</b>	<b>6</b>
3.677	1.50 <b>327</b>	1.50 <b>126</b>	4.00 <b>870</b> <b>732</b>				<b>2M4791</b>	<b>6</b>
3.677	1.50 <b>327</b>	1.50 <b>126</b>	3.00 <b>997</b> <b>732</b>				<b>2M4945</b>	<b>6</b>
3.680	5/64 <b>032</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>586</b>	<b>6</b>
3.680	5/64 <b>362</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C586</b>	<b>6</b>
3.680	5/64 <b>327</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2M586</b>	<b>6</b>
3.680	1.50 <b>032</b>	1.50 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>4409</b>	<b>6</b>
3.680	1.50 <b>363</b>	1.50 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>2C4409</b>	<b>6</b>
3.680	5/64 <b>032</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>4711</b>	<b>6</b>
3.680	5/64 <b>363</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C4711</b>	<b>6</b>
3.680	5/64 <b>327</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2M4711</b>	<b>6</b>
3.680	5/64 <b>032</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>5618</b>	<b>8</b>
3.680	5/64 <b>362</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C5618</b>	<b>8</b>
3.680	5/64 <b>327</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2M5618</b>	<b>8</b>
3.680	2.00 <b>032</b>	2.00 <b>126</b>	4.75 <b>860</b> <b>732</b>				<b>5688</b>	<b>4</b>
3.680	2.00 <b>363</b>	2.00 <b>126</b>	4.75 <b>860</b> <b>732</b>				<b>2C5688</b>	<b>4</b>

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.680	2.00 <b>327</b>	2.00 <b>126</b>	4.75 <b>860</b> <b>732</b>				<b>2M5688</b>	<b>4</b>
3.681	1.50 <b>032</b>	1.50 <b>126</b>	4.00 <b>052</b> <b>732</b>				<b>4911</b>	<b>6</b>
3.681	1.50 <b>363</b>	1.50 <b>126</b>	4.00 <b>052</b> <b>732</b>				<b>2C4911</b>	<b>6</b>
3 11/16	5/64 <b>032</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>681</b>	<b>8</b>
3 11/16	5/64 <b>032</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>6791</b>	<b>2</b>
3 11/16	5/64 <b>362</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C6791</b>	<b>2</b>
3 11/16	1/8 <b>394</b>	1/8 <b>126</b>	1/4 <b>860</b> <b>732</b>				<b>2C7114</b>	<b>2</b>
3.691	1.75 <b>032</b>	2.50 <b>126</b>	4.00 <b>860</b> <b>732</b>				<b>5373</b>	<b>4</b>
3.691	1.75 <b>363</b>	2.50 <b>126</b>	4.00 <b>860</b> <b>732</b>				<b>2C5373</b>	<b>4</b>
3.701	1.00 <b>398</b>	1.20 <b>126</b>	1.50 <b>981</b> <b>005</b>				<b>2C4114</b>	<b>6</b>
3.701	1.50 <b>032</b>	2.00 <b>126</b>	4.00 <b>856</b> <b>732</b>				<b>4177</b>	<b>4</b>
3.701	1.50 <b>032</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>005</b>				<b>4478</b>	<b>6</b>
3.701	1.50 <b>327</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>005</b>				<b>2M4478</b>	<b>6</b>
3.701	1.20 <b>398</b>	1.20 <b>126</b>	2.00 <b>991</b> <b>005</b>				<b>2C4511</b>	<b>6</b>
3.701	1.20 <b>398</b>	1.20 <b>126</b>	3.00 <b>997</b> <b>732</b>				<b>2C4566</b>	<b>8</b>
3.701	1.20 <b>398</b>	1.20 <b>126</b>	2.00 <b>991</b> <b>005</b>				<b>2C4586</b>	<b>8</b>

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.701	1.50 <b>032</b>	1.50 <b>126</b>	4.00 <b>870</b> <b>732</b>				<b>4612</b>	<b>6</b>
3.701	1.50 <b>363</b>	1.50 <b>126</b>	4.00 <b>870</b> <b>732</b>				<b>2C4612</b>	<b>6</b>
3.701	1.75 <b>032</b>	2.00 <b>126</b>	3.50 <b>058</b> <b>732</b>				<b>4634</b>	<b>4</b>
3.701	1.75 <b>362</b>	2.00 <b>126</b>	3.50 <b>058</b> <b>732</b>				<b>2C4634</b>	<b>4</b>
3.701	2.00 <b>363</b>	2.00 <b>126</b>	4.00 <b>870</b> <b>732</b>				<b>2C4688</b>	<b>6</b>
3.701	1.50 <b>032</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>005</b>				<b>4930</b>	<b>8</b>
3.701	1.50 <b>327</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>005</b>				<b>2M4930</b>	<b>8</b>
3.701	1.20 <b>398</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>005</b>				<b>2C4998</b>	<b>8</b>
3.701	1.50 <b>335</b>	1.50 <b>126</b>	4.00 <b>856</b> <b>732</b>				<b>2M5017</b>	<b>8</b>
3.701	1.20 <b>398</b>	1.50 <b>126</b>	2.50 <b>995</b> <b>732</b>				<b>2C5133</b>	<b>6</b>
3.701	1.20 <b>397</b>	1.50 <b>126</b>	2.50 <b>995</b> <b>732</b>				<b>2M5133</b>	<b>6</b>
3.701	1.20 <b>398</b>	1.20 <b>126</b>	2.00 <b>991</b> <b>005</b>				<b>2C5151</b>	<b>6</b>
3.701	2.00 <b>032</b>	2.50 <b>126</b>	4.00 <b>860</b> <b>732</b>				<b>5462</b>	<b>6</b>
3.701	2.00 <b>362</b>	2.50 <b>126</b>	4.00 <b>860</b> <b>732</b>				<b>2C5462</b>	<b>6</b>
3.701	2.00 <b>327</b>	2.50 <b>126</b>	4.00 <b>860</b> <b>732</b>				<b>2M5462</b>	<b>6</b>
3.701	1.75 <b>032</b>	2.00 <b>126</b>	4.00 <b>860</b> <b>732</b>				<b>5594</b>	<b>4</b>
3.701	1.75 <b>362</b>	2.00 <b>126</b>	4.00 <b>860</b> <b>732</b>				<b>2C5594</b>	<b>4</b>

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.701	2.00 <b>362</b>	2.00 <b>126</b>	4.00 <b>860</b> <b>732</b>				<b>2C5633</b>	<b>4</b>
3.701	3.00 <b>225</b>	2.00 <b>210</b>	4.00 <b>204</b> <b>881</b>				<b>2C7362</b>	<b>1</b>
3.716	3.00 <b>225</b>	2.00 <b>209</b>	3.00 <b>204</b> <b>881</b>				<b>2C7353</b>	<b>1</b>
3.716	3.00 <b>225</b>	2.00 <b>210</b>	2.50 <b>204</b> <b>881</b>				<b>2C7449</b>	<b>1</b>
3.716	2.50 <b>233</b>	2.00 <b>210</b>	2.50 <b>204</b> <b>881</b>				<b>2M7450</b>	<b>1</b>
3 23/32	5/64 <b>032</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>450</b>	<b>8</b>
3 23/32	5/64 <b>362</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C450</b>	<b>8</b>
3 23/32	5/64 <b>327</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2M450</b>	<b>8</b>
3 23/32	5/64 <b>362</b>	3/32 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C583</b>	<b>6</b>
3 23/32	3/32 <b>363</b>	1/8 <b>102</b>	1/8 <b>126</b>	3/16 <b>860</b> <b>732</b>			<b>2C4400</b>	<b>6</b>
3 23/32	3/32 <b>363</b>	3/32 <b>126</b>	3/32 <b>126</b>	3/16 <b>860</b> <b>732</b>			<b>2C5255</b>	<b>6</b>
3.720	2.00 <b>336</b>	2.00 <b>126</b>	3.00 <b>553</b> <b>881</b>				<b>2D5040</b>	<b>4</b>
3.736	2.00 <b>032</b>	2.00 <b>126</b>	4.75 <b>872</b> <b>732</b>				<b>4742</b>	<b>8</b>
3.736	2.00 <b>397</b>	2.00 <b>126</b>	4.75 <b>872</b> <b>732</b>				<b>2M4742</b>	<b>8</b>
3.736	5/64 <b>032</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>5499</b>	<b>8</b>
3.736	5/64 <b>362</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C5499</b>	<b>8</b>

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.736	5/64 <b>397</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				2M5499	8
3.736	5/64 <b>336</b>	5/64 <b>126</b>	3/16 <b>621</b> <b>732</b>				2M5548	8
3.736	1/16 <b>336</b>	1/16 <b>126</b>	3/16 <b>622</b> <b>732</b>				2M5567	8
3.736	5/64 <b>032</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				5617	6
3.736	5/64 <b>362</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				2C5617	6
3.736	5/64 <b>397</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				2M5617	6
3.740	2.00 <b>032</b>	2.00 <b>126</b>	4.00 <b>056</b> <b>732</b>				4246	4
3.740	2.00 <b>362</b>	2.00 <b>126</b>	4.00 <b>056</b> <b>732</b>				2C4246	4
3.740	2.38 <b>363</b>	2.38 <b>126</b>	4.75 <b>553</b> <b>881</b>				2D4379	4
3.740	1.75 <b>032</b>	1.50 <b>126</b>	4.00 <b>870</b> <b>732</b>				4687	4
3.740	1.75 <b>363</b>	1.50 <b>126</b>	4.00 <b>870</b> <b>732</b>				2C4687	4
3.740	1.50 <b>362</b>	1.50 <b>126</b>	4.00 <b>870</b> <b>732</b>				2C4908	4
3.740	1.50 <b>032</b>	1.50 <b>126</b>	4.00 <b>856</b> <b>732</b>				4999	4
3.740	1.50 <b>335</b>	1.50 <b>126</b>	4.00 <b>856</b> <b>732</b>				2M4999	4
3.740	2.50 <b>372</b>	2.00 <b>126</b>	4.00 <b>553</b> <b>881</b>				2C5056	4
3.740	1.75 <b>032</b>	1.50 <b>126</b>	3.50 <b>058</b> <b>732</b>				5161	4
3.740	1.75 <b>362</b>	1.50 <b>126</b>	3.50 <b>058</b> <b>732</b>				2C5161	4

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.740	1.20 398	1.20 126	2.00 991 005				2C5169	6
3.740	1.20 398	1.20 126	2.00 991 005				2C5261	4
3.740	2.30 378	2.00 129	3.50 553 881				2D5374	8
3.740	3.00 232	3.00 206	3.00 210	5.00 204 881			2C7437	1
3 3/4	3/32 032	3/32 126	3/16 860 732				137	6
3 3/4	3/32 363	3/32 126	3/16 860 732				2C137	6
3 3/4	5/64 032	5/64 126	3/16 860 732				568	8
3 3/4	5/64 363	5/64 126	3/16 860 732				2C568	8
3 3/4	5/64 327	5/64 126	3/16 860 732				2M568	8
3 3/4	5/64 032	5/64 126	3/16 860 732				656	6
3 3/4	5/64 362	5/64 126	3/16 860 732				2C656	6
3 3/4	5/64 327	5/64 126	3/16 860 732				2M656	6
3.750	1/8 032	1/8 126	3/16 501				776	4
3.750	1.50 337	1.50 126	2.50 872 732				2M4805	2
3.750	1.50 337	1.50 126	3.00 872 732				2M4942	2
3 3/4	1/8 362	1/8 126	1/8 126	3/16 860 732			2C5028	6

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3 3/4	3/32 362	3/32 126	3/16 860 732				2C5311	1
3 3/4	3/32 362	3/32 126	3/16 860 732				2C5466	1
3 3/4	5/64 032	5/64 126	3/16 872 732				5616	8
3 3/4	5/64 362	5/64 126	3/16 872 732				2C5616	8
3 3/4	5/64 327	5/64 126	3/16 872 732				2M5616	8
3 3/4	3/32 363	1/8 126	1/8 126	3/16 553 881	3/16 501		2D5966	6
3 3/4	3/32 363	1/8 126	3/16 860 732	3/16 501			2C6581	1
3.750	3/32 362	3/32 032	3/32 126	3/16 860 732			2C6664	4
3 3/4	5/64 032	5/64 126	3/16 860 732				6873	4
3 3/4	5/64 362	5/64 126	3/16 860 732				2C6873	4
3 3/4	3/32 363	3/32 126	3/32 126	1/4 860 732			2C7139	6
3 3/4	1/8 362	1/8 126	1/8 126	3/16 860 732			2C7669	4
3 3/4	3/32 363	3/32 126	3/32 126	3/16 860 732			2C7702	6
3 3/4	1/8 362	1/8 126	1/8 126	1/4 860 732			2C7747	6
----- 3.756	2.50 110	2.00 435	3.00 203 881				2D7188	4
3.756	2.00 232	1.50 435	3.00 203 881				2D7225	4
----- 3.760	1.20 397	1.50 406	2.50 934 005				2M4183	6



CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.760	1.75 <b>362</b>	2.00 <b>126</b>	3.50 <b>058</b> <b>732</b>				<b>2C5071</b>	<b>4</b>
3.760	1.20 <b>398</b>	1.20 <b>126</b>	2.50 <b>995</b> <b>732</b>				<b>2C5112</b>	<b>6</b>
3.760	1.20 <b>398</b>	1.50 <b>126</b>	2.50 <b>995</b> <b>732</b>				<b>2C5215</b>	<b>5</b>
3.760	1.20 <b>398</b>	1.50 <b>126</b>	2.50 <b>995</b> <b>732</b>				<b>2C5236</b>	<b>4</b>
3.760	1.20 <b>398</b>	1.20 <b>126</b>	2.00 <b>991</b> <b>005</b>				<b>2C5293</b>	<b>6</b>
3.760	5/64 <b>032</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>5586</b>	<b>6</b>
3.760	5/64 <b>362</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C5586</b>	<b>6</b>
----- 3.772	2.50 <b>221</b>	2.00 <b>206</b>	2.50 <b>204</b> <b>881</b>				<b>2D7347</b>	<b>1</b>
----- 3.779	2.00 <b>032</b>	2.00 <b>126</b>	4.75 <b>860</b> <b>732</b>				<b>4203</b>	<b>4</b>
3.779	2.00 <b>362</b>	2.00 <b>126</b>	4.75 <b>860</b> <b>732</b>				<b>2C4203</b>	<b>4</b>
3.779	2.00 <b>327</b>	2.00 <b>126</b>	4.75 <b>860</b> <b>732</b>				<b>2M4203</b>	<b>4</b>
3.779	1.75 <b>032</b>	1.75 <b>126</b>	3.50 <b>059</b> <b>732</b>				<b>4477</b>	<b>4</b>
3.779	1.75 <b>363</b>	1.75 <b>126</b>	3.50 <b>059</b> <b>732</b>				<b>2C4477</b>	<b>4</b>
3.779	1.50 <b>032</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>732</b>				<b>4515</b>	<b>4</b>
3.779	1.50 <b>327</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>732</b>				<b>2M4515</b>	<b>4</b>
3.779	2.00 <b>370</b>	1.50 <b>126</b>	3.00 <b>203</b> <b>881</b>				<b>2D4583</b>	<b>4</b>

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.779	1.50 <b>032</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>732</b>				<b>4648</b>	<b>6</b>
3.779	1.50 <b>327</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>732</b>				<b>2M4648</b>	<b>6</b>
3.779	1.50 <b>322</b>	1.50 <b>126</b>	3.00 <b>987</b> <b>714</b>				<b>2N4648</b>	<b>6</b>
3.779	2.00 <b>370</b>	2.00 <b>126</b>	4.00 <b>553</b> <b>881</b>				<b>2C4710</b>	<b>4</b>
3.779	1.20 <b>398</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>732</b>				<b>2C4890</b>	<b>6</b>
3.779	1.20 <b>397</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>732</b>				<b>2M4890</b>	<b>6</b>
3.779	1.50 <b>032</b>	1.50 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>4912</b>	<b>4</b>
3.779	1.50 <b>362</b>	1.50 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>2C4912</b>	<b>4</b>
3.779	1.50 <b>327</b>	1.50 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>2M4912</b>	<b>4</b>
3.779	2.00 <b>032</b>	2.00 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>4938</b>	<b>6</b>
3.779	2.00 <b>327</b>	2.00 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>2M4938</b>	<b>6</b>
3.779	2.50 <b>363</b>	2.00 <b>126</b>	4.00 <b>553</b> <b>881</b>				<b>2D4939</b>	<b>6</b>
3.779	1.50 <b>397</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>732</b>				<b>2M4978</b>	<b>8</b>
3.779	2.00 <b>336</b>	2.00 <b>126</b>	4.75 <b>860</b> <b>732</b>				<b>2M5613</b>	<b>4</b>
3.779	1.75 <b>032</b>	2.00 <b>126</b>	4.00 <b>860</b> <b>732</b>				<b>5695</b>	<b>4</b>
3.779	1.75 <b>363</b>	2.00 <b>126</b>	4.00 <b>860</b> <b>732</b>				<b>2C5695</b>	<b>4</b>
3.779	1.50 <b>032</b>	1.50 <b>126</b>	4.00 <b>870</b> <b>732</b>				<b>5761</b>	<b>4</b>

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.779	1.50 <b>362</b>	1.50 <b>126</b>	4.00 <b>870</b> <b>732</b>				<b>2C5761</b>	<b>4</b>
3.779	1.50 <b>327</b>	1.50 <b>126</b>	4.00 <b>870</b> <b>732</b>				<b>2M5761</b>	<b>4</b>
3.779	2.00 <b>232</b>	1.50 <b>218</b>	3.00 <b>204</b> <b>881</b>				<b>2C7330</b>	<b>1</b>
3.780	1.20 <b>398</b>	1.20 <b>126</b>	2.00 <b>991</b> <b>005</b>				<b>2C4550</b>	<b>6</b>
3.780	1.20 <b>397</b>	1.50 <b>126</b>	2.50 <b>934</b> <b>005</b>				<b>2M5380</b>	<b>8</b>
3.780	1/16 <b>336</b>	1/16 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2M5527</b>	<b>4</b>
3.780	1.50 <b>397</b>	1.50 <b>406</b>	3.00 <b>872</b> <b>732</b>				<b>SM8531</b>	<b>8</b>
3 25/32	5/64 <b>362</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C682</b>	<b>8</b>
3.799	1.50 <b>032</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>732</b>				<b>4458</b>	<b>6</b>
3.799	1.50 <b>327</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>732</b>				<b>2M4458</b>	<b>6</b>
3.799	1.20 <b>397</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>732</b>				<b>2M4764</b>	<b>6</b>
3.799	1.75 <b>363</b>	2.00 <b>126</b>	3.50 <b>058</b> <b>732</b>				<b>2C4818</b>	<b>8</b>
3.799	1.20 <b>397</b>	1.50 <b>126</b>	2.00 <b>934</b> <b>935</b>				<b>2M4866</b>	<b>6</b>
3.800	5/64 <b>032</b>	3/32 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>571</b>	<b>8</b>
3.800	5/64 <b>362</b>	3/32 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C571</b>	<b>8</b>
3.800	5/64 <b>327</b>	3/32 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2M571</b>	<b>8</b>

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.800	5/64 <b>032</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>696</b>	<b>8</b>
3.800	5/64 <b>362</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C696</b>	<b>8</b>
3.800	5/64 <b>327</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2M696</b>	<b>8</b>
3.800	5/64 <b>032</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>5474</b>	<b>6</b>
3.800	5/64 <b>362</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C5474</b>	<b>6</b>
3.800	5/64 <b>327</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2M5474</b>	<b>6</b>
3.800	5/64 <b>336</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2M5612</b>	<b>6</b>
3.800	5/64 <b>032</b>	5/64 <b>126</b>	3/16 <b>872</b> <b>732</b>				<b>5614</b>	<b>8</b>
3.800	5/64 <b>327</b>	5/64 <b>126</b>	3/16 <b>872</b> <b>732</b>				<b>2M5614</b>	<b>8</b>
3.811	1.50 <b>032</b>	1.50 <b>126</b>	4.00 <b>052</b> <b>005</b>				<b>4262</b>	<b>6</b>
3.811	1.50 <b>327</b>	1.50 <b>126</b>	4.00 <b>052</b> <b>005</b>				<b>2M4262</b>	<b>6</b>
3.811	1.50 <b>335</b>	1.50 <b>126</b>	4.00 <b>052</b> <b>005</b>				<b>2M4717</b>	<b>6</b>
3.811	1.50 <b>032</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>732</b>				<b>4885</b>	<b>6</b>
3.811	1.50 <b>335</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>732</b>				<b>2M4885</b>	<b>6</b>
3.811	1.50 <b>322</b>	1.50 <b>126</b>	3.00 <b>987</b> <b>714</b>				<b>2N4885</b>	<b>6</b>
3.811	2.00 <b>032</b>	2.00 <b>126</b>	4.00 <b>860</b> <b>732</b>				<b>5649</b>	<b>6</b>
3.811	2.00 <b>363</b>	2.00 <b>126</b>	4.00 <b>860</b> <b>732</b>				<b>2C5649</b>	<b>6</b>

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.811	2.00 327	2.00 126	4.00 860 732				2M5649	6
----- 3 13/16	1/16 327	1/16 126	5/32 860 732				2M4950	1
3 13/16	1/16 327	1/16 126	3/16 860 732				2M4953	1
3 13/16	1/8 372	3/32 126	3/16 860 732				2D7134	4
3 13/16	1/8 362	3/32 126	1/4 860 732				2C7193	6
3 13/16	1/8 362	3/32 126	1/4 860 732				2C7220	4
----- 3.815	1.50 032	1.50 126	3.00 997 732				4777	6
3.815	1.50 363	1.50 126	3.00 997 732				2C4777	6
3.815	1.20 398	1.20 126	2.50 995 732				2C5167	4
----- 3.819	1.20 322	1.50 406	2.00 991 005				2N4078	1
3.819	3.00 361	3.00 032	3.00 401	5.50 553 881			2C4512	2
3.819	1.20 398	1.50 126	3.00 054 732				2C4707	4
3.819	1.50 336	1.50 126	3.50 058 716				2M4789	6
3.819	3.00 361	3.00 032	3.00 401	5.50 553 881	5.50 501		2C5480	2
3.819	2.50 361	2.50 126	4.00 553 881				2C7264	2
----- 3.823	2.00 232	2.00 209	3.00 204 881				2C7401	1

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.823	2.50 <b>211</b>	2.00 <b>209</b>	3.00 <b>204</b> <b>881</b>				<b>2D7492</b>	<b>1</b>
----- 3.858	1.50 <b>032</b>	1.50 <b>126</b>	2.50 <b>995</b> <b>732</b>				<b>5188</b>	<b>8</b>
3.858	1.50 <b>327</b>	1.50 <b>126</b>	2.50 <b>995</b> <b>732</b>				<b>2M5188</b>	<b>8</b>
----- 3.866	2.50 <b>208</b>	2.00 <b>129</b>	3.00 <b>553</b> <b>881</b>				<b>2D5741</b>	<b>8</b>
----- 3.870	5/64 <b>032</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>698</b>	<b>8</b>
3.870	5/64 <b>362</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C698</b>	<b>8</b>
3.870	5/64 <b>397</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2M698</b>	<b>8</b>
----- 3 7/8	1/8 <b>032</b>	1/8 <b>126</b>	5/32 <b>056</b> <b>732</b>				<b>120</b>	<b>4</b>
3 7/8	5/64 <b>363</b>	3/32 <b>126</b>	1/4 <b>860</b> <b>732</b>				<b>2C589</b>	<b>8</b>
3 7/8	5/64 <b>032</b>	3/32 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>591</b>	<b>8</b>
3 7/8	5/64 <b>363</b>	3/32 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C591</b>	<b>8</b>
3 7/8	5/64 <b>327</b>	3/32 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2M591</b>	<b>8</b>
3 7/8	5/64 <b>032</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>660</b>	<b>8</b>
3 7/8	5/64 <b>363</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C660</b>	<b>8</b>
3 7/8	5/64 <b>327</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2M660</b>	<b>8</b>
3 7/8	5/64 <b>032</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>665</b>	<b>4</b>
3 7/8	5/64 <b>362</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C665</b>	<b>4</b>

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3 7/8	5/64 327	5/64 126	3/16 860 732				2M665	4
3 7/8	5/64 032	5/64 126	3/16 860 732				667	6
3 7/8	5/64 362	5/64 126	3/16 860 732				2C667	6
3 7/8	5/64 327	5/64 126	3/16 860 732				2M667	6
3 7/8	3/32 032	3/32 126	3/16 860 732				668	6
3 7/8	3/32 362	3/32 126	3/16 860 732				2C668	6
3 7/8	3/32 327	3/32 126	3/16 860 732				2M668	6
3 7/8	1/16 032	1/16 126	3/16 860 732				670	6
3 7/8	1/16 327	1/16 126	3/16 860 732				2M670	6
3 7/8	1/8 032	1/8 126	1/8 126	3/16 860 732	3/16 501		4064	6
3.875	1.50 032	1.50 126	4.00 056 732				4815	6
3.875	1.50 327	1.50 126	4.00 056 732				2M4815	6
3 7/8	3/32 363	3/32 126	3/16 860 732				2C4840	6
3.875	1.50 032	1.50 126	4.00 056 732				4925	4
3.875	1.50 327	1.50 126	4.00 056 732				2M4925	4
3.875	1.50 337	1.50 126	2.50 872 005				2M4941	2

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3 7/8	1/16 327	1/16 126	3/16 860 732				2M4985	2
3 7/8	1/8 372	3/32 126	3/16 860 732				2C5319	4
3.875	1/16 336	1/16 126	1/8 622 732				2M5522	8
3 7/8	1/8 372	1/8 126	1/8 126	3/16 565 881			2C5559	4
3 7/8	3/32 032	3/32 126	3/16 860 732				6302	8
3 7/8	3/32 362	3/32 126	3/16 860 732				2C6302	8
3 7/8	3/32 345	3/32 126	3/16 860 732				2M6302	8
3 7/8	3/32 032	3/32 126	3/16 860 732				6353	4
3 7/8	3/32 362	3/32 126	3/16 860 732				2C6353	4
3 7/8	5/64 032	5/64 126	5/64 126	3/16 860 732			6607	8
3 7/8	5/64 363	5/64 126	5/64 126	3/16 860 732			2C6607	8
3 7/8	3/32 362	1/8 126	3/16 860 732				2C6660	6
3 7/8	3/32 032	5/64 126	5/64 126	3/16 860 732			6685	8
3 7/8	3/32 363	5/64 126	5/64 126	3/16 860 732			2C6685	8
3 7/8	3/32 363	3/32 126	3/32 126	3/16 501 825			2C7118	2
3 7/8	3/32 363	3/32 126	3/16 860 732				2C7158	2
3 7/8	3/32 363	3/32 126	3/16 860 732				2C7179	6



CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3 7/8	1/8 372	1/8 126	1/8 126	3/16 565 881			2C7197	6
3 7/8	3/32 363	3/32 126	3/32 126	1/4 860 732			2C7647	4
3 7/8	3/32 363	3/32 126	3/32 126	3/16 860			2C7703	6
3.875	2.00 032	2.00 126	4.75 860 732				9549	2
3.877	3/32 362	3/32 126	3/32 126	3/16 565 881			2C7125	4
3.877	3/32 362	3/32 126	3/32 126	3/16 565 881			2C7174	6
3.877	3/32 362	3/32 126	3/32 126	1/4 871 732			2C7243	4
3.878	2.30 208	1.50 257	3.00 203 881				2D7802	4
3.897	1.50 397	1.50 126	3.00 872 732				2M4897	8
3.897	1.20 398	1.50 126	2.50 995 732				2C5270	6
3.898	1.50 397	1.50 406	3.00 642 732				SM8555	8
3.898	1.20 322	1.20 406	3.00 642 732				SN9035	8
3.898	1.20 322	1.50 406	3.00 642 732				SN9055	8
3.900	5/64 363	5/64 352	5/64 126	3/16 860 732			2C5647	8
3.900	3/32 363	3/32 126	3/16 860 732				2C7673	4
3.900	3/32 363	3/32 126	3/32 126	3/16 501	3/16 501		2C7999	4

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.901	3.00 <b>208</b>	2.00 <b>409</b>	2.50 <b>203</b> <b>881</b>				<b>2D5853</b>	<b>8</b>
3.910	5/64 <b>032</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>148</b>	<b>8</b>
3.910	5/64 <b>362</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C148</b>	<b>8</b>
3.910	5/64 <b>397</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2M148</b>	<b>8</b>
3.910	2.00 <b>032</b>	2.00 <b>126</b>	4.00 <b>872</b> <b>732</b>				<b>4735</b>	<b>8</b>
3.910	2.00 <b>363</b>	2.00 <b>126</b>	4.00 <b>872</b> <b>732</b>				<b>2C4735</b>	<b>8</b>
3.910	2.00 <b>397</b>	2.00 <b>126</b>	4.00 <b>872</b> <b>732</b>				<b>2M4735</b>	<b>8</b>
3.910	2.00 <b>032</b>	2.00 <b>126</b>	4.00 <b>872</b> <b>732</b>				<b>4760</b>	<b>6</b>
3.910	2.00 <b>363</b>	2.00 <b>126</b>	4.00 <b>872</b> <b>732</b>				<b>2C4760</b>	<b>6</b>
3.910	2.00 <b>397</b>	2.00 <b>126</b>	4.00 <b>872</b> <b>732</b>				<b>2M4760</b>	<b>6</b>
3.910	5/64 <b>032</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>5560</b>	<b>6</b>
3.910	5/64 <b>362</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C5560</b>	<b>6</b>
3.910	5/64 <b>397</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2M5560</b>	<b>6</b>
3.910	1/16 <b>336</b>	1/16 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2M5575</b>	<b>8</b>
3.917	2.00 <b>032</b>	1.50 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>4532</b>	<b>6</b>
3.917	2.00 <b>335</b>	1.50 <b>126</b>	4.00 <b>056</b> <b>732</b>				<b>2M4532</b>	<b>6</b>

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3.917	1.20 398	1.50 126	2.80 861 732				2C4957	4
3.917	2.00 370	1.50 126	4.00 553 881				2C5054	4
3.917	1.50 032	1.50 126	3.00 997 732				5097	8
3.917	1.50 397	1.50 126	3.00 997 732				2M5097	8
3.917	1.20 398	1.20 126	2.50 995 732				2C5140	4
3.917	1.20 397	1.20 126	2.00 989 732				2M5141	8
3.917	1.20 398	1.20 126	2.00 989 732				2C5219	4
3.917	1.50 397	1.50 406	3.00 642 732				SM8560	8
3.917	1.20 322	1.20 406	3.00 642 732				SN9040	8
3.917	1.20 322	1.50 406	3.00 642 732				SN9060	8
3.937	3.00 335	2.00 126	4.50 860 732				2M4267	6
3.937	1.75 363	2.00 126	4.00 052 732				2C4776	6
3.937	1.75 032	2.00 126	4.00 052 732				4776	6
3.937	2.50 362	2.50 126	4.00 553 881				2C7258	1
3 15/16	5/64 032	5/64 126	3/16 860 732				636	8
3 15/16	3/32 032	5/64 126	5/64 126	3/16 860 732			671	8
3 15/16	3/32 363	5/64 126	5/64 126	3/16 860 732			2C671	8

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
3 15/16	3/32 <b>327</b>	5/64 <b>126</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>			<b>2M671</b>	<b>8</b>
3 15/16	3/32 <b>032</b>	5/64 <b>126</b>	5/64 <b>126</b>	3/16 <b>872</b> <b>732</b>			<b>4719</b>	<b>8</b>
3 15/16	3/32 <b>363</b>	5/64 <b>126</b>	5/64 <b>126</b>	3/16 <b>872</b> <b>732</b>			<b>2C4719</b>	<b>8</b>
3 15/16	3/32 <b>327</b>	5/64 <b>126</b>	5/64 <b>126</b>	3/16 <b>872</b> <b>732</b>			<b>2M4719</b>	<b>8</b>
3 15/16	3/32 <b>032</b>	5/64 <b>126</b>	3/16 <b>872</b> <b>732</b>				<b>5049</b>	<b>8</b>
3 15/16	3/32 <b>363</b>	5/64 <b>126</b>	3/16 <b>872</b> <b>732</b>				<b>2C5049</b>	<b>8</b>
3 15/16	3/32 <b>327</b>	5/64 <b>126</b>	3/16 <b>872</b> <b>732</b>				<b>2M5049</b>	<b>8</b>
----- 3.953	1.60 <b>032</b>	1.75 <b>126</b>	3.50 <b>874</b> <b>732</b>				<b>4627</b>	<b>6</b>
3.953	1.60 <b>335</b>	1.75 <b>126</b>	3.50 <b>874</b> <b>732</b>				<b>2M4627</b>	<b>6</b>
3.953	1.20 <b>398</b>	1.50 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>2C5187</b>	<b>6</b>
----- 3.965	5/64 <b>032</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>5619</b>	<b>6</b>
3.965	5/64 <b>363</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C5619</b>	<b>6</b>
3.965	5/64 <b>327</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2M5619</b>	<b>6</b>
----- 3.978	3.00 <b>372</b>	2.00 <b>130</b>	4.00 <b>553</b> <b>881</b>				<b>2D4975</b>	<b>8</b>
3.978	3.00 <b>372</b>	2.00 <b>126</b>	4.00 <b>553</b> <b>881</b>				<b>2D5655</b>	<b>8</b>
----- 4.000	5/64 <b>032</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>139</b>	<b>8</b>

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
4.000	5/64 362	5/64 126	3/16 860 732				2C139	8
4.000	5/64 397	5/64 126	3/16 860 732				2M139	8
4.000	5/64 032	3/32 126	3/16 860 732				577	8
4.000	5/64 362	3/32 126	3/16 860 732				2C577	8
4.000	5/64 397	3/32 126	3/16 860 732				2M577	8
4.000	5/64 032	5/64 126	3/16 860 732				592	6
4.000	5/64 362	5/64 126	3/16 860 732				2C592	6
4.000	5/64 397	5/64 126	3/16 860 732				2M592	6
4.000	5/64 032	3/32 126	3/16 860 732				650	8
4.000	1/8 362	1/8 126	1/8 126	3/16 860 732			2C702	4
4.000	1/8 363	1/8 126	1/8 126	3/16 860 732			2C4007	6
4.000	3/32 363	1/8 126	3/16 860 732	3/16 501			2C4231	6
4.000	1.50 032	1.50 126	4.00 635 732				4346	8
4.000	1.50 327	1.50 126	4.00 635 732				2M4346	8
4.000	1/16 032	5/64 126	3/16 860 732				4366	4
4.000	1/16 362	5/64 126	3/16 860 732				2C4366	4
4.000	1/16 327	5/64 126	3/16 860 732				2M4366	4

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
4.000	5/64 <b>362</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C4389</b>	<b>4</b>
4.000	2.00 <b>032</b>	1.50 <b>126</b>	4.00 <b>872</b> <b>732</b>				<b>4626</b>	<b>8</b>
4.000	2.00 <b>397</b>	1.50 <b>126</b>	4.00 <b>872</b> <b>732</b>				<b>2M4626</b>	<b>8</b>
4.000	2.00 <b>032</b>	1.50 <b>126</b>	4.00 <b>872</b> <b>732</b>				<b>4720</b>	<b>6</b>
4.000	2.00 <b>397</b>	1.50 <b>126</b>	4.00 <b>872</b> <b>732</b>				<b>2M4720</b>	<b>6</b>
4.000	2.00 <b>032</b>	2.00 <b>126</b>	4.75 <b>872</b> <b>732</b>				<b>4721</b>	<b>6</b>
4.000	2.00 <b>397</b>	2.00 <b>126</b>	4.75 <b>872</b> <b>732</b>				<b>2M4721</b>	<b>6</b>
4.000	1.50 <b>032</b>	1.50 <b>126</b>	4.00 <b>635</b> <b>732</b>				<b>4726</b>	<b>8</b>
4.000	1.50 <b>397</b>	1.50 <b>126</b>	4.00 <b>635</b> <b>732</b>				<b>2M4726</b>	<b>8</b>
4.000	1.50 <b>397</b>	1.50 <b>126</b>	4.00 <b>872</b> <b>732</b>				<b>2M4785</b>	<b>10</b>
4.000	1.50 <b>397</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>732</b>				<b>2M4816</b>	<b>10</b>
4.000	1.50 <b>032</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>732</b>				<b>4860</b>	<b>8</b>
4.000	1.50 <b>397</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>732</b>				<b>2M4860</b>	<b>8</b>
4.000	1.50 <b>032</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>732</b>				<b>4862</b>	<b>6</b>
4.000	1.50 <b>397</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>732</b>				<b>2M4862</b>	<b>6</b>
4.000	2.00 <b>032</b>	2.00 <b>126</b>	4.00 <b>872</b> <b>732</b>				<b>4879</b>	<b>6</b>

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
4.000	2.00 397	2.00 126	4.00 872 732				2M4879	6
4.000	1.50 327	1.50 126	2.50 872 732				2M5080	1
4.000	3/32 363	1/8 126	1/8 126	1/4 860 732			2C5156	6
4.000	1.20 397	1.50 126	2.50 995 732				2M5170	8
4.000	3/32 363	3/32 126	3/32 126	3/16 860 732			2C5209	6
4.000	3/32 362	1/8 126	3/16 860 732				2C5213	6
4.000	1.20 397	1.20 406	2.50 872 732				2M5299	2
4.000	5/64 336	5/64 126	3/16 622 732				2M5502	4
4.000	5/64 336	5/64 126	3/16 621 732				2M5504	8
4.000	1/16 336	1/16 126	3/16 621 732				2M5505	8
4.000	5/64 336	5/64 126	3/16 622 732				2M5508	8
4.000	1/16 336	1/16 126	1/8 622 732				2M5521	8
4.000	1/16 339	1/16 126	1/8 622 732				CM5521	8
4.000	1/16 336	1/16 126	3/16 622 732				2M5523	8
4.000	1.50 339	1.50 126	4.00 622 732				CM5530	8
4.000	5/64 339	5/64 126	3/16 860 732				CM5531	8
4.000	1/16 102	1/16 126	3/16 860 732				C5532	8

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
4.000	1/16 <b>339</b>	1/16 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>CM5532</b>	<b>8</b>
4.000	1.50 <b>336</b>	1.50 <b>126</b>	4.00 <b>622</b> <b>732</b>				<b>2M5535</b>	<b>8</b>
4.000	1/16 <b>336</b>	1/16 <b>126</b>	3.00 <b>621</b> <b>005</b>				<b>2M5538</b>	<b>8</b>
4.000	1.50 <b>336</b>	1.50 <b>126</b>	3.00 <b>621</b> <b>732</b>				<b>2M5540</b>	<b>8</b>
4.000	1.50 <b>339</b>	1.50 <b>126</b>	3.00 <b>621</b> <b>732</b>				<b>CM5540</b>	<b>8</b>
4.000	5/64 <b>032</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>5570</b>	<b>4</b>
4.000	5/64 <b>362</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C5570</b>	<b>4</b>
4.000	5/64 <b>397</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2M5570</b>	<b>4</b>
4.000	0.043 <b>395</b>	0.043 <b>126</b>	3.00 <b>621</b> <b>005</b>				<b>SM5587</b>	<b>8</b>
4.000	5/64 <b>032</b>	5/64 <b>126</b>	3/16 <b>872</b> <b>732</b>				<b>5615</b>	<b>8</b>
4.000	5/64 <b>362</b>	5/64 <b>126</b>	3/16 <b>872</b> <b>732</b>				<b>2C5615</b>	<b>8</b>
4.000	5/64 <b>397</b>	5/64 <b>126</b>	3/16 <b>872</b> <b>732</b>				<b>2M5615</b>	<b>8</b>
4.000	1/8 <b>372</b>	3/32 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C5622</b>	<b>1</b>
4.000	5/64 <b>032</b>	5/64 <b>126</b>	3/16 <b>872</b> <b>732</b>				<b>5630</b>	<b>4</b>
4.000	5/64 <b>362</b>	5/64 <b>126</b>	3/16 <b>872</b> <b>732</b>				<b>2C5630</b>	<b>4</b>
4.000	5/64 <b>397</b>	5/64 <b>126</b>	3/16 <b>872</b> <b>732</b>				<b>2M5630</b>	<b>4</b>



CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
4.000	1/16 032	5/64 126	3/16 872 732				5663	4
4.000	1/16 362	5/64 126	3/16 872 732				2C5663	4
4.000	1/16 327	5/64 126	3/16 872 732				2M5663	4
4.000	1/8 032	1/8 126	1/8 126	3/16 501			5678	1
4.000	5/64 362	3/32 126	3/16 860 732				2C5689	4
4.000	5/64 336	5/64 126	7/64 553 881				2D5693	8
4.000	5/64 336	5/64 130	7/64 553 881				2D5697	8
4.000	2.00 032	2.00 126	4.75 871 732				5712	6
4.000	2.00 362	2.00 126	4.75 871 732				2C5712	6
4.000	2.00 397	2.00 126	4.75 871 732				2M5712	6
4.000	3/32 362	1/8 126	3/16 860 732	3/16 501			2C6288	1
4.000	3/32 362	3/32 126	3/32 126	1/4 860 732	1/4 501		2C7113	2
4.000	3/32 363	3/32 126	3/32 126	3/16 860 732			2C7175	4
4.000	3/32 362	3/32 126	3/32 126	1/4 860 732			2C7654	2
4.000	3/32 362	3/32 126	3/32 126	1/4 860 732			2C7656	6
4.000	3/32 362	1/8 126	1/8 126	1/4 860 732			2C7666	4
4.000	5/32 362	5/32 102	1/8 401	1/4 860 732			2C7771	2

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
4.000	3/32 363	3/32 126	3/32 126	1/4 860 732			2C7795	4
4.000	3/32 362	3/32 126	3/32 126	1/4 860 732	1/4 501		2C7796	4
4.000	3/32 363	3/32 126	1/8 126	1/4 860 732			2C7997	4
4.000	1.50 336	1.50 406	3.00 621 732				2M8521	8
4.000	1.50 397	1.50 406	3.00 621 732				SM8521	8
4.000	0.043 395	1/16 126	3/16 622 732				SM8527	8
4.000	0.043 395	1/16 126	3/16 621 732				SM8537	8
4.000	1/16 336	1/16 406	3/16 622 732				2M8542	8
4.000	1/16 336	1/16 406	3/16 621 732				2M8543	8
4.000	0.043 395	0.043 406	3.00 621 005				SM8556	8
4.000	1.50 397	1.50 406	3.00 642 732				SM8565	8
4.000	1/16 336	1/16 406	1/8 622 732				2M8571	8
4.000	1.20 322	1.20 406	3.00 642 732				SN9045	8
4.000	1.20 322	1.50 406	3.00 642 732				SN9065	8
4.016	1.50 336	1.50 406	2.50 985 732				2M4520	8
4.016	3.00 208	2.35 135	4.00 553 881				2D4914	6

<b>CYL DIA</b>	<b>1ST GROOVE</b>	<b>2ND GROOVE</b>	<b>3RD GROOVE</b>	<b>4TH GROOVE</b>	<b>5TH GROOVE</b>	<b>6TH GROOVE</b>	<b>PART NUMBER</b>	<b>NO OF CYL</b>
4.016	3.00 208	2.35 135	4.00 553 881				2C4936	4
4.016	3.00 208	2.39 129	4.00 553 881				2D7276	6
4.016	3.00 220	2.50 223	4.00 553 881				2D7436	1
4.016	3.00 208	3.00 170	4.00 553 881				2D7484	1
4.016	2.40 205	2.35 135	4.00 553 881				2D7518	1
4.040	5/64 032	5/64 126	3/16 860 732				694	8
4.040	5/64 362	5/64 126	3/16 860 732				2C694	8
4.040	5/64 397	5/64 126	3/16 860 732				2M694	8
4.050	5/64 032	3/32 126	3/16 860 732				574	8
4.050	5/64 362	3/32 126	3/16 860 732				2C574	8
4.050	5/64 345	3/32 126	3/16 860 732				2M574	8
4.050	5/64 362	3/32 126	1/4 860 732				2C590	8
4.050	5/64 345	3/32 126	1/4 860 732				2M590	8
4.050	5/64 032	5/64 126	3/16 860 732				594	8
4.050	5/64 362	5/64 126	3/16 860 732				2C594	8
4.050	5/64 327	5/64 126	3/16 860 732				2M594	8
4.050	3/32 032	5/64 126	3/16 860 732				5485	8

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
4.050	3/32 <b>363</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C5485</b>	<b>8</b>
4.050	3/32 <b>327</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2M5485</b>	<b>8</b>
4.050	1/16 <b>336</b>	1/16 <b>126</b>	3/16 <b>622</b> <b>732</b>				<b>2M5525</b>	<b>8</b>
4.050	5/64 <b>032</b>	5/64 <b>126</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>			<b>6601</b>	<b>8</b>
4.050	5/64 <b>345</b>	5/64 <b>126</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>			<b>2M6601</b>	<b>8</b>
4.050	3/32 <b>032</b>	5/64 <b>126</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>			<b>6686</b>	<b>8</b>
4.050	3/32 <b>363</b>	5/64 <b>126</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>			<b>2C6686</b>	<b>8</b>
4.050	3/32 <b>327</b>	5/64 <b>126</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>			<b>2M6686</b>	<b>8</b>
----- 4.055	3.00 <b>378</b>	2.00 <b>130</b>	4.00 <b>553</b> <b>881</b>				<b>2D4744</b>	<b>8</b>
4.055	3.00 <b>259</b>	2.00 <b>257</b>	3.00 <b>203</b> <b>881</b>				<b>2D4845</b>	<b>8</b>
4.055	1.50 <b>397</b>	1.50 <b>126</b>	3.00 <b>054</b> <b>732</b>				<b>2M4907</b>	<b>8</b>
4.055	1.50 <b>397</b>	1.50 <b>406</b>	3.00 <b>054</b> <b>732</b>				<b>2M5378</b>	<b>10</b>
----- 4.058	5/64 <b>032</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>697</b>	<b>8</b>
4.058	5/64 <b>363</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C697</b>	<b>8</b>
4.058	5/64 <b>327</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2M697</b>	<b>8</b>
----- 4.060	1.50 <b>337</b>	1.50 <b>126</b>	2.50 <b>872</b> <b>732</b>				<b>2M5153</b>	<b>1</b>

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
4 1/16	5/64 032	5/64 126	3/16 860 732				639	8
4 1/16	5/64 362	5/64 126	3/16 860 732				2C639	8
4 1/16	5/64 327	5/64 126	3/16 860 732				2M639	8
4.063	5/64 032	5/64 126	3/16 860 732				640	4
4 1/16	5/64 336	5/64 126	3/16 622 732				2M5511	8
4.065	1.50 397	1.20 406	2.00 991 005				2M5275	8
4.065	1.50 336	1.50 406	2.50 985 732				2M5292	8
4.080	5/64 032	5/64 126	3/16 860 732				693	8
4.080	5/64 362	5/64 126	3/16 860 732				2C693	8
4.080	5/64 327	5/64 126	3/16 860 732				2M693	8
4.082	5/64 032	5/64 126	3/16 860 732				5568	8
4.082	5/64 362	5/64 126	3/16 860 732				2C5568	8
4.082	5/64 345	5/64 126	3/16 860 732				2M5568	8
4 3/32	5/64 032	5/64 126	3/16 860 732				641	8
4 3/32	5/64 327	5/64 126	3/16 860 732				2M641	8
4.094	1.20 397	1.20 406	2.00 934 935				2M5379	8

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
4 3/32	5/64 336	5/64 126	3/16 622 732				2M5512	8
4.110	3.00 336	2.00 130	3.50 553 881				2M4741	8
4.110	3.16 224	2.52 227	3.50 553 881				2M4873	8
4.110	3.00 260	2.00 129	3.50 553 881				2D4882	8
4.120	5/64 032	5/64 126	3/16 860 732				644	8
4.120	5/64 363	5/64 126	3/16 860 732				2C644	8
4.120	5/64 345	5/64 126	3/16 860 732				2M644	8
4.120	1/16 336	1/16 126	3/16 860 732				2M5590	8
4 1/8	3/32 363	3/32 126	3/32 126	3/16 860 732			2C579	8
4 1/8	5/64 032	3/32 126	3/16 860 732				651	8
4 1/8	5/64 032	5/64 126	3/16 860 732				661	8
4 1/8	5/64 362	5/64 126	3/16 860 732				2C661	8
4 1/8	5/64 327	5/64 126	3/16 860 732				2M661	8
4.125	1.50 336	1.50 126	3.00 621 005				2M5157	2
4.125	1/16 336	1/16 126	1/8 860 732				2M5501	8
4.125	1/16 339	1/16 126	1/8 860 732				CM5501	8
4.125	1/16 336	1/16 126	3/16 621 732				2M5510	8

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
4.125	5/64 336	5/64 126	3/16 860 732				2M5513	8
4.125	1/16 336	1/16 126	3/16 860 732				2M5529	8
4.125	5/64 339	5/64 126	3/16 860 732				CM5533	8
4.125	5/64 102	5/64 126	3/16 860 732				C5533	8
4.125	1/16 102	1/16 126	3/16 860 732				C5534	8
4.125	1/16 339	1/16 126	3/16 860 732				CM5534	8
4.125	1/16 336	1/16 126	3.00 621 005				2M5539	8
4.125	1.50 336	1.50 126	3.00 621 005				2M5581	8
4.125	0.043 395	0.043 126	3.00 621 005				SM5593	8
4 1/8	1/8 372	1/8 170	1/8 170	3/16 565 881			2C6016	6
4 1/8	3/32 363	3/32 126	3/16 860 732				2C6094	8
4 1/8	3/32 327	3/32 126	3/16 860 732				2M6094	8
4.125	2.35 362	2.35 126	4.75 860 732				2C6593	4
4 1/8	3/32 362	3/32 126	3/32 126	1/4 860 732			2C7124	6
4 1/8	3/32 363	1/8 126	1/8 126	3/16 860 732			2C7553	4
4 1/8	3/32 363	3/32 126	3/32 126	1/4 860 732			2C7580	4

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
4 1/8	3/32 363	3/32 126	1/8 126	1/4 860 732			2C7794	4
4.125	1.50 336	1.50 406	3.00 621 005				2M8505	8
4.125	0.043 395	1/16 126	3/16 860 732				SM8547	8
4.125	0.043 395	0.043 406	3.00 621 005				SM8550	8
4.125	1/16 336	1/16 406	3/16 860 732				2M8552	8
4.125	0.043 395	1/16 126	3/16 621 732				SM8557	8
4.125	1/16 336	1/16 406	3/16 621 732				2M8559	8
4.125	1.20 322	1.20 406	3.00 642 732				SN9050	8
4.126	1.20 397	1.20 406	2.00 991 005				2M5129	8
4.130	5/64 032	5/64 126	3/16 860 732				595	8
4.130	5/64 327	5/64 126	3/16 860 732				2M595	8
4.130	1/16 032	1/16 126	3/16 860 732				657	8
4.151	5/64 032	1/16 126	3/16 860 732				643	8
4.151	5/64 345	1/16 126	3/16 860 732				2M643	8
4.151	1/16 336	1/16 126	3/16 860 732				2M5543	8
4.165	5/64 032	5/64 126	3/16 860 732				672	8
4.165	5/64 362	5/64 126	3/16 860 732				2C672	8



CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
4.165	5/64 327	5/64 126	3/16 860 732				2M672	8
4.165	1/16 336	1/16 126	3/16 622 732				2M5542	8
4 3/16	5/64 032	5/64 126	3/16 860 732				437	8
4 3/16	5/64 327	5/64 126	3/16 860 732				2M437	8
4.200	3/32 362	3/32 126	3/16 860 732				2C7181	3
4.200	3/32 362	3/32 362	3/32 126	3/16 565 881			2C7182	1
4.213	2.87 224	2.50 126	3.46 553 881				2M5872	6
4 7/32	3/32 362	3/32 362	3/32 126	3/16 553 881			2D7246	2
4.233	1/16 336	1/16 126	3/16 622 732				2M5526	8
4 1/4	5/64 032	5/64 126	3/16 860 732				683	8
4 1/4	5/64 363	5/64 126	3/16 860 732				2C683	8
4 1/4	5/64 397	5/64 126	3/16 860 732				2M683	8
4 1/4	5/64 032	5/64 126	3/16 872 732				4718	8
4 1/4	5/64 363	5/64 126	3/16 872 732				2C4718	8
4 1/4	5/64 397	5/64 126	3/16 872 732				2M4718	8
4 1/4	3/32 363	3/32 126	3/32 126	3/16 860 732			2C4877	6

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
4 1/4	5/64 <b>032</b>	5/64 <b>126</b>	5/64 <b>126</b>	3/16 <b>872</b> <b>732</b>			<b>4929</b>	<b>8</b>
4 1/4	5/64 <b>363</b>	5/64 <b>126</b>	5/64 <b>126</b>	3/16 <b>872</b> <b>732</b>			<b>2C4929</b>	<b>8</b>
4 1/4	5/64 <b>397</b>	5/64 <b>126</b>	5/64 <b>126</b>	3/16 <b>872</b> <b>732</b>			<b>2M4929</b>	<b>8</b>
4.250	2.00 <b>032</b>	2.00 <b>126</b>	4.00 <b>872</b> <b>732</b>				<b>5085</b>	<b>8</b>
4.250	2.00 <b>363</b>	2.00 <b>126</b>	4.00 <b>872</b> <b>732</b>				<b>2C5085</b>	<b>8</b>
4.250	2.00 <b>397</b>	2.00 <b>126</b>	4.00 <b>872</b> <b>732</b>				<b>2M5085</b>	<b>8</b>
4.250	1.50 <b>336</b>	1.50 <b>126</b>	3.00 <b>872</b> <b>005</b>				<b>2M5206</b>	<b>2</b>
4.250	5/64 <b>336</b>	5/64 <b>126</b>	3/16 <b>621</b> <b>732</b>				<b>2M5514</b>	<b>8</b>
4.250	1/16 <b>336</b>	1/16 <b>126</b>	3/16 <b>621</b> <b>732</b>				<b>2M5515</b>	<b>8</b>
4.250	5/64 <b>336</b>	5/64 <b>126</b>	3/16 <b>622</b> <b>732</b>				<b>2M5518</b>	<b>8</b>
4.250	1/16 <b>336</b>	1/16 <b>126</b>	3/16 <b>622</b> <b>732</b>				<b>2M5519</b>	<b>8</b>
4.250	1/16 <b>339</b>	1/16 <b>126</b>	3/16 <b>622</b> <b>732</b>				<b>CM5541</b>	<b>8</b>
4.250	0.043 <b>395</b>	0.043 <b>406</b>	3.00 <b>872</b> <b>005</b>				<b>SM5597</b>	<b>8</b>
4 1/4	3/32 <b>032</b>	3/32 <b>126</b>	3/32 <b>126</b>	3/16 <b>860</b> <b>732</b>			<b>6308</b>	<b>6</b>
4 1/4	3/32 <b>363</b>	3/32 <b>126</b>	3/32 <b>126</b>	3/16 <b>860</b> <b>732</b>			<b>2C6308</b>	<b>6</b>
4 1/4	3/32 <b>363</b>	3/32 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C6395</b>	<b>6</b>
4 1/4	3/32 <b>032</b>	5/64 <b>126</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>			<b>6606</b>	<b>8</b>

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
4 1/4	3/32 362	5/64 126	5/64 126	3/16 860 732			2C6606	8
4 1/4	3/32 345	5/64 126	5/64 126	3/16 860 732			2M6606	8
4 1/4	3/32 363	3/32 126	3/32 126	1/4 860 732			2C7122	4
4 1/4	3/32 363	3/32 126	3/16 860 732				2C7236	2
4 1/4	3/32 363	3/32 126	3/32 126	1/4 860 732			2C7675	2
4.250	1.50 336	1.50 406	3.00 872 005				2M8510	8
4.250	1/16 336	1/16 406	3/16 622 732				2M8562	8
4.250	0.043 395	1/16 126	3/16 622 732				SM8567	8
4.250	1.50 336	1.50 126	3.00 872 005				2M8569	8
4.300	5/64 032	3/32 126	3/16 860 732				576	8
4.300	5/64 032	5/64 126	3/16 860 732				695	8
4.300	5/64 327	5/64 126	3/16 860 732				2M695	8
4 5/16	5/64 032	5/64 126	3/16 860 732				645	8
4 5/16	5/64 362	5/64 126	3/16 860 732				2C645	8
4 5/16	5/64 327	5/64 126	3/16 860 732				2M645	8
4.320	5/64 032	5/64 126	3/16 860 732				692	8

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
4.320	5/64 <b>362</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C692</b>	<b>8</b>
4.320	5/64 <b>345</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2M692</b>	<b>8</b>
4.320	1/16 <b>336</b>	1/16 <b>126</b>	3/16 <b>621</b> <b>732</b>				<b>2M5520</b>	<b>8</b>
4.320	1/16 <b>336</b>	1/16 <b>126</b>	3/16 <b>622</b> <b>732</b>				<b>2M5528</b>	<b>8</b>
----- 4.342	5/64 <b>032</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>676</b>	<b>8</b>
4.342	5/64 <b>362</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C676</b>	<b>8</b>
4.342	5/64 <b>327</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2M676</b>	<b>8</b>
----- 4.351	5/64 <b>032</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>4454</b>	<b>8</b>
4.351	5/64 <b>362</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C4454</b>	<b>8</b>
4.351	5/64 <b>345</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2M4454</b>	<b>8</b>
----- 4.358	2.00 <b>032</b>	2.00 <b>126</b>	4.00 <b>871</b> <b>732</b>				<b>4740</b>	<b>8</b>
4.358	2.00 <b>363</b>	2.00 <b>126</b>	4.00 <b>871</b> <b>732</b>				<b>2C4740</b>	<b>8</b>
4.358	2.00 <b>345</b>	2.00 <b>126</b>	4.00 <b>871</b> <b>732</b>				<b>2M4740</b>	<b>8</b>
----- 4.360	5/64 <b>032</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>598</b>	<b>8</b>
4.360	5/64 <b>363</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C598</b>	<b>8</b>
4.360	5/64 <b>345</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2M598</b>	<b>8</b>
4.360	1/16 <b>336</b>	1/16 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2M5536</b>	<b>8</b>

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
4.360	3/32 <b>032</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>5621</b>	<b>8</b>
4.360	3/32 <b>363</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C5621</b>	<b>8</b>
4.360	3/32 <b>327</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2M5621</b>	<b>8</b>
4.360	5/64 <b>032</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>6138</b>	<b>4</b>
4.360	5/64 <b>362</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C6138</b>	<b>4</b>
4.360	5/64 <b>345</b>	5/64 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2M6138</b>	<b>4</b>
----- 4 3/8	3/32 <b>362</b>	3/32 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2C6286</b>	<b>6</b>
----- 4.38	5/64 <b>345</b>	3/32 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2M596</b>	<b>8</b>
----- 4.400	1/8 <b>372</b>	3/32 <b>126</b>	3/32 <b>126</b>	3/16 <b>565</b> <b>881</b>			<b>2C4728</b>	<b>4</b>
4.400	1/8 <b>372</b>	3/32 <b>126</b>	3/32 <b>126</b>	3/16 <b>565</b> <b>881</b>			<b>2C7012</b>	<b>6</b>
4.400	1/8 <b>372</b>	3/32 <b>126</b>	3/16 <b>565</b> <b>881</b>				<b>2C7014</b>	<b>6</b>
4.400	1/8 <b>372</b>	3/32 <b>126</b>	3/16 <b>565</b> <b>881</b>				<b>2C7021</b>	<b>2</b>
4.400	3/32 <b>362</b>	3/32 <b>362</b>	3/32 <b>126</b>	3/16 <b>565</b> <b>881</b>			<b>2C7180</b>	<b>3</b>
4.400	3/32 <b>362</b>	3/32 <b>126</b>	3/16 <b>565</b> <b>881</b>				<b>2C7183</b>	<b>3</b>
4.400	3/32 <b>362</b>	3/32 <b>362</b>	3/32 <b>126</b>	3/16 <b>565</b> <b>881</b>			<b>2C7210</b>	<b>4</b>
----- 4.466	1/16 <b>336</b>	1/16 <b>126</b>	3/16 <b>860</b> <b>732</b>				<b>2M5537</b>	<b>8</b>

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
4.467	1.50 336	1.50 126	4.00 872 732				2M4699	8
4.467	2.00 336	1.50 126	4.00 872 732				2M4727	8
4 1/2	3/32 032	3/32 126	3/32 126	3/16 860 732			578	8
4 1/2	3/32 363	3/32 126	3/32 126	3/16 860 732			2C578	8
4 1/2	1/8 363	1/8 126	1/8 126	3/16 860 732			2C4056	6
4 1/2	3/16 362	3/16 102	3/16 401	3/16 860 732			2C4157	4
4 1/2	1/8 372	3/32 126	3/16 565 881				2C4305	8
4.500	1/16 336	1/16 126	3/16 860 732				2M5589	8
4.500	1/16 336	1/16 126	3/16 009 732				2M5596	8
4 1/2	1/8 363	1/8 126	1/8 126	3/16 501			2C5683	1
4 1/2	3/32 032	3/32 126	3/16 860 732				6309	8
4 1/2	3/32 363	3/32 126	3/16 860 732				2C6309	8
4 1/2	1/8 220	1/8 553	7/64 881				2D7473	1
4 1/2	1/8 224	1/8 170	7/64 553 881				2D7493	1
4 1/2	3/32 215	3/32 135	3/16 553 881				2D7524	1
4 1/2	3/16 362	3/16 102	3/16 102	3/16 501 825			2C7733	2

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
4.500	1.50 336	1.50 126	3.00 872 005				2M8525	8
4.500	1.50 336	1.50 406	3.00 872 005				2M8535	8
4.500	0.043 395	0.043 406	3.00 872 005				SM8582	8
4.500	1/16 336	1/16 406	3/16 860 732				2M8588	8
4.500	0.043 395	0.063 406	3.00 872 005				SM8592	8
4.500	1/16 336	1/16 406	3/16 009 732				2M8594	8
4.527	3.50 361	3.00 401	5.50 565 881				2C5603	6
4.527	3.00 370	2.50 401	4.00 553 881				2C7456	4
4 11/16	3/16 362	3/16 102	3/16 102	3/16 401	5/16 501		2C4965	2
4.803	3.50 372	3.00 102	3.00 102	5.50 565 881			2C5557	6
5.000	3/16 102	3/16 435	3/16 501 825				6081	1
5 1/8	5/32 381	5/32 180	5/32 180	1/4 579 881			2C6500	6
5.320	3/32 102	3/32 102	3/32 401	3/16 860 732			7173	6
5 1/2	1/4 362	1/4 102	1/4 102	1/4 710 732 825	1/4 501		2C722	2
5 1/2	3/16 362	3/16 102 102	3/16 401	3/16 401	5/16 501 825		2C7731	2
5 1/2	1/8 362	1/8 102	1/8 102	1/4 501 825	1/8 102	1/4 501	2C7940	2

CYL DIA	1ST GROOVE	2ND GROOVE	3RD GROOVE	4TH GROOVE	5TH GROOVE	6TH GROOVE	PART NUMBER	NO OF CYL
5 3/4	3/16 102	3/16 435	3/16 501 825				6082	1
5 7/8	1/8 362	1/8 102	1/8 102	1/8 102	1/4 501 825		2C7642	2
6.000	1/8 362	1/8 102	1/8 102	1/4 401	1/8 501	1/4 501 825	2C7998	2
6 1/8	1/8 362	1/8 102	1/8 102	1/8 102	1/4 501 825	1/4 501	2C7674	2
6 1/4	1/8 363	3/32 349	1/4 565 881				2C7195	2







